

FARDEEP analysis

Sergey Naumenko

2021-06-16

Contents


Overview	1
FARDEEP	1
R session	51

Overview


- Principal Investigator: Beth Overmoyer
- Experiment: RNAseq_analysis_of_inflammatory_breast_cancer_hbc04141
- study 6 was excluded because of low read depth in 3373-3
- <https://cran.r-project.org/web/packages/FARDEEP/FARDEEP.pdf>

FARDEEP

```
df_fardeep_long$response_order <- ifelse(df_fardeep_long$response == "Yes", 0, 1)
df_fardeep_long %>% ggplot(aes(fill = cell_type,
                               y = cell_pct,
                               x = reorder(sample_name, response_order))) +
  geom_bar(position = "stack",
           stat = "identity") +
  theme(axis.text.x = element_text(angle = 90, vjust = 0.5, hjust=1)) +
  xlab("Samples: pCR (left) vs no-pCR(right)") +
  ylab("Percent cells") +
  ggtitle("Relative cell proportions")
```



```
df_fardeep_abs_long$response_order <- ifelse(df_fardeep_abs_long$response == "Yes", 0, 1)
df_fardeep_abs_long %>% ggplot(aes(fill = cell_type,
                                   y = TIL_subset_abs_scores,
                                   x = reorder(sample_name, response_order))) +
  geom_bar(position = "stack",
           stat = "identity") +
  theme(axis.text.x = element_text(angle = 90, vjust = 0.5, hjust=1)) +
  xlab("Samples: pCR (left) vs no-pCR(right)") +
  ggtitle("Absolute TIL scores")
```




```
df_fardeep$macrophages_combined <- df_fardeep$Macrophages.M0 + df_fardeep$Macrophages.M1 + df_fardeep$Macrophages.M2
df_fardeep_abs$macrophages_combined <- df_fardeep_abs$Macrophages.M0 + df_fardeep_abs$Macrophages.M1 + df_fardeep_abs$Macrophages.M2
my_comparisons <- list(c("pCR", "no-pCR"))
for (cell_type in c("B.cells.naive",
                    "B.cells.memory",
                    "Plasma.cells",
                    "T.cells.CD8",
                    "T.cells.CD4.naive",
                    "T.cells.CD4.memory.resting",
                    "T.cells.CD4.memory.activated",
                    "T.cells.follicular.helper",
                    "T.cells.regulatory.Tregs.",
                    "T.cells.gamma.delta",
                    "NK.cells.resting",
```


```


        "NK.cells.activated",
        "Monocytes",
        "Macrophages.M0",
        "Macrophages.M1",
        "Macrophages.M2",
        "macrophages_combined",
        "Dendritic.cells.resting",
        "Dendritic.cells.activated",
        "Mast.cells.resting",
        "Mast.cells.activated",
        "Eosinophils",
        "Neutrophils")){
p <- ggboxplot(df_fardeep,
  x = "response_type", y = cell_type,
  add = "dotplot", add.params = list(size = 0.5)) +
  stat_compare_means(comparisons = my_comparisons, method = "t.test") +
  ylab("Percent cells") +
  ggtitle(paste0(cell_type, ", relative"))
print(p)


pa <- ggboxplot(df_fardeep_abs,
  x = "response_type", y = cell_type,
  add = "dotplot", add.params = list(size = 0.5)) +
  stat_compare_means(comparisons = my_comparisons, method = "t.test") +
  ylab("TIL scores") +
  ggtitle(paste0(cell_type, ", absolute"))
print(pa)
}


```
























































































































R session

```
sessionInfo()
```

```
## R version 4.0.5 (2021-03-31)
## Platform: x86_64-redhat-linux-gnu (64-bit)
## Running under: Fedora 32 (Workstation Edition)
##
## Matrix products: default
## BLAS/LAPACK: /usr/lib64/libopenblas-r0.3.12.so
##
## locale:
##  [1] LC_CTYPE=en_CA.UTF-8      LC_NUMERIC=C
##  [3] LC_TIME=en_CA.UTF-8      LC_COLLATE=en_CA.UTF-8
##  [5] LC_MONETARY=en_CA.UTF-8  LC_MESSAGES=en_CA.UTF-8
##  [7] LC_PAPER=en_CA.UTF-8     LC_NAME=C
##  [9] LC_ADDRESS=C             LC_TELEPHONE=C
## [11] LC_MEASUREMENT=en_CA.UTF-8 LC_IDENTIFICATION=C
##
## attached base packages:
## [1] parallel stats4      stats      graphics  grDevices  utils      datasets
## [8] methods   base
##
## other attached packages:
##  [1] ggpubr_0.4.0          FARDEEP_1.0.1
##  [3] ensemblDb_2.14.1      AnnotationFilter_1.14.0
##  [5] GenomicFeatures_1.42.3 AnnotationDbi_1.52.0
##  [7] AnnotationHub_2.22.1  BiocFileCache_1.14.0
##  [9] dbplyr_2.1.1          knitr_1.33
## [11] ggrepel_0.9.1         tximport_1.18.0
## [13] DEGreport_1.26.0      pheatmap_1.0.12
## [15] RColorBrewer_1.1-2    forcats_0.5.1
## [17] stringr_1.4.0         dplyr_1.0.5
## [19] purrr_0.3.4           readr_1.4.0
## [21] tidyr_1.1.3           tibble_3.1.1
## [23] ggplot2_3.3.3         tidyverse_1.3.1
## [25] DESeq2_1.30.1         SummarizedExperiment_1.20.0
## [27] Biobase_2.50.0        MatrixGenerics_1.2.1
## [29] matrixStats_0.58.0    GenomicRanges_1.42.0
## [31] GenomeInfoDb_1.26.7   IRanges_2.24.1
## [33] S4Vectors_0.28.1     BiocGenerics_0.36.1
##
## loaded via a namespace (and not attached):
##  [1] readxl_1.3.1          backports_1.2.1
##  [3] circlize_0.4.12       plyr_1.8.6
##  [5] lazyeval_0.2.2        ConsensusClusterPlus_1.54.0
##  [7] splines_4.0.5         BiocParallel_1.24.1
##  [9] digest_0.6.27         htmltools_0.5.1.1
## [11] fansi_0.4.2           magrittr_2.0.1
## [13] memoise_2.0.0         cluster_2.1.1
## [15] openxlsx_4.2.3        limma_3.46.0
## [17] ComplexHeatmap_2.6.2  Biostrings_2.58.0
## [19] annotate_1.68.0       Nozzle.R1_1.1-1
## [21] modelr_0.1.8          askpass_1.1
```

## [23] prettyunits_1.1.1	colorspace_2.0-0
## [25] blob_1.2.1	rvest_1.0.0
## [27] rappdirs_0.3.3	haven_2.4.1
## [29] xfun_0.22	crayon_1.4.1
## [31] RCurl_1.98-1.3	jsonlite_1.7.2
## [33] genefilter_1.72.1	survival_3.2-10
## [35] glue_1.4.2	gtable_0.3.0
## [37] zlibbioc_1.36.0	XVector_0.30.0
## [39] GetoptLong_1.0.5	DelayedArray_0.16.3
## [41] car_3.0-10	shape_1.4.5
## [43] abind_1.4-5	scales_1.1.1
## [45] DBI_1.1.1	edgeR_3.32.1
## [47] rstatix_0.7.0	Rcpp_1.0.6
## [49] progress_1.2.2	xtable_1.8-4
## [51] lasso2_1.2-21.1	tmvnsim_1.0-2
## [53] clue_0.3-59	foreign_0.8-81
## [55] bit_4.0.4	httr_1.4.2
## [57] ellipsis_0.3.1	farver_2.1.0
## [59] pkgconfig_2.0.3	reshape_0.8.8
## [61] XML_3.99-0.6	locfit_1.5-9.4
## [63] utf8_1.2.1	labeling_0.4.2
## [65] tidyselect_1.1.0	rlang_0.4.10
## [67] later_1.2.0	munsell_0.5.0
## [69] BiocVersion_3.12.0	cellranger_1.1.0
## [71] tools_4.0.5	cachem_1.0.4
## [73] cli_2.5.0	generics_0.1.0
## [75] RSQLite_2.2.7	broom_0.7.6
## [77] evaluate_0.14	fastmap_1.1.0
## [79] ggdendro_0.1.22	yaml_2.2.1
## [81] bit64_4.0.5	fs_1.5.0
## [83] zip_2.1.1	nlme_3.1-152
## [85] mime_0.10	xml2_1.3.2
## [87] biomaRt_2.46.3	compiler_4.0.5
## [89] rstudioapi_0.13	curl_4.3
## [91] png_0.1-7	interactiveDisplayBase_1.28.0
## [93] ggsignif_0.6.1	reprex_2.0.0
## [95] geneplotter_1.68.0	stringi_1.5.3
## [97] highr_0.9	lattice_0.20-41
## [99] ProtGenerics_1.22.0	Matrix_1.3-2
## [101] psych_2.1.3	vctrs_0.3.7
## [103] pillar_1.6.0	lifecycle_1.0.0
## [105] BiocManager_1.30.12	GlobalOptions_0.1.2
## [107] data.table_1.14.0	cowplot_1.1.1
## [109] bitops_1.0-7	rtracklayer_1.50.0
## [111] httpuv_1.6.0	R6_2.5.0
## [113] promises_1.2.0.1	rio_0.5.26
## [115] MASS_7.3-53.1	assertthat_0.2.1
## [117] openssl_1.4.3	rjson_0.2.20
## [119] withr_2.4.2	GenomicAlignments_1.26.0
## [121] Rsamtools_2.6.0	mnormt_2.0.2
## [123] GenomeInfoDbData_1.2.4	hms_1.0.0
## [125] grid_4.0.5	rmarkdown_2.6
## [127] carData_3.0-4	Cairo_1.5-12.2
## [129] logging_0.10-108	shiny_1.6.0

```
## [131] lubridate_1.7.10
```