
Ransom Note (/problems/ransom-note/)

Submission Detail

```
126 / 126 test cases passed.Status: AcceptedRuntime: 16 msSubmitted: 3 weeks ago
```

Accepted Solutions Runtime Distribution



Invite friends to challenge Ransom Note

9

Submitted Code: 3 weeks ago

```
Language: java Edit Code
```

```
class Solution {
            public boolean canConstruct(String ransomNote, String magazine) {
      int [] ans= new int[26];
                     for(int i=0;i<ans.length;i++){</pre>
                     ans[i]=0;
 5
 6
                  for(int i=0;i<magazine.length();i++){
    ans[(int)magazine.charAt(i)-97]++;</pre>
 8
                     for(int i=0;i<ransomNote.length();i++){
   if( ans[(int)ransomNote.charAt(i)-97] >0){
      ans[(int)ransomNote.charAt(i)-97]--;
10
11
12
13
14
15
                           else{
                                 return false;
16
17
18
                  }
19
20
                return true;
21
22
     }
```

Back to problem (/problems/ransom-note/)

Copyright © 2018 LeetCode

Contact Us (/support/) | Frequently Asked Questions (/faq/) | Terms of Service (/terms/) | Privacy Policy (/privacy/)

© United States (/region/)