

Equivalent Typst Function Names of LaTeX Commands

从 LaTeX 命令到 Typst 函数的等价名称

本文档列出了与 LaTeX 命令等效的 Typst 函数名称。仅包含 LaTeX 格式或 amsmath 宏包提供的数学符号。

1 Text Environments

LaTeX Environment	Typst Function	LaTeX Environment	Typst Function
description	terms	enumerate	enum
figure	figure	itemize	list
minipage	block	table	figure
tabular	table	thebibliography	bibliography
tabularx	table, grid	verbatim	raw

2 Text Commands

LaTeX Command	Typst Function	LaTeX Command	Typst Function
\chapter	heading	\cite	cite
\documentclass	import	\emph	emph
\fbox	rect	\href	link
\hspace	h	\include	include
\includegraphics	image	\label	label
\lowercase	lower	\medspace	medium
\newcommand	let	\newcounter	let
\newenvironment	let	\newlength	let
\pagebreak	pagebreak	\parbox	block
\part	heading	\qqquad	wide
\quad	quad	\ref	ref
\renewcommand	let	\renewenvironment	let
\section	heading	\setcounter	let
\setlength	let	\subsection	heading
\subsubsection	heading	\textbf	strong
\textit	text(style: “italic”)	\textmd	text(style: “normal”)
\textrm	text	\textsc	smallcaps
\textsf	text	\textsl	text(style: “oblique”)
\texttt	text	\thickspace	thick
\thinspace	thin	\underline	underline
\uppercase	upper	\url	link
\usepackage	import	\verb	raw
\vspace	v		

3 Math Environments

LaTeX Environment	Typst Function	LaTeX Environment	Typst Function
Bmatrix	mat(delim: "{")	Vmatrix	mat(delim:)
align	equation	array	mat
bmatrix	mat(delim: "[")	cases	cases
displaymath	equation	equation	equation
math	math	matrix	mat
pmatrix	mat(delim: "(")	vmatrix	mat(delim: " ")

1. equation 命令使用样例:

```
#math.equation(
  block: true,
  numbering: "(1)",
  [$1 + 1 = 2$]
)
```

$$1 + 1 = 2 \quad (1)$$

2. mat 命令使用样例

```
$ mat(delim: "{", 1, 2; 3, 4) $
```

$$\begin{Bmatrix} 1 & 2 \\ 3 & 4 \end{Bmatrix}$$

3. cases 命令使用样例

```
$ cases(2x + y = 1, x - y = 5) $
```

$$\begin{cases} 2x + y = 1 \\ x - y = 5 \end{cases}$$

4 Math Commands

LaTeX Command	Typst Function	LaTeX Command	Typst Function
\arccos	arccos	\arcsin	arcsin
\arctan	arctan	\arg	arg
\bar	macron	\binom	binom
\boldsymbol	bold	\cos	cos
\cosh	cosh	\cot	cot
\coth	coth	\csc	csc
\dbinom	binom	\ddot	diaer, dot.double
\deg	deg	\det	det
\dfrac	frac	\dim	dim
\dot	dot	\exp	exp
\frac	frac	\gcd	gcd
\hat	hat	\hspace	h
\inf	inf	\ker	ker
\left	lr	\lg	lg
\lim	lim	\liminf	liminf
\limsup	limsup	\ln	ln

LaTeX Command	Typst Function	LaTeX Command	Typst Function
\log	log	\mathbb	bb
\mathcal	cal	\max	max
\min	min	\mod	mod
\overbrace	overbrace	\overline	overline
\qquad	wide	\quad	quad
\right	lr	\sec	sec
\sin	sin	\sinh	sinh
\sqrt	sqrt, root	\sup	sup
\tan	tan	\tanh	tanh
\tbinom	binom	\tfrac	frac
\tilde	tilde	\underbrace	underbrace
\vec	arrow	\widehat	hat

5 Math Symbols

LaTeX Command		Typst Function	LaTeX Command		Typst Function
\Cap	⋈	sect.double	\Cup	⋈	union.double
\Delta	Δ	Delta	\Gamma	Γ	Gamma
\Join	⋈	join	\Lambda	Λ	Lambda
\Longrightarrow	⇒	arrow.double.r.long	\Omega	Ω	Omega
\Phi	Φ	Phi	\Pi	Π	Pi
\Psi	Ψ	Psi	\Rightarrow	⇒	arrow.double.r
\Sigma	Σ	Sigma	\Theta	Θ	Theta
\aleph	ℵ	alef	\alpha	α	alpha
\angle	∠	angle	\approx	≈	approx
\approxeq	≈	approx.eq	\ast	*	ast
\beta	β	beta	\bigcap	⋂	sect.big
\bigcirc	○	circle.big	\bigcup	⋃	union.big
\bigodot	⊙	dot.circle.big	\bigoplus	⊕	plus.circle.big
\bigotimes	⊗	times.circle.big	\bigsqcup	⋈	union.sq.big
\bigtriangledown	△	triangle.t	\bigtriangleup	▽	triangle.b
\biguplus	⊕	union.plus.big	\bigvee	∨	or.big
\bigwedge	∧	and.big	\bullet	•	bullet
\cap	∩	sect	\cdot	·	dot.c, dot.op
\cdots	...	dots.c	\checkmark	✓	checkmark
\chi	χ	chi	\circ	◦	circle.small,compose
\colon	:	colon	\cong	≅	tilde.equiv
\coprod	∏	product.co	\cup	∪	union
\curlyvee	∨	or.curly	\curlywedge	∧	and.curly
\dagger	†	dagger	\dashv	⊥	tack.l
\ddagger	‡	dagger.double	\delta	δ	delta
\ddots	⋮	dots.down	\diamond	◇	diamond
\div	÷	div	\divideontimes	⋈	times.div
\dotplus	⊕	plus.dot	\downarrow	↓	arrow.b

LaTeX Command		Typst Function	LaTeX Command		Typst Function
<code>\ell</code>	ℓ	<code>ell</code>	<code>\emptyset</code>	$\emptyset$	nothing
<code>\epsilon</code>	ϵ	<code>epsilon.alt</code>	<code>\equiv</code>	$\equiv$	equiv
<code>\eta</code>	η	<code>eta</code>	<code>\exists</code>	$\exists$	exists
<code>\forall</code>	$\forall$	<code>forall</code>	<code>\gamma</code>	γ	gamma
<code>\ge</code>	$\geq$	<code>gt.eq</code>	<code>\geq</code>	$\geq$	gt.eq
<code>\geqslant</code>	$\geqslant$	<code>gt.eq.slant</code>	<code>\gg</code>	$\gg$	gt.double
<code>\hbar</code>	$\hbar$	<code>planck.reduce</code>	<code>\imath</code>	$\imath$	dotless.i
<code>\iiint</code>	$\iiint$	<code>integral.quad</code>	<code>\iint</code>	$\iint$	integral.triple
<code>\iint</code>	$\iint$	<code>integral.double</code>	<code>\in</code>	$\in$	in
<code>\int</code>	$\int$	<code>integral</code>	<code>\intercal</code>	$\intercal$	tack.b, top
<code>\iota</code>	ι	<code>iota</code>	<code>\jmath</code>	$\jmath$	dotless.j
<code>\kappa</code>	κ	<code>kappa</code>	<code>\lambda</code>	λ	lambda
<code>\langle</code>	$\langle$	<code>angle.l</code>	<code>\lbrace</code>	$\{$	brace, brace.l
<code>\lbrack</code>	$[$	<code>bracket, bracket.l</code>	<code>\ldots</code>	$\dots$	dots, dots.l
<code>\le</code>	$\leq$	<code>lt.eq</code>	<code>\leadsto</code>	$\leadsto$	arrow.squiggly
<code>\leftarrow</code>	$\leftarrow$	<code>arrow.l</code>	<code>\leftthreetimes</code>	$\times$	times.three.l
<code>\leftrightarrow</code>	$\leftrightarrow$	<code>arrow.l.r</code>	<code>\lhd</code>	$\triangleleft$	triangle.l
<code>\ll</code>	$\ll$	<code>lt.double</code>	<code>\longmapsto</code>	$\mapsto$	arrow.long.bar
<code>\longrightarrow</code>	$\longrightarrow$	<code>arrow.r.long</code>	<code>\ltimes</code>	$\ltimes$	times.l
<code>\mapsto</code>	$\mapsto$	<code>arrow.bar</code>	<code>\measuredangle</code>	$\sphericalangle$	angle.arc
<code>\mid</code>	$ $	<code>divides</code>	<code>\models</code>	$\models$	models
<code>\mp</code>	$\mp$	<code>minus.plus</code>	<code>\mu</code>	μ	mu
<code>\nrightarrow</code>	$\nrightarrow$	<code>arrow.double.r.not</code>	<code>\nabla</code>	∇	nabla
<code>\ncong</code>	$\ncong$	<code>tilde.equiv.not</code>	<code>\ne</code>	$\neq$	eq.not
<code>\neg</code>	$\neg$	<code>not</code>	<code>\neq</code>	$\neq$	eq.not
<code>\nmid</code>	$\nmid$	<code>divides.not</code>	<code>\notin</code>	$\notin$	in.not
<code>\nleftarrow</code>	$\nleftarrow$	<code>arrow.l.not</code>	<code>\nrightarrow</code>	$\nrightarrow$	arrow.r.not
<code>\nsim</code>	$\nsim$	<code>tilde.not</code>	<code>\nu</code>	ν	nu
<code>\odot</code>	$\odot$	<code>dot.circle</code>	<code>\oint</code>	$\oint$	integral.cont
<code>\omega</code>	ω	<code>omega</code>	<code>\ominus</code>	$\ominus$	minus.circle
<code>\oplus</code>	$\oplus$	<code>plus.circle</code>	<code>\otimes</code>	$\otimes$	times.circle
<code>\parallel</code>	$\parallel$	<code>parallel</code>	<code>\partial</code>	∂	diff
<code>\perp</code>	$\perp$	<code>perp</code>	<code>\phi</code>	ϕ	phi.alt
<code>\pi</code>	π	<code>pi</code>	<code>\pm</code>	$\pm$	plus.minus
<code>\prec</code>	$\prec$	<code>prec</code>	<code>\preceq</code>	$\preceq$	prec.eq
<code>\prime</code>	$'$	<code>prime</code>	<code>\prod</code>	$\prod$	product
<code>\propto</code>	$\propto$	<code>prop</code>	<code>\psi</code>	ψ	psi
<code>\rangle</code>	$\rangle$	<code>angle.r</code>	<code>\rbrace</code>	$\}$	brace.r
<code>\rbrack</code>	$\rbrack$	<code>bracket.r</code>	<code>\rhd</code>	$\triangleright$	triangle.r
<code>\rho</code>	ρ	<code>rho</code>	<code>\rightarrow</code>	$\rightarrow$	arrow.r
<code>\rightthreetimes</code>	$\times$	<code>times.three.r</code>	<code>\rtimes</code>	$\rtimes$	times.r
<code>\setminus</code>	$\setminus$	<code>without</code>	<code>\sigma</code>	σ	sigma
<code>\sim</code>	$\sim$	<code>tilde</code>	<code>\simeq</code>	$\simeq$	tilde.eq
<code>\sqcap</code>	$\sqcap$	<code>sect.sq</code>	<code>\sqcup</code>	$\sqcup$	union.sq

LaTeX Command		Typst Function	LaTeX Command		Typst Function
<code>\star</code>	$\star$	star	<code>\subset</code>	$\subset$	subset
<code>\subseteq</code>	$\subseteq$	subset.eq	<code>\subsetneq</code>	$\subsetneq$	subset.neq
<code>\succ</code>	$\succ$	succ	<code>\succeq</code>	$\succeq$	succ.eq
<code>\sum</code>	$\sum$	sum	<code>\supset</code>	$\supset$	supset
<code>\supseteq</code>	$\supseteq$	supset.eq	<code>\supsetneq</code>	$\supsetneq$	supset.neq
<code>\tau</code>	τ	tau	<code>\theta</code>	θ	theta
<code>\times</code>	$\times$	times	<code>\to</code>	$\rightarrow$	arrow.r
<code>\triangle</code>	$\triangle$	triangle.t	<code>\triangleleft</code>	$\triangleleft$	triangle.l.small
<code>\triangleright</code>	$\triangleright$	triangle.r.small	<code>\uparrow</code>	$\uparrow$	arrow.t
<code>\updownarrow</code>	$\updownarrow$	arrow.t.b	<code>\upharpoonright</code>	$\upharpoonright$	harpoon.tr
<code>\uplus</code>	$\uplus$	union.plus	<code>\upsilon</code>	υ	upsilon
<code>\varepsilon</code>	ε	epsilon	<code>\varphi</code>	φ	phi
<code>\varpi</code>	ϖ	pi.alt	<code>\varrho</code>	ϱ	rho.alt
<code>\varsigma</code>	ς	sigma.alt	<code>\vartheta</code>	ϑ	theta.alt
<code>\vdash</code>	$\vdash$	tack.r	<code>\vdots</code>	$\vdots$	dots.v
<code>\vee</code>	$\vee$	or	<code>\wedge</code>	$\wedge$	and
<code>\wr</code>	$\wr$	wreath	<code>\xi</code>	ξ	xi
<code>\zeta</code>	ζ	zeta			

6 References

1. Jim Hefferon, LaTeX Math for Undergrads, <https://gitlab.com/jim.hefferon/undergradmath>, 2020.
2. Johan Xie, Typst Math for Undergrads, <https://github.com/johanvx/typst-undergradmath>, 2023.
3. Scott Pakin, The Comprehensive LaTeX Symbol List, <https://ctan.org/pkg/comprehensive>, 2024.
4. Jianrui Lyu, Equivalent Typst Function Names of LaTeX Commands, <https://github.com/hblgzsx/Academic-Homepage-Typst-Tufted/blob/41ac30040edbcaed0dcdd19b7b00187e4dfa40af/content/blog/assests/Latex2typst.pdf>