The smooth model: the 1,000 test spectra

POWHEG against the smooth 23×80 model of $d\sigma/dm_{hh}$


Spectra are sorted by increasing total cross section (255–1455 GeV), 20 per page.


Green histogram and error bars: POWHEG divided by the 15 GeV bin width, with the Poisson noise of the scaled event counts. Blue line: the model density. Dark band: fit uncertainty ($\pm 1\sigma$, exact). Light band: total ($\pm 1\sigma$), including the discrepancy $\varepsilon(m_{hh}) \sum_i |C_i\, a_i|$.


Each panel gives, above it, the test-spectrum index (row of the test file, from 0) and the HEFT parameters (κ_λ, c_t, c_{tt}, c_{ggh}, c_{gghh}); inside, the total cross section, POWHEG (model), and the Poisson deviance per bin (1 for a perfect model with Poisson noise only).


Median deviance per bin = 1.078; spectra above 2: 27; above 5: 4.


P. Bhat (Fermilab), N. De Filippis (Politecnico di Bari), K.F. Johnson, H.B. Prosper, R. Starnes (Florida State University)



#815: -7.74, -1.85, 0.47, 1.05, 0.07
σ = 24.3 fb (27.2 fb)
deviance/N = 50.90
#703: -5.74, -1.83, 0.18, 1.06, 0.09
σ = 57.4 fb (60.9 fb)
deviance/N = 5.70
#584: 7.20, -0.02, -0.21, 0.55, -0.14
σ = 65.2 fb (64.7 fb)
deviance/N = 1.19
#153: 2.35, 1.71, 0.41, 0.38, -0.29
σ = 73.8 fb (76.2 fb)
deviance/N = 3.03
#278: 5.37, 1.09, 0.75, -1.14, 0.06
σ = 74.7 fb (74.8 fb)
deviance/N = 1.54
#311: 2.95, 1.10, 0.46, -2.02, 0.15
σ = 79.5 fb (79.5 fb)
deviance/N = 1.79
#236: 3.52, 0.03, 0.27, -0.31, -0.59
σ = 108 fb (107 fb)
deviance/N = 1.20
#797: 0.20, 0.37, 0.17, -1.34, 0.51
σ = 112 fb (112 fb)
deviance/N = 0.82
#743: 1.40, 0.84, 1.06, -0.63, -0.68
σ = 115 fb (115 fb)
deviance/N = 0.98
#281: -0.16, 1.89, 1.31, -2.25, -0.08
σ = 125 fb (127 fb)
deviance/N = 1.97
#599: -5.76, -0.52, -0.13, -0.46, -0.88
σ = 126 fb (125 fb)
deviance/N = 1.52
#622: -0.02, -0.43, -0.67, 0.99, 0.16
σ = 128 fb (129 fb)
deviance/N = 1.18
#70: -1.21, -0.86, -0.01, 1.42, 0.84
σ = 128 fb (128 fb)
deviance/N = 1.00
#665: 2.28, -1.28, 0.68, -0.08, 0.65
σ = 146 fb (144 fb)
deviance/N = 1.23
#685: 1.98, 1.13, 0.42, -2.58, -0.07
σ = 147 fb (147 fb)
deviance/N = 0.93
#644: -3.78, 1.39, 1.84, -0.71, -0.25
σ = 148 fb (147 fb)
deviance/N = 1.79
#146: 6.90, -1.05, 0.54, 1.54, -1.08
σ = 158 fb (160 fb)
deviance/N = 1.15
#874: 5.00, 1.53, 0.43, -0.22, 0.12
σ = 164 fb (163 fb)
deviance/N = 1.38
#730: 5.51, -1.04, 0.01, 1.74, -0.09
σ = 166 fb (168 fb)
deviance/N = 1.50
#104: 4.65, 1.35, 1.14, -2.09, 0.29
σ = 168 fb (167 fb)
deviance/N = 1.75
dσ/dm_hh [fb/GeV]
m_hh [GeV]
POWHEG / 15 GeV
model
fit ±1σ
total ±1σ



#330: -1.91, 0.02, 0.26, 2.86, 0.04
σ = 172 fb (171 fb)
deviance/N = 1.22
#598: 0.86, 0.87, 1.32, -1.21, -0.82
σ = 175 fb (175 fb)
deviance/N = 1.19
#117: 7.12, 0.60, -0.69, -0.96, 0.57
σ = 178 fb (178 fb)
deviance/N = 1.16
#838: 1.56, 0.65, 1.16, -0.38, -0.71
σ = 178 fb (178 fb)
deviance/N = 1.16
#629: 2.87, -0.87, 1.45, -0.26, -0.05
σ = 180 fb (180 fb)
deviance/N = 0.83
#309: 0.06, 0.93, -0.16, -0.67, -0.31
σ = 187 fb (188 fb)
deviance/N = 1.11
#456: 1.81, 0.88, 1.23, -0.06, -1.03
σ = 197 fb (197 fb)
deviance/N = 0.95
#377: -0.60, 0.88, 0.19, -0.18, 0.86
σ = 201 fb (200 fb)
deviance/N = 0.97
#819: 6.83, 2.25, 1.40, -1.81, 0.66
σ = 203 fb (202 fb)
deviance/N = 5.79
#790: 4.35, 2.80, 2.36, -1.07, -0.42
σ = 207 fb (214 fb)
deviance/N = 4.02
#351: 6.60, 1.02, -1.14, -0.26, 0.87
σ = 219 fb (219 fb)
deviance/N = 1.09
#955: 1.72, 2.43, 2.35, 1.35, -0.63
σ = 220 fb (224 fb)
deviance/N = 4.25
#749: 1.25, 0.17, -0.04, -2.94, -0.27
σ = 220 fb (220 fb)
deviance/N = 1.27
#526: -1.33, -2.27, 1.79, -2.58, -0.30
σ = 229 fb (233 fb)
deviance/N = 3.16
#34: 7.07, 2.30, 0.13, -1.63, 0.74
σ = 237 fb (242 fb)
deviance/N = 4.06
#404: -0.99, 1.01, 0.29, -3.02, -1.08
σ = 237 fb (237 fb)
deviance/N = 1.30
#356: 0.85, -0.61, -0.93, 3.46, -0.11
σ = 242 fb (242 fb)
deviance/N = 1.44
#73: 3.51, -0.79, 1.26, 1.98, -1.37
σ = 242 fb (242 fb)
deviance/N = 0.85
#810: 7.56, 2.42, 0.05, -0.83, -0.30
σ = 257 fb (269 fb)
deviance/N = 3.97
#563: -1.09, 0.16, -0.81, -2.00, -0.45
σ = 268 fb (268 fb)
deviance/N = 0.75
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#517: -1.56, 0.74, -0.38, 1.72, 0.36
σ = 278 fb (277 fb)
deviance/N = 1.31
#530: 2.42, 2.09, 1.21, 1.23, -0.05
σ = 279 fb (279 fb)
deviance/N = 1.76
#826: 8.34, 1.38, -1.13, -1.31, 1.36
σ = 297 fb (297 fb)
deviance/N = 1.33
#399: -7.08, 1.83, 2.92, -1.73, -0.96
σ = 306 fb (310 fb)
deviance/N = 1.70
#386: -0.21, -0.24, 0.62, 0.18, 0.46
σ = 308 fb (307 fb)
deviance/N = 1.01
#443: 2.67, 0.97, 0.72, -0.12, -1.39
σ = 309 fb (309 fb)
deviance/N = 1.16
#913: -0.59, 1.01, 1.35, 0.91, -1.30
σ = 314 fb (312 fb)
deviance/N = 1.30
#938: -0.07, -0.01, 1.38, 0.40, -0.74
σ = 316 fb (316 fb)
deviance/N = 0.97
#939: 9.40, -0.26, -0.99, -0.04, 0.77
σ = 317 fb (316 fb)
deviance/N = 0.91
#515: -3.46, -0.71, -0.05, -0.01, -1.11
σ = 320 fb (320 fb)
deviance/N = 0.88
#638: -1.38, -1.29, 1.13, 0.30, 0.38
σ = 326 fb (323 fb)
deviance/N = 1.03
#657: -7.67, 0.61, -0.38, -1.68, -1.16
σ = 329 fb (329 fb)
deviance/N = 1.17
#376: 6.58, -0.63, 0.99, -0.32, 0.98
σ = 331 fb (330 fb)
deviance/N = 0.91
#432: -1.02, -1.54, 0.07, -2.84, -0.88
σ = 331 fb (336 fb)
deviance/N = 1.12
#758: -2.73, -1.39, 1.70, 3.70, 0.30
σ = 334 fb (334 fb)
deviance/N = 1.29
#358: -0.08, 2.13, 1.18, -0.63, 0.64
σ = 341 fb (339 fb)
deviance/N = 1.94
#999: 9.33, 1.68, 0.26, -0.39, -1.47
σ = 354 fb (354 fb)
deviance/N = 1.04
#832: 5.91, -0.05, -0.81, -0.84, 0.81
σ = 358 fb (356 fb)
deviance/N = 0.99
#558: 6.61, 0.99, -0.03, -1.32, 1.58
σ = 359 fb (358 fb)
deviance/N = 1.11
#997: -1.60, 0.07, -0.50, 1.08, -0.36
σ = 360 fb (359 fb)
deviance/N = 1.13
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#860: 0.18, 2.44, 2.58, 0.44, 0.13
σ = 361 fb (360 fb)
deviance/N = 2.24
#772: -0.57, 1.90, 1.72, -2.19, -1.21
σ = 367 fb (368 fb)
deviance/N = 1.95
#529: 1.53, 0.25, 1.36, 0.26, -1.41
σ = 368 fb (367 fb)
deviance/N = 1.54
#151: -0.72, -1.71, 0.04, 3.04, 0.47
σ = 380 fb (382 fb)
deviance/N = 1.17
#986: 1.58, -1.86, 1.58, -2.16, 0.59
σ = 386 fb (383 fb)
deviance/N = 0.98
#468: 2.99, -2.03, 2.32, 0.22, -0.23
σ = 396 fb (394 fb)
deviance/N = 1.22
#463: 1.13, -0.12, 0.56, -2.48, -1.05
σ = 403 fb (401 fb)
deviance/N = 1.05
#972: 5.14, 1.77, 0.02, 0.50, 0.13
σ = 409 fb (406 fb)
deviance/N = 1.36
#582: -4.37, -0.87, 1.10, -0.50, -0.89
σ = 411 fb (408 fb)
deviance/N = 0.89
#834: 3.77, -0.68, 0.24, -0.42, -0.56
σ = 415 fb (413 fb)
deviance/N = 1.26
#975: 3.91, 0.59, 1.53, -1.12, -1.16
σ = 417 fb (418 fb)
deviance/N = 1.19
#219: 1.21, -1.48, 1.05, 3.23, 0.54
σ = 417 fb (417 fb)
deviance/N = 1.26
#561: 0.91, -0.70, -1.18, -0.75, 0.72
σ = 420 fb (419 fb)
deviance/N = 1.11
#134: -0.33, 1.14, -0.68, 2.09, 0.32
σ = 422 fb (423 fb)
deviance/N = 0.94
#855: -1.14, 2.41, 3.18, -0.87, -0.12
σ = 435 fb (433 fb)
deviance/N = 2.07
#926: -1.39, -1.22, -0.85, -1.52, -0.28
σ = 438 fb (441 fb)
deviance/N = 1.05
#574: 5.55, 0.57, -0.09, -1.33, -0.27
σ = 439 fb (438 fb)
deviance/N = 0.78
#711: -6.74, -1.90, 1.12, 0.89, -1.62
σ = 442 fb (443 fb)
deviance/N = 1.53
#947: 6.01, 0.60, -0.77, -0.07, 1.31
σ = 443 fb (440 fb)
deviance/N = 0.91
#50: -0.24, 1.21, 0.85, -0.23, -1.32
σ = 445 fb (445 fb)
deviance/N = 1.02
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#542: -1.33, 0.57, 0.56, -1.66, -1.63
σ = 449 fb (449 fb)
deviance/N = 1.08
#590: 1.85, -0.08, -0.39, -4.31, 1.84
σ = 451 fb (450 fb)
deviance/N = 1.47
#98: -2.01, 1.04, 1.00, -0.80, 0.74
σ = 453 fb (451 fb)
deviance/N = 1.20
#906: 1.23, 0.42, 1.70, -1.66, -1.35
σ = 463 fb (463 fb)
deviance/N = 1.07
#264: 2.92, 2.28, 1.74, 1.96, -2.16
σ = 466 fb (470 fb)
deviance/N = 3.13
#745: 3.81, 1.05, 1.77, -2.74, 0.33
σ = 472 fb (471 fb)
deviance/N = 1.37
#392: -2.66, 0.36, -0.43, 2.00, 1.92
σ = 475 fb (472 fb)
deviance/N = 1.14
#193: -12.78, -0.53, 1.18, 0.56, 0.03
σ = 481 fb (481 fb)
deviance/N = 1.60
#490: -1.44, 0.69, 0.26, -1.38, -1.42
σ = 487 fb (484 fb)
deviance/N = 1.09
#383: -0.51, -0.48, 0.56, 2.90, -1.37
σ = 489 fb (487 fb)
deviance/N = 1.06
#205: 0.05, 1.52, 0.35, -1.38, 1.39
σ = 500 fb (498 fb)
deviance/N = 0.78
#560: 3.16, 1.43, 2.07, -1.58, -0.10
σ = 501 fb (499 fb)
deviance/N = 1.02
#872: 3.59, 1.85, 1.71, 1.42, -2.16
σ = 513 fb (517 fb)
deviance/N = 1.84
#829: 0.33, 2.26, 1.11, -3.53, 0.93
σ = 515 fb (516 fb)
deviance/N = 1.96
#16: 8.61, -1.43, 1.38, 0.36, 1.00
σ = 520 fb (516 fb)
deviance/N = 1.03
#60: 1.72, 1.15, 2.10, 0.55, -1.34
σ = 528 fb (528 fb)
deviance/N = 0.89
#302: 2.96, 0.28, -0.67, 3.77, -0.68
σ = 530 fb (523 fb)
deviance/N = 1.03
#686: 1.22, -0.09, 0.41, 5.42, -0.32
σ = 531 fb (526 fb)
deviance/N = 1.48
#355: 2.55, -0.14, 1.74, -1.54, -1.30
σ = 546 fb (546 fb)
deviance/N = 1.06
#417: 1.09, 0.91, -1.38, 0.66, 1.57
σ = 547 fb (547 fb)
deviance/N = 1.33
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#474: 2.93, -0.34, 1.40, 2.27, -1.96
σ = 548 fb (543 fb)
deviance/N = 1.14
#169: -1.46, -0.52, 1.41, -1.68, -0.61
σ = 556 fb (554 fb)
deviance/N = 1.16
#503: 13.23, -0.30, -1.69, 0.55, 0.65
σ = 565 fb (565 fb)
deviance/N = 1.09
#640: -2.97, 1.16, 2.20, 0.31, -1.56
σ = 581 fb (580 fb)
deviance/N = 1.07
#385: 0.56, 1.94, 0.81, 0.53, 1.31
σ = 591 fb (587 fb)
deviance/N = 1.08
#713: 0.65, 2.62, 2.23, 4.37, -1.42
σ = 600 fb (625 fb)
deviance/N = 3.47
#137: 6.14, -0.09, -0.24, 0.99, 0.66
σ = 606 fb (604 fb)
deviance/N = 1.18
#253: 6.58, -1.92, 3.34, 1.79, -0.56
σ = 617 fb (619 fb)
deviance/N = 1.71
#372: -5.14, 1.48, 0.67, -1.15, 1.29
σ = 621 fb (620 fb)
deviance/N = 1.32
#36: 4.83, 1.00, -0.65, -2.74, 1.54
σ = 631 fb (630 fb)
deviance/N = 0.93
#552: 0.66, 1.89, 0.09, -1.26, -0.05
σ = 638 fb (641 fb)
deviance/N = 1.21
#491: 3.17, -1.06, 1.90, -0.61, 0.74
σ = 653 fb (651 fb)
deviance/N = 0.86
#942: 4.97, -0.31, 1.94, 0.90, -1.65
σ = 654 fb (651 fb)
deviance/N = 1.31
#354: 4.70, 1.98, 1.34, -1.95, -1.14
σ = 658 fb (662 fb)
deviance/N = 1.08
#962: -2.55, -1.06, -0.41, -1.18, 1.14
σ = 660 fb (656 fb)
deviance/N = 1.29
#523: 5.24, 1.75, 1.15, -3.22, 1.80
σ = 661 fb (657 fb)
deviance/N = 0.96
#518: 2.79, 1.36, -1.30, -1.76, 1.53
σ = 668 fb (667 fb)
deviance/N = 1.41
#269: 12.44, -0.32, 2.22, 0.02, -0.32
σ = 679 fb (680 fb)
deviance/N = 1.18
#540: 4.09, 0.91, 1.30, -3.73, 1.36
σ = 683 fb (682 fb)
deviance/N = 1.19
#243: 0.31, 0.83, 1.17, 2.70, 0.48
σ = 687 fb (685 fb)
deviance/N = 0.84
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#793: -0.86, 1.21, 0.64, -0.50, -1.43
σ = 688 fb (689 fb)
deviance/N = 1.12
#787: -7.77, -1.80, -1.92, 0.31, 0.99
σ = 719 fb (722 fb)
deviance/N = 1.48
#959: -4.48, -0.70, 1.04, 1.11, 1.02
σ = 729 fb (727 fb)
deviance/N = 0.92
#458: 0.80, -0.59, -0.87, -2.46, 2.16
σ = 731 fb (727 fb)
deviance/N = 0.86
#215: 2.61, 1.37, -1.39, 0.44, 1.64
σ = 737 fb (737 fb)
deviance/N = 0.91
#794: 1.59, -0.96, 0.64, 2.69, -2.08
σ = 744 fb (743 fb)
deviance/N = 0.96
#323: -4.87, -1.36, -1.15, -2.12, -1.17
σ = 752 fb (750 fb)
deviance/N = 0.90
#344: 2.98, 1.43, -1.81, 1.19, 0.72
σ = 763 fb (767 fb)
deviance/N = 1.02
#185: 10.28, 1.79, -1.18, 0.17, -0.30
σ = 767 fb (764 fb)
deviance/N = 1.47
#967: 1.97, 1.53, -1.10, -1.90, 1.87
σ = 769 fb (764 fb)
deviance/N = 1.15
#3: -1.34, 1.26, -0.30, -0.50, -0.55
σ = 775 fb (777 fb)
deviance/N = 0.95
#367: -0.97, -1.46, 1.18, 1.39, -1.76
σ = 778 fb (778 fb)
deviance/N = 1.09
#984: 7.91, 1.50, 2.10, -1.36, -0.07
σ = 779 fb (778 fb)
deviance/N = 1.19
#93: -1.20, -2.46, 1.39, 2.20, -0.41
σ = 792 fb (796 fb)
deviance/N = 2.04
#931: -2.33, 0.48, -0.40, 1.48, -0.46
σ = 793 fb (790 fb)
deviance/N = 1.05
#126: 4.76, 0.79, -0.15, -1.07, 2.00
σ = 794 fb (794 fb)
deviance/N = 0.87
#43: 6.14, -0.38, 0.46, -1.75, 2.22
σ = 801 fb (796 fb)
deviance/N = 1.24
#905: -4.33, 1.23, 0.70, 1.52, 1.97
σ = 803 fb (792 fb)
deviance/N = 1.00
#192: 2.27, 1.64, 1.74, -2.57, 1.17
σ = 808 fb (803 fb)
deviance/N = 1.47
#854: 1.20, -0.89, 0.82, 1.92, -2.08
σ = 808 fb (806 fb)
deviance/N = 1.33
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#543: 4.33, 3.29, 2.57, 0.28, -0.05
σ = 808 fb (815 fb)
deviance/N = 2.35
#773: -3.64, -0.93, 2.40, 2.10, -1.35
σ = 812 fb (812 fb)
deviance/N = 1.69
#697: 4.80, 1.66, 1.39, -2.23, -1.20
σ = 814 fb (815 fb)
deviance/N = 1.16
#766: 8.84, -1.71, 4.05, 0.40, -0.73
σ = 818 fb (816 fb)
deviance/N = 1.38
#507: -4.99, -0.21, 1.87, 2.92, 0.46
σ = 827 fb (826 fb)
deviance/N = 1.17
#319: 2.00, -1.03, 2.55, -0.31, -0.23
σ = 827 fb (826 fb)
deviance/N = 0.98
#958: 3.74, -0.06, 1.21, -1.97, 1.45
σ = 829 fb (830 fb)
deviance/N = 1.17
#675: 6.30, 1.32, -0.15, 0.79, -2.28
σ = 832 fb (832 fb)
deviance/N = 1.08
#808: -3.22, 0.54, 0.37, 3.15, 2.30
σ = 833 fb (831 fb)
deviance/N = 1.13
#62: 3.19, 1.61, 2.61, -1.13, -0.35
σ = 834 fb (829 fb)
deviance/N = 1.30
#845: -2.65, 1.06, -0.44, -1.36, -0.97
σ = 834 fb (834 fb)
deviance/N = 1.17
#641: -2.58, -1.16, -1.20, -5.40, -1.14
σ = 836 fb (834 fb)
deviance/N = 1.07
#909: 4.00, -0.03, 0.43, 2.40, -2.65
σ = 836 fb (834 fb)
deviance/N = 0.95
#154: -2.18, 2.23, 1.67, -2.31, -1.23
σ = 839 fb (845 fb)
deviance/N = 1.21
#589: 5.75, 2.73, 1.25, -2.62, 0.20
σ = 843 fb (849 fb)
deviance/N = 4.97
#118: -4.24, -1.50, -1.29, -1.13, -0.99
σ = 843 fb (851 fb)
deviance/N = 1.08
#119: -1.68, 1.98, 0.75, 2.12, 1.25
σ = 846 fb (843 fb)
deviance/N = 0.83
#445: -7.77, -0.06, 1.24, 1.95, 1.62
σ = 846 fb (843 fb)
deviance/N = 0.77
#799: 3.50, 2.69, 0.13, 1.13, 0.17
σ = 847 fb (861 fb)
deviance/N = 1.40
#692: -3.40, 1.85, 1.21, -2.07, 1.20
σ = 848 fb (846 fb)
deviance/N = 0.99
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#805: -4.22, 0.41, 0.77, -3.03, -1.22
σ = 854 fb (849 fb)
deviance/N = 1.35
#992: -7.24, -0.23, 0.12, -1.06, -2.54
σ = 879 fb (873 fb)
deviance/N = 1.11
#245: -2.14, -1.05, 0.38, -3.08, 0.23
σ = 880 fb (872 fb)
deviance/N = 0.81
#888: -7.89, -0.45, -1.67, 0.90, 0.70
σ = 880 fb (880 fb)
deviance/N = 0.96
#904: 0.76, -1.64, -0.52, -0.33, 0.38
σ = 883 fb (886 fb)
deviance/N = 1.03
#709: -8.10, -2.28, -1.00, -0.38, -1.04
σ = 887 fb (896 fb)
deviance/N = 1.92
#500: 11.40, 0.49, 1.18, 0.21, -2.46
σ = 894 fb (889 fb)
deviance/N = 1.05
#706: -4.56, 0.77, -1.59, -0.13, 2.00
σ = 900 fb (897 fb)
deviance/N = 1.01
#603: -1.09, -1.40, -0.33, -0.04, -0.95
σ = 904 fb (907 fb)
deviance/N = 1.05
#961: -4.46, -0.61, 0.64, 0.93, 1.48
σ = 905 fb (904 fb)
deviance/N = 0.94
#22: 7.15, 2.92, 0.08, 0.15, -0.07
σ = 908 fb (918 fb)
deviance/N = 3.07
#240: 1.99, 0.15, -2.52, 2.79, 1.28
σ = 909 fb (910 fb)
deviance/N = 1.13
#541: -1.84, 0.77, 0.66, 0.62, -1.62
σ = 914 fb (911 fb)
deviance/N = 0.95
#454: -7.39, 1.07, 3.33, 0.56, -0.28
σ = 920 fb (917 fb)
deviance/N = 1.39
#114: 1.66, 1.64, 1.58, 1.67, 0.40
σ = 924 fb (918 fb)
deviance/N = 1.60
#132: 0.96, 1.43, -1.52, 1.36, 1.80
σ = 925 fb (924 fb)
deviance/N = 1.27
#218: 5.15, -0.03, -1.40, -1.22, 0.84
σ = 930 fb (927 fb)
deviance/N = 1.01
#7: 2.77, 0.78, -0.59, -2.31, 2.56
σ = 932 fb (928 fb)
deviance/N = 1.10
#741: -1.13, -0.28, -0.26, 1.72, -1.26
σ = 938 fb (936 fb)
deviance/N = 0.99
#923: 5.10, 2.40, 2.22, 0.95, -1.33
σ = 944 fb (934 fb)
deviance/N = 1.72
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#911: 2.13, 1.49, -0.96, 1.06, 1.82
σ = 949 fb (945 fb)
deviance/N = 1.16
#496: 6.02, -1.59, 1.19, 2.44, 0.46
σ = 950 fb (949 fb)
deviance/N = 1.33
#375: 0.17, 2.36, 0.42, -1.08, 1.26
σ = 950 fb (950 fb)
deviance/N = 1.01
#933: 2.94, 1.19, -0.30, -2.87, -0.18
σ = 953 fb (953 fb)
deviance/N = 0.97
#65: 0.49, 0.63, -1.23, -1.12, 2.35
σ = 957 fb (953 fb)
deviance/N = 1.10
#674: -2.83, 0.02, -1.19, -2.17, -1.49
σ = 959 fb (955 fb)
deviance/N = 0.84
#535: -0.20, -1.51, -1.44, -2.31, 1.46
σ = 961 fb (961 fb)
deviance/N = 1.24
#993: -2.30, -0.81, 0.32, 1.80, 1.93
σ = 968 fb (966 fb)
deviance/N = 0.65
#536: 6.68, 1.40, 0.43, -1.85, -0.90
σ = 981 fb (984 fb)
deviance/N = 1.04
#610: 1.88, -0.44, -0.31, 2.79, 1.29
σ = 988 fb (983 fb)
deviance/N = 0.84
#249: 3.21, -1.54, 0.85, -2.44, 1.96
σ = 989 fb (978 fb)
deviance/N = 1.13
#284: -6.24, 0.63, -0.26, -0.45, -1.29
σ = 998 fb (996 fb)
deviance/N = 1.03
#579: -0.74, 0.55, -1.82, 0.61, 0.39
σ = 1.01 pb (1.01 pb)
deviance/N = 0.84
#779: 1.27, 0.17, 2.26, 0.60, -0.94
σ = 1.03 pb (1.03 pb)
deviance/N = 1.17
#869: 2.53, 2.53, -0.09, -0.44, 1.03
σ = 1.03 pb (1.03 pb)
deviance/N = 1.12
#171: -2.65, 0.91, -1.34, 0.51, 0.65
σ = 1.03 pb (1.03 pb)
deviance/N = 1.06
#519: -4.04, 0.69, 1.38, -0.51, 0.87
σ = 1.04 pb (1.03 pb)
deviance/N = 0.73
#352: 5.02, -1.32, -0.93, 0.79, 0.66
σ = 1.04 pb (1.04 pb)
deviance/N = 1.20
#289: -0.16, -0.64, -2.17, -2.76, 0.70
σ = 1.05 pb (1.05 pb)
deviance/N = 0.84
#252: -1.01, -0.98, 1.95, -3.18, -0.47
σ = 1.05 pb (1.04 pb)
deviance/N = 0.88
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#8: 3.83, 1.83, -1.19, 2.61, 0.21
σ = 1.05 pb (1.05 pb)
deviance/N = 1.29
#441: 8.58, 2.06, -0.45, -0.42, 1.32
σ = 1.05 pb (1.04 pb)
deviance/N = 1.15
#700: 6.53, 2.82, -0.54, -0.90, 0.74
σ = 1.05 pb (1.07 pb)
deviance/N = 1.43
#4: 8.23, 3.91, 2.76, -0.89, -0.15
σ = 1.06 pb (1.08 pb)
deviance/N = 4.28
#575: 4.07, -1.61, 0.39, 3.29, 0.84
σ = 1.07 pb (1.07 pb)
deviance/N = 1.28
#197: -1.30, -1.47, -1.00, -2.61, -0.88
σ = 1.07 pb (1.08 pb)
deviance/N = 1.21
#487: -4.10, 0.26, -2.66, -1.26, 1.19
σ = 1.07 pb (1.08 pb)
deviance/N = 0.69
#379: -4.43, 2.35, 0.88, -3.46, -0.55
σ = 1.08 pb (1.09 pb)
deviance/N = 1.56
#174: -5.26, -0.73, -0.59, 1.22, -0.77
σ = 1.08 pb (1.08 pb)
deviance/N = 0.87
#917: -4.08, 0.63, -0.29, 2.73, 2.71
σ = 1.08 pb (1.07 pb)
deviance/N = 1.13
#265: -1.06, -0.47, 0.87, -0.50, -2.39
σ = 1.1 pb (1.09 pb)
deviance/N = 0.98
#676: 2.76, 1.12, -1.73, 2.14, -0.92
σ = 1.1 pb (1.11 pb)
deviance/N = 1.04
#671: 5.38, 1.14, -1.72, 1.94, 0.29
σ = 1.1 pb (1.1 pb)
deviance/N = 0.96
#9: 6.61, 2.20, 1.25, 0.03, -2.90
σ = 1.11 pb (1.11 pb)
deviance/N = 1.40
#932: -3.14, 1.15, 1.43, 4.29, 0.99
σ = 1.12 pb (1.11 pb)
deviance/N = 1.33
#481: 1.16, 0.55, -1.11, 2.75, 1.97
σ = 1.12 pb (1.12 pb)
deviance/N = 0.78
#283: -0.01, 2.54, 3.60, -1.06, 0.62
σ = 1.14 pb (1.13 pb)
deviance/N = 1.42
#856: 3.92, -2.06, 2.02, -1.20, 0.93
σ = 1.14 pb (1.13 pb)
deviance/N = 1.27
#680: -5.42, 0.75, 0.71, -0.76, -2.26
σ = 1.14 pb (1.14 pb)
deviance/N = 1.05
#806: -7.43, 0.10, -1.52, 1.05, 1.29
σ = 1.15 pb (1.14 pb)
deviance/N = 1.29
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#473: 1.34, 0.76, 2.49, 2.07, -1.44
σ = 1.15 pb (1.15 pb)
deviance/N = 1.14
#719: -1.15, 0.41, 2.62, -0.23, -2.43
σ = 1.17 pb (1.17 pb)
deviance/N = 0.88
#406: 0.34, 1.76, 3.40, -1.19, -0.41
σ = 1.18 pb (1.17 pb)
deviance/N = 1.34
#621: -2.05, 1.75, 0.05, -0.71, -0.40
σ = 1.18 pb (1.19 pb)
deviance/N = 1.26
#757: -3.68, -1.59, -0.78, 3.97, 2.50
σ = 1.19 pb (1.18 pb)
deviance/N = 1.45
#335: 4.02, 1.51, -2.02, -0.80, 0.94
σ = 1.19 pb (1.2 pb)
deviance/N = 1.00
#234: 3.88, 0.71, 0.93, 2.55, -1.15
σ = 1.2 pb (1.19 pb)
deviance/N = 1.24
#213: 7.94, 1.98, 0.09, -3.11, 1.54
σ = 1.2 pb (1.2 pb)
deviance/N = 1.68
#64: 1.48, 2.71, 1.15, -3.98, 1.16
σ = 1.2 pb (1.2 pb)
deviance/N = 1.30
#642: 6.11, 1.60, -2.29, 1.34, -0.26
σ = 1.21 pb (1.21 pb)
deviance/N = 1.35
#292: 1.34, 0.09, 1.23, 0.32, 0.80
σ = 1.22 pb (1.22 pb)
deviance/N = 0.88
#882: -0.29, 1.62, 3.88, -2.25, -2.38
σ = 1.23 pb (1.23 pb)
deviance/N = 1.32
#592: -4.90, 1.08, -1.69, -3.46, -0.98
σ = 1.23 pb (1.24 pb)
deviance/N = 1.33
#307: -0.31, 1.64, -1.36, -0.17, 1.21
σ = 1.23 pb (1.24 pb)
deviance/N = 1.12
#514: 3.14, -1.76, 1.31, -0.06, 2.16
σ = 1.24 pb (1.23 pb)
deviance/N = 1.04
#374: -2.44, 1.67, 2.21, 2.11, -1.23
σ = 1.24 pb (1.24 pb)
deviance/N = 0.83
#414: 0.06, -1.35, 0.94, -0.05, -2.10
σ = 1.24 pb (1.24 pb)
deviance/N = 0.96
#596: 1.92, 1.63, 1.38, 0.83, 0.99
σ = 1.24 pb (1.23 pb)
deviance/N = 1.12
#831: 7.89, 2.83, 2.48, -1.20, 0.62
σ = 1.24 pb (1.24 pb)
deviance/N = 1.84
#176: 12.39, 1.89, -1.10, -1.82, 3.41
σ = 1.25 pb (1.25 pb)
deviance/N = 1.27
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#659: -1.26, 0.40, -2.44, 1.96, 1.64
σ = 1.25 pb (1.25 pb)
deviance/N = 1.01
#287: 2.91, 2.49, 1.18, -0.37, -1.72
σ = 1.25 pb (1.27 pb)
deviance/N = 1.48
#505: 5.36, 1.13, -0.00, 1.80, -0.36
σ = 1.26 pb (1.24 pb)
deviance/N = 0.95
#318: 9.10, 2.53, -0.52, -2.71, 2.87
σ = 1.26 pb (1.25 pb)
deviance/N = 3.06
#521: -2.57, 0.02, 1.69, -1.10, -0.07
σ = 1.26 pb (1.26 pb)
deviance/N = 1.18
#729: 3.53, 2.71, -0.36, 1.84, -0.35
σ = 1.26 pb (1.29 pb)
deviance/N = 1.67
#577: -5.17, -0.22, -2.41, 0.95, 2.85
σ = 1.27 pb (1.27 pb)
deviance/N = 1.06
#633: 8.18, 3.66, 2.49, -0.29, -2.72
σ = 1.27 pb (1.31 pb)
deviance/N = 6.36
#207: -3.10, 0.25, 2.67, 3.13, -1.43
σ = 1.28 pb (1.28 pb)
deviance/N = 1.04
#339: 9.92, -1.20, -0.63, 0.58, 2.24
σ = 1.29 pb (1.29 pb)
deviance/N = 0.88
#985: 2.78, -1.16, 3.74, -1.26, -0.91
σ = 1.29 pb (1.29 pb)
deviance/N = 0.94
#936: 9.25, -0.73, -2.25, 1.65, 0.87
σ = 1.3 pb (1.3 pb)
deviance/N = 1.11
#345: -3.66, 1.09, -1.11, 0.24, 0.45
σ = 1.31 pb (1.31 pb)
deviance/N = 1.17
#5: -5.51, -1.13, 0.67, 0.94, -2.15
σ = 1.31 pb (1.31 pb)
deviance/N = 0.95
#816: 0.87, -1.72, -0.95, 0.80, 0.54
σ = 1.32 pb (1.32 pb)
deviance/N = 0.97
#317: 1.10, -0.30, -0.37, -1.07, -1.50
σ = 1.32 pb (1.31 pb)
deviance/N = 0.88
#852: -1.31, 2.21, 1.80, 0.42, -1.27
σ = 1.32 pb (1.33 pb)
deviance/N = 1.02
#145: 4.20, -0.12, -0.45, -0.87, 2.74
σ = 1.33 pb (1.32 pb)
deviance/N = 0.91
#259: 3.77, -0.57, 2.51, -0.25, -2.62
σ = 1.33 pb (1.32 pb)
deviance/N = 1.18
#513: 1.87, -0.17, 0.42, 0.14, -2.27
σ = 1.34 pb (1.33 pb)
deviance/N = 1.07
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#172: -3.92, 1.83, -0.82, -2.87, 0.07
σ = 1.35 pb (1.35 pb)
deviance/N = 1.07
#184: 1.51, -0.22, -0.42, -1.64, 2.60
σ = 1.36 pb (1.35 pb)
deviance/N = 0.93
#92: -7.59, 0.56, -0.23, -0.74, 1.97
σ = 1.36 pb (1.36 pb)
deviance/N = 0.82
#342: 2.62, -0.31, -1.43, -3.03, 0.90
σ = 1.37 pb (1.36 pb)
deviance/N = 1.00
#61: -3.52, -0.37, 2.88, 0.19, -2.01
σ = 1.37 pb (1.37 pb)
deviance/N = 1.08
#420: 4.46, 1.53, -1.72, 0.91, 1.86
σ = 1.39 pb (1.39 pb)
deviance/N = 1.25
#943: 8.40, 2.45, -0.59, 0.74, -0.53
σ = 1.39 pb (1.39 pb)
deviance/N = 2.09
#408: 11.03, 1.05, 1.81, -0.53, -0.33
σ = 1.39 pb (1.39 pb)
deviance/N = 0.95
#803: -1.32, 1.03, 0.31, 3.03, -1.23
σ = 1.4 pb (1.4 pb)
deviance/N = 1.21
#976: 5.71, -0.88, -0.12, -1.54, 0.89
σ = 1.4 pb (1.39 pb)
deviance/N = 1.17
#470: 10.04, 1.31, 0.45, -2.26, -0.01
σ = 1.4 pb (1.41 pb)
deviance/N = 0.72
#687: -11.61, 0.80, 2.77, 0.87, -0.07
σ = 1.41 pb (1.4 pb)
deviance/N = 1.05
#231: 0.99, 0.31, 2.13, 0.84, -0.16
σ = 1.41 pb (1.41 pb)
deviance/N = 0.96
#785: 10.24, 1.90, -1.04, -0.15, -2.17
σ = 1.42 pb (1.43 pb)
deviance/N = 1.12
#349: -1.00, -0.55, 2.21, 0.45, 0.04
σ = 1.43 pb (1.42 pb)
deviance/N = 1.05
#817: -3.94, 1.78, 2.25, 1.27, 2.18
σ = 1.43 pb (1.41 pb)
deviance/N = 1.40
#250: 6.10, 0.65, -1.64, -1.89, 0.97
σ = 1.44 pb (1.44 pb)
deviance/N = 1.17
#116: -2.07, 2.57, 4.68, 0.22, -2.19
σ = 1.44 pb (1.43 pb)
deviance/N = 2.34
#900: 2.46, 0.29, -1.56, 0.07, -0.85
σ = 1.45 pb (1.45 pb)
deviance/N = 0.99
#156: -2.28, 2.21, 0.57, 0.82, 1.99
σ = 1.46 pb (1.45 pb)
deviance/N = 1.28
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#11: -2.39, 0.37, -0.24, -2.72, 1.44
σ = 1.46 pb (1.45 pb)
deviance/N = 1.00
#927: 12.39, 0.08, -0.01, -1.10, 3.27
σ = 1.46 pb (1.45 pb)
deviance/N = 1.16
#313: 7.45, 2.69, -0.74, 0.24, 0.90
σ = 1.47 pb (1.47 pb)
deviance/N = 1.00
#714: 3.32, 1.35, -0.62, -1.81, -0.75
σ = 1.48 pb (1.48 pb)
deviance/N = 1.04
#891: 2.84, 0.89, -2.06, -2.89, 1.45
σ = 1.48 pb (1.48 pb)
deviance/N = 1.08
#602: -2.12, -1.65, 2.60, -1.32, -0.31
σ = 1.48 pb (1.47 pb)
deviance/N = 0.79
#774: 7.38, 2.62, 1.27, 1.18, -2.03
σ = 1.5 pb (1.5 pb)
deviance/N = 1.53
#625: -4.03, 0.43, 3.04, 3.43, -0.65
σ = 1.5 pb (1.5 pb)
deviance/N = 0.89
#600: 8.45, -0.54, 0.02, 0.27, -1.80
σ = 1.51 pb (1.51 pb)
deviance/N = 0.99
#45: 1.63, 1.98, -0.80, -1.14, 2.67
σ = 1.51 pb (1.5 pb)
deviance/N = 1.00
#777: 7.57, 1.80, 2.66, -0.53, -3.17
σ = 1.51 pb (1.51 pb)
deviance/N = 1.21
#329: 7.10, -1.73, 1.04, -0.30, 1.23
σ = 1.53 pb (1.52 pb)
deviance/N = 0.97
#682: 0.02, 2.48, 1.12, -1.42, -0.80
σ = 1.53 pb (1.54 pb)
deviance/N = 1.31
#49: -0.96, -0.74, -0.28, 3.07, -1.51
σ = 1.54 pb (1.54 pb)
deviance/N = 1.02
#257: 0.88, 0.40, 1.59, 0.49, 0.72
σ = 1.55 pb (1.55 pb)
deviance/N = 0.81
#525: 1.55, 0.28, -1.45, 1.85, 2.51
σ = 1.55 pb (1.54 pb)
deviance/N = 1.01
#276: -0.94, -1.17, -2.33, -0.98, 0.67
σ = 1.55 pb (1.56 pb)
deviance/N = 1.06
#166: 1.35, 1.16, -0.36, 1.90, -2.07
σ = 1.55 pb (1.56 pb)
deviance/N = 0.93
#573: 2.88, 2.89, 0.88, 1.59, 1.34
σ = 1.56 pb (1.56 pb)
deviance/N = 1.06
#510: -0.30, 2.69, 3.10, 0.23, -2.03
σ = 1.56 pb (1.57 pb)
deviance/N = 1.61
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#920: -0.91, 2.70, 2.70, 4.02, -0.69
σ = 1.56 pb (1.59 pb)
deviance/N = 2.37
#702: 1.57, 0.32, -2.72, -0.69, 2.96
σ = 1.56 pb (1.56 pb)
deviance/N = 1.13
#756: -3.57, 1.31, -0.99, -4.00, -1.95
σ = 1.57 pb (1.57 pb)
deviance/N = 1.06
#429: 1.61, -1.11, -0.26, -2.66, -0.65
σ = 1.57 pb (1.57 pb)
deviance/N = 1.36
#6: -1.03, 0.50, 1.31, 3.14, 1.65
σ = 1.57 pb (1.57 pb)
deviance/N = 1.23
#769: -3.73, 1.73, -0.61, -0.69, 0.55
σ = 1.58 pb (1.58 pb)
deviance/N = 1.03
#620: -4.45, 1.21, 0.58, -3.33, 0.56
σ = 1.59 pb (1.58 pb)
deviance/N = 1.04
#316: -2.70, 1.51, 0.95, 0.95, 2.69
σ = 1.61 pb (1.6 pb)
deviance/N = 1.15
#436: 0.02, 2.63, 1.48, 0.47, -0.87
σ = 1.61 pb (1.62 pb)
deviance/N = 1.66
#412: 7.17, 2.93, 0.05, -0.15, -1.87
σ = 1.63 pb (1.66 pb)
deviance/N = 1.35
#578: 3.30, 1.39, -2.75, 0.31, 2.28
σ = 1.63 pb (1.63 pb)
deviance/N = 1.16
#583: -6.16, 0.46, 3.00, 0.93, 0.45
σ = 1.63 pb (1.63 pb)
deviance/N = 1.34
#457: 1.91, 2.91, 0.86, 1.30, -0.74
σ = 1.63 pb (1.66 pb)
deviance/N = 1.53
#346: 3.00, 3.03, 1.44, -3.71, 1.86
σ = 1.63 pb (1.63 pb)
deviance/N = 2.00
#401: 1.14, 0.38, -1.75, -0.67, -0.56
σ = 1.63 pb (1.63 pb)
deviance/N = 0.99
#332: -1.26, -0.40, -3.00, -2.01, 0.71
σ = 1.63 pb (1.64 pb)
deviance/N = 1.02
#460: 1.52, 0.00, 2.87, 0.45, -1.10
σ = 1.64 pb (1.64 pb)
deviance/N = 1.05
#731: 0.88, -1.34, 0.40, 2.38, -2.19
σ = 1.64 pb (1.65 pb)
deviance/N = 0.88
#191: -4.86, -3.53, 1.21, -0.37, -0.63
σ = 1.65 pb (1.7 pb)
deviance/N = 1.89
#398: 5.05, 1.58, 1.63, 1.70, -1.35
σ = 1.65 pb (1.64 pb)
deviance/N = 1.13
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#138: 3.20, 0.54, -2.40, 2.17, -1.04
σ = 1.66 pb (1.66 pb)
deviance/N = 1.15
#438: -0.82, 2.67, 1.67, -1.82, 2.09
σ = 1.66 pb (1.64 pb)
deviance/N = 1.13
#75: 2.11, -1.26, 1.41, -0.97, 2.15
σ = 1.67 pb (1.66 pb)
deviance/N = 1.07
#321: -0.99, 2.30, 5.49, 0.49, -1.56
σ = 1.68 pb (1.67 pb)
deviance/N = 1.11
#663: -0.73, 2.02, 1.25, 1.37, -1.58
σ = 1.68 pb (1.68 pb)
deviance/N = 0.98
#619: 0.50, 2.20, -0.10, -4.74, -0.01
σ = 1.68 pb (1.69 pb)
deviance/N = 1.12
#875: -1.13, -0.08, 1.80, -1.95, 0.27
σ = 1.69 pb (1.69 pb)
deviance/N = 1.23
#843: 10.30, 1.48, -1.22, 1.07, -1.23
σ = 1.69 pb (1.67 pb)
deviance/N = 1.00
#800: -1.12, 0.11, 2.85, 2.18, -0.35
σ = 1.7 pb (1.7 pb)
deviance/N = 0.90
#531: -6.56, 1.36, 2.58, 2.02, 1.09
σ = 1.7 pb (1.7 pb)
deviance/N = 0.94
#915: 2.74, 0.04, 1.73, 2.62, -0.61
σ = 1.7 pb (1.7 pb)
deviance/N = 1.15
#28: -4.02, -1.08, -2.92, 1.40, 2.35
σ = 1.73 pb (1.73 pb)
deviance/N = 0.99
#631: 0.83, -1.46, -1.68, 0.76, 2.89
σ = 1.73 pb (1.72 pb)
deviance/N = 1.15
#39: -4.93, -0.17, -2.99, -0.61, 2.79
σ = 1.74 pb (1.74 pb)
deviance/N = 0.92
#524: -3.31, -1.17, -1.05, -2.44, 1.51
σ = 1.76 pb (1.75 pb)
deviance/N = 1.39
#946: -0.01, 1.78, -1.47, 0.43, 0.79
σ = 1.76 pb (1.77 pb)
deviance/N = 1.14
#617: -2.48, -0.74, 1.61, -1.65, 0.14
σ = 1.77 pb (1.76 pb)
deviance/N = 1.23
#736: 0.51, 2.74, 0.49, -2.80, 1.83
σ = 1.79 pb (1.79 pb)
deviance/N = 1.38
#428: 6.75, 2.02, -0.46, -2.41, 0.01
σ = 1.8 pb (1.81 pb)
deviance/N = 1.23
#716: 1.21, 3.24, 2.16, -3.45, 0.96
σ = 1.82 pb (1.82 pb)
deviance/N = 1.22
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#750: -5.52, -1.04, 1.91, 2.37, -1.95
σ = 1.82 pb (1.82 pb)
deviance/N = 1.06
#837: -4.27, -0.41, 0.78, 2.46, -1.48
σ = 1.82 pb (1.82 pb)
deviance/N = 0.95
#350: -6.64, -0.26, -1.17, 0.08, 2.91
σ = 1.82 pb (1.81 pb)
deviance/N = 1.17
#652: 8.30, 0.37, -0.33, -1.90, 0.12
σ = 1.83 pb (1.82 pb)
deviance/N = 0.95
#871: 4.71, -1.74, 1.43, -0.33, -0.98
σ = 1.84 pb (1.84 pb)
deviance/N = 1.05
#725: 1.18, -0.26, -2.60, 1.84, 3.07
σ = 1.85 pb (1.84 pb)
deviance/N = 0.92
#232: 4.36, 0.04, 0.67, 1.23, 1.03
σ = 1.88 pb (1.87 pb)
deviance/N = 0.94
#948: -2.52, 0.47, -1.28, 1.27, 3.50
σ = 1.89 pb (1.88 pb)
deviance/N = 1.25
#220: 4.07, 3.50, 1.01, 0.23, 0.57
σ = 1.9 pb (1.93 pb)
deviance/N = 1.53
#273: -2.93, 0.21, 2.18, 1.58, 1.17
σ = 1.9 pb (1.9 pb)
deviance/N = 0.85
#956: -5.89, 0.41, -0.09, -0.08, -2.05
σ = 1.91 pb (1.9 pb)
deviance/N = 1.36
#768: -8.60, 0.68, -1.85, -0.28, 0.19
σ = 1.91 pb (1.91 pb)
deviance/N = 0.99
#734: 3.24, 0.31, 2.59, 2.74, -3.15
σ = 1.91 pb (1.9 pb)
deviance/N = 1.09
#934: -1.82, 3.35, 3.72, -1.96, 0.77
σ = 1.92 pb (1.92 pb)
deviance/N = 1.69
#260: -4.33, 0.48, -1.80, 1.55, 0.99
σ = 1.92 pb (1.92 pb)
deviance/N = 0.99
#564: 4.22, 1.00, 1.81, 2.48, -1.78
σ = 1.92 pb (1.91 pb)
deviance/N = 1.18
#981: 4.52, 2.84, -0.16, -0.88, -0.32
σ = 1.93 pb (1.95 pb)
deviance/N = 1.72
#695: 1.76, 0.73, -2.45, 2.52, -0.72
σ = 1.93 pb (1.93 pb)
deviance/N = 0.96
#338: -3.61, -1.76, -0.97, 1.99, -0.28
σ = 1.93 pb (1.94 pb)
deviance/N = 1.08
#322: 7.11, 1.58, -1.49, 1.98, -0.43
σ = 1.94 pb (1.93 pb)
deviance/N = 0.84
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#670: -0.58, -3.08, 1.64, -5.40, 1.73
σ = 1.95 pb (1.97 pb)
deviance/N = 1.52
#83: 2.43, 0.71, 0.06, -2.47, -1.74
σ = 1.96 pb (1.96 pb)
deviance/N = 1.00
#528: 4.95, 1.89, -1.34, 0.65, -1.71
σ = 1.97 pb (1.98 pb)
deviance/N = 1.01
#361: -7.31, 0.67, -0.37, -2.63, 0.31
σ = 1.97 pb (1.96 pb)
deviance/N = 0.95
#851: -2.60, -0.47, -2.51, -3.83, 1.99
σ = 1.97 pb (1.96 pb)
deviance/N = 0.84
#315: -4.73, 2.18, 1.94, -1.89, -2.28
σ = 1.99 pb (2 pb)
deviance/N = 1.03
#895: -2.15, 2.56, 0.68, -0.89, 0.79
σ = 2.02 pb (2.02 pb)
deviance/N = 0.97
#120: 1.04, -2.29, -0.70, 1.86, 2.19
σ = 2.02 pb (2.02 pb)
deviance/N = 1.53
#85: 0.95, 2.75, 1.02, -0.34, 2.58
σ = 2.05 pb (2.03 pb)
deviance/N = 1.00
#864: 4.78, 2.75, 4.25, 1.82, -3.74
σ = 2.06 pb (2.06 pb)
deviance/N = 1.03
#204: 1.78, 3.29, 3.37, 1.87, -2.84
σ = 2.06 pb (2.09 pb)
deviance/N = 2.70
#890: -3.97, 1.41, -1.17, -0.33, 3.33
σ = 2.08 pb (2.07 pb)
deviance/N = 0.95
#380: 13.34, 1.87, 0.09, -0.47, 0.81
σ = 2.09 pb (2.08 pb)
deviance/N = 1.07
#892: 4.77, -0.88, -0.08, -1.54, -0.36
σ = 2.11 pb (2.11 pb)
deviance/N = 0.76
#199: 3.85, 0.93, 0.24, -2.99, -1.25
σ = 2.13 pb (2.13 pb)
deviance/N = 0.87
#229: -0.64, -1.64, -1.65, 0.90, 3.33
σ = 2.14 pb (2.13 pb)
deviance/N = 0.86
#378: 1.38, -1.61, 0.89, -0.75, -2.01
σ = 2.15 pb (2.15 pb)
deviance/N = 0.99
#299: 6.10, -0.61, -0.57, -1.30, 3.93
σ = 2.15 pb (2.14 pb)
deviance/N = 1.09
#37: -8.29, 0.51, 0.27, -1.05, 1.72
σ = 2.16 pb (2.15 pb)
deviance/N = 1.34
#106: -1.44, 0.95, 3.94, 0.59, -1.10
σ = 2.16 pb (2.16 pb)
deviance/N = 0.93
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#704: -0.87, -1.87, -0.30, -5.11, -2.15
σ = 2.17 pb (2.19 pb)
deviance/N = 1.03
#814: 0.16, 2.31, -0.17, 0.83, 3.00
σ = 2.17 pb (2.15 pb)
deviance/N = 1.14
#42: 2.15, 2.22, -0.45, 0.53, -1.25
σ = 2.18 pb (2.2 pb)
deviance/N = 1.08
#611: 0.20, 0.34, -3.37, -2.14, 3.29
σ = 2.18 pb (2.18 pb)
deviance/N = 1.14
#227: 7.27, 0.94, -2.98, 0.78, -1.07
σ = 2.19 pb (2.19 pb)
deviance/N = 1.07
#656: -4.13, 1.44, 0.74, -3.15, 1.39
σ = 2.19 pb (2.18 pb)
deviance/N = 1.24
#46: 2.04, 1.88, 2.39, 1.05, 0.87
σ = 2.21 pb (2.2 pb)
deviance/N = 1.07
#654: 0.43, 1.60, -1.46, 2.52, -0.54
σ = 2.21 pb (2.22 pb)
deviance/N = 0.94
#89: -2.21, 2.38, 2.28, -1.56, 2.30
σ = 2.21 pb (2.2 pb)
deviance/N = 1.13
#532: 9.73, -1.07, 0.25, 0.79, -2.13
σ = 2.22 pb (2.21 pb)
deviance/N = 1.57
#140: -3.33, 2.88, 2.88, -0.89, 2.14
σ = 2.22 pb (2.2 pb)
deviance/N = 1.40
#455: -9.62, 2.15, 0.98, -1.12, 1.96
σ = 2.22 pb (2.22 pb)
deviance/N = 1.19
#25: 8.02, 1.14, 1.16, -0.96, 1.91
σ = 2.22 pb (2.22 pb)
deviance/N = 0.98
#866: -10.88, 0.97, -1.57, -1.73, -1.81
σ = 2.25 pb (2.25 pb)
deviance/N = 1.11
#508: -3.32, 2.59, 3.58, 2.85, 0.89
σ = 2.25 pb (2.24 pb)
deviance/N = 1.48
#979: -6.42, -1.28, -0.79, 2.04, -0.63
σ = 2.25 pb (2.25 pb)
deviance/N = 0.92
#419: 3.60, -0.50, -1.30, 1.35, -1.91
σ = 2.26 pb (2.26 pb)
deviance/N = 0.88
#705: 1.61, 2.51, 1.59, -3.78, -1.52
σ = 2.28 pb (2.3 pb)
deviance/N = 1.25
#74: 2.73, 1.32, -0.31, -3.37, -0.99
σ = 2.28 pb (2.28 pb)
deviance/N = 1.13
#870: 3.82, -0.34, -1.62, -2.91, 1.10
σ = 2.3 pb (2.29 pb)
deviance/N = 1.00
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#710: -1.16, 2.84, 3.40, -3.76, 1.72
σ = 2.33 pb (2.32 pb)
deviance/N = 1.19
#212: 4.35, 0.90, 0.51, 3.54, -1.02
σ = 2.34 pb (2.31 pb)
deviance/N = 1.02
#562: 4.21, 3.18, 2.11, -1.00, 2.32
σ = 2.34 pb (2.33 pb)
deviance/N = 1.20
#397: 5.34, -0.15, -0.85, -0.63, -1.38
σ = 2.34 pb (2.34 pb)
deviance/N = 1.23
#100: 1.91, 0.65, 0.17, -1.99, 2.97
σ = 2.35 pb (2.34 pb)
deviance/N = 1.01
#270: -7.01, 1.95, 0.87, 0.44, 2.13
σ = 2.35 pb (2.34 pb)
deviance/N = 0.91
#19: -3.31, -0.50, -0.74, -0.09, -2.30
σ = 2.36 pb (2.36 pb)
deviance/N = 0.98
#467: 2.65, 2.11, -2.55, 1.53, 2.02
σ = 2.37 pb (2.37 pb)
deviance/N = 0.92
#251: 9.20, 2.60, -1.46, -1.05, -0.96
σ = 2.37 pb (2.4 pb)
deviance/N = 1.33
#58: 6.46, 3.39, -0.11, -0.80, 2.20
σ = 2.38 pb (2.39 pb)
deviance/N = 1.99
#279: 1.83, -2.36, 2.67, -1.60, -1.84
σ = 2.38 pb (2.39 pb)
deviance/N = 1.15
#485: 5.40, 0.76, -3.24, -0.36, 3.71
σ = 2.4 pb (2.39 pb)
deviance/N = 0.91
#857: 2.28, 0.78, -1.20, -1.26, -1.37
σ = 2.4 pb (2.4 pb)
deviance/N = 0.87
#206: -7.69, -0.43, -0.36, -2.99, -3.21
σ = 2.42 pb (2.39 pb)
deviance/N = 1.51
#925: -2.06, 1.18, -2.46, -3.84, 2.89
σ = 2.42 pb (2.42 pb)
deviance/N = 1.20
#267: 3.24, 2.66, -0.09, 0.55, 2.62
σ = 2.42 pb (2.41 pb)
deviance/N = 1.12
#873: 0.68, 1.44, 2.90, -0.88, 0.79
σ = 2.43 pb (2.42 pb)
deviance/N = 0.81
#167: 0.38, 1.06, -2.46, -5.31, 0.35
σ = 2.43 pb (2.44 pb)
deviance/N = 0.85
#746: 11.41, 0.84, -1.11, 0.85, -3.60
σ = 2.45 pb (2.44 pb)
deviance/N = 1.55
#549: 4.67, 0.57, -1.48, 0.05, -1.83
σ = 2.47 pb (2.46 pb)
deviance/N = 1.00
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#689: 0.42, 1.30, -1.23, -4.00, -0.99
σ = 2.47 pb (2.47 pb)
deviance/N = 1.22
#17: -4.51, 1.52, -0.29, 1.77, 1.30
σ = 2.49 pb (2.48 pb)
deviance/N = 1.18
#850: 6.21, 2.59, -2.03, -0.91, 0.76
σ = 2.49 pb (2.51 pb)
deviance/N = 0.84
#125: -2.54, 0.41, -3.78, -0.22, 2.73
σ = 2.49 pb (2.48 pb)
deviance/N = 1.21
#465: 1.91, 2.42, -0.13, -2.84, -0.21
σ = 2.49 pb (2.51 pb)
deviance/N = 1.58
#178: 3.22, 2.18, 0.03, -0.24, -2.12
σ = 2.49 pb (2.51 pb)
deviance/N = 1.03
#643: -5.22, 0.69, -1.68, -0.82, -1.22
σ = 2.5 pb (2.5 pb)
deviance/N = 0.84
#565: 3.83, 0.90, -2.02, 2.01, 2.48
σ = 2.52 pb (2.51 pb)
deviance/N = 1.05
#677: -2.46, -1.20, 3.15, -0.75, -0.55
σ = 2.53 pb (2.52 pb)
deviance/N = 1.19
#994: -8.02, -0.75, 0.44, -0.82, -4.11
σ = 2.53 pb (2.52 pb)
deviance/N = 1.39
#949: 9.67, -1.87, 3.45, -0.25, -0.72
σ = 2.54 pb (2.52 pb)
deviance/N = 1.22
#486: -3.30, -1.26, 3.99, -0.11, -1.99
σ = 2.55 pb (2.54 pb)
deviance/N = 0.76
#964: -0.82, -0.30, 0.56, -1.64, -3.31
σ = 2.56 pb (2.54 pb)
deviance/N = 1.26
#105: -2.07, 0.19, -1.29, -3.36, 2.59
σ = 2.56 pb (2.56 pb)
deviance/N = 1.01
#775: -2.66, -2.47, 3.25, -1.94, 0.23
σ = 2.57 pb (2.55 pb)
deviance/N = 1.26
#898: -1.18, 3.56, 3.67, -1.58, 0.85
σ = 2.57 pb (2.58 pb)
deviance/N = 1.43
#615: 0.90, 2.90, -0.15, 0.96, 1.34
σ = 2.59 pb (2.6 pb)
deviance/N = 1.29
#647: 6.87, -1.48, 0.24, 0.52, -1.29
σ = 2.6 pb (2.6 pb)
deviance/N = 1.34
#723: 5.27, -0.42, -3.65, 3.51, 1.31
σ = 2.61 pb (2.61 pb)
deviance/N = 0.89
#96: 3.53, 4.06, 2.62, 2.85, -1.26
σ = 2.61 pb (2.71 pb)
deviance/N = 2.35
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#364: -0.96, -0.39, 0.07, -0.05, -2.88
σ = 2.62 pb (2.61 pb)
deviance/N = 1.18
#254: 2.93, 2.12, -0.85, 0.08, -1.42
σ = 2.62 pb (2.64 pb)
deviance/N = 1.25
#963: 3.51, 0.65, 0.99, 1.53, 1.02
σ = 2.64 pb (2.63 pb)
deviance/N = 0.84
#475: 1.37, 2.36, -0.87, 0.09, -0.21
σ = 2.64 pb (2.66 pb)
deviance/N = 1.18
#509: 7.70, 0.02, -3.26, -1.21, 2.89
σ = 2.65 pb (2.64 pb)
deviance/N = 1.21
#57: 2.30, -0.34, 2.42, -2.62, -3.18
σ = 2.66 pb (2.66 pb)
deviance/N = 0.73
#77: 6.53, 2.67, 1.25, -2.92, -1.15
σ = 2.66 pb (2.68 pb)
deviance/N = 1.31
#464: 0.66, -0.93, -3.16, -1.04, 1.26
σ = 2.68 pb (2.68 pb)
deviance/N = 0.78
#929: -2.62, 0.89, -1.75, 0.97, -0.22
σ = 2.71 pb (2.71 pb)
deviance/N = 0.83
#255: 4.19, -0.14, -1.89, -0.59, -0.77
σ = 2.72 pb (2.71 pb)
deviance/N = 1.00
#405: 2.79, -2.03, -1.61, 1.62, 2.67
σ = 2.74 pb (2.73 pb)
deviance/N = 0.94
#699: 8.29, 3.10, 2.56, -2.08, 2.60
σ = 2.74 pb (2.71 pb)
deviance/N = 1.30
#886: 0.28, -1.52, -1.59, 3.72, -0.72
σ = 2.76 pb (2.77 pb)
deviance/N = 1.13
#928: -1.71, -0.25, -3.76, 2.84, 3.73
σ = 2.76 pb (2.75 pb)
deviance/N = 0.97
#893: -2.44, 1.80, -1.55, 0.36, 1.30
σ = 2.77 pb (2.77 pb)
deviance/N = 1.19
#987: -8.48, 1.08, 4.20, 1.52, -1.29
σ = 2.79 pb (2.78 pb)
deviance/N = 1.10
#387: 1.64, 0.79, 2.76, 1.24, 0.04
σ = 2.8 pb (2.79 pb)
deviance/N = 1.09
#658: 2.69, 1.88, -2.93, -0.74, 1.88
σ = 2.81 pb (2.81 pb)
deviance/N = 1.12
#721: -2.54, -1.34, 0.57, -0.57, 2.35
σ = 2.81 pb (2.79 pb)
deviance/N = 1.09
#333: 0.28, -0.53, 4.31, 0.99, -2.56
σ = 2.82 pb (2.82 pb)
deviance/N = 0.78
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#908: 4.37, 1.17, 0.93, 1.91, 0.50
σ = 2.83 pb (2.8 pb)
deviance/N = 1.15
#605: 13.26, 2.06, 1.37, -1.87, -2.54
σ = 2.83 pb (2.83 pb)
deviance/N = 1.39
#483: -2.67, 2.23, -0.96, -2.83, 2.91
σ = 2.83 pb (2.82 pb)
deviance/N = 0.92
#407: 3.02, 1.26, 0.86, -1.43, -2.99
σ = 2.85 pb (2.84 pb)
deviance/N = 0.86
#635: -2.16, -0.23, 2.91, 0.92, 0.41
σ = 2.85 pb (2.85 pb)
deviance/N = 0.81
#244: 5.81, 3.97, 2.03, -2.59, 1.67
σ = 2.86 pb (2.88 pb)
deviance/N = 1.83
#15: -6.20, -0.48, -1.73, -4.05, -1.38
σ = 2.88 pb (2.84 pb)
deviance/N = 1.00
#424: -3.00, 1.88, -1.76, -0.28, 3.11
σ = 2.88 pb (2.87 pb)
deviance/N = 0.95
#742: 4.46, -2.36, 2.73, -2.69, 2.07
σ = 2.88 pb (2.86 pb)
deviance/N = 0.84
#328: -0.97, -0.37, -1.01, -0.30, 3.52
σ = 2.92 pb (2.9 pb)
deviance/N = 1.18
#370: 8.29, 3.16, -0.08, 1.72, -1.76
σ = 2.94 pb (2.95 pb)
deviance/N = 2.75
#991: -0.84, -2.27, 2.63, 0.04, -3.62
σ = 2.95 pb (2.95 pb)
deviance/N = 1.14
#586: 0.98, 1.92, -0.53, 0.20, 3.63
σ = 2.96 pb (2.95 pb)
deviance/N = 0.92
#783: -5.53, -2.74, -1.16, -0.91, -1.88
σ = 2.97 pb (3 pb)
deviance/N = 1.30
#336: -1.02, -0.86, -0.26, 1.62, -2.51
σ = 2.97 pb (2.97 pb)
deviance/N = 1.02
#607: -1.90, 0.29, 0.66, -0.61, 2.44
σ = 2.97 pb (2.96 pb)
deviance/N = 0.91
#353: -1.15, -0.40, 0.29, -0.04, -3.23
σ = 3.02 pb (3.01 pb)
deviance/N = 1.12
#160: -5.92, 0.69, -0.52, -0.32, -2.21
σ = 3.03 pb (3.02 pb)
deviance/N = 0.89
#937: -3.05, 1.71, 1.82, -0.88, 2.69
σ = 3.03 pb (3.02 pb)
deviance/N = 0.93
#447: 9.45, 2.60, 3.31, -0.37, -1.06
σ = 3.05 pb (3.02 pb)
deviance/N = 1.82
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#894: -0.82, -0.82, -0.48, 1.41, -2.43
σ = 3.06 pb (3.05 pb)
deviance/N = 0.90
#807: 0.38, 3.33, 2.12, 1.63, -0.67
σ = 3.06 pb (3.1 pb)
deviance/N = 1.57
#497: -8.47, 0.59, 1.81, -0.50, -4.03
σ = 3.1 pb (3.08 pb)
deviance/N = 0.93
#664: 7.49, 0.66, -3.59, 1.09, -1.21
σ = 3.1 pb (3.1 pb)
deviance/N = 0.84
#980: 0.88, 1.25, -3.07, -1.53, 0.85
σ = 3.15 pb (3.15 pb)
deviance/N = 1.03
#760: -1.90, -2.24, -1.45, -2.83, -1.25
σ = 3.15 pb (3.17 pb)
deviance/N = 1.05
#426: 6.40, 1.12, 1.36, 2.83, -2.91
σ = 3.17 pb (3.14 pb)
deviance/N = 1.21
#691: -3.03, -3.01, 1.36, -0.43, -2.64
σ = 3.17 pb (3.2 pb)
deviance/N = 1.87
#266: 10.08, -1.03, -0.80, -0.55, 0.89
σ = 3.19 pb (3.18 pb)
deviance/N = 1.21
#331: -0.53, 1.41, 1.98, -0.42, 2.21
σ = 3.21 pb (3.19 pb)
deviance/N = 1.24
#381: 7.87, 2.46, 5.28, -1.05, -2.67
σ = 3.21 pb (3.19 pb)
deviance/N = 1.32
#95: -0.23, 0.46, 0.74, 1.78, 2.69
σ = 3.22 pb (3.21 pb)
deviance/N = 1.24
#546: -7.34, 0.66, 2.77, -2.20, -1.28
σ = 3.23 pb (3.23 pb)
deviance/N = 1.00
#466: 7.55, 1.41, -1.51, 2.80, -1.16
σ = 3.25 pb (3.22 pb)
deviance/N = 1.06
#827: -1.92, 0.97, -1.85, -0.23, -0.99
σ = 3.27 pb (3.27 pb)
deviance/N = 0.96
#612: -0.41, 2.50, 1.07, 1.27, -1.67
σ = 3.28 pb (3.3 pb)
deviance/N = 1.28
#538: -3.84, 1.24, -2.89, -1.57, 0.40
σ = 3.28 pb (3.29 pb)
deviance/N = 1.22
#369: -5.24, 2.39, 2.17, 1.70, 1.89
σ = 3.28 pb (3.27 pb)
deviance/N = 0.85
#272: 4.54, 1.05, -2.13, 5.40, -0.69
σ = 3.31 pb (3.27 pb)
deviance/N = 1.36
#416: 5.55, 1.04, -2.46, -1.72, 0.08
σ = 3.32 pb (3.32 pb)
deviance/N = 1.09
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#268: 9.19, 3.09, 1.82, -3.19, -1.12
σ = 3.34 pb (3.37 pb)
deviance/N = 1.33
#107: -0.74, -0.21, 2.50, -3.93, 0.42
σ = 3.35 pb (3.35 pb)
deviance/N = 0.92
#362: 4.36, 3.73, 1.09, -0.78, -0.15
σ = 3.37 pb (3.42 pb)
deviance/N = 1.42
#569: -0.74, 3.24, 1.95, 1.04, 0.21
σ = 3.38 pb (3.4 pb)
deviance/N = 1.31
#452: -8.25, -0.34, -0.59, 0.38, 3.69
σ = 3.4 pb (3.38 pb)
deviance/N = 1.26
#183: 7.73, 2.02, 2.54, -2.27, 2.65
σ = 3.41 pb (3.4 pb)
deviance/N = 0.95
#133: 3.13, 1.17, -2.30, -2.09, -0.18
σ = 3.42 pb (3.42 pb)
deviance/N = 1.33
#897: -1.36, 1.95, -0.58, -1.03, -1.15
σ = 3.43 pb (3.44 pb)
deviance/N = 1.02
#495: 5.01, 0.00, 1.07, -0.56, 2.78
σ = 3.43 pb (3.42 pb)
deviance/N = 0.82
#325: 5.63, 3.31, -0.15, 0.38, -1.86
σ = 3.44 pb (3.49 pb)
deviance/N = 1.49
#314: 1.39, 2.98, -0.12, -1.92, 0.84
σ = 3.45 pb (3.47 pb)
deviance/N = 1.14
#867: -2.33, -0.43, 2.73, 2.46, 1.51
σ = 3.46 pb (3.45 pb)
deviance/N = 1.20
#593: 8.47, 0.97, -0.75, -1.99, -0.97
σ = 3.47 pb (3.47 pb)
deviance/N = 0.99
#69: -2.12, -0.26, 1.35, -0.17, 2.08
σ = 3.47 pb (3.47 pb)
deviance/N = 0.81
#24: 1.94, 2.53, 5.15, 1.65, -0.58
σ = 3.48 pb (3.46 pb)
deviance/N = 1.00
#291: 3.30, 2.72, 3.32, -1.49, 2.22
σ = 3.48 pb (3.45 pb)
deviance/N = 1.20
#802: -0.48, 2.18, -0.09, -3.27, 3.83
σ = 3.48 pb (3.48 pb)
deviance/N = 1.25
#68: 2.53, 2.46, 0.68, -2.07, -1.97
σ = 3.48 pb (3.5 pb)
deviance/N = 1.11
#887: -2.36, 1.79, -2.50, 0.39, 2.97
σ = 3.5 pb (3.49 pb)
deviance/N = 0.94
#527: -3.24, -2.60, 1.59, 3.25, -2.01
σ = 3.5 pb (3.52 pb)
deviance/N = 0.99
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#280: 5.99, 0.87, -1.16, 2.60, 0.93
σ = 3.52 pb (3.49 pb)
deviance/N = 1.37
#881: -2.02, 2.01, -0.55, 0.41, -0.44
σ = 3.54 pb (3.55 pb)
deviance/N = 1.09
#916: 3.44, -0.28, 2.38, -0.42, 1.62
σ = 3.55 pb (3.55 pb)
deviance/N = 0.88
#371: 0.29, 0.74, 1.40, 0.39, 2.32
σ = 3.55 pb (3.55 pb)
deviance/N = 0.92
#88: 0.53, -0.73, -2.03, -1.17, -1.24
σ = 3.61 pb (3.61 pb)
deviance/N = 1.01
#776: 6.12, 2.20, -1.28, -1.74, 4.63
σ = 3.62 pb (3.6 pb)
deviance/N = 1.03
#748: -4.26, 0.14, 0.29, 0.62, 3.52
σ = 3.63 pb (3.61 pb)
deviance/N = 1.12
#492: -1.76, 1.34, -2.01, -2.67, -1.21
σ = 3.63 pb (3.64 pb)
deviance/N = 1.03
#147: 2.96, 2.64, -1.02, 0.37, -0.98
σ = 3.64 pb (3.67 pb)
deviance/N = 1.27
#348: 4.81, -1.60, -0.47, -2.69, 2.45
σ = 3.67 pb (3.66 pb)
deviance/N = 1.21
#168: -1.40, 1.80, -1.30, -1.78, -0.97
σ = 3.69 pb (3.7 pb)
deviance/N = 1.39
#402: 2.34, 0.70, 0.47, -1.59, -3.25
σ = 3.7 pb (3.69 pb)
deviance/N = 0.99
#506: 0.53, 1.56, -3.10, 1.80, 0.64
σ = 3.73 pb (3.75 pb)
deviance/N = 1.01
#476: 9.63, 1.77, 0.98, 0.67, -0.21
σ = 3.74 pb (3.71 pb)
deviance/N = 0.99
#883: -1.61, 3.06, 1.70, 0.04, -0.11
σ = 3.75 pb (3.77 pb)
deviance/N = 1.61
#901: 3.09, 2.95, -1.07, -1.22, 0.90
σ = 3.76 pb (3.78 pb)
deviance/N = 1.17
#737: -8.08, 1.71, -1.91, -2.13, -0.50
σ = 3.77 pb (3.79 pb)
deviance/N = 1.07
#681: 0.12, 2.60, -1.15, -0.89, 1.06
σ = 3.78 pb (3.79 pb)
deviance/N = 0.92
#878: 3.36, 1.24, 2.85, 0.14, 0.71
σ = 3.79 pb (3.78 pb)
deviance/N = 1.08
#181: 3.41, 0.23, -1.30, -0.47, -2.26
σ = 3.8 pb (3.8 pb)
deviance/N = 0.87
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#59: 1.97, 1.80, -3.18, 0.84, 0.55
σ = 3.81 pb (3.82 pb)
deviance/N = 0.96
#1: -5.20, 0.45, -1.72, 0.03, -1.56
σ = 3.84 pb (3.83 pb)
deviance/N = 0.85
#310: 8.82, -0.37, -2.59, -1.76, 3.28
σ = 3.85 pb (3.83 pb)
deviance/N = 1.03
#828: -3.17, -0.31, -4.65, 1.66, 3.71
σ = 3.86 pb (3.85 pb)
deviance/N = 0.90
#394: 6.37, 1.05, 2.74, 2.27, -3.32
σ = 3.88 pb (3.86 pb)
deviance/N = 0.96
#983: 3.71, -0.10, 1.23, -4.44, -1.71
σ = 3.9 pb (3.88 pb)
deviance/N = 1.04
#196: 8.04, -0.48, 1.24, 2.73, -0.70
σ = 3.91 pb (3.89 pb)
deviance/N = 1.25
#662: 7.66, 3.27, -2.32, 0.03, 2.22
σ = 3.92 pb (3.94 pb)
deviance/N = 1.17
#950: -1.93, 3.05, 1.04, -0.65, 3.31
σ = 3.92 pb (3.88 pb)
deviance/N = 1.44
#902: -6.28, 2.81, 0.49, -2.53, 2.23
σ = 3.95 pb (3.96 pb)
deviance/N = 1.12
#216: -1.48, 0.26, 1.71, 0.85, 2.35
σ = 3.97 pb (3.96 pb)
deviance/N = 0.81
#33: -2.67, 2.20, 0.64, -2.23, -2.46
σ = 3.99 pb (4.01 pb)
deviance/N = 0.88
#724: 6.42, -1.54, 2.42, -2.77, 0.42
σ = 4 pb (3.96 pb)
deviance/N = 0.95
#733: -1.13, -0.21, 0.89, -2.98, 2.28
σ = 4.01 pb (4 pb)
deviance/N = 1.17
#989: 5.75, 1.10, -3.24, -3.05, 2.45
σ = 4.03 pb (4.02 pb)
deviance/N = 1.13
#179: -2.52, -0.79, -3.57, 2.86, 1.23
σ = 4.06 pb (4.06 pb)
deviance/N = 1.19
#595: 6.65, 4.01, -0.01, -0.31, 1.71
σ = 4.07 pb (4.11 pb)
deviance/N = 0.90
#300: 7.42, 0.65, -0.41, 0.87, 2.32
σ = 4.08 pb (4.05 pb)
deviance/N = 0.96
#149: 3.88, 0.61, 1.49, 1.31, 1.31
σ = 4.08 pb (4.06 pb)
deviance/N = 1.03
#511: 3.50, 0.90, 0.22, -4.05, -1.81
σ = 4.1 pb (4.08 pb)
deviance/N = 0.86
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#666: 6.06, 0.15, -2.23, 3.77, 0.91
σ = 4.13 pb (4.1 pb)
deviance/N = 0.97
#597: 3.35, 2.03, 1.06, -0.11, 3.04
σ = 4.13 pb (4.1 pb)
deviance/N = 1.16
#444: 8.73, -1.27, -1.83, 1.19, -1.11
σ = 4.14 pb (4.14 pb)
deviance/N = 1.00
#13: 2.22, 2.54, -2.68, 1.02, 1.58
σ = 4.14 pb (4.16 pb)
deviance/N = 1.10
#580: 1.33, 1.68, -1.19, 1.40, -2.23
σ = 4.14 pb (4.16 pb)
deviance/N = 0.85
#113: 8.56, 0.72, 1.30, 0.93, 0.39
σ = 4.15 pb (4.12 pb)
deviance/N = 1.04
#822: 2.83, 2.87, -1.98, -0.56, 2.10
σ = 4.16 pb (4.18 pb)
deviance/N = 0.93
#912: 2.31, -1.95, -2.99, 1.81, 2.95
σ = 4.17 pb (4.17 pb)
deviance/N = 1.02
#770: -7.99, -0.89, -3.97, 0.30, -0.13
σ = 4.2 pb (4.2 pb)
deviance/N = 0.83
#285: -6.42, -3.75, 0.90, 2.20, -0.33
σ = 4.23 pb (4.28 pb)
deviance/N = 2.92
#109: 6.24, -1.43, 2.11, -3.49, 1.27
σ = 4.25 pb (4.21 pb)
deviance/N = 0.90
#974: 3.87, -0.86, -0.22, -0.44, -2.53
σ = 4.25 pb (4.23 pb)
deviance/N = 1.21
#55: -1.60, -0.85, 1.73, 1.40, 2.57
σ = 4.26 pb (4.25 pb)
deviance/N = 0.80
#555: -2.86, 0.96, -1.41, -2.01, -2.63
σ = 4.29 pb (4.29 pb)
deviance/N = 0.97
#248: 1.04, -0.43, -4.56, 4.75, 0.58
σ = 4.31 pb (4.31 pb)
deviance/N = 1.15
#437: 3.82, 1.00, 2.36, 1.06, 0.74
σ = 4.32 pb (4.31 pb)
deviance/N = 0.99
#628: 3.53, 0.01, 1.56, -1.48, -3.86
σ = 4.34 pb (4.32 pb)
deviance/N = 1.10
#209: 8.60, 1.44, 1.36, -0.13, 1.61
σ = 4.35 pb (4.32 pb)
deviance/N = 0.96
#990: 0.37, 3.16, 1.94, -2.57, -1.67
σ = 4.36 pb (4.38 pb)
deviance/N = 1.09
#155: 1.38, 2.42, -2.53, 1.01, 1.19
σ = 4.36 pb (4.38 pb)
deviance/N = 0.96
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#388: -0.39, 2.98, -0.39, -4.92, 3.50
σ = 4.38 pb (4.36 pb)
deviance/N = 1.40
#919: 0.57, 0.16, 0.63, -0.84, 3.25
σ = 4.38 pb (4.37 pb)
deviance/N = 0.90
#308: -0.93, 0.64, 1.09, -0.41, 2.97
σ = 4.39 pb (4.38 pb)
deviance/N = 0.77
#649: -3.38, 2.75, 0.14, -0.28, 1.59
σ = 4.47 pb (4.47 pb)
deviance/N = 0.98
#327: 10.51, -1.88, 1.13, 0.24, -0.51
σ = 4.52 pb (4.5 pb)
deviance/N = 1.22
#200: 2.49, 1.17, -2.12, -0.22, -1.80
σ = 4.55 pb (4.55 pb)
deviance/N = 1.10
#712: 9.90, 0.32, -1.19, 1.40, 1.97
σ = 4.56 pb (4.54 pb)
deviance/N = 1.55
#152: -9.90, -2.86, -1.89, 1.01, -1.75
σ = 4.57 pb (4.61 pb)
deviance/N = 1.22
#753: -10.61, 2.39, 0.12, -2.35, -1.00
σ = 4.57 pb (4.61 pb)
deviance/N = 1.06
#275: -1.15, 1.49, 0.76, 0.33, 3.96
σ = 4.6 pb (4.58 pb)
deviance/N = 1.02
#305: -2.43, 0.71, 1.06, -4.46, 1.61
σ = 4.61 pb (4.6 pb)
deviance/N = 0.96
#293: 4.91, -1.91, -0.35, 1.38, -1.82
σ = 4.66 pb (4.66 pb)
deviance/N = 0.96
#124: -1.03, 0.31, -1.33, 1.15, -2.51
σ = 4.69 pb (4.68 pb)
deviance/N = 0.67
#195: 1.78, -1.88, 0.28, -0.42, -2.31
σ = 4.69 pb (4.7 pb)
deviance/N = 0.96
#217: 0.34, -3.32, 1.42, -0.83, -0.14
σ = 4.7 pb (4.73 pb)
deviance/N = 1.34
#238: 0.26, 3.52, 0.88, -0.97, 2.59
σ = 4.71 pb (4.72 pb)
deviance/N = 1.60
#393: -1.87, -1.10, 1.21, -1.04, 2.67
σ = 4.71 pb (4.7 pb)
deviance/N = 0.87
#97: 6.50, 1.28, 1.37, 1.02, 0.94
σ = 4.75 pb (4.73 pb)
deviance/N = 1.09
#969: 4.01, 0.26, 2.35, 4.30, -1.69
σ = 4.77 pb (4.75 pb)
deviance/N = 1.00
#384: 11.76, 2.42, -1.26, -3.50, 2.07
σ = 4.81 pb (4.82 pb)
deviance/N = 1.35
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#223: -8.69, -0.11, -1.46, -2.06, 1.83
σ = 4.81 pb (4.79 pb)
deviance/N = 1.11
#668: -7.73, 0.54, -0.82, 2.80, 1.76
σ = 4.82 pb (4.77 pb)
deviance/N = 1.49
#35: 2.53, 1.90, 3.09, -0.68, -5.12
σ = 4.84 pb (4.83 pb)
deviance/N = 1.13
#143: 0.48, 3.13, 0.06, -2.68, 0.49
σ = 4.84 pb (4.87 pb)
deviance/N = 0.85
#111: -5.38, -0.18, -0.64, 2.51, -1.42
σ = 4.85 pb (4.83 pb)
deviance/N = 0.97
#571: 7.96, 4.65, 1.28, -0.66, 0.75
σ = 4.85 pb (4.96 pb)
deviance/N = 1.48
#940: 10.37, 0.89, 0.01, 2.10, -1.62
σ = 4.86 pb (4.81 pb)
deviance/N = 1.00
#112: 8.36, -0.44, -2.84, 4.06, -4.24
σ = 4.91 pb (4.91 pb)
deviance/N = 0.82
#67: 2.83, 2.17, -1.44, -3.02, -0.45
σ = 4.92 pb (4.94 pb)
deviance/N = 0.93
#233: 6.10, 1.19, -0.01, 1.94, 1.37
σ = 4.93 pb (4.9 pb)
deviance/N = 1.16
#382: -1.93, 1.51, -2.54, 4.33, 1.61
σ = 4.98 pb (4.98 pb)
deviance/N = 1.05
#41: 3.51, 0.43, 2.82, 1.74, 0.20
σ = 4.99 pb (4.97 pb)
deviance/N = 1.07
#128: 5.69, 3.60, 2.80, 2.37, 0.14
σ = 5 pb (4.97 pb)
deviance/N = 1.65
#995: -1.28, -2.42, 0.87, 4.69, -2.37
σ = 5.06 pb (5.07 pb)
deviance/N = 0.97
#99: 7.40, 0.80, -2.96, -0.14, -1.85
σ = 5.07 pb (5.07 pb)
deviance/N = 1.12
#572: 0.89, 0.70, 3.79, 0.24, 0.43
σ = 5.07 pb (5.06 pb)
deviance/N = 1.07
#537: 1.40, 0.23, 3.62, 1.29, 0.22
σ = 5.08 pb (5.08 pb)
deviance/N = 0.93
#135: -1.48, 0.57, -0.51, -0.19, -3.41
σ = 5.1 pb (5.09 pb)
deviance/N = 1.06
#868: 8.49, -0.02, 1.97, -0.06, 2.45
σ = 5.1 pb (5.09 pb)
deviance/N = 0.72
#12: 1.89, 3.15, 3.90, 2.18, 2.24
σ = 5.13 pb (5.08 pb)
deviance/N = 0.79
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#801: 1.71, 3.49, 1.24, 1.48, 3.80
σ = 5.13 pb (5.11 pb)
deviance/N = 0.94
#861: -4.77, 1.85, -1.15, -0.85, -0.85
σ = 5.15 pb (5.16 pb)
deviance/N = 1.23
#208: 1.21, -1.28, -2.43, -1.59, -0.63
σ = 5.17 pb (5.17 pb)
deviance/N = 1.52
#747: -0.34, 2.56, -2.04, -0.10, 1.67
σ = 5.21 pb (5.22 pb)
deviance/N = 0.96
#201: 1.57, 1.16, -0.23, -1.57, -3.35
σ = 5.22 pb (5.21 pb)
deviance/N = 0.79
#102: 4.30, 0.86, -2.14, -0.80, -2.02
σ = 5.25 pb (5.25 pb)
deviance/N = 1.04
#425: 0.65, 0.38, 2.10, 1.27, 2.18
σ = 5.29 pb (5.27 pb)
deviance/N = 1.00
#708: 7.47, 0.87, -1.76, -3.27, 0.87
σ = 5.29 pb (5.27 pb)
deviance/N = 1.01
#79: -0.24, -2.94, 3.38, 1.07, 3.52
σ = 5.31 pb (5.26 pb)
deviance/N = 1.19
#624: -3.31, 0.78, 3.22, -2.24, 0.64
σ = 5.33 pb (5.31 pb)
deviance/N = 1.29
#818: 1.15, 0.92, -3.81, -0.79, -0.03
σ = 5.34 pb (5.35 pb)
deviance/N = 0.93
#833: -4.22, 2.27, 2.04, -0.78, -3.20
σ = 5.44 pb (5.45 pb)
deviance/N = 0.85
#2: 4.38, 3.26, -0.50, 1.38, -2.55
σ = 5.44 pb (5.5 pb)
deviance/N = 1.38
#108: 6.43, -1.49, 0.34, 0.62, -2.93
σ = 5.46 pb (5.45 pb)
deviance/N = 1.46
#754: 9.03, -0.84, -0.37, 2.81, -5.66
σ = 5.46 pb (5.45 pb)
deviance/N = 0.96
#304: 3.98, -0.93, 0.86, -2.52, -2.46
σ = 5.47 pb (5.46 pb)
deviance/N = 0.98
#161: 1.44, 3.98, 3.03, -1.25, -0.92
σ = 5.5 pb (5.54 pb)
deviance/N = 1.90
#123: -6.34, 1.40, 1.54, 3.44, 0.86
σ = 5.5 pb (5.45 pb)
deviance/N = 0.96
#701: -0.86, 0.98, -2.45, 1.46, -1.34
σ = 5.52 pb (5.52 pb)
deviance/N = 1.00
#751: -0.24, -1.15, -2.06, 1.16, -1.95
σ = 5.57 pb (5.58 pb)
deviance/N = 1.01
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#56: 6.26, 1.33, 0.68, -3.87, -1.56
σ = 5.67 pb (5.66 pb)
deviance/N = 1.14
#945: 3.12, 2.92, -0.24, -0.43, -2.05
σ = 5.68 pb (5.72 pb)
deviance/N = 1.53
#415: 13.14, 1.13, 1.30, -3.36, 0.94
σ = 5.71 pb (5.69 pb)
deviance/N = 1.10
#759: -8.35, 0.02, -3.12, 2.38, 2.60
σ = 5.72 pb (5.7 pb)
deviance/N = 1.30
#849: 1.47, -1.12, 0.58, -0.82, -3.88
σ = 5.74 pb (5.72 pb)
deviance/N = 0.89
#484: -4.36, 2.60, -0.94, -2.91, -0.44
σ = 5.74 pb (5.77 pb)
deviance/N = 1.22
#678: 0.69, 0.83, -0.35, -4.65, -3.46
σ = 5.75 pb (5.74 pb)
deviance/N = 0.83
#453: -3.07, 2.85, 0.01, -1.26, 0.29
σ = 5.75 pb (5.77 pb)
deviance/N = 1.51
#728: -2.33, 2.65, -0.19, -1.29, -0.69
σ = 5.76 pb (5.78 pb)
deviance/N = 0.92
#804: 6.87, -1.02, -3.97, 0.68, 0.86
σ = 5.76 pb (5.77 pb)
deviance/N = 0.87
#101: 0.76, -2.16, -3.37, -1.12, 2.80
σ = 5.79 pb (5.81 pb)
deviance/N = 1.12
#585: 1.83, -0.37, -3.18, 0.33, -1.34
σ = 5.82 pb (5.81 pb)
deviance/N = 0.98
#271: -5.85, 1.25, -3.05, -1.56, -1.01
σ = 5.94 pb (5.95 pb)
deviance/N = 1.18
#115: -2.92, -0.40, -2.71, -0.66, 5.34
σ = 5.95 pb (5.93 pb)
deviance/N = 1.22
#667: 3.00, 1.60, -1.80, -1.40, -1.99
σ = 5.95 pb (5.96 pb)
deviance/N = 0.80
#90: 8.17, -0.51, 2.24, 3.25, -1.66
σ = 5.99 pb (5.97 pb)
deviance/N = 1.48
#951: -3.06, -1.92, 5.15, 2.39, 0.98
σ = 6 pb (5.99 pb)
deviance/N = 0.99
#921: 7.73, 1.73, 1.16, -4.31, -0.78
σ = 6.05 pb (6.04 pb)
deviance/N = 1.13
#139: -11.10, 1.16, 3.02, -2.05, 0.59
σ = 6.07 pb (6.05 pb)
deviance/N = 0.84
#498: -0.67, -0.66, -4.14, -2.15, -0.51
σ = 6.12 pb (6.12 pb)
deviance/N = 1.14
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#863: 9.33, 1.55, -1.40, 0.37, 3.48
σ = 6.16 pb (6.12 pb)
deviance/N = 1.04
#660: -0.72, 1.28, -1.40, -3.93, -3.05
σ = 6.17 pb (6.17 pb)
deviance/N = 0.98
#421: 2.54, -2.33, -0.68, 1.74, -1.50
σ = 6.19 pb (6.2 pb)
deviance/N = 1.12
#553: 0.84, 0.96, -2.43, -0.32, -2.08
σ = 6.23 pb (6.23 pb)
deviance/N = 1.13
#627: -2.57, 0.50, -1.74, 3.40, -1.37
σ = 6.23 pb (6.21 pb)
deviance/N = 0.93
#557: 2.47, -1.50, -1.53, 0.93, -2.11
σ = 6.23 pb (6.24 pb)
deviance/N = 0.93
#18: 5.60, -1.93, -0.26, -1.39, 0.52
σ = 6.24 pb (6.22 pb)
deviance/N = 1.09
#368: 14.58, 2.45, -0.14, -0.17, 1.39
σ = 6.24 pb (6.19 pb)
deviance/N = 0.81
#226: -8.91, 1.15, 0.14, 0.89, -1.22
σ = 6.29 pb (6.26 pb)
deviance/N = 1.28
#957: 9.84, 0.94, 1.85, 0.90, 0.20
σ = 6.31 pb (6.27 pb)
deviance/N = 0.84
#21: 4.25, 3.74, -0.85, 1.95, -1.07
σ = 6.31 pb (6.41 pb)
deviance/N = 1.40
#286: 2.89, 0.98, -1.13, 0.38, -3.77
σ = 6.34 pb (6.32 pb)
deviance/N = 0.67
#952: 3.76, 3.46, 0.63, 0.79, 4.13
σ = 6.37 pb (6.34 pb)
deviance/N = 0.96
#821: -5.30, -0.23, -5.45, 0.51, 1.73
σ = 6.4 pb (6.4 pb)
deviance/N = 0.97
#282: 2.01, 0.12, -0.80, -0.72, -3.65
σ = 6.4 pb (6.37 pb)
deviance/N = 1.12
#431: 1.09, 2.17, 0.28, -1.84, -3.25
σ = 6.41 pb (6.41 pb)
deviance/N = 0.89
#409: 9.46, 2.03, -1.28, -2.68, -0.94
σ = 6.44 pb (6.45 pb)
deviance/N = 0.97
#202: 0.09, 1.34, -2.38, 2.02, -1.84
σ = 6.48 pb (6.49 pb)
deviance/N = 1.12
#297: -7.83, -0.76, -3.95, 0.25, -1.27
σ = 6.49 pb (6.49 pb)
deviance/N = 0.87
#359: 0.51, -0.38, 1.96, -2.74, 3.13
σ = 6.49 pb (6.49 pb)
deviance/N = 0.70
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#173: -5.94, 1.50, -3.69, -2.01, 5.17
σ = 6.58 pb (6.58 pb)
deviance/N = 0.97
#471: -1.14, 2.14, -0.50, 3.42, -1.59
σ = 6.7 pb (6.72 pb)
deviance/N = 1.09
#626: 2.19, 3.18, 1.65, -2.88, 5.21
σ = 6.71 pb (6.67 pb)
deviance/N = 1.06
#738: -4.26, -1.95, 2.30, -2.74, 0.76
σ = 6.73 pb (6.67 pb)
deviance/N = 1.23
#121: 4.38, -0.83, -4.66, 2.92, -0.97
σ = 6.74 pb (6.74 pb)
deviance/N = 1.26
#477: 3.96, 1.04, -4.75, -0.55, 0.30
σ = 6.75 pb (6.77 pb)
deviance/N = 1.04
#80: -7.85, -0.12, 2.74, 0.65, 2.85
σ = 6.76 pb (6.76 pb)
deviance/N = 0.59
#568: 0.06, 3.19, 1.32, 1.68, -2.07
σ = 6.85 pb (6.89 pb)
deviance/N = 1.17
#559: 3.05, 3.07, -2.22, -0.05, 0.38
σ = 6.9 pb (6.94 pb)
deviance/N = 1.00
#164: 1.04, 0.95, -6.30, 3.93, 2.61
σ = 6.93 pb (6.93 pb)
deviance/N = 0.78
#493: 6.99, -1.07, -2.03, -1.23, 0.34
σ = 6.94 pb (6.92 pb)
deviance/N = 1.19
#288: -5.60, 2.06, -1.43, -1.71, -1.36
σ = 6.96 pb (6.97 pb)
deviance/N = 1.24
#449: 5.19, 0.51, 0.66, 0.74, 3.30
σ = 7.01 pb (6.98 pb)
deviance/N = 0.85
#655: 6.44, 1.44, -2.64, -2.31, -0.74
σ = 7.02 pb (7.02 pb)
deviance/N = 0.98
#707: -0.20, 2.39, -3.02, -0.47, 1.25
σ = 7.03 pb (7.05 pb)
deviance/N = 0.88
#780: 10.80, -1.08, -0.25, 0.16, -2.70
σ = 7.05 pb (7.04 pb)
deviance/N = 0.93
#94: -8.50, -1.97, 1.87, -2.18, -1.87
σ = 7.06 pb (7 pb)
deviance/N = 1.26
#198: -5.32, 1.45, 1.09, 1.42, -2.61
σ = 7.09 pb (7.07 pb)
deviance/N = 0.94
#534: -3.17, 1.12, -2.87, -0.87, -1.57
σ = 7.17 pb (7.17 pb)
deviance/N = 0.94
#761: 7.65, 1.85, -3.13, -1.16, -1.52
σ = 7.22 pb (7.24 pb)
deviance/N = 1.12
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#256: 5.76, 4.03, -1.65, 3.06, -0.19
σ = 7.23 pb (7.33 pb)
deviance/N = 1.59
#601: 4.83, 1.62, -0.48, 1.70, 3.48
σ = 7.28 pb (7.24 pb)
deviance/N = 0.94
#784: 1.09, 3.35, -0.27, -0.20, -0.24
σ = 7.29 pb (7.35 pb)
deviance/N = 1.24
#853: -3.95, -0.69, -4.08, 0.28, -1.06
σ = 7.31 pb (7.31 pb)
deviance/N = 0.98
#862: 10.58, -0.02, -0.89, -0.40, -3.47
σ = 7.4 pb (7.37 pb)
deviance/N = 0.81
#604: 1.54, 2.67, 1.25, -1.95, 5.27
σ = 7.45 pb (7.4 pb)
deviance/N = 0.96
#922: -3.66, 0.32, -1.79, 2.23, -1.93
σ = 7.49 pb (7.46 pb)
deviance/N = 0.82
#0: 4.83, -0.16, -2.20, -4.71, 1.14
σ = 7.53 pb (7.48 pb)
deviance/N = 1.11
#504: 2.09, -3.02, -0.97, 0.76, 1.50
σ = 7.54 pb (7.56 pb)
deviance/N = 1.07
#442: 1.24, 1.16, 4.17, -0.01, 1.35
σ = 7.55 pb (7.54 pb)
deviance/N = 1.23
#157: 4.91, -0.31, -2.41, -0.44, -2.27
σ = 7.62 pb (7.6 pb)
deviance/N = 0.80
#924: -2.68, -0.81, -0.72, 0.37, -4.25
σ = 7.64 pb (7.62 pb)
deviance/N = 1.03
#651: -1.67, 1.80, -1.32, 0.60, -2.05
σ = 7.71 pb (7.72 pb)
deviance/N = 0.87
#762: -3.14, 0.11, 3.78, 1.09, 2.07
σ = 7.73 pb (7.73 pb)
deviance/N = 0.89
#23: 3.14, 1.08, -3.35, 1.79, -2.84
σ = 7.73 pb (7.74 pb)
deviance/N = 0.86
#247: 1.58, -3.38, -0.67, 1.99, 3.98
σ = 7.78 pb (7.79 pb)
deviance/N = 1.19
#494: -0.20, -3.10, -0.86, 1.05, -0.05
σ = 7.85 pb (7.89 pb)
deviance/N = 1.20
#389: -0.22, 3.56, 0.55, -0.87, 0.37
σ = 7.86 pb (7.89 pb)
deviance/N = 1.07
#825: -6.34, -1.25, 1.50, -1.33, 1.75
σ = 7.87 pb (7.84 pb)
deviance/N = 0.88
#788: -1.93, -3.16, 1.51, -1.83, 4.71
σ = 7.92 pb (7.87 pb)
deviance/N = 0.87
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#520: 4.55, -1.19, -4.66, -1.35, 3.08
σ = 7.94 pb (7.93 pb)
deviance/N = 0.69
#78: -2.52, 2.36, -2.04, 2.00, 1.56
σ = 8.01 pb (8.02 pb)
deviance/N = 1.00
#684: -0.82, 2.10, -2.15, -0.76, -1.21
σ = 8.09 pb (8.11 pb)
deviance/N = 0.84
#14: -1.10, -1.13, 3.34, 3.70, 2.95
σ = 8.12 pb (8.11 pb)
deviance/N = 0.88
#954: -2.82, -0.88, -4.68, -0.29, -0.77
σ = 8.13 pb (8.14 pb)
deviance/N = 1.03
#988: 1.18, -0.17, 3.93, 0.55, 1.43
σ = 8.15 pb (8.14 pb)
deviance/N = 1.20
#433: -5.67, 1.06, -2.04, 1.57, -0.45
σ = 8.2 pb (8.17 pb)
deviance/N = 1.20
#847: 4.93, 4.13, 0.91, 3.03, 2.61
σ = 8.21 pb (8.23 pb)
deviance/N = 1.03
#158: 7.73, -0.45, -2.82, 4.37, 1.67
σ = 8.24 pb (8.19 pb)
deviance/N = 1.14
#998: 9.00, 1.63, 3.53, 0.58, -0.44
σ = 8.28 pb (8.24 pb)
deviance/N = 0.85
#722: 1.34, 1.83, 2.03, 2.32, 3.66
σ = 8.32 pb (8.28 pb)
deviance/N = 1.21
#222: 1.13, 0.89, -1.20, -2.20, -3.71
σ = 8.35 pb (8.35 pb)
deviance/N = 0.92
#290: 10.43, 0.72, 1.81, 1.32, 0.28
σ = 8.43 pb (8.39 pb)
deviance/N = 1.05
#391: 0.34, 3.36, -0.18, 2.82, -0.60
σ = 8.44 pb (8.51 pb)
deviance/N = 1.39
#539: -3.64, 2.41, -1.53, -3.06, -1.81
σ = 8.44 pb (8.48 pb)
deviance/N = 1.12
#973: 2.51, -0.02, -1.82, 0.46, -3.82
σ = 8.45 pb (8.43 pb)
deviance/N = 0.90
#189: 13.80, 3.66, -2.58, -0.07, 2.81
σ = 8.46 pb (8.44 pb)
deviance/N = 1.19
#54: -5.68, 0.66, -1.78, 1.90, -1.24
σ = 8.5 pb (8.47 pb)
deviance/N = 1.09
#545: 6.58, 1.44, 2.43, 1.88, 0.26
σ = 8.58 pb (8.52 pb)
deviance/N = 0.95
#472: 3.65, 0.17, 3.73, 2.59, 0.13
σ = 8.63 pb (8.6 pb)
deviance/N = 1.11
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#885: -3.73, -1.00, 3.77, -1.41, 0.77
σ = 8.69 pb (8.66 pb)
deviance/N = 0.91
#798: 0.62, 4.33, 2.11, 3.52, 1.27
σ = 8.72 pb (8.81 pb)
deviance/N = 1.52
#82: 0.92, 2.72, -0.14, -3.56, -2.42
σ = 8.73 pb (8.74 pb)
deviance/N = 1.19
#324: -11.39, -0.12, 0.34, -1.80, 1.43
σ = 8.73 pb (8.69 pb)
deviance/N = 0.94
#739: -3.61, -2.77, -3.65, -0.39, -0.01
σ = 8.73 pb (8.79 pb)
deviance/N = 1.03
#694: 7.22, 3.97, -1.29, -1.81, 0.28
σ = 8.82 pb (8.91 pb)
deviance/N = 1.74
#609: 7.70, 0.33, 2.95, 2.64, -1.44
σ = 8.82 pb (8.79 pb)
deviance/N = 1.19
#502: 7.20, -1.90, -0.30, 0.91, -2.71
σ = 8.84 pb (8.84 pb)
deviance/N = 1.18
#343: 7.94, 1.68, 2.94, 1.07, 0.16
σ = 8.89 pb (8.84 pb)
deviance/N = 0.77
#813: -0.49, 3.15, -1.37, -3.82, 0.49
σ = 8.92 pb (8.96 pb)
deviance/N = 1.08
#544: -1.75, 3.66, 0.98, 2.81, 3.36
σ = 8.97 pb (8.97 pb)
deviance/N = 1.36
#51: -1.29, 0.98, -1.56, -0.87, -3.73
σ = 9.01 pb (9 pb)
deviance/N = 0.91
#47: -3.63, -1.21, 5.13, 2.27, 1.57
σ = 9.02 pb (9.01 pb)
deviance/N = 0.92
#148: -2.14, 1.67, -1.80, -1.19, -2.67
σ = 9.05 pb (9.05 pb)
deviance/N = 1.06
#839: -0.58, 3.46, 0.19, 0.83, 0.17
σ = 9.08 pb (9.13 pb)
deviance/N = 1.41
#953: 2.75, -2.02, -2.37, 4.56, -2.80
σ = 9.12 pb (9.15 pb)
deviance/N = 1.02
#337: 3.41, 0.28, 1.65, 3.01, 2.30
σ = 9.22 pb (9.19 pb)
deviance/N = 1.14
#448: 2.05, 2.97, -1.24, 0.89, -2.15
σ = 9.25 pb (9.32 pb)
deviance/N = 1.33
#763: 6.24, 0.67, -1.52, 5.25, 0.11
σ = 9.31 pb (9.23 pb)
deviance/N = 1.41
#550: 2.58, -0.15, 3.15, 0.73, 2.49
σ = 9.33 pb (9.32 pb)
deviance/N = 0.69
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#567: 10.45, -0.95, 2.17, 2.10, 1.97
σ = 9.35 pb (9.31 pb)
deviance/N = 0.90
#499: 2.60, 0.50, 4.34, -1.45, 1.91
σ = 9.36 pb (9.36 pb)
deviance/N = 0.97
#718: -7.21, 1.66, -0.24, 2.37, 0.91
σ = 9.46 pb (9.42 pb)
deviance/N = 0.80
#547: -6.37, 2.20, 2.26, 1.40, -1.99
σ = 9.51 pb (9.47 pb)
deviance/N = 0.89
#970: 7.34, 1.82, -0.95, 1.23, 3.79
σ = 9.59 pb (9.52 pb)
deviance/N = 1.12
#242: 2.44, 4.13, -0.90, 2.40, 2.51
σ = 9.65 pb (9.71 pb)
deviance/N = 1.26
#480: 5.68, 3.92, -1.79, -2.05, 1.86
σ = 9.73 pb (9.8 pb)
deviance/N = 1.19
#365: -5.50, 3.31, 2.00, 0.08, 0.80
σ = 9.75 pb (9.76 pb)
deviance/N = 1.35
#320: -1.43, -4.83, 3.91, 0.80, 3.41
σ = 9.81 pb (9.81 pb)
deviance/N = 1.64
#87: -0.15, 3.36, -1.44, -1.25, 1.47
σ = 9.85 pb (9.89 pb)
deviance/N = 1.07
#782: 3.94, -3.36, 1.48, -1.66, 2.04
σ = 9.88 pb (9.88 pb)
deviance/N = 1.22
#131: 7.84, 0.13, 0.48, 3.61, 0.17
σ = 9.91 pb (9.87 pb)
deviance/N = 1.32
#241: 1.55, -2.92, -1.56, 0.28, 0.39
σ = 9.92 pb (9.95 pb)
deviance/N = 0.88
#180: 5.65, 0.50, -2.87, 0.64, -3.98
σ = 9.97 pb (9.94 pb)
deviance/N = 1.04
#461: 6.72, 2.80, -1.33, -3.02, -1.38
σ = 9.97 pb (10 pb)
deviance/N = 0.95
#395: 4.07, -1.24, -3.19, -2.89, 0.83
σ = 9.98 pb (9.96 pb)
deviance/N = 1.05
#903: -9.90, -0.47, 1.41, -2.62, -0.86
σ = 9.99 pb (9.93 pb)
deviance/N = 1.04
#591: -14.89, 2.25, 0.24, -4.98, -2.10
σ = 10.1 pb (10.1 pb)
deviance/N = 1.29
#824: 1.45, -2.07, 0.32, -0.19, -4.09
σ = 10.2 pb (10.2 pb)
deviance/N = 0.96
#715: 8.90, -2.05, 4.06, -3.63, 2.81
σ = 10.2 pb (10.1 pb)
deviance/N = 0.95
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#434: 5.43, -1.54, -2.90, -0.30, -0.41
σ = 10.2 pb (10.2 pb)
deviance/N = 1.24
#451: 6.28, 2.00, -4.57, 0.58, -2.26
σ = 10.2 pb (10.3 pb)
deviance/N = 1.20
#187: -1.88, 2.84, -1.11, -2.49, -1.37
σ = 10.3 pb (10.3 pb)
deviance/N = 1.02
#48: 5.39, 3.71, -0.21, 3.35, 3.10
σ = 10.3 pb (10.3 pb)
deviance/N = 0.93
#632: 7.61, 1.80, -0.21, 4.00, -0.91
σ = 10.4 pb (10.2 pb)
deviance/N = 1.35
#360: 1.00, 3.11, -2.55, -2.28, 1.26
σ = 10.4 pb (10.4 pb)
deviance/N = 1.08
#38: 6.77, 2.44, -2.48, -1.58, -2.30
σ = 10.4 pb (10.4 pb)
deviance/N = 0.93
#81: 14.97, -0.00, -0.43, -2.07, -0.08
σ = 10.5 pb (10.4 pb)
deviance/N = 0.94
#347: 2.15, -0.09, 3.74, 2.17, 1.81
σ = 10.7 pb (10.7 pb)
deviance/N = 1.18
#740: -0.97, 3.04, -1.79, -1.02, 0.38
σ = 10.8 pb (10.8 pb)
deviance/N = 1.02
#334: -2.45, 3.45, 0.78, 2.54, 1.52
σ = 10.8 pb (10.8 pb)
deviance/N = 1.18
#796: 8.17, 0.94, 1.68, -1.83, -5.45
σ = 10.9 pb (10.8 pb)
deviance/N = 1.41
#91: 0.07, 0.61, -3.96, 1.89, -2.24
σ = 10.9 pb (10.9 pb)
deviance/N = 0.89
#581: -2.47, -0.89, -3.64, 4.33, -1.07
σ = 10.9 pb (10.9 pb)
deviance/N = 1.11
#40: -6.80, 0.32, -2.71, 0.34, -2.89
σ = 11 pb (10.9 pb)
deviance/N = 0.97
#86: -4.09, 0.57, -2.65, 5.54, 0.72
σ = 11 pb (11 pb)
deviance/N = 0.89
#960: -4.45, 3.58, -0.24, -2.48, 2.55
σ = 11 pb (11.1 pb)
deviance/N = 1.00
#142: -3.83, 3.45, 2.66, -1.26, -2.40
σ = 11.1 pb (11.2 pb)
deviance/N = 1.14
#413: 2.16, -0.79, -2.77, 0.98, -3.44
σ = 11.2 pb (11.2 pb)
deviance/N = 0.88
#194: 0.72, 0.92, -1.49, 0.33, -4.57
σ = 11.2 pb (11.2 pb)
deviance/N = 0.78
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#918: 2.87, 3.68, 0.19, -2.92, -1.11
σ = 11.2 pb (11.3 pb)
deviance/N = 1.28
#669: 2.38, 3.37, -2.13, -2.21, 0.75
σ = 11.3 pb (11.4 pb)
deviance/N = 1.17
#880: 1.43, 4.63, 2.08, -1.95, 2.67
σ = 11.4 pb (11.4 pb)
deviance/N = 1.22
#224: -0.85, 2.58, 0.53, -0.45, -3.96
σ = 11.4 pb (11.4 pb)
deviance/N = 0.75
#698: -4.02, 2.94, 3.04, -1.59, -4.85
σ = 11.4 pb (11.5 pb)
deviance/N = 1.00
#488: 3.28, 1.82, -2.44, -1.73, -2.82
σ = 11.5 pb (11.5 pb)
deviance/N = 1.30
#570: -2.31, 4.20, 1.68, -2.40, 3.57
σ = 11.5 pb (11.5 pb)
deviance/N = 1.24
#479: 0.66, -0.65, -2.20, -3.98, -3.69
σ = 11.5 pb (11.5 pb)
deviance/N = 1.06
#357: 11.07, -0.37, -1.17, 4.10, -0.62
σ = 11.5 pb (11.4 pb)
deviance/N = 1.31
#26: 12.38, 3.88, -0.40, -2.36, -3.19
σ = 11.5 pb (11.7 pb)
deviance/N = 1.35
#778: 4.16, -0.68, -0.46, -0.52, -4.80
σ = 11.5 pb (11.5 pb)
deviance/N = 0.96
#688: 5.30, 3.05, 1.49, 3.48, 2.20
σ = 11.6 pb (11.5 pb)
deviance/N = 1.11
#636: -0.07, 3.96, 3.65, -0.48, -3.41
σ = 11.6 pb (11.7 pb)
deviance/N = 1.09
#548: 2.35, 3.54, -2.65, -1.54, 2.13
σ = 11.7 pb (11.7 pb)
deviance/N = 0.83
#554: -3.15, 0.98, -3.10, 1.76, -1.69
σ = 11.7 pb (11.7 pb)
deviance/N = 1.18
#896: 5.09, -1.46, -2.69, 0.92, -2.57
σ = 11.8 pb (11.8 pb)
deviance/N = 0.88
#373: -7.14, -5.06, -0.32, -1.33, 0.01
σ = 11.9 pb (12.2 pb)
deviance/N = 1.76
#446: 4.17, -1.14, 0.30, 3.45, 4.69
σ = 12.1 pb (12 pb)
deviance/N = 1.00
#614: -1.11, 3.03, -0.79, -0.27, -1.37
σ = 12.1 pb (12.2 pb)
deviance/N = 0.79
#889: -0.01, -3.49, 0.59, -0.49, -2.03
σ = 12.2 pb (12.2 pb)
deviance/N = 1.33
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#791: -2.88, -1.81, -1.29, 2.66, -3.73
σ = 12.2 pb (12.2 pb)
deviance/N = 0.91
#792: 8.25, -0.17, -2.52, -2.41, -0.60
σ = 12.2 pb (12.2 pb)
deviance/N = 1.04
#27: 0.82, 3.56, -0.18, -3.75, -0.93
σ = 12.3 pb (12.4 pb)
deviance/N = 1.16
#848: 6.00, 0.57, 1.81, 2.39, 2.06
σ = 12.4 pb (12.3 pb)
deviance/N = 0.94
#296: 1.73, 0.60, -4.41, -4.28, -1.25
σ = 12.5 pb (12.5 pb)
deviance/N = 0.77
#29: -1.68, 3.50, -0.94, -2.84, 0.42
σ = 12.5 pb (12.6 pb)
deviance/N = 1.21
#71: 2.16, 3.62, -0.17, -0.40, -2.15
σ = 12.6 pb (12.7 pb)
deviance/N = 0.87
#930: 7.39, -0.99, 0.46, -0.15, -5.19
σ = 12.7 pb (12.7 pb)
deviance/N = 1.10
#430: 1.01, 3.54, -1.61, 0.95, -0.00
σ = 12.8 pb (12.8 pb)
deviance/N = 1.24
#366: 0.12, 1.22, -4.44, -1.44, -1.73
σ = 12.8 pb (12.8 pb)
deviance/N = 1.06
#190: -0.71, 3.24, -0.68, 1.04, -1.03
σ = 12.8 pb (12.9 pb)
deviance/N = 0.94
#396: -2.72, 1.62, -2.45, -1.96, -3.52
σ = 12.9 pb (12.9 pb)
deviance/N = 0.87
#235: -6.21, 2.48, -1.83, -1.74, -1.49
σ = 13.1 pb (13.1 pb)
deviance/N = 1.04
#435: -3.14, -1.84, -4.41, 2.41, -0.77
σ = 13.2 pb (13.2 pb)
deviance/N = 1.16
#971: -3.02, -3.81, -1.69, -0.88, -0.96
σ = 13.5 pb (13.6 pb)
deviance/N = 1.25
#781: -4.22, 3.45, -0.85, -0.86, 2.54
σ = 13.5 pb (13.5 pb)
deviance/N = 1.00
#450: 5.18, 1.01, 6.27, 0.17, -0.20
σ = 13.5 pb (13.5 pb)
deviance/N = 0.76
#865: 9.21, 2.41, 2.33, 2.40, -0.96
σ = 13.7 pb (13.5 pb)
deviance/N = 1.16
#130: 0.57, -1.50, 2.86, 0.13, 5.00
σ = 13.7 pb (13.6 pb)
deviance/N = 0.98
#63: 7.59, 4.85, -0.60, -1.40, 0.37
σ = 13.7 pb (13.9 pb)
deviance/N = 1.42
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#141: -8.61, 2.47, -3.08, -2.26, -0.27
σ = 13.7 pb (13.8 pb)
deviance/N = 1.17
#637: -2.54, 0.96, -0.52, 1.84, -4.87
σ = 13.8 pb (13.8 pb)
deviance/N = 1.06
#228: 12.63, 0.48, 1.13, 1.86, 0.88
σ = 13.8 pb (13.8 pb)
deviance/N = 1.08
#203: -5.62, 1.89, -0.89, 2.85, -0.04
σ = 13.9 pb (13.8 pb)
deviance/N = 0.91
#588: -1.20, -4.41, 0.56, 0.13, 1.31
σ = 14 pb (14.1 pb)
deviance/N = 0.93
#616: -2.78, 2.24, -2.90, 0.72, -0.62
σ = 14 pb (14.1 pb)
deviance/N = 1.05
#650: 7.86, -0.40, 3.26, 2.48, 1.31
σ = 14.2 pb (14.1 pb)
deviance/N = 0.88
#673: -6.77, 2.81, -1.58, -2.17, -1.16
σ = 14.3 pb (14.3 pb)
deviance/N = 0.94
#144: -1.28, 4.87, 4.21, -0.43, 2.91
σ = 14.4 pb (14.4 pb)
deviance/N = 1.44
#771: 9.35, -0.72, -2.34, -2.03, -0.30
σ = 14.5 pb (14.4 pb)
deviance/N = 1.13
#277: 6.26, -0.14, -1.39, -3.84, -1.70
σ = 14.6 pb (14.5 pb)
deviance/N = 1.02
#606: -4.77, 0.05, -1.37, -6.60, 2.50
σ = 14.6 pb (14.6 pb)
deviance/N = 0.91
#914: -6.50, 1.03, -3.62, 2.90, 1.28
σ = 14.9 pb (14.9 pb)
deviance/N = 1.24
#717: 4.80, 1.71, -1.37, -6.45, -1.10
σ = 14.9 pb (14.9 pb)
deviance/N = 0.95
#696: 4.66, 5.18, 1.53, 0.91, -0.69
σ = 15.1 pb (15.3 pb)
deviance/N = 1.13
#752: -2.55, 3.14, -0.40, 0.14, -1.33
σ = 15.2 pb (15.2 pb)
deviance/N = 1.05
#639: 1.05, 4.24, -0.14, 3.78, -0.20
σ = 15.2 pb (15.4 pb)
deviance/N = 1.25
#683: 12.26, 2.66, -2.57, 2.18, 0.97
σ = 15.3 pb (15.1 pb)
deviance/N = 0.77
#129: -0.38, 0.76, 3.05, -1.53, 4.54
σ = 15.3 pb (15.3 pb)
deviance/N = 1.00
#439: -5.47, 2.16, -0.28, 0.88, -2.54
σ = 15.5 pb (15.4 pb)
deviance/N = 0.92
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#968: 12.47, -0.86, -0.81, -1.48, -1.37
σ = 15.5 pb (15.4 pb)
deviance/N = 1.20
#820: -1.72, 3.05, -1.20, -0.07, -1.42
σ = 15.5 pb (15.6 pb)
deviance/N = 0.80
#170: 0.36, -2.17, -3.87, -0.87, -1.42
σ = 15.5 pb (15.6 pb)
deviance/N = 1.03
#634: 6.11, 1.39, 2.42, -1.57, 5.82
σ = 15.7 pb (15.7 pb)
deviance/N = 1.01
#301: -2.56, 3.37, -0.51, 0.07, -0.40
σ = 15.8 pb (15.9 pb)
deviance/N = 1.18
#812: 1.40, 2.14, -4.57, 2.27, -2.02
σ = 15.8 pb (15.9 pb)
deviance/N = 1.06
#809: -6.16, -1.33, -2.25, 3.51, -2.55
σ = 15.9 pb (15.9 pb)
deviance/N = 1.05
#679: -4.58, 2.99, -0.66, -2.82, -3.00
σ = 16 pb (16 pb)
deviance/N = 1.06
#427: 12.06, 0.36, 1.38, 1.43, 2.66
σ = 16 pb (16 pb)
deviance/N = 0.94
#462: -4.58, -0.32, -1.72, 2.76, -4.03
σ = 16 pb (16 pb)
deviance/N = 1.01
#690: 7.35, -0.52, -5.64, -1.30, 0.56
σ = 16.2 pb (16.2 pb)
deviance/N = 1.15
#294: 6.11, -3.31, -1.97, 2.98, 0.53
σ = 16.3 pb (16.3 pb)
deviance/N = 1.17
#363: 5.66, 1.35, -0.59, -4.39, -3.46
σ = 16.3 pb (16.3 pb)
deviance/N = 1.09
#842: -1.15, 4.44, 1.48, 1.65, 2.60
σ = 16.4 pb (16.4 pb)
deviance/N = 1.06
#211: -1.08, 4.04, -0.14, -2.20, 0.80
σ = 16.6 pb (16.7 pb)
deviance/N = 1.05
#645: -2.62, 0.03, 2.64, -3.50, 3.65
σ = 16.6 pb (16.6 pb)
deviance/N = 1.25
#786: 11.58, -1.81, 0.75, -0.79, -1.94
σ = 16.7 pb (16.7 pb)
deviance/N = 1.08
#618: -0.45, 4.64, 1.97, -3.09, 1.03
σ = 17.1 pb (17.2 pb)
deviance/N = 1.21
#840: -3.68, 3.76, -0.50, -0.81, 2.02
σ = 17.1 pb (17.2 pb)
deviance/N = 1.27
#261: 10.70, 2.21, 3.13, 1.11, 0.95
σ = 18.3 pb (18.1 pb)
deviance/N = 1.45
dσ/dm_hh [fb/GeV]
m_hh [GeV]



#767: 6.85, 0.37, 1.35, 5.14, 0.03
σ = 18.3 pb (18.2 pb)
deviance/N = 1.31
#52: 5.95, -1.55, -5.03, -0.78, 0.55
σ = 18.3 pb (18.3 pb)
deviance/N = 1.25
#122: 8.17, 1.32, 3.26, 0.06, 3.85
σ = 18.5 pb (18.4 pb)
deviance/N = 0.92
#295: -4.41, 2.08, -4.47, 1.13, 0.92
σ = 18.6 pb (18.6 pb)
deviance/N = 0.94
#846: -1.49, 3.63, -1.21, 1.59, 0.49
σ = 19 pb (19 pb)
deviance/N = 0.96
#726: 1.24, 3.19, -4.16, 0.00, 0.01
σ = 19.4 pb (19.5 pb)
deviance/N = 1.36
#165: 7.69, 0.98, 1.63, 2.59, 2.58
σ = 19.8 pb (19.7 pb)
deviance/N = 1.12
#246: -7.25, -0.20, 3.97, -0.36, 3.98
σ = 20 pb (19.9 pb)
deviance/N = 1.02
#978: -2.23, 3.06, 0.94, 4.24, -2.97
σ = 20.1 pb (20.1 pb)
deviance/N = 1.17
#44: -4.08, 3.46, 1.54, -0.41, -2.90
σ = 20.1 pb (20.1 pb)
deviance/N = 1.18
#341: -7.51, -2.07, 1.78, -5.36, -1.99
σ = 20.3 pb (20.2 pb)
deviance/N = 1.03
#422: 0.08, 3.25, -1.35, -0.83, -2.93
σ = 20.4 pb (20.5 pb)
deviance/N = 0.81
#400: 4.84, -2.27, 0.40, -4.12, -1.72
σ = 20.9 pb (20.9 pb)
deviance/N = 0.88
#418: -8.22, 1.77, -1.05, 1.07, -2.56
σ = 21.1 pb (21 pb)
deviance/N = 1.11
#239: -3.91, 3.32, 1.62, 2.81, -1.60
σ = 21.3 pb (21.3 pb)
deviance/N = 0.99
#551: -1.75, 2.46, -2.52, 1.07, -2.87
σ = 21.4 pb (21.5 pb)
deviance/N = 0.91
#340: -3.14, -4.74, -1.43, 0.85, 2.19
σ = 21.5 pb (21.6 pb)
deviance/N = 0.84
#163: 5.02, -2.57, -0.82, -4.50, 1.07
σ = 22.2 pb (22.2 pb)
deviance/N = 0.81
#764: 5.36, 4.79, -1.75, 1.49, -2.14
σ = 22.3 pb (22.6 pb)
deviance/N = 0.98
#489: -5.62, 4.09, 1.46, -1.57, 0.06
σ = 22.4 pb (22.5 pb)
deviance/N = 0.97
dσ/dm_hh [fb/GeV]
m_hh [GeV]


#877: -5.57, 2.60, -4.31, -0.50, 0.79
σ = 22.5 pb (22.5 pb)
deviance/N = 1.11
#944: 6.64, -1.81, 0.12, -3.05, -2.36
σ = 22.8 pb (22.7 pb)
deviance/N = 1.14
#103: -0.37, -4.65, 1.83, 1.33, -1.45
σ = 22.9 pb (23.1 pb)
deviance/N = 1.30
#755: 10.10, 4.62, 3.54, 4.28, -3.53
σ = 23.1 pb (23 pb)
deviance/N = 1.09
#76: 4.09, -2.95, -1.52, 0.61, -2.40
σ = 23.1 pb (23.2 pb)
deviance/N = 1.26
#403: 0.42, 3.40, -0.59, -0.16, -4.23
σ = 23.6 pb (23.7 pb)
deviance/N = 1.31
#661: 2.71, -2.26, -3.23, -2.32, -1.98
σ = 23.9 pb (23.9 pb)
deviance/N = 0.91
#162: -1.30, 3.70, -0.96, 1.24, -1.26
σ = 23.9 pb (24 pb)
deviance/N = 0.74
#411: -7.21, 1.22, -3.75, 3.59, 1.15
σ = 24 pb (23.9 pb)
deviance/N = 1.08
#516: -9.94, 2.50, -0.86, 0.67, -0.25
σ = 24.3 pb (24.3 pb)
deviance/N = 0.90
#841: -13.04, 3.61, 3.41, 0.23, 4.33
σ = 24.5 pb (24.4 pb)
deviance/N = 0.91
#326: 4.47, -3.14, 1.10, -2.29, -2.36
σ = 24.8 pb (24.8 pb)
deviance/N = 0.89
#237: -2.83, 3.15, -1.03, -0.11, -3.06
σ = 25.4 pb (25.5 pb)
deviance/N = 1.05
#836: 8.30, -0.07, 2.40, 3.12, 2.98
σ = 25.4 pb (25.3 pb)
deviance/N = 1.06
#303: 2.42, 4.26, -2.39, 1.22, -1.11
σ = 25.6 pb (25.8 pb)
deviance/N = 1.15
#879: -6.03, 3.94, -0.99, -1.99, 1.60
σ = 25.6 pb (25.7 pb)
deviance/N = 0.99
#512: -1.27, 3.34, -3.89, -0.87, 0.10
σ = 25.7 pb (25.8 pb)
deviance/N = 1.24
#996: 4.30, 5.25, -1.54, -1.03, 4.87
σ = 25.7 pb (25.8 pb)
deviance/N = 0.73
#533: 6.98, -3.73, 0.38, 0.55, 0.61
σ = 25.7 pb (25.8 pb)
deviance/N = 1.00
#298: 10.87, 3.65, 1.24, 2.03, 2.43
σ = 25.8 pb (25.6 pb)
deviance/N = 1.29
dσ/dm_hh [fb/GeV]
m_hh [GeV]


#186: 1.24, 5.35, 1.60, 4.75, 0.83
σ = 25.8 pb (26.1 pb)
deviance/N = 1.12
#136: -3.22, 3.40, -5.10, -2.80, 2.51
σ = 26 pb (26.1 pb)
deviance/N = 1.40
#263: -6.64, 3.99, 3.11, 1.44, 1.35
σ = 26.1 pb (26 pb)
deviance/N = 1.23
#744: 18.02, 2.66, 1.21, 0.95, -0.34
σ = 26.2 pb (26 pb)
deviance/N = 1.06
#440: 0.88, 2.83, -5.75, -2.67, -0.22
σ = 26.3 pb (26.4 pb)
deviance/N = 1.23
#811: 1.71, -3.38, -1.87, -3.20, -1.11
σ = 26.4 pb (26.5 pb)
deviance/N = 1.11
#20: 3.50, 3.16, -3.27, -2.63, -2.95
σ = 27.1 pb (27.2 pb)
deviance/N = 1.15
#630: 5.67, 2.26, -3.77, -1.10, -5.26
σ = 27.1 pb (27.2 pb)
deviance/N = 0.98
#459: 3.26, 4.55, -1.80, -1.58, -0.19
σ = 27.2 pb (27.4 pb)
deviance/N = 1.15
#306: 9.03, -1.60, -0.56, -2.89, -1.31
σ = 27.2 pb (27.1 pb)
deviance/N = 1.13
#859: 4.54, 1.26, 3.22, 3.44, 3.91
σ = 27.6 pb (27.5 pb)
deviance/N = 1.15
#982: -0.38, 4.24, 0.54, -4.58, -2.98
σ = 27.9 pb (28.1 pb)
deviance/N = 1.18
#732: -2.50, 4.44, 0.26, -3.69, -0.75
σ = 28 pb (28.1 pb)
deviance/N = 1.30
#127: -0.95, 4.48, 1.57, -2.42, -2.54
σ = 28 pb (28.2 pb)
deviance/N = 1.46
#10: -6.60, 4.61, 1.36, -4.20, -0.26
σ = 28.4 pb (28.6 pb)
deviance/N = 1.01
#823: 7.51, -1.26, -1.31, -3.84, -1.70
σ = 28.6 pb (28.4 pb)
deviance/N = 1.16
#966: -7.39, 2.02, -6.75, -0.25, 1.31
σ = 28.7 pb (28.7 pb)
deviance/N = 1.13
#844: 3.10, 5.67, 0.41, 2.81, 2.01
σ = 28.8 pb (29.1 pb)
deviance/N = 1.05
#175: -4.26, 3.87, 0.19, -0.90, -1.68
σ = 29.2 pb (29.3 pb)
deviance/N = 0.98
#423: 0.39, -3.76, -1.23, -1.88, -3.04
σ = 30.6 pb (30.7 pb)
deviance/N = 0.98
dσ/dm_hh [fb/GeV]
m_hh [GeV]


#150: 6.49, 3.73, -5.37, -1.55, -1.47
σ = 31 pb (31.1 pb)
deviance/N = 1.24
#835: -7.48, 3.36, -2.73, -0.83, 1.07
σ = 31.3 pb (31.4 pb)
deviance/N = 1.21
#941: -5.14, 3.48, -1.63, 0.14, -0.26
σ = 31.3 pb (31.4 pb)
deviance/N = 0.96
#30: 4.89, -3.99, -1.37, 0.83, 1.23
σ = 31.9 pb (32 pb)
deviance/N = 0.95
#765: -3.05, 3.80, -0.91, -0.73, -2.07
σ = 32.4 pb (32.5 pb)
deviance/N = 0.85
#66: -7.05, 3.58, -1.25, 0.86, 2.47
σ = 32.6 pb (32.6 pb)
deviance/N = 1.32
#899: -2.35, 4.61, 0.72, -0.09, 0.03
σ = 33.7 pb (33.9 pb)
deviance/N = 1.17
#230: -1.99, 4.66, -1.35, -1.28, 2.80
σ = 34.5 pb (34.6 pb)
deviance/N = 1.05
#182: -12.67, 3.48, 1.64, -0.59, -0.87
σ = 34.6 pb (34.6 pb)
deviance/N = 0.83
#727: 2.88, 5.47, 1.57, -3.01, -0.25
σ = 35 pb (35.2 pb)
deviance/N = 1.39
#646: 15.68, -1.04, -0.78, -2.36, -0.72
σ = 35.5 pb (35.3 pb)
deviance/N = 0.94
#556: -4.88, 3.98, -0.82, 0.61, 0.86
σ = 35.7 pb (35.8 pb)
deviance/N = 1.11
#648: -5.79, 4.71, 4.34, 1.87, 1.81
σ = 36.8 pb (36.8 pb)
deviance/N = 1.46
#789: -1.23, 4.72, 0.17, 1.94, -0.02
σ = 37.2 pb (37.4 pb)
deviance/N = 1.25
#482: -0.57, 4.96, -0.42, -2.32, 1.06
σ = 37.2 pb (37.4 pb)
deviance/N = 1.13
#672: -11.06, 2.66, -2.56, 0.74, 0.69
σ = 38 pb (38 pb)
deviance/N = 0.86
#478: 9.66, 2.73, 0.66, 3.78, 2.69
σ = 38.4 pb (38.1 pb)
deviance/N = 0.70
#274: -0.33, 3.94, -3.69, -1.25, -0.87
σ = 38.4 pb (38.5 pb)
deviance/N = 1.07
#262: 14.77, -0.66, 0.16, 4.49, 1.54
σ = 40.4 pb (40.1 pb)
deviance/N = 0.98
#84: -14.40, 2.61, 3.36, 1.17, -3.04
σ = 41.4 pb (41.3 pb)
deviance/N = 1.17
dσ/dm_hh [fb/GeV]
m_hh [GeV]


#608: 10.04, 5.89, -0.73, -4.15, 0.64
σ = 43.4 pb (43.8 pb)
deviance/N = 1.83
#830: 1.36, 5.24, -0.09, 0.22, -1.23
σ = 43.8 pb (44.1 pb)
deviance/N = 1.28
#31: 10.01, 1.68, 3.03, 2.78, 3.35
σ = 45.2 pb (45 pb)
deviance/N = 0.87
#522: 2.09, 5.24, -1.83, -0.25, 0.38
σ = 45.3 pb (45.6 pb)
deviance/N = 0.99
#613: -0.20, 5.27, 0.92, -0.78, -0.81
σ = 45.4 pb (45.7 pb)
deviance/N = 1.10
#214: -4.29, 4.44, -1.52, 0.75, 2.51
σ = 45.6 pb (45.7 pb)
deviance/N = 0.78
#653: -3.81, 4.95, 2.91, 1.64, -0.15
σ = 45.9 pb (46 pb)
deviance/N = 1.45
#221: 2.60, 5.22, -1.10, -1.80, -0.97
σ = 46.3 pb (46.5 pb)
deviance/N = 1.03
#795: -0.28, 4.91, -0.93, -3.07, -1.64
σ = 49.9 pb (50.1 pb)
deviance/N = 0.95
#501: -0.27, 4.32, -4.95, -1.23, 0.44
σ = 51.1 pb (51.3 pb)
deviance/N = 0.82
#876: -5.15, 4.18, -0.71, 1.56, 0.13
σ = 51.6 pb (51.7 pb)
deviance/N = 1.22
#188: -11.59, 3.44, -1.75, -1.66, -3.52
σ = 53.5 pb (53.5 pb)
deviance/N = 1.13
#72: 2.55, 4.29, -3.33, -1.49, -4.16
σ = 53.8 pb (54.1 pb)
deviance/N = 1.12
#623: 9.00, -1.70, -2.91, -2.21, -4.59
σ = 57 pb (56.8 pb)
deviance/N = 1.17
#977: -1.82, 4.05, -2.96, -1.93, -4.13
σ = 58.9 pb (59 pb)
deviance/N = 1.00
#594: -6.82, 0.75, -3.00, 4.80, -5.28
σ = 59.4 pb (59.2 pb)
deviance/N = 0.83
#225: -4.71, 3.51, -2.02, 5.94, 0.26
σ = 60 pb (60 pb)
deviance/N = 1.42
#884: -2.65, 4.07, -1.16, 1.63, -4.23
σ = 60 pb (60.2 pb)
deviance/N = 1.06
#720: 6.07, -4.54, -0.10, -0.02, -0.41
σ = 60 pb (60.2 pb)
deviance/N = 1.00
#312: -3.02, 4.13, -2.46, 1.28, -2.31
σ = 61.2 pb (61.3 pb)
deviance/N = 0.89
dσ/dm_hh [fb/GeV]
m_hh [GeV]


#159: 8.42, -4.26, -2.38, 0.63, 1.41
σ = 64 pb (64.1 pb)
deviance/N = 1.07
#587: 11.41, -2.60, -2.15, -0.99, -3.45
σ = 64.1 pb (63.9 pb)
deviance/N = 1.16
#110: 3.30, 5.49, -1.48, -0.25, -3.50
σ = 64.4 pb (64.9 pb)
deviance/N = 1.24
#965: 0.30, -3.95, -6.49, 1.68, -1.78
σ = 65.5 pb (65.7 pb)
deviance/N = 1.06
#410: 5.00, -4.31, -2.09, -0.57, -1.03
σ = 67.3 pb (67.4 pb)
deviance/N = 0.94
#210: -2.39, 5.48, 0.62, -3.64, -2.03
σ = 68.8 pb (69.1 pb)
deviance/N = 1.20
#735: -7.21, 4.13, -0.02, 2.52, 0.14
σ = 69.6 pb (69.6 pb)
deviance/N = 0.76
#53: 0.77, 5.63, -0.47, 0.19, -2.10
σ = 71 pb (71.4 pb)
deviance/N = 1.26
#566: -2.50, 6.02, 3.62, -0.39, -0.67
σ = 73.8 pb (74.2 pb)
deviance/N = 1.24
#390: -5.45, 4.34, -2.05, 1.98, 0.14
σ = 74.5 pb (74.6 pb)
deviance/N = 0.98
#907: -13.42, 3.99, -0.59, -0.51, -2.60
σ = 91.8 pb (91.8 pb)
deviance/N = 1.31
#858: -7.36, 5.40, 2.00, 1.65, 2.61
σ = 96.1 pb (96.2 pb)
deviance/N = 1.26
#32: 17.67, -2.92, 0.58, -1.56, -2.01
σ = 99.2 pb (98.8 pb)
deviance/N = 0.79
#935: -1.53, 6.04, 0.46, -0.81, -1.65
σ = 101 pb (102 pb)
deviance/N = 0.98
#910: 6.91, 6.63, -4.07, -1.89, -0.71
σ = 106 pb (106 pb)
deviance/N = 1.19
#693: -5.62, 4.11, -4.06, 2.80, -1.63
σ = 106 pb (106 pb)
deviance/N = 0.89
#258: -0.82, 5.65, -1.00, 1.80, -3.84
σ = 108 pb (108 pb)
deviance/N = 1.03
#177: 5.20, 7.03, -2.13, 1.71, -2.27
σ = 109 pb (110 pb)
deviance/N = 1.41
#576: -7.77, 5.34, -3.06, 0.02, -2.37
σ = 176 pb (176 pb)
deviance/N = 0.80
#469: -3.89, 8.34, 0.93, 1.87, -0.99
σ = 416 pb (418 pb)
deviance/N = 1.02
dσ/dm_hh [fb/GeV]
m_hh [GeV]