

Dasar Pemrograman part I

Hendra Bunyamin

**Program Studi Teknik Informatika
Fakultas Teknologi & Rekayasa Cerdas
Universitas Kristen Maranatha**

13 Agustus 2025



**SMART TECHNOLOGY
& ENGINEERING**

Outline

- 1 Tulis Statement C++
- 2 Statement untuk Equation
- 3 Arithmetic
- 4 Arithmetic, Smallest, and Largest
- 5 Diameter, Circumference and Area of a Circle
- 6 Odd or Even
- 7 Digits of an Integer

- 1 Tulis Statement C++
- 2 Statement untuk Equation
- 3 Arithmetic
- 4 Arithmetic, Smallest, and Largest
- 5 Diameter, Circumference and Area of a Circle
- 6 Odd or Even
- 7 Digits of an Integer

Tulis Statement C++ (Deitel and Deitel, 2016)

- 1 Print the message `"Enter two numbers"`.
- 2 Assign the product of variables `b` and `c` to variable `a`.
- 3 Input three integer values from the keyboard into integer variables `a`, `b`, and `c`.

Outline

- 1 Tulis Statement C++
- 2 Statement untuk Equation
- 3 Arithmetic
- 4 Arithmetic, Smallest, and Largest
- 5 Diameter, Circumference and Area of a Circle
- 6 Odd or Even
- 7 Digits of an Integer

Statement untuk Equation

Given the algebraic equation $y = ax^3 + 7$, which of the following, if any, are correct C++ statements for this equation?

- A. $y = a * x * x * x + 7;$
- B. $y = a * x * x * (x + 7);$
- C. $y = (a * x) * x * (x + 7);$
- D. $y = (a * x) * x * x + 7;$
- E. $y = a * (x * x * x) + 7;$
- F. $y = a * x * (x * x + 7);$

- 1 Tulis Statement C++
- 2 Statement untuk Equation
- 3 Arithmetic**
- 4 Arithmetic, Smallest, and Largest
- 5 Diameter, Circumference and Area of a Circle
- 6 Odd or Even
- 7 Digits of an Integer

Write a program that asks the user to enter two numbers, obtains the two numbers from the user and prints the sum, product, difference, and quotient of the two numbers.

- 1 Tulis Statement C++
- 2 Statement untuk Equation
- 3 Arithmetic
- 4 Arithmetic, Smallest, and Largest**
- 5 Diameter, Circumference and Area of a Circle
- 6 Odd or Even
- 7 Digits of an Integer

Arithmetic, Smallest, and Largest

Write a program that inputs three integers from the keyboard and prints the sum, average, product, smallest and largest of these numbers. The screen dialog should appear as follows:

```
Input three different integers: 13 27 14  
Sum is 54  
Average is 18  
Product is 4914  
Smallest is 13  
Largest is 27
```

- 1 Tulis Statement C++
- 2 Statement untuk Equation
- 3 Arithmetic
- 4 Arithmetic, Smallest, and Largest
- 5 Diameter, Circumference and Area of a Circle**
- 6 Odd or Even
- 7 Digits of an Integer

Diameter, Circumference and Area of a Circle

Write a program that reads in the radius of a circle as an integer and prints the circle's diameter, circumference and area. Use the constant value 3.14159 for π . Do all calculations in output statements.

Outline

- 1 Tulis Statement C++
- 2 Statement untuk Equation
- 3 Arithmetic
- 4 Arithmetic, Smallest, and Largest
- 5 Diameter, Circumference and Area of a Circle
- 6 Odd or Even**
- 7 Digits of an Integer

Odd or Even

Write a program that reads an integer and determines and prints whether it's odd or even.


[Hint: Use the remainder operator (%). An even number is a multiple of two. Any multiple of 2 leaves a remainder of zero when divided by 2.]

Outline

- 1 Tulis Statement C++
- 2 Statement untuk Equation
- 3 Arithmetic
- 4 Arithmetic, Smallest, and Largest
- 5 Diameter, Circumference and Area of a Circle
- 6 Odd or Even
- 7 Digits of an Integer

Digits of an Integer

Write a program that inputs a five-digit integer, separates the integer into its digits and prints them separated by three spaces each. [Hint: Use the integer division and remainder operators.] For example, if the user types in 42339, the program should print:



4 2 3 3 9

Deitel, P. J. and Deitel, H. M. (2016). *C++ How to Program 10th Edition*. Pearson.