

## GIADA S 9-24




Table of Contents

**Nominal technical data ..... 3**

**Capacity tables - Cooling..... 4**

GIADA S 9 .....4

GIADA S 12 .....6

GIADA S 18 .....8

GIADA S 24 ..... 10

**Capacity tables - Heating..... 12**

GIADA S 9 ..... 12

GIADA S 12 ..... 13

GIADA S 18 ..... 14

GIADA S 24 ..... 15

## Nominal technical data

| MODEL                               |                                  |        | GIADA S 9                                | GIADA S 12       | GIADA S 18      | GIADA S 24      |
|-------------------------------------|----------------------------------|--------|------------------------------------------|------------------|-----------------|-----------------|
| Power supply                        | V-Ph-Hz                          |        | 220/240 V - 1 phase - 50Hz               |                  |                 |                 |
| Cooling power (1)                   | nominal                          | W      | 2,770                                    | 3,350            | 5,270           | 5,860           |
|                                     | min-max                          | W      | 908 ~ 3,398                              | 1,113 ~ 4,160    | 3,390 ~ 5,830   | 2,080 ~ 7,910   |
| Power absorbed in cooling           | nominal                          | W      | 769                                      | 1,021            | 1,550           | 1,787           |
|                                     | min-max                          | W      | 100 ~ 1,240                              | 130 ~ 1,580      | 560 ~ 2,050     | 420 ~ 3,150     |
| Current absorbed in cooling         | nominal                          | A      | 3.34                                     | 4.44             | 6.70            | 7.77            |
|                                     | min-max                          | A      | 0.4 ~ 5.4                                | 0.5 ~ 6.9        | 2.4 ~ 8.9       | 1.8 ~ 13.8      |
| EER ref. Standard EN14511 (nominal) |                                  |        | 3.60                                     | 3.28             | 3.40            | 3.28            |
| Cooling                             | SEER                             |        | 6.30                                     | 6.10             | 7.40            | 6.10            |
|                                     | PdesignC                         | kW     | 2.80                                     | 3.60             | 5.20            | 7.00            |
|                                     | Class ErP                        |        | A++                                      | A++              | A++             | A++             |
| Thermal power (2)                   | nominal                          | W      | 2,930                                    | 3,570            | 4,970           | 6,000           |
|                                     | min-max                          | W      | 820 ~ 3,369                              | 1,084 ~ 4,220    | 3,100 ~ 5,850   | 1,610 ~ 7,910   |
| Power absorbed in heating           | nominal                          | W      | 733                                      | 963              | 1,298           | 1,608           |
|                                     | min-max                          | W      | 120 ~ 1,200                              | 100 ~ 1,680      | 780 ~ 2,000     | 300 ~ 2,750     |
| Current absorbed in heating         | nominal                          | A      | 3.18                                     | 4.19             | 5.64            | 6.99            |
|                                     | min-max                          | A      | 0.5 ~ 5.2                                | 0.4 ~ 6.9        | 3.4 ~ 8.7       | 1.3 ~ 12.2      |
| COP ref. Standard EN14511 (nominal) |                                  |        | 3.99                                     | 3.71             | 3.83            | 3.73            |
| Heating Average climate zone        | SCOP                             |        | 4.00                                     | 4.00             | 4.00            | 4.00            |
|                                     | PdesignH                         | kW     | 2.60                                     | 2.70             | 4.10            | 4.80            |
|                                     | Class ErP                        |        | A+                                       | A+               | A+              | A+              |
|                                     | Tbiv / Tol                       | °C     | -7 / -15                                 | -7 / -15         | -7 / -15        | -7 / -15        |
| Heating Warmer climate zone         | SCOP                             |        | 5.10                                     | 5.10             | 5.10            | 5.10            |
|                                     | PdesignH                         | kW     | 2.60                                     | 2.50             | 4.40            | 5.60            |
|                                     | Class ErP                        |        | A+++                                     | A+++             | A+++            | A+++            |
|                                     | Tbiv / Tol                       | °C     | 2 / -15                                  | 2 / -15          | 2 / -15         | 2 / -15         |
| Maximum power absorbed              |                                  | W      | 2,150                                    | 2,150            | 2,500           | 3,500           |
| Maximum current absorbed            |                                  | A      | 10                                       | 10               | 13              | 15.5            |
| Inrush current                      |                                  | A      | Negligible thanks to inverter technology |                  |                 |                 |
| Indoor unit                         | Air flow rate (max-med-min)      | m3/h   | 466 / 360 / 325                          | 540 / 430 / 314  | 840 / 680 / 540 | 980 / 817 / 662 |
|                                     | Sound pressure (3) (max-med-min) | dB(A)  | 38.5 / 32 / 25                           | 40.5 / 34.5 / 25 | 42.5 / 36 / 26  | 45 / 40.5 / 36  |
|                                     | Sound pressure (max)             | dB(A)  | 54                                       | 55               | 56              | 59              |
| Outdoor unit                        | Air flow rate                    | m3/h   | 1,750                                    | 1,800            | 2,100           | 3,500           |
|                                     | Sound pressure (3)               | dB(A)  | 55.5                                     | 56               | 56              | 59              |
|                                     | Sound power                      | dB(A)  | 62                                       | 63               | 63              | 67              |
| Refrigerant gas                     | Type / GWP                       |        | R32 / 675                                |                  |                 |                 |
|                                     | Load quantity                    | kg     | 0.55                                     | 0.55             | 1.08            | 1.42            |
| Liquid / gas line connections       |                                  | inches | 1/4" - 3/8"                              | 1/4" - 3/8"      | 1/4" - 1/2"     | 3/8" - 5/8"     |
| Maximum length refrigeration lines  |                                  | m      | 25                                       | 25               | 30              | 50              |
| Maximum height difference           |                                  | m      | 10                                       | 10               | 20              | 25              |
| CODE                                | INDOOR UNIT                      |        | 2CP001HF                                 | 2CP001IF         | 2CP001JF        | 2CP001KF        |
|                                     | OUTDOOR UNIT                     |        | 2CP001LF                                 | 2CP001MF         | 2CP001NF        | 2CP001OF        |

(1) External air temperature = 35 °C D.B. • Room air temperature = 27 °C D.B. / 19 °C W.B. -

(2) External air temperature = 7 °C D.B. / 6 °C W.B. • Room air temperature = 20 °C D.B. -

(3) Sound pressure measured at a distance of 1 m: E.U. in open area, I.U. in 100 m³ room with 0.5 second reverberation time

## GIADA S 9

| INDOOR<br>AIRFLOW<br>(rate) | OUTDOOR<br>DB (°C) | ID WB<br>(°C) | 16.0  |       |       |       | 18.0  |       |       |       | 19.0  |       |       |       | 22.0  |       |       |       |
|-----------------------------|--------------------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                             |                    | ID DB<br>(°C) | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  |
| Min                         | -15                | TC            | 2,885 | 2,864 | 2,864 | 2,896 | 3,032 | 3,095 | 3,095 | 3,095 | 3,116 | 3,116 | 3,116 | 3,116 | 3,295 | 3,295 | 3,295 | 3,295 |
|                             |                    | S/T           | 0,690 | 0,770 | 0,850 | 0,930 | 0,560 | 0,630 | 0,700 | 0,780 | 0,490 | 0,570 | 0,640 | 0,710 | 0,360 | 0,420 | 0,490 | 0,560 |
|                             |                    | PI            | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 |
|                             | -10                | TC            | 2,864 | 2,854 | 2,854 | 2,885 | 3,011 | 3,085 | 3,085 | 3,085 | 3,095 | 3,095 | 3,095 | 3,095 | 3,284 | 3,284 | 3,284 | 3,284 |
|                             |                    | S/T           | 0,690 | 0,780 | 0,850 | 0,930 | 0,560 | 0,640 | 0,710 | 0,790 | 0,490 | 0,570 | 0,640 | 0,720 | 0,360 | 0,430 | 0,490 | 0,560 |
|                             |                    | PI            | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 |
|                             | -5                 | TC            | 2,843 | 2,833 | 2,833 | 2,864 | 3,001 | 3,064 | 3,064 | 3,064 | 3,085 | 3,085 | 3,085 | 3,085 | 3,274 | 3,274 | 3,274 | 3,274 |
|                             |                    | S/T           | 0,690 | 0,780 | 0,860 | 0,940 | 0,570 | 0,640 | 0,710 | 0,790 | 0,500 | 0,580 | 0,640 | 0,720 | 0,360 | 0,430 | 0,500 | 0,570 |
|                             |                    | PI            | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 |
|                             | 0                  | TC            | 2,833 | 2,822 | 2,822 | 2,854 | 2,990 | 3,053 | 3,053 | 3,053 | 3,074 | 3,074 | 3,074 | 3,074 | 3,274 | 3,274 | 3,274 | 3,274 |
|                             |                    | S/T           | 0,700 | 0,780 | 0,860 | 0,940 | 0,570 | 0,640 | 0,720 | 0,790 | 0,500 | 0,580 | 0,650 | 0,730 | 0,360 | 0,430 | 0,500 | 0,570 |
|                             |                    | PI            | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 |
|                             | 5                  | TC            | 2,822 | 2,812 | 2,812 | 2,833 | 2,980 | 3,043 | 3,043 | 3,043 | 3,064 | 3,064 | 3,064 | 3,064 | 3,263 | 3,263 | 3,263 | 3,263 |
|                             |                    | S/T           | 0,700 | 0,790 | 0,870 | 0,950 | 0,570 | 0,650 | 0,720 | 0,800 | 0,500 | 0,580 | 0,650 | 0,730 | 0,360 | 0,430 | 0,500 | 0,570 |
|                             |                    | PI            | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 |
|                             | 10                 | TC            | 2,801 | 2,791 | 2,791 | 2,822 | 2,969 | 3,032 | 3,032 | 3,032 | 3,053 | 3,053 | 3,053 | 3,053 | 3,263 | 3,263 | 3,263 | 3,263 |
|                             |                    | S/T           | 0,700 | 0,790 | 0,870 | 0,950 | 0,570 | 0,650 | 0,720 | 0,800 | 0,500 | 0,580 | 0,650 | 0,730 | 0,370 | 0,440 | 0,500 | 0,570 |
|                             |                    | PI            | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 |
|                             | 15                 | TC            | 2,780 | 2,770 | 2,770 | 2,801 | 2,948 | 3,011 | 3,011 | 3,011 | 3,032 | 3,032 | 3,032 | 3,032 | 3,242 | 3,242 | 3,242 | 3,242 |
|                             |                    | S/T           | 0,710 | 0,800 | 0,880 | 0,960 | 0,580 | 0,650 | 0,730 | 0,810 | 0,510 | 0,590 | 0,660 | 0,740 | 0,370 | 0,440 | 0,510 | 0,580 |
|                             |                    | PI            | 0,548 | 0,537 | 0,537 | 0,548 | 0,537 | 0,537 | 0,537 | 0,537 | 0,537 | 0,537 | 0,537 | 0,537 | 0,548 | 0,548 | 0,548 | 0,548 |
|                             | 20                 | TC            | 2,749 | 2,739 | 2,739 | 2,770 | 2,917 | 2,917 | 2,917 | 2,917 | 3,011 | 3,011 | 3,011 | 3,011 | 3,221 | 3,221 | 3,221 | 3,221 |
|                             |                    | S/T           | 0,710 | 0,800 | 0,880 | 0,960 | 0,580 | 0,660 | 0,730 | 0,810 | 0,510 | 0,590 | 0,660 | 0,740 | 0,370 | 0,440 | 0,510 | 0,580 |
|                             |                    | PI            | 0,558 | 0,558 | 0,558 | 0,558 | 0,558 | 0,558 | 0,558 | 0,558 | 0,558 | 0,558 | 0,558 | 0,558 | 0,558 | 0,558 | 0,558 | 0,558 |
|                             | 25                 | TC            | 2,613 | 2,613 | 2,644 | 2,676 | 2,801 | 2,801 | 2,801 | 2,801 | 2,854 | 2,854 | 2,854 | 2,854 | 3,095 | 3,095 | 3,095 | 3,095 |
|                             |                    | S/T           | 0,720 | 0,810 | 0,890 | 0,970 | 0,580 | 0,660 | 0,740 | 0,820 | 0,510 | 0,590 | 0,670 | 0,750 | 0,360 | 0,440 | 0,510 | 0,580 |
|                             |                    | PI            | 0,622 | 0,622 | 0,622 | 0,622 | 0,622 | 0,622 | 0,622 | 0,622 | 0,622 | 0,622 | 0,622 | 0,622 | 0,622 | 0,622 | 0,622 | 0,622 |
|                             | 30                 | TC            | 2,497 | 2,497 | 2,529 | 2,560 | 2,644 | 2,644 | 2,644 | 2,644 | 2,739 | 2,739 | 2,739 | 2,739 | 2,948 | 2,948 | 2,948 | 2,948 |
|                             |                    | S/T           | 0,730 | 0,820 | 0,910 | 0,990 | 0,580 | 0,670 | 0,760 | 0,840 | 0,520 | 0,600 | 0,680 | 0,770 | 0,360 | 0,440 | 0,510 | 0,590 |
|                             |                    | PI            | 0,674 | 0,674 | 0,674 | 0,674 | 0,685 | 0,685 | 0,685 | 0,685 | 0,685 | 0,685 | 0,685 | 0,685 | 0,685 | 0,685 | 0,685 | 0,685 |
|                             | 35                 | TC            | 2,371 | 2,371 | 2,403 | 2,434 | 2,529 | 2,529 | 2,529 | 2,529 | 2,613 | 2,613 | 2,644 | 2,613 | 2,801 | 2,801 | 2,801 | 2,801 |
|                             |                    | S/T           | 0,740 | 0,840 | 0,930 | 1,000 | 0,590 | 0,680 | 0,770 | 0,860 | 0,520 | 0,600 | 0,690 | 0,780 | 0,360 | 0,440 | 0,520 | 0,600 |
|                             |                    | PI            | 0,737 | 0,737 | 0,737 | 0,737 | 0,748 | 0,748 | 0,748 | 0,748 | 0,748 | 0,748 | 0,748 | 0,748 | 0,748 | 0,748 | 0,748 | 0,748 |
|                             | 40                 | TC            | 2,235 | 2,235 | 2,256 | 2,287 | 2,371 | 2,371 | 2,371 | 2,382 | 2,455 | 2,455 | 2,476 | 2,455 | 2,634 | 2,634 | 2,634 | 2,634 |
|                             |                    | S/T           | 0,760 | 0,870 | 0,970 | 1,000 | 0,600 | 0,700 | 0,800 | 0,890 | 0,520 | 0,620 | 0,720 | 0,810 | 0,350 | 0,440 | 0,530 | 0,620 |
|                             |                    | PI            | 0,811 | 0,811 | 0,811 | 0,811 | 0,822 | 0,822 | 0,822 | 0,822 | 0,822 | 0,822 | 0,822 | 0,822 | 0,822 | 0,822 | 0,822 | 0,822 |
|                             | 46                 | TC            | 2,067 | 2,067 | 2,098 | 2,130 | 2,182 | 2,182 | 2,182 | 2,214 | 2,277 | 2,277 | 2,277 | 2,277 | 2,455 | 2,455 | 2,455 | 2,455 |
|                             |                    | S/T           | 0,770 | 0,880 | 0,990 | 1,000 | 0,610 | 0,710 | 0,810 | 0,910 | 0,530 | 0,630 | 0,730 | 0,830 | 0,350 | 0,440 | 0,530 | 0,620 |
|                             |                    | PI            | 0,906 | 0,906 | 0,906 | 0,906 | 0,906 | 0,906 | 0,906 | 0,906 | 0,906 | 0,906 | 0,906 | 0,906 | 0,916 | 0,916 | 0,916 | 0,916 |
|                             | 50                 | TC            | 1,952 | 1,973 | 2,004 | 2,036 | 2,067 | 2,067 | 2,067 | 2,098 | 2,130 | 2,130 | 2,130 | 2,130 | 2,308 | 2,308 | 2,308 | 2,308 |
|                             |                    | S/T           | 0,790 | 0,900 | 1,000 | 1,000 | 0,610 | 0,720 | 0,830 | 0,940 | 0,530 | 0,640 | 0,740 | 0,850 | 0,340 | 0,440 | 0,540 | 0,640 |
|                             |                    | PI            | 0,980 | 0,980 | 0,980 | 0,980 | 0,980 | 0,980 | 0,980 | 0,980 | 0,990 | 0,990 | 0,990 | 0,990 | 0,990 | 0,990 | 0,990 | 0,990 |
| Med                         | -15                | TC            | 2,969 | 2,969 | 3,001 | 3,032 | 3,095 | 3,095 | 3,095 | 3,095 | 3,179 | 3,179 | 3,179 | 3,179 | 3,389 | 3,389 | 3,389 | 3,389 |
|                             |                    | S/T           | 0,700 | 0,790 | 0,980 | 1,000 | 0,560 | 0,650 | 0,720 | 0,810 | 0,500 | 0,580 | 0,660 | 0,730 | 0,350 | 0,420 | 0,490 | 0,570 |
|                             |                    | PI            | 0,516 | 0,516 | 0,516 | 0,516 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 |
|                             | -10                | TC            | 2,948 | 2,948 | 2,980 | 3,011 | 3,085 | 3,085 | 3,085 | 3,085 | 3,158 | 3,158 | 3,158 | 3,158 | 3,379 | 3,379 | 3,379 | 3,379 |
|                             |                    | S/T           | 0,710 | 0,800 | 0,990 | 1,000 | 0,560 | 0,650 | 0,730 | 0,820 | 0,500 | 0,580 | 0,660 | 0,740 | 0,350 | 0,430 | 0,490 | 0,570 |
|                             |                    | PI            | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,527 | 0,527 | 0,527 | 0,527 |
|                             | -5                 | TC            | 2,927 | 2,927 | 2,959 | 2,990 | 3,064 | 3,064 | 3,064 | 3,064 | 3,148 | 3,148 | 3,148 | 3,148 | 3,368 | 3,368 | 3,368 | 3,368 |
|                             |                    | S/T           | 0,710 | 0,800 | 0,990 | 1,000 | 0,570 | 0,650 | 0,730 | 0,820 | 0,510 | 0,590 | 0,660 | 0,740 | 0,350 | 0,430 | 0,500 | 0,580 |
|                             |                    | PI            | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,516 | 0,527 | 0,527 | 0,527 | 0,527 |
|                             | 0                  | TC            | 2,917 | 2,917 | 2,948 | 2,980 | 3,053 | 3,053 | 3,053 | 3,053 | 3,137 | 3,137 | 3,137 | 3,137 | 3,368 | 3,368 | 3,368 | 3,368 |
|                             |                    | S/T           | 0,720 | 0,800 | 1,000 | 1,000 | 0,570 | 0,660 | 0,740 | 0,820 | 0,510 | 0,590 | 0,670 | 0,740 | 0,350 | 0,430 | 0,500 | 0,580 |
|                             |                    | PI            | 0,516 | 0,516 | 0,516 | 0,516 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 |
|                             | 5                  | TC            | 2,896 | 2,896 | 2,927 | 2,959 | 3,043 | 3,043 | 3,043 | 3,043 | 3,127 | 3,127 | 3,127 | 3,127 | 3,358 | 3,358 | 3,358 | 3,358 |
|                             |                    | S/T           | 0,720 | 0,810 | 1,000 | 1,000 | 0,570 | 0,660 | 0,740 | 0,830 | 0,510 | 0,590 | 0,670 | 0,750 | 0,350 | 0,430 | 0,500 | 0,580 |
|                             |                    | PI            | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 | 0,527 |
|                             | 10                 | TC            | 2,885 | 2,885 | 2,917 | 2,948 | 3,032 | 3,032 | 3,032 | 3,032 | 3,116 | 3,116 | 3,116 | 3,116 | 3,347 | 3,347 | 3,347 | 3,347 |
|                             |                    | S/T           | 0,720 | 0,810 | 1,000 | 1,000 | 0,570 | 0,660 | 0,740 | 0,830 | 0,510 | 0,590 | 0,670 | 0,750 | 0,360 | 0,440 | 0,500 | 0,580 |
|                             |                    |               |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |

| INDOOR<br>AIRFLOW<br>(rate) | OUTDOOR<br>DB (°C) | ID WB<br>(°C) | 16.0  |       |       |       | 18.0  |       |       |       | 19.0  |       |       |       | 22.0  |       |       |       |
|-----------------------------|--------------------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                             |                    | ID DB<br>(°C) | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  |
| Max                         | -15                | TC            | 3.032 | 3.064 | 3.095 | 3.127 | 3.158 | 3.158 | 3.158 | 3.190 | 3.242 | 3.242 | 3.242 | 3.242 | 3.452 | 3.452 | 3.452 | 3.452 |
|                             |                    | S/T           | 0.750 | 0.860 | 1.000 | 1.000 | 0.590 | 0.700 | 0.800 | 0.980 | 0.510 | 0.610 | 0.710 | 0.810 | 0.330 | 0.420 | 0.520 | 0.610 |
|                             |                    | PI            | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.537 | 0.537 | 0.537 | 0.537 |
|                             | -10                | TC            | 3.011 | 3.043 | 3.074 | 3.106 | 3.137 | 3.137 | 3.137 | 3.169 | 3.221 | 3.221 | 3.221 | 3.221 | 3.442 | 3.442 | 3.442 | 3.442 |
|                             |                    | S/T           | 0.760 | 0.860 | 1.000 | 1.000 | 0.590 | 0.700 | 0.810 | 0.980 | 0.510 | 0.610 | 0.720 | 0.820 | 0.330 | 0.430 | 0.520 | 0.610 |
|                             |                    | PI            | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.537 | 0.537 | 0.537 | 0.537 |
|                             | -5                 | TC            | 2.990 | 3.022 | 3.053 | 3.085 | 3.127 | 3.127 | 3.127 | 3.158 | 3.211 | 3.211 | 3.211 | 3.211 | 3.431 | 3.431 | 3.431 | 3.431 |
|                             |                    | S/T           | 0.760 | 0.870 | 1.000 | 1.000 | 0.590 | 0.700 | 0.810 | 0.990 | 0.520 | 0.610 | 0.720 | 0.820 | 0.330 | 0.430 | 0.530 | 0.610 |
|                             |                    | PI            | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.537 | 0.537 | 0.537 | 0.537 |
|                             | 0                  | TC            | 2.980 | 3.011 | 3.043 | 3.074 | 3.116 | 3.116 | 3.116 | 3.148 | 3.200 | 3.200 | 3.200 | 3.200 | 3.421 | 3.421 | 3.421 | 3.421 |
|                             |                    | S/T           | 0.760 | 0.870 | 1.000 | 1.000 | 0.600 | 0.710 | 0.810 | 0.990 | 0.520 | 0.620 | 0.730 | 0.820 | 0.330 | 0.430 | 0.530 | 0.620 |
|                             |                    | PI            | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.527 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 |
|                             | 5                  | TC            | 2.959 | 2.990 | 3.022 | 3.053 | 3.106 | 3.106 | 3.106 | 3.137 | 3.190 | 3.190 | 3.190 | 3.190 | 3.421 | 3.421 | 3.421 | 3.421 |
|                             |                    | S/T           | 0.770 | 0.880 | 1.000 | 1.000 | 0.600 | 0.710 | 0.820 | 1.000 | 0.520 | 0.620 | 0.730 | 0.830 | 0.330 | 0.430 | 0.530 | 0.620 |
|                             |                    | PI            | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 | 0.537 |
|                             | 10                 | TC            | 2.948 | 2.980 | 3.011 | 3.032 | 3.095 | 3.095 | 3.095 | 3.127 | 3.179 | 3.179 | 3.179 | 3.179 | 3.410 | 3.410 | 3.410 | 3.410 |
|                             |                    | S/T           | 0.770 | 0.880 | 1.000 | 1.000 | 0.600 | 0.710 | 0.820 | 1.000 | 0.520 | 0.620 | 0.730 | 0.830 | 0.340 | 0.440 | 0.530 | 0.620 |
|                             |                    | PI            | 0.548 | 0.548 | 0.548 | 0.548 | 0.548 | 0.548 | 0.548 | 0.548 | 0.548 | 0.548 | 0.548 | 0.548 | 0.548 | 0.548 | 0.548 | 0.548 |
|                             | 15                 | TC            | 2.917 | 2.948 | 2.980 | 3.011 | 3.074 | 3.074 | 3.074 | 3.106 | 3.158 | 3.158 | 3.158 | 3.158 | 3.400 | 3.400 | 3.400 | 3.400 |
|                             |                    | S/T           | 0.780 | 0.890 | 1.000 | 1.000 | 0.610 | 0.720 | 0.830 | 0.930 | 0.530 | 0.630 | 0.740 | 0.840 | 0.340 | 0.440 | 0.540 | 0.630 |
|                             |                    | PI            | 0.558 | 0.558 | 0.558 | 0.558 | 0.558 | 0.558 | 0.558 | 0.558 | 0.558 | 0.558 | 0.558 | 0.558 | 0.558 | 0.558 | 0.558 | 0.558 |
|                             | 20                 | TC            | 2.885 | 2.917 | 2.948 | 2.980 | 3.043 | 3.043 | 3.043 | 3.064 | 3.127 | 3.127 | 3.127 | 3.127 | 3.368 | 3.368 | 3.368 | 3.368 |
|                             |                    | S/T           | 0.780 | 0.890 | 1.000 | 1.000 | 0.610 | 0.720 | 0.830 | 0.930 | 0.530 | 0.630 | 0.740 | 0.840 | 0.340 | 0.440 | 0.540 | 0.630 |
|                             |                    | PI            | 0.579 | 0.579 | 0.579 | 0.579 | 0.579 | 0.579 | 0.579 | 0.579 | 0.579 | 0.579 | 0.579 | 0.579 | 0.579 | 0.579 | 0.579 | 0.579 |
|                             | 25                 | TC            | 2.739 | 2.770 | 2.801 | 2.833 | 2.917 | 2.917 | 2.917 | 2.948 | 3.011 | 3.011 | 3.011 | 3.011 | 3.221 | 3.221 | 3.221 | 3.221 |
|                             |                    | S/T           | 0.800 | 0.910 | 1.000 | 1.000 | 0.620 | 0.730 | 0.840 | 0.950 | 0.530 | 0.640 | 0.750 | 0.860 | 0.340 | 0.440 | 0.540 | 0.650 |
|                             |                    | PI            | 0.643 | 0.643 | 0.643 | 0.643 | 0.643 | 0.643 | 0.643 | 0.643 | 0.643 | 0.643 | 0.643 | 0.643 | 0.643 | 0.643 | 0.643 | 0.643 |
|                             | 30                 | TC            | 2.613 | 2.644 | 2.676 | 2.707 | 2.770 | 2.770 | 2.770 | 2.801 | 2.854 | 2.854 | 2.854 | 2.854 | 3.095 | 3.095 | 3.095 | 3.095 |
|                             |                    | S/T           | 0.810 | 0.930 | 1.000 | 1.000 | 0.630 | 0.740 | 0.860 | 0.970 | 0.540 | 0.650 | 0.770 | 0.880 | 0.340 | 0.440 | 0.550 | 0.650 |
|                             |                    | PI            | 0.695 | 0.695 | 0.695 | 0.695 | 0.695 | 0.695 | 0.695 | 0.695 | 0.695 | 0.695 | 0.695 | 0.695 | 0.706 | 0.706 | 0.706 | 0.706 |
|                             | 35                 | TC            | 2.497 | 2.529 | 2.560 | 2.592 | 2.644 | 2.644 | 2.644 | 2.676 | 2.739 | 2.739 | 2.770 | 2.801 | 2.948 | 2.948 | 2.948 | 2.948 |
|                             |                    | S/T           | 0.830 | 0.950 | 1.000 | 1.000 | 0.630 | 0.760 | 0.880 | 1.000 | 0.540 | 0.660 | 0.780 | 0.890 | 0.330 | 0.450 | 0.560 | 0.670 |
|                             |                    | PI            | 0.758 | 0.758 | 0.758 | 0.758 | 0.769 | 0.769 | 0.769 | 0.769 | 0.769 | 0.769 | 0.769 | 0.769 | 0.769 | 0.769 | 0.769 | 0.769 |
|                             | 40                 | TC            | 2.340 | 2.371 | 2.403 | 2.424 | 2.487 | 2.487 | 2.497 | 2.529 | 2.560 | 2.560 | 2.581 | 2.613 | 2.770 | 2.770 | 2.770 | 2.770 |
|                             |                    | S/T           | 0.870 | 1.000 | 1.000 | 1.000 | 0.650 | 0.790 | 0.920 | 1.000 | 0.550 | 0.680 | 0.820 | 0.940 | 0.330 | 0.450 | 0.570 | 0.900 |
|                             |                    | PI            | 0.843 | 0.843 | 0.843 | 0.843 | 0.853 | 0.853 | 0.853 | 0.853 | 0.853 | 0.853 | 0.853 | 0.853 | 0.853 | 0.853 | 0.853 | 0.853 |
|                             | 46                 | TC            | 2.161 | 2.193 | 2.214 | 2.245 | 2.308 | 2.308 | 2.340 | 2.371 | 2.371 | 2.371 | 2.371 | 2.403 | 2.581 | 2.581 | 2.581 | 2.581 |
|                             |                    | S/T           | 0.880 | 1.000 | 1.000 | 1.000 | 0.660 | 0.800 | 0.940 | 1.000 | 0.560 | 0.700 | 0.840 | 0.970 | 0.330 | 0.450 | 0.580 | 0.920 |
|                             |                    | PI            | 0.938 | 0.938 | 0.938 | 0.938 | 0.948 | 0.948 | 0.948 | 0.948 | 0.948 | 0.948 | 0.948 | 0.948 | 0.959 | 0.959 | 0.959 | 0.959 |
|                             | 50                 | TC            | 2.036 | 2.067 | 2.098 | 2.130 | 2.161 | 2.161 | 2.193 | 2.214 | 2.245 | 2.245 | 2.245 | 2.277 | 2.424 | 2.424 | 2.424 | 2.424 |
|                             |                    | S/T           | 0.910 | 1.000 | 1.000 | 1.000 | 0.680 | 0.830 | 0.970 | 1.000 | 0.570 | 0.710 | 0.860 | 0.990 | 0.320 | 0.460 | 0.590 | 0.970 |
|                             |                    | PI            | 1.022 | 1.022 | 1.022 | 1.022 | 1.022 | 1.022 | 1.022 | 1.022 | 1.032 | 1.032 | 1.032 | 1.032 | 1.032 | 1.032 | 1.032 | 1.032 |

**OUTDOOR DB:** Outdoor air temperature (Dry bulb)

**ID WB:** Indoor air temperature (Wet bulb)

**ID DB:** Indoor air temperature (Dry bulb)

**TC:** Total Cooling Capacity (kW)

**S/T:** Sensible Cooling Capacity Ratio

**PI:** Power Input(kW)

**Note:** The table shows the case where the operation frequency of a compressor is fixed.

## GIADA S 12

| INDOOR<br>AIRFLOW<br>(rate) | OUTDOOR<br>DB (°C) | ID WB<br>(°C) | 16.0  |       |       |       | 18.0  |       |       |       | 19.0  |       |       |       | 22.0  |       |       |       |
|-----------------------------|--------------------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                             |                    | ID DB<br>(°C) | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  |
| Min                         | -15                | TC            | 3,531 | 3,540 | 3,540 | 3,540 | 3,712 | 3,769 | 3,769 | 3,769 | 3,807 | 3,807 | 3,807 | 3,807 | 4,045 | 4,045 | 4,045 | 4,045 |
|                             |                    | S/T           | 0,660 | 0,710 | 0,770 | 0,830 | 0,550 | 0,600 | 0,660 | 0,710 | 0,500 | 0,550 | 0,610 | 0,660 | 0,390 | 0,430 | 0,480 | 0,530 |
|                             |                    | PI            | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 |
|                             | -10                | TC            | 3,502 | 3,521 | 3,521 | 3,521 | 3,683 | 3,740 | 3,740 | 3,740 | 3,788 | 3,788 | 3,788 | 3,788 | 4,026 | 4,026 | 4,026 | 4,026 |
|                             |                    | S/T           | 0,660 | 0,720 | 0,780 | 0,830 | 0,550 | 0,610 | 0,660 | 0,720 | 0,500 | 0,550 | 0,610 | 0,660 | 0,390 | 0,440 | 0,490 | 0,530 |
|                             |                    | PI            | 0,683 | 0,683 | 0,683 | 0,683 | 0,675 | 0,675 | 0,675 | 0,675 | 0,675 | 0,675 | 0,675 | 0,675 | 0,683 | 0,683 | 0,683 | 0,683 |
|                             | -5                 | TC            | 3,483 | 3,493 | 3,493 | 3,493 | 3,674 | 3,731 | 3,731 | 3,731 | 3,769 | 3,769 | 3,769 | 3,769 | 4,016 | 4,016 | 4,016 | 4,016 |
|                             |                    | S/T           | 0,660 | 0,720 | 0,780 | 0,840 | 0,560 | 0,610 | 0,660 | 0,720 | 0,510 | 0,560 | 0,610 | 0,660 | 0,390 | 0,440 | 0,490 | 0,540 |
|                             |                    | PI            | 0,675 | 0,683 | 0,683 | 0,675 | 0,675 | 0,675 | 0,675 | 0,675 | 0,675 | 0,675 | 0,675 | 0,675 | 0,683 | 0,683 | 0,683 | 0,683 |
|                             | 0                  | TC            | 3,464 | 3,483 | 3,483 | 3,483 | 3,664 | 3,721 | 3,721 | 3,721 | 3,759 | 3,759 | 3,759 | 3,759 | 4,016 | 4,016 | 4,016 | 4,016 |
|                             |                    | S/T           | 0,670 | 0,730 | 0,780 | 0,840 | 0,560 | 0,610 | 0,670 | 0,730 | 0,510 | 0,560 | 0,620 | 0,670 | 0,390 | 0,440 | 0,490 | 0,540 |
|                             |                    | PI            | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 |
|                             | 5                  | TC            | 3,445 | 3,464 | 3,464 | 3,464 | 3,645 | 3,702 | 3,702 | 3,702 | 3,750 | 3,750 | 3,750 | 3,750 | 4,007 | 4,007 | 4,007 | 4,007 |
|                             |                    | S/T           | 0,670 | 0,730 | 0,790 | 0,850 | 0,560 | 0,620 | 0,670 | 0,730 | 0,510 | 0,560 | 0,620 | 0,670 | 0,390 | 0,440 | 0,490 | 0,540 |
|                             |                    | PI            | 0,692 | 0,692 | 0,692 | 0,692 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,683 | 0,692 | 0,692 | 0,692 | 0,692 |
|                             | 10                 | TC            | 3,426 | 3,436 | 3,436 | 3,436 | 3,626 | 3,683 | 3,683 | 3,683 | 3,731 | 3,731 | 3,731 | 3,731 | 3,997 | 3,997 | 3,997 | 3,997 |
|                             |                    | S/T           | 0,670 | 0,730 | 0,790 | 0,850 | 0,560 | 0,620 | 0,670 | 0,730 | 0,510 | 0,560 | 0,620 | 0,670 | 0,400 | 0,450 | 0,500 | 0,540 |
|                             |                    | PI            | 0,700 | 0,700 | 0,700 | 0,700 | 0,692 | 0,692 | 0,692 | 0,692 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 |
|                             | 15                 | TC            | 3,398 | 3,417 | 3,417 | 3,417 | 3,607 | 3,664 | 3,664 | 3,664 | 3,712 | 3,712 | 3,712 | 3,712 | 3,988 | 3,988 | 3,988 | 3,988 |
|                             |                    | S/T           | 0,680 | 0,740 | 0,800 | 0,860 | 0,570 | 0,620 | 0,680 | 0,740 | 0,520 | 0,570 | 0,630 | 0,680 | 0,400 | 0,450 | 0,500 | 0,550 |
|                             |                    | PI            | 0,717 | 0,717 | 0,717 | 0,717 | 0,709 | 0,709 | 0,709 | 0,709 | 0,717 | 0,717 | 0,717 | 0,717 | 0,717 | 0,717 | 0,717 | 0,717 |
|                             | 20                 | TC            | 3,360 | 3,369 | 3,369 | 3,369 | 3,569 | 3,569 | 3,569 | 3,569 | 3,674 | 3,674 | 3,674 | 3,674 | 3,950 | 3,950 | 3,950 | 3,950 |
|                             |                    | S/T           | 0,680 | 0,740 | 0,800 | 0,860 | 0,570 | 0,630 | 0,680 | 0,740 | 0,520 | 0,570 | 0,630 | 0,680 | 0,400 | 0,450 | 0,500 | 0,550 |
|                             |                    | PI            | 0,743 | 0,743 | 0,743 | 0,743 | 0,734 | 0,734 | 0,734 | 0,734 | 0,734 | 0,734 | 0,734 | 0,734 | 0,734 | 0,734 | 0,734 | 0,734 |
|                             | 25                 | TC            | 3,207 | 3,207 | 3,207 | 3,207 | 3,398 | 3,398 | 3,398 | 3,398 | 3,512 | 3,512 | 3,512 | 3,512 | 3,788 | 3,788 | 3,788 | 3,788 |
|                             |                    | S/T           | 0,680 | 0,740 | 0,810 | 0,870 | 0,570 | 0,630 | 0,690 | 0,750 | 0,520 | 0,570 | 0,630 | 0,690 | 0,390 | 0,450 | 0,500 | 0,550 |
|                             |                    | PI            | 0,818 | 0,818 | 0,818 | 0,818 | 0,818 | 0,818 | 0,818 | 0,818 | 0,818 | 0,818 | 0,818 | 0,818 | 0,818 | 0,818 | 0,818 | 0,818 |
|                             | 30                 | TC            | 3,045 | 3,045 | 3,045 | 3,045 | 3,264 | 3,264 | 3,264 | 3,264 | 3,350 | 3,350 | 3,350 | 3,350 | 3,616 | 3,616 | 3,616 | 3,616 |
|                             |                    | S/T           | 0,680 | 0,750 | 0,820 | 0,880 | 0,570 | 0,630 | 0,690 | 0,750 | 0,510 | 0,570 | 0,630 | 0,690 | 0,390 | 0,440 | 0,500 | 0,550 |
|                             |                    | PI            | 0,894 | 0,894 | 0,894 | 0,894 | 0,894 | 0,894 | 0,894 | 0,894 | 0,894 | 0,894 | 0,894 | 0,894 | 0,903 | 0,903 | 0,903 | 0,903 |
|                             | 35                 | TC            | 2,903 | 2,903 | 2,903 | 2,931 | 3,103 | 3,103 | 3,103 | 3,103 | 3,179 | 3,179 | 3,236 | 3,179 | 3,426 | 3,426 | 3,426 | 3,426 |
|                             |                    | S/T           | 0,690 | 0,760 | 0,830 | 0,890 | 0,570 | 0,630 | 0,700 | 0,760 | 0,510 | 0,580 | 0,640 | 0,700 | 0,380 | 0,440 | 0,500 | 0,560 |
|                             |                    | PI            | 0,979 | 0,979 | 0,979 | 0,979 | 0,987 | 0,987 | 0,987 | 0,987 | 0,987 | 0,987 | 0,987 | 0,987 | 0,996 | 0,996 | 0,996 | 0,996 |
|                             | 40                 | TC            | 2,750 | 2,750 | 2,750 | 2,779 | 2,941 | 2,941 | 2,941 | 2,941 | 3,026 | 3,026 | 3,055 | 3,026 | 3,264 | 3,264 | 3,264 | 3,264 |
|                             |                    | S/T           | 0,700 | 0,780 | 0,850 | 0,930 | 0,570 | 0,640 | 0,710 | 0,780 | 0,510 | 0,580 | 0,650 | 0,720 | 0,380 | 0,440 | 0,500 | 0,570 |
|                             |                    | PI            | 1,080 | 1,080 | 1,080 | 1,080 | 1,089 | 1,089 | 1,089 | 1,089 | 1,089 | 1,089 | 1,089 | 1,089 | 1,097 | 1,097 | 1,097 | 1,097 |
|                             | 46                 | TC            | 2,541 | 2,541 | 2,541 | 2,570 | 2,731 | 2,731 | 2,731 | 2,731 | 2,817 | 2,817 | 2,817 | 2,817 | 3,036 | 3,036 | 3,036 | 3,036 |
|                             |                    | S/T           | 0,710 | 0,790 | 0,870 | 0,940 | 0,570 | 0,650 | 0,720 | 0,800 | 0,510 | 0,580 | 0,660 | 0,730 | 0,370 | 0,440 | 0,500 | 0,570 |
|                             |                    | PI            | 1,198 | 1,198 | 1,198 | 1,198 | 1,207 | 1,207 | 1,207 | 1,207 | 1,207 | 1,207 | 1,207 | 1,207 | 1,215 | 1,215 | 1,215 | 1,215 |
|                             | 50                 | TC            | 2,408 | 2,408 | 2,408 | 2,427 | 2,570 | 2,570 | 2,570 | 2,570 | 2,655 | 2,655 | 2,655 | 2,655 | 2,874 | 2,874 | 2,874 | 2,874 |
|                             |                    | S/T           | 0,720 | 0,800 | 0,880 | 0,960 | 0,580 | 0,660 | 0,730 | 0,810 | 0,510 | 0,590 | 0,670 | 0,740 | 0,370 | 0,440 | 0,510 | 0,580 |
|                             |                    | PI            | 1,299 | 1,299 | 1,299 | 1,299 | 1,308 | 1,308 | 1,308 | 1,308 | 1,308 | 1,308 | 1,308 | 1,308 | 1,316 | 1,316 | 1,316 | 1,316 |
| Med                         | -15                | TC            | 3,597 | 3,597 | 3,597 | 3,626 | 3,769 | 3,769 | 3,769 | 3,769 | 3,864 | 3,864 | 3,864 | 3,864 | 4,102 | 4,102 | 4,102 | 4,102 |
|                             |                    | S/T           | 0,690 | 0,760 | 0,980 | 1,000 | 0,560 | 0,630 | 0,700 | 0,770 | 0,490 | 0,570 | 0,640 | 0,700 | 0,360 | 0,420 | 0,490 | 0,550 |
|                             |                    | PI            | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 |
|                             | -10                | TC            | 3,578 | 3,578 | 3,578 | 3,607 | 3,740 | 3,740 | 3,740 | 3,740 | 3,845 | 3,845 | 3,845 | 3,845 | 4,083 | 4,083 | 4,083 | 4,083 |
|                             |                    | S/T           | 0,690 | 0,770 | 0,990 | 1,000 | 0,560 | 0,630 | 0,710 | 0,780 | 0,490 | 0,570 | 0,640 | 0,710 | 0,360 | 0,430 | 0,490 | 0,550 |
|                             |                    | PI            | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 |
|                             | -5                 | TC            | 3,550 | 3,550 | 3,550 | 3,578 | 3,731 | 3,731 | 3,731 | 3,731 | 3,826 | 3,826 | 3,826 | 3,826 | 4,073 | 4,073 | 4,073 | 4,073 |
|                             |                    | S/T           | 0,690 | 0,770 | 0,990 | 1,000 | 0,570 | 0,630 | 0,710 | 0,780 | 0,500 | 0,580 | 0,640 | 0,710 | 0,360 | 0,430 | 0,500 | 0,560 |
|                             |                    | PI            | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 |
|                             | 0                  | TC            | 3,540 | 3,540 | 3,540 | 3,569 | 3,721 | 3,721 | 3,721 | 3,721 | 3,816 | 3,816 | 3,816 | 3,816 | 4,073 | 4,073 | 4,073 | 4,073 |
|                             |                    | S/T           | 0,700 | 0,770 | 1,000 | 1,000 | 0,570 | 0,640 | 0,720 | 0,780 | 0,500 | 0,580 | 0,650 | 0,720 | 0,360 | 0,430 | 0,500 | 0,560 |
|                             |                    | PI            | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 | 0,692 |
|                             | 5                  | TC            | 3,521 | 3,521 | 3,521 | 3,550 | 3,702 | 3,702 | 3,702 | 3,702 | 3,807 | 3,807 | 3,807 | 3,807 | 4,064 | 4,064 | 4,064 | 4,064 |
|                             |                    | S/T           | 0,700 | 0,780 | 1,000 | 1,000 | 0,570 | 0,640 | 0,720 | 0,790 | 0,500 | 0,580 | 0,650 | 0,720 | 0,360 | 0,430 | 0,500 | 0,560 |
|                             |                    | PI            | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 | 0,700 |
|                             | 10                 | TC            | 3,493 | 3,493 | 3,493 | 3,521 | 3,683 | 3,683 | 3,683 | 3,683 | 3,788 | 3,788 | 3,788 | 3,788 | 4,054 | 4,054 | 4,054 | 4,054 |
|                             |                    | S/T           | 0,700 | 0,780 | 1,000 | 1,000 | 0,570 | 0,640 | 0,720 | 0,790 | 0,500 | 0,580 | 0,650 | 0,720 | 0,370 | 0,440 | 0,500 | 0,560 |
|                             |                    | PI            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |

| INDOOR<br>AIRFLOW<br>(rate) | OUTDOOR<br>DB (°C) | ID WB<br>(°C) | 16.0  |       |       |       | 18.0  |       |       |       | 19.0  |       |       |       | 22.0  |       |       |       |
|-----------------------------|--------------------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                             |                    | ID DB<br>(°C) | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  |
| Max                         | -15                | TC            | 3.655 | 3.655 | 3.683 | 3.712 | 3.826 | 3.826 | 3.826 | 3.826 | 3.921 | 3.921 | 3.921 | 3.921 | 4.188 | 4.188 | 4.188 | 4.188 |
|                             |                    | S/T           | 0.720 | 0.820 | 1.000 | 1.000 | 0.570 | 0.670 | 0.750 | 0.980 | 0.500 | 0.590 | 0.680 | 0.760 | 0.340 | 0.420 | 0.500 | 0.590 |
|                             |                    | PI            | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.700 | 0.700 | 0.700 | 0.700 |
|                             | -10                | TC            | 3.636 | 3.636 | 3.664 | 3.693 | 3.797 | 3.797 | 3.797 | 3.797 | 3.902 | 3.902 | 3.902 | 3.902 | 4.168 | 4.168 | 4.168 | 4.168 |
|                             |                    | S/T           | 0.730 | 0.820 | 1.000 | 1.000 | 0.570 | 0.670 | 0.760 | 0.980 | 0.500 | 0.590 | 0.680 | 0.770 | 0.340 | 0.430 | 0.500 | 0.590 |
|                             |                    | PI            | 0.700 | 0.700 | 0.700 | 0.700 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.700 | 0.700 | 0.700 | 0.700 |
|                             | -5                 | TC            | 3.607 | 3.607 | 3.636 | 3.664 | 3.788 | 3.788 | 3.788 | 3.788 | 3.883 | 3.883 | 3.883 | 3.883 | 4.159 | 4.159 | 4.159 | 4.159 |
|                             |                    | S/T           | 0.730 | 0.830 | 1.000 | 1.000 | 0.580 | 0.670 | 0.760 | 0.990 | 0.510 | 0.590 | 0.680 | 0.770 | 0.340 | 0.430 | 0.510 | 0.590 |
|                             |                    | PI            | 0.700 | 0.700 | 0.700 | 0.700 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 |
|                             | 0                  | TC            | 3.588 | 3.588 | 3.616 | 3.645 | 3.769 | 3.769 | 3.769 | 3.769 | 3.873 | 3.873 | 3.873 | 3.873 | 4.159 | 4.159 | 4.159 | 4.159 |
|                             |                    | S/T           | 0.740 | 0.830 | 1.000 | 1.000 | 0.580 | 0.680 | 0.760 | 0.990 | 0.510 | 0.600 | 0.690 | 0.770 | 0.340 | 0.430 | 0.510 | 0.600 |
|                             |                    | PI            | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 | 0.709 |
|                             | 5                  | TC            | 3.578 | 3.578 | 3.607 | 3.636 | 3.759 | 3.759 | 3.759 | 3.759 | 3.864 | 3.864 | 3.864 | 3.864 | 4.149 | 4.149 | 4.149 | 4.149 |
|                             |                    | S/T           | 0.740 | 0.840 | 1.000 | 1.000 | 0.580 | 0.680 | 0.770 | 1.000 | 0.510 | 0.600 | 0.690 | 0.780 | 0.340 | 0.430 | 0.510 | 0.600 |
|                             |                    | PI            | 0.709 | 0.709 | 0.709 | 0.709 | 0.717 | 0.717 | 0.717 | 0.717 | 0.717 | 0.717 | 0.717 | 0.717 | 0.709 | 0.709 | 0.709 | 0.709 |
|                             | 10                 | TC            | 3.550 | 3.550 | 3.578 | 3.607 | 3.740 | 3.740 | 3.740 | 3.740 | 3.845 | 3.845 | 3.845 | 3.845 | 4.140 | 4.140 | 4.140 | 4.140 |
|                             |                    | S/T           | 0.740 | 0.840 | 1.000 | 1.000 | 0.580 | 0.680 | 0.770 | 1.000 | 0.510 | 0.600 | 0.690 | 0.780 | 0.350 | 0.440 | 0.510 | 0.600 |
|                             |                    | PI            | 0.726 | 0.726 | 0.726 | 0.726 | 0.726 | 0.726 | 0.726 | 0.726 | 0.726 | 0.726 | 0.726 | 0.726 | 0.726 | 0.726 | 0.726 | 0.726 |
|                             | 15                 | TC            | 3.521 | 3.521 | 3.550 | 3.578 | 3.712 | 3.712 | 3.712 | 3.712 | 3.826 | 3.826 | 3.826 | 3.826 | 4.121 | 4.121 | 4.121 | 4.121 |
|                             |                    | S/T           | 0.750 | 0.850 | 0.940 | 1.000 | 0.590 | 0.690 | 0.780 | 0.880 | 0.520 | 0.610 | 0.700 | 0.790 | 0.350 | 0.440 | 0.520 | 0.610 |
|                             |                    | PI            | 0.743 | 0.743 | 0.743 | 0.743 | 0.743 | 0.743 | 0.743 | 0.743 | 0.743 | 0.743 | 0.743 | 0.743 | 0.734 | 0.734 | 0.734 | 0.734 |
|                             | 20                 | TC            | 3.483 | 3.483 | 3.512 | 3.540 | 3.674 | 3.674 | 3.674 | 3.674 | 3.788 | 3.788 | 3.788 | 3.788 | 4.092 | 4.092 | 4.092 | 4.092 |
|                             |                    | S/T           | 0.750 | 0.850 | 0.940 | 1.000 | 0.590 | 0.690 | 0.780 | 0.880 | 0.520 | 0.610 | 0.700 | 0.790 | 0.350 | 0.440 | 0.520 | 0.610 |
|                             |                    | PI            | 0.768 | 0.768 | 0.768 | 0.768 | 0.768 | 0.768 | 0.768 | 0.768 | 0.768 | 0.768 | 0.768 | 0.768 | 0.759 | 0.759 | 0.759 | 0.759 |
|                             | 25                 | TC            | 3.321 | 3.321 | 3.350 | 3.379 | 3.512 | 3.512 | 3.512 | 3.540 | 3.626 | 3.626 | 3.626 | 3.626 | 3.892 | 3.892 | 3.892 | 3.892 |
|                             |                    | S/T           | 0.760 | 0.860 | 0.960 | 1.000 | 0.600 | 0.700 | 0.800 | 0.890 | 0.520 | 0.620 | 0.710 | 0.810 | 0.350 | 0.440 | 0.530 | 0.620 |
|                             |                    | PI            | 0.852 | 0.852 | 0.852 | 0.852 | 0.852 | 0.852 | 0.852 | 0.852 | 0.852 | 0.852 | 0.852 | 0.852 | 0.852 | 0.852 | 0.852 | 0.852 |
|                             | 30                 | TC            | 3.160 | 3.160 | 3.179 | 3.207 | 3.379 | 3.379 | 3.379 | 3.398 | 3.455 | 3.455 | 3.455 | 3.455 | 3.731 | 3.731 | 3.731 | 3.731 |
|                             |                    | S/T           | 0.770 | 0.880 | 0.990 | 1.000 | 0.600 | 0.710 | 0.810 | 0.910 | 0.530 | 0.630 | 0.730 | 0.830 | 0.350 | 0.440 | 0.530 | 0.620 |
|                             |                    | PI            | 0.937 | 0.937 | 0.937 | 0.937 | 0.937 | 0.937 | 0.937 | 0.937 | 0.937 | 0.937 | 0.937 | 0.937 | 0.937 | 0.937 | 0.937 | 0.937 |
|                             | 35                 | TC            | 2.988 | 3.017 | 3.045 | 3.074 | 3.207 | 3.207 | 3.207 | 3.236 | 3.293 | 3.293 | 3.350 | 3.293 | 3.569 | 3.569 | 3.569 | 3.569 |
|                             |                    | S/T           | 0.790 | 0.900 | 1.000 | 1.000 | 0.610 | 0.720 | 0.830 | 0.930 | 0.530 | 0.630 | 0.740 | 0.850 | 0.340 | 0.440 | 0.540 | 0.630 |
|                             |                    | PI            | 1.013 | 1.013 | 1.013 | 1.013 | 1.021 | 1.021 | 1.021 | 1.021 | 1.021 | 1.021 | 1.021 | 1.021 | 1.029 | 1.029 | 1.029 | 1.029 |
|                             | 40                 | TC            | 2.779 | 2.808 | 2.836 | 2.865 | 2.988 | 2.988 | 2.988 | 3.017 | 3.064 | 3.064 | 3.093 | 3.084 | 3.331 | 3.331 | 3.331 | 3.331 |
|                             |                    | S/T           | 0.810 | 0.940 | 1.000 | 1.000 | 0.630 | 0.750 | 0.860 | 0.980 | 0.540 | 0.650 | 0.770 | 0.880 | 0.340 | 0.440 | 0.550 | 0.900 |
|                             |                    | PI            | 1.122 | 1.122 | 1.122 | 1.122 | 1.131 | 1.131 | 1.131 | 1.131 | 1.131 | 1.131 | 1.131 | 1.131 | 1.139 | 1.139 | 1.139 | 1.139 |
|                             | 46                 | TC            | 2.579 | 2.598 | 2.627 | 2.655 | 2.760 | 2.760 | 2.760 | 2.788 | 2.846 | 2.846 | 2.846 | 2.874 | 3.093 | 3.093 | 3.093 | 3.093 |
|                             |                    | S/T           | 0.830 | 0.960 | 1.000 | 1.000 | 0.630 | 0.760 | 0.880 | 1.000 | 0.540 | 0.660 | 0.780 | 0.900 | 0.340 | 0.450 | 0.560 | 0.920 |
|                             |                    | PI            | 1.249 | 1.249 | 1.249 | 1.249 | 1.257 | 1.257 | 1.257 | 1.257 | 1.257 | 1.257 | 1.257 | 1.257 | 1.266 | 1.266 | 1.266 | 1.266 |
|                             | 50                 | TC            | 2.436 | 2.465 | 2.493 | 2.522 | 2.598 | 2.598 | 2.627 | 2.655 | 2.684 | 2.684 | 2.684 | 2.712 | 2.903 | 2.903 | 2.903 | 2.903 |
|                             |                    | S/T           | 0.850 | 0.990 | 1.000 | 1.000 | 0.640 | 0.780 | 0.900 | 1.000 | 0.550 | 0.680 | 0.800 | 0.930 | 0.330 | 0.450 | 0.570 | 0.970 |
|                             |                    | PI            | 1.359 | 1.359 | 1.359 | 1.359 | 1.359 | 1.359 | 1.359 | 1.359 | 1.367 | 1.367 | 1.367 | 1.367 | 1.375 | 1.375 | 1.375 | 1.375 |

**OUTDOOR DB:** Outdoor air temperature (Dry bulb)

**ID WB:** Indoor air temperature (Wet bulb)

**ID DB:** Indoor air temperature (Dry bulb)

**TC:** Total Cooling Capacity (kW)

**S/T:** Sensible Cooling Capacity Ratio

**PI:** Power Input(kW)

**Note:** The table shows the case where the operation frequency of a compressor is fixed.

## GIADA S 18

| INDOOR<br>AIRFLOW<br>(rate) | OUTDOOR<br>DB (°C) | ID WB<br>(°C) | 16.0  |       |       |       | 18.0  |       |       |       | 19.0  |       |       |       | 22.0  |       |       |       |
|-----------------------------|--------------------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                             |                    | ID DB<br>(°C) | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  |
| Min                         | -15                | TC            | 5,490 | 5,490 | 5,490 | 5,549 | 5,769 | 5,889 | 5,889 | 5,889 | 5,919 | 5,919 | 5,919 | 5,919 | 6,268 | 6,268 | 6,268 | 6,268 |
|                             |                    | S/T           | 0,670 | 0,730 | 0,800 | 0,860 | 0,550 | 0,610 | 0,680 | 0,730 | 0,490 | 0,560 | 0,620 | 0,680 | 0,370 | 0,420 | 0,480 | 0,540 |
|                             |                    | PI            | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 |
|                             | -10                | TC            | 5,450 | 5,460 | 5,460 | 5,520 | 5,739 | 5,859 | 5,859 | 5,859 | 5,889 | 5,889 | 5,889 | 5,889 | 6,238 | 6,238 | 6,238 | 6,238 |
|                             |                    | S/T           | 0,670 | 0,740 | 0,810 | 0,860 | 0,550 | 0,620 | 0,680 | 0,740 | 0,490 | 0,560 | 0,620 | 0,680 | 0,370 | 0,430 | 0,490 | 0,540 |
|                             |                    | PI            | 1,030 | 1,020 | 1,020 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 |
|                             | -5                 | TC            | 5,420 | 5,420 | 5,420 | 5,480 | 5,719 | 5,839 | 5,839 | 5,839 | 5,869 | 5,869 | 5,869 | 5,869 | 6,228 | 6,228 | 6,228 | 6,228 |
|                             |                    | S/T           | 0,670 | 0,740 | 0,810 | 0,870 | 0,560 | 0,620 | 0,680 | 0,740 | 0,500 | 0,570 | 0,620 | 0,680 | 0,370 | 0,430 | 0,490 | 0,550 |
|                             |                    | PI            | 1,030 | 1,020 | 1,020 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 |
|                             | 0                  | TC            | 5,390 | 5,400 | 5,400 | 5,460 | 5,699 | 5,819 | 5,819 | 5,819 | 5,859 | 5,859 | 5,859 | 5,859 | 6,218 | 6,218 | 6,218 | 6,218 |
|                             |                    | S/T           | 0,680 | 0,740 | 0,810 | 0,870 | 0,560 | 0,620 | 0,690 | 0,740 | 0,500 | 0,570 | 0,630 | 0,690 | 0,370 | 0,430 | 0,490 | 0,550 |
|                             |                    | PI            | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 | 1,030 |
|                             | 5                  | TC            | 5,370 | 5,370 | 5,370 | 5,430 | 5,669 | 5,789 | 5,789 | 5,789 | 5,839 | 5,839 | 5,839 | 5,839 | 6,218 | 6,218 | 6,218 | 6,218 |
|                             |                    | S/T           | 0,680 | 0,750 | 0,820 | 0,880 | 0,560 | 0,620 | 0,690 | 0,750 | 0,500 | 0,570 | 0,630 | 0,690 | 0,370 | 0,430 | 0,490 | 0,550 |
|                             |                    | PI            | 1,040 | 1,040 | 1,040 | 1,040 | 1,040 | 1,040 | 1,040 | 1,040 | 1,040 | 1,040 | 1,040 | 1,040 | 1,040 | 1,040 | 1,040 | 1,040 |
|                             | 10                 | TC            | 5,330 | 5,340 | 5,340 | 5,400 | 5,649 | 5,769 | 5,769 | 5,769 | 5,809 | 5,809 | 5,809 | 5,809 | 6,198 | 6,198 | 6,198 | 6,198 |
|                             |                    | S/T           | 0,680 | 0,750 | 0,820 | 0,880 | 0,560 | 0,630 | 0,690 | 0,750 | 0,500 | 0,570 | 0,630 | 0,690 | 0,380 | 0,440 | 0,500 | 0,550 |
|                             |                    | PI            | 1,060 | 1,050 | 1,050 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,050 | 1,050 | 1,050 | 1,050 |
|                             | 15                 | TC            | 5,290 | 5,290 | 5,290 | 5,350 | 5,609 | 5,729 | 5,729 | 5,729 | 5,779 | 5,779 | 5,779 | 5,779 | 6,178 | 6,178 | 6,178 | 6,178 |
|                             |                    | S/T           | 0,690 | 0,760 | 0,830 | 0,890 | 0,570 | 0,630 | 0,700 | 0,760 | 0,510 | 0,580 | 0,640 | 0,700 | 0,380 | 0,440 | 0,500 | 0,560 |
|                             |                    | PI            | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 |
|                             | 20                 | TC            | 5,230 | 5,230 | 5,230 | 5,290 | 5,549 | 5,549 | 5,549 | 5,549 | 5,719 | 5,719 | 5,719 | 5,719 | 6,118 | 6,118 | 6,118 | 6,118 |
|                             |                    | S/T           | 0,690 | 0,760 | 0,830 | 0,890 | 0,570 | 0,630 | 0,700 | 0,760 | 0,510 | 0,580 | 0,640 | 0,700 | 0,380 | 0,440 | 0,500 | 0,560 |
|                             |                    | PI            | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,110 | 1,110 | 1,110 | 1,110 |
|                             | 25                 | TC            | 4,981 | 4,981 | 4,981 | 5,030 | 5,290 | 5,290 | 5,290 | 5,290 | 5,460 | 5,460 | 5,460 | 5,460 | 5,859 | 5,859 | 5,859 | 5,859 |
|                             |                    | S/T           | 0,690 | 0,770 | 0,840 | 0,910 | 0,570 | 0,640 | 0,710 | 0,770 | 0,510 | 0,580 | 0,640 | 0,710 | 0,380 | 0,440 | 0,500 | 0,560 |
|                             |                    | PI            | 1,240 | 1,240 | 1,240 | 1,240 | 1,240 | 1,240 | 1,240 | 1,240 | 1,240 | 1,240 | 1,240 | 1,240 | 1,240 | 1,240 | 1,240 | 1,240 |
|                             | 30                 | TC            | 4,751 | 4,751 | 4,751 | 4,801 | 5,060 | 5,060 | 5,060 | 5,060 | 5,210 | 5,210 | 5,210 | 5,210 | 5,609 | 5,609 | 5,609 | 5,609 |
|                             |                    | S/T           | 0,700 | 0,780 | 0,850 | 0,920 | 0,570 | 0,640 | 0,710 | 0,790 | 0,510 | 0,580 | 0,650 | 0,720 | 0,370 | 0,440 | 0,500 | 0,570 |
|                             |                    | PI            | 1,350 | 1,350 | 1,350 | 1,350 | 1,350 | 1,350 | 1,350 | 1,350 | 1,350 | 1,350 | 1,350 | 1,350 | 1,360 | 1,360 | 1,360 | 1,360 |
|                             | 35                 | TC            | 4,521 | 4,521 | 4,521 | 4,581 | 4,801 | 4,801 | 4,801 | 4,801 | 4,951 | 4,951 | 5,030 | 4,951 | 5,350 | 5,350 | 5,350 | 5,350 |
|                             |                    | S/T           | 0,710 | 0,790 | 0,870 | 0,940 | 0,570 | 0,650 | 0,720 | 0,800 | 0,510 | 0,590 | 0,660 | 0,730 | 0,370 | 0,440 | 0,500 | 0,570 |
|                             |                    | PI            | 1,480 | 1,480 | 1,480 | 1,480 | 1,480 | 1,480 | 1,480 | 1,480 | 1,490 | 1,490 | 1,490 | 1,490 | 1,500 | 1,500 | 1,500 | 1,500 |
|                             | 40                 | TC            | 4,272 | 4,272 | 4,282 | 4,332 | 4,541 | 4,541 | 4,541 | 4,541 | 4,691 | 4,691 | 4,731 | 4,691 | 5,060 | 5,060 | 5,060 | 5,060 |
|                             |                    | S/T           | 0,720 | 0,810 | 0,890 | 0,980 | 0,580 | 0,660 | 0,750 | 0,830 | 0,510 | 0,590 | 0,670 | 0,750 | 0,360 | 0,440 | 0,510 | 0,580 |
|                             |                    | PI            | 1,640 | 1,640 | 1,640 | 1,640 | 1,640 | 1,640 | 1,640 | 1,640 | 1,650 | 1,650 | 1,650 | 1,650 | 1,660 | 1,660 | 1,660 | 1,660 |
|                             | 46                 | TC            | 3,962 | 3,962 | 3,992 | 4,012 | 4,212 | 4,212 | 4,212 | 4,212 | 4,362 | 4,362 | 4,362 | 4,362 | 4,701 | 4,701 | 4,701 | 4,701 |
|                             |                    | S/T           | 0,730 | 0,820 | 0,910 | 1,000 | 0,580 | 0,670 | 0,760 | 0,840 | 0,520 | 0,600 | 0,680 | 0,760 | 0,360 | 0,440 | 0,510 | 0,590 |
|                             |                    | PI            | 1,820 | 1,820 | 1,820 | 1,820 | 1,830 | 1,830 | 1,830 | 1,830 | 1,840 | 1,840 | 1,840 | 1,840 | 1,850 | 1,850 | 1,850 | 1,850 |
|                             | 50                 | TC            | 3,703 | 3,703 | 3,733 | 3,763 | 3,962 | 3,962 | 3,962 | 3,962 | 4,102 | 4,102 | 4,102 | 4,102 | 4,442 | 4,442 | 4,442 | 4,442 |
|                             |                    | S/T           | 0,740 | 0,840 | 0,940 | 1,000 | 0,590 | 0,680 | 0,770 | 0,860 | 0,520 | 0,610 | 0,690 | 0,780 | 0,360 | 0,440 | 0,520 | 0,600 |
|                             |                    | PI            | 1,980 | 1,980 | 1,980 | 1,980 | 1,980 | 1,980 | 1,980 | 1,980 | 1,990 | 1,990 | 1,990 | 1,990 | 2,010 | 2,010 | 2,010 | 2,010 |
| Med                         | -15                | TC            | 5,609 | 5,609 | 5,669 | 5,729 | 5,889 | 5,889 | 5,889 | 5,889 | 6,049 | 6,049 | 6,049 | 6,049 | 6,418 | 6,418 | 6,418 | 6,418 |
|                             |                    | S/T           | 0,700 | 0,770 | 0,980 | 1,000 | 0,560 | 0,640 | 0,710 | 0,790 | 0,490 | 0,570 | 0,650 | 0,720 | 0,350 | 0,420 | 0,490 | 0,560 |
|                             |                    | PI            | 1,060 | 1,060 | 1,060 | 1,060 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,040 | 1,040 | 1,040 | 1,040 |
|                             | -10                | TC            | 5,579 | 5,579 | 5,639 | 5,699 | 5,859 | 5,859 | 5,859 | 5,859 | 6,019 | 6,019 | 6,019 | 6,019 | 6,388 | 6,388 | 6,388 | 6,388 |
|                             |                    | S/T           | 0,700 | 0,780 | 0,990 | 1,000 | 0,560 | 0,640 | 0,720 | 0,800 | 0,490 | 0,570 | 0,650 | 0,730 | 0,350 | 0,430 | 0,490 | 0,560 |
|                             |                    | PI            | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 |
|                             | -5                 | TC            | 5,549 | 5,549 | 5,609 | 5,659 | 5,839 | 5,839 | 5,839 | 5,839 | 5,989 | 5,989 | 5,989 | 5,989 | 6,378 | 6,378 | 6,378 | 6,378 |
|                             |                    | S/T           | 0,700 | 0,780 | 0,990 | 1,000 | 0,570 | 0,640 | 0,720 | 0,800 | 0,500 | 0,580 | 0,650 | 0,730 | 0,350 | 0,430 | 0,500 | 0,570 |
|                             |                    | PI            | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 |
|                             | 0                  | TC            | 5,520 | 5,520 | 5,579 | 5,639 | 5,819 | 5,819 | 5,819 | 5,819 | 5,979 | 5,979 | 5,979 | 5,979 | 6,368 | 6,368 | 6,368 | 6,368 |
|                             |                    | S/T           | 0,710 | 0,780 | 1,000 | 1,000 | 0,570 | 0,650 | 0,730 | 0,800 | 0,500 | 0,580 | 0,660 | 0,740 | 0,350 | 0,430 | 0,500 | 0,570 |
|                             |                    | PI            | 1,060 | 1,060 | 1,060 | 1,060 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 | 1,050 |
|                             | 5                  | TC            | 5,490 | 5,490 | 5,549 | 5,609 | 5,789 | 5,789 | 5,789 | 5,789 | 5,959 | 5,959 | 5,959 | 5,959 | 6,368 | 6,368 | 6,368 | 6,368 |
|                             |                    | S/T           | 0,710 | 0,790 | 1,000 | 1,000 | 0,570 | 0,650 | 0,730 | 0,810 | 0,500 | 0,580 | 0,660 | 0,740 | 0,350 | 0,430 | 0,500 | 0,570 |
|                             |                    | PI            | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 | 1,060 |
|                             | 10                 | TC            | 5,460 | 5,460 | 5,520 | 5,569 | 5,769 | 5,769 | 5,769 | 5,769 | 5,929 | 5,929 | 5,929 | 5,929 | 6,348 | 6,348 | 6,348 | 6,348 |
|                             |                    | S/T           | 0,710 | 0,790 | 1,000 | 1,000 | 0,570 | 0,650 | 0,730 | 0,810 | 0,500 | 0,580 | 0,660 | 0,740 | 0,360 | 0,440 | 0,500 | 0,570 |
|                             |                    | PI            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |

| INDOOR<br>AIRFLOW<br>(rate) | OUTDOOR<br>DB (°C) | ID WB<br>(°C) | 16.0  |       |       |       | 18.0  |       |       |       | 19.0  |       |       |       | 22.0  |       |       |       |
|-----------------------------|--------------------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                             |                    | ID DB<br>(°C) | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  |
| Max                         | -15                | TC            | 5,729 | 5,729 | 5,789 | 5,849 | 6,039 | 6,039 | 6,039 | 6,098 | 6,188 | 6,188 | 6,188 | 6,188 | 6,558 | 6,558 | 6,558 | 6,558 |
|                             |                    | S/T           | 0,730 | 0,830 | 1,000 | 1,000 | 0,580 | 0,670 | 0,760 | 0,980 | 0,500 | 0,600 | 0,690 | 0,770 | 0,340 | 0,420 | 0,500 | 0,590 |
|                             |                    | PI            | 1,080 | 1,080 | 1,080 | 1,080 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 |
|                             | -10                | TC            | 5,699 | 5,699 | 5,759 | 5,819 | 6,009 | 6,009 | 6,009 | 6,068 | 6,158 | 6,158 | 6,158 | 6,158 | 6,538 | 6,538 | 6,538 | 6,538 |
|                             |                    | S/T           | 0,740 | 0,830 | 1,000 | 1,000 | 0,580 | 0,670 | 0,770 | 0,980 | 0,500 | 0,600 | 0,690 | 0,780 | 0,340 | 0,430 | 0,500 | 0,590 |
|                             |                    | PI            | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 |
|                             | -5                 | TC            | 5,659 | 5,659 | 5,719 | 5,779 | 5,989 | 5,989 | 5,989 | 6,049 | 6,138 | 6,138 | 6,138 | 6,138 | 6,518 | 6,518 | 6,518 | 6,518 |
|                             |                    | S/T           | 0,740 | 0,840 | 1,000 | 1,000 | 0,590 | 0,670 | 0,770 | 0,990 | 0,510 | 0,600 | 0,690 | 0,780 | 0,340 | 0,430 | 0,510 | 0,590 |
|                             |                    | PI            | 1,070 | 1,070 | 1,070 | 1,070 | 1,060 | 1,060 | 1,060 | 1,060 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 |
|                             | 0                  | TC            | 5,639 | 5,639 | 5,699 | 5,749 | 5,959 | 5,959 | 5,959 | 6,019 | 6,118 | 6,118 | 6,118 | 6,118 | 6,518 | 6,518 | 6,518 | 6,518 |
|                             |                    | S/T           | 0,740 | 0,840 | 1,000 | 1,000 | 0,590 | 0,680 | 0,770 | 0,990 | 0,510 | 0,610 | 0,700 | 0,780 | 0,340 | 0,430 | 0,510 | 0,600 |
|                             |                    | PI            | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,070 | 1,080 | 1,080 | 1,080 | 1,080 |
|                             | 5                  | TC            | 5,609 | 5,609 | 5,669 | 5,729 | 5,939 | 5,939 | 5,939 | 5,999 | 6,098 | 6,098 | 6,098 | 6,098 | 6,508 | 6,508 | 6,508 | 6,508 |
|                             |                    | S/T           | 0,750 | 0,850 | 1,000 | 1,000 | 0,590 | 0,680 | 0,780 | 1,000 | 0,510 | 0,610 | 0,700 | 0,790 | 0,340 | 0,430 | 0,510 | 0,600 |
|                             |                    | PI            | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,080 | 1,090 | 1,090 | 1,090 | 1,090 |
|                             | 10                 | TC            | 5,569 | 5,569 | 5,629 | 5,689 | 5,909 | 5,909 | 5,909 | 5,969 | 6,078 | 6,078 | 6,078 | 6,078 | 6,498 | 6,498 | 6,498 | 6,498 |
|                             |                    | S/T           | 0,750 | 0,850 | 1,000 | 1,000 | 0,590 | 0,680 | 0,780 | 1,000 | 0,510 | 0,610 | 0,700 | 0,790 | 0,350 | 0,440 | 0,510 | 0,600 |
|                             |                    | PI            | 1,100 | 1,100 | 1,100 | 1,100 | 1,090 | 1,090 | 1,090 | 1,090 | 1,100 | 1,100 | 1,100 | 1,100 | 1,100 | 1,100 | 1,100 | 1,100 |
|                             | 15                 | TC            | 5,530 | 5,530 | 5,589 | 5,639 | 5,869 | 5,869 | 5,869 | 5,929 | 6,039 | 6,039 | 6,039 | 6,039 | 6,468 | 6,468 | 6,468 | 6,468 |
|                             |                    | S/T           | 0,760 | 0,860 | 0,960 | 1,000 | 0,600 | 0,690 | 0,790 | 0,880 | 0,520 | 0,620 | 0,710 | 0,800 | 0,350 | 0,440 | 0,520 | 0,610 |
|                             |                    | PI            | 1,130 | 1,130 | 1,130 | 1,130 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 | 1,120 |
|                             | 20                 | TC            | 5,470 | 5,470 | 5,520 | 5,579 | 5,809 | 5,809 | 5,809 | 5,869 | 5,979 | 5,979 | 5,979 | 5,979 | 6,408 | 6,408 | 6,408 | 6,408 |
|                             |                    | S/T           | 0,760 | 0,860 | 0,960 | 1,000 | 0,600 | 0,690 | 0,790 | 0,880 | 0,520 | 0,620 | 0,710 | 0,800 | 0,350 | 0,440 | 0,520 | 0,610 |
|                             |                    | PI            | 1,170 | 1,170 | 1,170 | 1,170 | 1,160 | 1,160 | 1,160 | 1,160 | 1,160 | 1,160 | 1,160 | 1,160 | 1,160 | 1,160 | 1,160 | 1,160 |
|                             | 25                 | TC            | 5,210 | 5,210 | 5,270 | 5,320 | 5,549 | 5,549 | 5,549 | 5,609 | 5,719 | 5,719 | 5,719 | 5,719 | 6,148 | 6,148 | 6,148 | 6,148 |
|                             |                    | S/T           | 0,770 | 0,880 | 0,980 | 1,000 | 0,600 | 0,700 | 0,800 | 0,900 | 0,520 | 0,620 | 0,720 | 0,820 | 0,350 | 0,440 | 0,530 | 0,620 |
|                             |                    | PI            | 1,290 | 1,290 | 1,290 | 1,290 | 1,290 | 1,290 | 1,290 | 1,290 | 1,290 | 1,290 | 1,290 | 1,290 | 1,290 | 1,290 | 1,290 | 1,290 |
|                             | 30                 | TC            | 4,981 | 5,040 | 5,090 | 5,150 | 5,290 | 5,290 | 5,290 | 5,350 | 5,440 | 5,440 | 5,440 | 5,440 | 5,869 | 5,869 | 5,869 | 5,869 |
|                             |                    | S/T           | 0,780 | 0,890 | 1,000 | 1,000 | 0,610 | 0,710 | 0,820 | 0,920 | 0,530 | 0,630 | 0,730 | 0,840 | 0,340 | 0,440 | 0,540 | 0,630 |
|                             |                    | PI            | 1,400 | 1,400 | 1,400 | 1,400 | 1,410 | 1,410 | 1,410 | 1,410 | 1,410 | 1,410 | 1,410 | 1,410 | 1,420 | 1,420 | 1,420 | 1,420 |
|                             | 35                 | TC            | 4,721 | 4,781 | 4,841 | 4,891 | 5,040 | 5,040 | 5,040 | 5,090 | 5,180 | 5,180 | 5,270 | 5,180 | 5,579 | 5,579 | 5,579 | 5,579 |
|                             |                    | S/T           | 0,800 | 0,910 | 1,000 | 1,000 | 0,620 | 0,730 | 0,840 | 0,940 | 0,530 | 0,640 | 0,740 | 0,860 | 0,340 | 0,440 | 0,540 | 0,640 |
|                             |                    | PI            | 1,540 | 1,540 | 1,540 | 1,540 | 1,540 | 1,540 | 1,540 | 1,540 | 1,550 | 1,550 | 1,550 | 1,550 | 1,560 | 1,560 | 1,560 | 1,560 |
|                             | 40                 | TC            | 4,382 | 4,422 | 4,462 | 4,511 | 4,671 | 4,671 | 4,701 | 4,761 | 4,811 | 4,811 | 4,861 | 4,841 | 5,200 | 5,200 | 5,200 | 5,200 |
|                             |                    | S/T           | 0,830 | 0,950 | 1,000 | 1,000 | 0,630 | 0,750 | 0,880 | 0,990 | 0,540 | 0,660 | 0,780 | 0,890 | 0,340 | 0,450 | 0,550 | 0,900 |
|                             |                    | PI            | 1,700 | 1,700 | 1,700 | 1,700 | 1,700 | 1,700 | 1,700 | 1,700 | 1,710 | 1,710 | 1,710 | 1,710 | 1,720 | 1,720 | 1,720 | 1,720 |
|                             | 46                 | TC            | 4,052 | 4,082 | 4,112 | 4,142 | 4,342 | 4,342 | 4,392 | 4,452 | 4,481 | 4,481 | 4,481 | 4,531 | 4,841 | 4,841 | 4,841 | 4,841 |
|                             |                    | S/T           | 0,840 | 0,970 | 1,000 | 1,000 | 0,640 | 0,770 | 0,890 | 1,000 | 0,550 | 0,670 | 0,790 | 0,910 | 0,330 | 0,450 | 0,560 | 0,920 |
|                             |                    | PI            | 1,890 | 1,890 | 1,890 | 1,890 | 1,890 | 1,890 | 1,890 | 1,890 | 1,900 | 1,900 | 1,900 | 1,900 | 1,920 | 1,920 | 1,920 | 1,920 |
|                             | 50                 | TC            | 3,803 | 3,833 | 3,863 | 3,883 | 4,052 | 4,052 | 4,082 | 4,112 | 4,192 | 4,192 | 4,192 | 4,222 | 4,561 | 4,561 | 4,561 | 4,561 |
|                             |                    | S/T           | 0,870 | 1,000 | 1,000 | 1,000 | 0,650 | 0,790 | 0,920 | 1,000 | 0,550 | 0,680 | 0,820 | 0,950 | 0,330 | 0,450 | 0,570 | 0,970 |
|                             |                    | PI            | 2,050 | 2,050 | 2,050 | 2,050 | 2,050 | 2,050 | 2,050 | 2,050 | 2,060 | 2,060 | 2,060 | 2,060 | 2,080 | 2,080 | 2,080 | 2,080 |

**OUTDOOR DB:** Outdoor air temperature (Dry bulb)

**ID WB:** Indoor air temperature (Wet bulb)

**ID DB:** Indoor air temperature (Dry bulb)

**TC:** Total Cooling Capacity (kW)

**S/T:** Sensible Cooling Capacity Ratio

**PI:** Power Input(kW)

**Note:** The table shows the case where the operation frequency of a compressor is fixed.

## GIADA S 24

| INDOOR<br>AIRFLOW<br>(rate) | OUTDOOR<br>DB (°C) | ID WB<br>(°C) | 16.0  |       |       |       | 18.0  |       |       |       | 19.0  |       |       |       | 22.0  |       |       |       |
|-----------------------------|--------------------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                             |                    | ID DB<br>(°C) | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  |
|                             |                    |               |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Min                         | -15                | TC            | 6,127 | 6,118 | 6,118 | 6,118 | 6,443 | 6,569 | 6,569 | 6,569 | 6,610 | 6,610 | 6,610 | 6,610 | 7,002 | 7,002 | 7,002 | 7,002 |
|                             |                    | S/T           | 0,660 | 0,710 | 0,780 | 0,840 | 0,550 | 0,610 | 0,670 | 0,720 | 0,500 | 0,550 | 0,610 | 0,670 | 0,380 | 0,430 | 0,480 | 0,530 |
|                             |                    | PI            | 1,189 | 1,196 | 1,196 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 |
|                             | -10                | TC            | 6,093 | 6,085 | 6,085 | 6,085 | 6,410 | 6,535 | 6,535 | 6,535 | 6,577 | 6,577 | 6,577 | 6,577 | 6,977 | 6,977 | 6,977 | 6,977 |
|                             |                    | S/T           | 0,660 | 0,720 | 0,790 | 0,840 | 0,550 | 0,610 | 0,670 | 0,730 | 0,500 | 0,550 | 0,610 | 0,670 | 0,380 | 0,440 | 0,490 | 0,530 |
|                             |                    | PI            | 1,189 | 1,189 | 1,189 | 1,189 | 1,182 | 1,182 | 1,182 | 1,182 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 |
|                             | -5                 | TC            | 6,052 | 6,052 | 6,052 | 6,052 | 6,385 | 6,510 | 6,510 | 6,510 | 6,552 | 6,552 | 6,552 | 6,552 | 6,960 | 6,960 | 6,960 | 6,960 |
|                             |                    | S/T           | 0,660 | 0,720 | 0,790 | 0,850 | 0,560 | 0,610 | 0,670 | 0,730 | 0,510 | 0,560 | 0,610 | 0,670 | 0,380 | 0,440 | 0,490 | 0,540 |
|                             |                    | PI            | 1,182 | 1,182 | 1,182 | 1,182 | 1,182 | 1,182 | 1,182 | 1,182 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 |
|                             | 0                  | TC            | 6,027 | 6,018 | 6,018 | 6,018 | 6,360 | 6,485 | 6,485 | 6,485 | 6,535 | 6,535 | 6,535 | 6,535 | 6,952 | 6,952 | 6,952 | 6,952 |
|                             |                    | S/T           | 0,670 | 0,730 | 0,790 | 0,850 | 0,560 | 0,620 | 0,680 | 0,740 | 0,510 | 0,560 | 0,620 | 0,680 | 0,380 | 0,440 | 0,490 | 0,540 |
|                             |                    | PI            | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,189 | 1,196 | 1,196 | 1,196 | 1,196 |
|                             | 5                  | TC            | 5,993 | 5,985 | 5,985 | 5,985 | 6,335 | 6,460 | 6,460 | 6,460 | 6,519 | 6,519 | 6,519 | 6,519 | 6,952 | 6,952 | 6,952 | 6,952 |
|                             |                    | S/T           | 0,670 | 0,730 | 0,800 | 0,860 | 0,560 | 0,620 | 0,680 | 0,740 | 0,510 | 0,560 | 0,620 | 0,680 | 0,380 | 0,440 | 0,490 | 0,540 |
|                             |                    | PI            | 1,203 | 1,203 | 1,203 | 1,203 | 1,196 | 1,196 | 1,196 | 1,196 | 1,203 | 1,203 | 1,203 | 1,203 | 1,203 | 1,203 | 1,203 | 1,203 |
|                             | 10                 | TC            | 5,960 | 5,952 | 5,952 | 5,952 | 6,302 | 6,427 | 6,427 | 6,427 | 6,494 | 6,494 | 6,494 | 6,494 | 6,927 | 6,927 | 6,927 | 6,927 |
|                             |                    | S/T           | 0,670 | 0,730 | 0,800 | 0,860 | 0,560 | 0,620 | 0,680 | 0,740 | 0,510 | 0,560 | 0,620 | 0,680 | 0,390 | 0,450 | 0,500 | 0,540 |
|                             |                    | PI            | 1,223 | 1,223 | 1,223 | 1,223 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 |
|                             | 15                 | TC            | 5,910 | 5,902 | 5,902 | 5,902 | 6,260 | 6,385 | 6,385 | 6,385 | 6,452 | 6,452 | 6,452 | 6,452 | 6,902 | 6,902 | 6,902 | 6,902 |
|                             |                    | S/T           | 0,680 | 0,740 | 0,810 | 0,870 | 0,570 | 0,620 | 0,690 | 0,750 | 0,520 | 0,570 | 0,630 | 0,690 | 0,390 | 0,450 | 0,500 | 0,550 |
|                             |                    | PI            | 1,251 | 1,251 | 1,251 | 1,251 | 1,244 | 1,244 | 1,244 | 1,244 | 1,244 | 1,244 | 1,244 | 1,244 | 1,244 | 1,244 | 1,244 | 1,244 |
|                             | 20                 | TC            | 5,843 | 5,835 | 5,835 | 5,835 | 6,193 | 6,193 | 6,193 | 6,193 | 6,385 | 6,385 | 6,385 | 6,385 | 6,844 | 6,844 | 6,844 | 6,844 |
|                             |                    | S/T           | 0,680 | 0,740 | 0,810 | 0,870 | 0,570 | 0,630 | 0,690 | 0,750 | 0,520 | 0,570 | 0,630 | 0,690 | 0,390 | 0,450 | 0,500 | 0,550 |
|                             |                    | PI            | 1,292 | 1,292 | 1,292 | 1,292 | 1,285 | 1,285 | 1,285 | 1,285 | 1,285 | 1,285 | 1,285 | 1,285 | 1,278 | 1,278 | 1,278 | 1,278 |
|                             | 25                 | TC            | 5,577 | 5,577 | 5,577 | 5,577 | 5,910 | 5,910 | 5,910 | 5,910 | 6,102 | 6,102 | 6,102 | 6,102 | 6,552 | 6,552 | 6,552 | 6,552 |
|                             |                    | S/T           | 0,680 | 0,750 | 0,820 | 0,880 | 0,570 | 0,630 | 0,690 | 0,760 | 0,510 | 0,570 | 0,630 | 0,700 | 0,390 | 0,440 | 0,500 | 0,560 |
|                             |                    | PI            | 1,423 | 1,423 | 1,423 | 1,423 | 1,423 | 1,423 | 1,423 | 1,423 | 1,423 | 1,423 | 1,423 | 1,423 | 1,423 | 1,423 | 1,423 | 1,423 |
|                             | 30                 | TC            | 5,310 | 5,310 | 5,310 | 5,360 | 5,643 | 5,643 | 5,643 | 5,643 | 5,810 | 5,810 | 5,810 | 5,810 | 6,268 | 6,268 | 6,268 | 6,268 |
|                             |                    | S/T           | 0,690 | 0,760 | 0,830 | 0,900 | 0,570 | 0,630 | 0,700 | 0,770 | 0,510 | 0,580 | 0,640 | 0,700 | 0,380 | 0,440 | 0,500 | 0,560 |
|                             |                    | PI            | 1,567 | 1,567 | 1,567 | 1,567 | 1,567 | 1,567 | 1,567 | 1,567 | 1,567 | 1,567 | 1,567 | 1,567 | 1,574 | 1,574 | 1,574 | 1,574 |
|                             | 35                 | TC            | 5,051 | 5,051 | 5,051 | 5,093 | 5,360 | 5,360 | 5,360 | 5,360 | 5,527 | 5,527 | 5,618 | 5,527 | 5,977 | 5,977 | 5,977 | 5,977 |
|                             |                    | S/T           | 0,700 | 0,770 | 0,840 | 0,910 | 0,570 | 0,640 | 0,710 | 0,780 | 0,510 | 0,580 | 0,640 | 0,710 | 0,380 | 0,440 | 0,500 | 0,560 |
|                             |                    | PI            | 1,705 | 1,705 | 1,705 | 1,705 | 1,711 | 1,711 | 1,711 | 1,711 | 1,718 | 1,718 | 1,718 | 1,718 | 1,725 | 1,725 | 1,725 | 1,725 |
|                             | 40                 | TC            | 4,760 | 4,760 | 4,760 | 4,810 | 5,060 | 5,060 | 5,060 | 5,060 | 5,226 | 5,226 | 5,285 | 5,226 | 5,652 | 5,652 | 5,652 | 5,652 |
|                             |                    | S/T           | 0,710 | 0,790 | 0,870 | 0,950 | 0,570 | 0,650 | 0,730 | 0,800 | 0,510 | 0,590 | 0,660 | 0,730 | 0,370 | 0,440 | 0,500 | 0,570 |
|                             |                    | PI            | 1,883 | 1,883 | 1,883 | 1,883 | 1,890 | 1,890 | 1,890 | 1,890 | 1,897 | 1,897 | 1,897 | 1,897 | 1,911 | 1,911 | 1,911 | 1,911 |
|                             | 46                 | TC            | 4,410 | 4,410 | 4,410 | 4,460 | 4,693 | 4,693 | 4,693 | 4,693 | 4,860 | 4,860 | 4,860 | 4,860 | 5,243 | 5,243 | 5,243 | 5,243 |
|                             |                    | S/T           | 0,720 | 0,800 | 0,880 | 0,960 | 0,580 | 0,660 | 0,730 | 0,810 | 0,510 | 0,590 | 0,670 | 0,740 | 0,370 | 0,440 | 0,510 | 0,580 |
|                             |                    | PI            | 2,096 | 2,096 | 2,096 | 2,096 | 2,103 | 2,103 | 2,103 | 2,103 | 2,110 | 2,110 | 2,110 | 2,110 | 2,131 | 2,131 | 2,131 | 2,131 |
|                             | 50                 | TC            | 4,118 | 4,118 | 4,168 | 4,218 | 4,410 | 4,410 | 4,410 | 4,410 | 4,576 | 4,576 | 4,576 | 4,576 | 4,960 | 4,960 | 4,960 | 4,960 |
|                             |                    | S/T           | 0,730 | 0,820 | 0,900 | 0,990 | 0,580 | 0,670 | 0,750 | 0,830 | 0,510 | 0,600 | 0,680 | 0,760 | 0,360 | 0,440 | 0,510 | 0,590 |
|                             |                    | PI            | 2,275 | 2,275 | 2,275 | 2,275 | 2,282 | 2,282 | 2,282 | 2,282 | 2,289 | 2,289 | 2,289 | 2,289 | 2,309 | 2,309 | 2,309 | 2,309 |
| Med                         | -15                | TC            | 6,252 | 6,252 | 6,252 | 6,302 | 6,569 | 6,569 | 6,569 | 6,569 | 6,744 | 6,744 | 6,744 | 6,744 | 7,152 | 7,152 | 7,152 | 7,152 |
|                             |                    | S/T           | 0,680 | 0,750 | 0,980 | 1,000 | 0,550 | 0,620 | 0,700 | 0,760 | 0,490 | 0,560 | 0,630 | 0,700 | 0,360 | 0,420 | 0,480 | 0,550 |
|                             |                    | PI            | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,210 | 1,210 | 1,210 | 1,210 | 1,210 | 1,210 | 1,210 | 1,210 |
|                             | -10                | TC            | 6,210 | 6,210 | 6,210 | 6,260 | 6,535 | 6,535 | 6,535 | 6,535 | 6,710 | 6,710 | 6,710 | 6,710 | 7,127 | 7,127 | 7,127 | 7,127 |
|                             |                    | S/T           | 0,680 | 0,760 | 0,990 | 1,000 | 0,550 | 0,620 | 0,700 | 0,770 | 0,490 | 0,560 | 0,630 | 0,700 | 0,360 | 0,430 | 0,490 | 0,550 |
|                             |                    | PI            | 1,210 | 1,210 | 1,210 | 1,210 | 1,210 | 1,210 | 1,210 | 1,210 | 1,203 | 1,203 | 1,203 | 1,203 | 1,210 | 1,210 | 1,210 | 1,210 |
|                             | -5                 | TC            | 6,177 | 6,177 | 6,177 | 6,227 | 6,510 | 6,510 | 6,510 | 6,510 | 6,685 | 6,685 | 6,685 | 6,685 | 7,110 | 7,110 | 7,110 | 7,110 |
|                             |                    | S/T           | 0,680 | 0,760 | 0,990 | 1,000 | 0,560 | 0,620 | 0,700 | 0,770 | 0,500 | 0,570 | 0,630 | 0,700 | 0,360 | 0,430 | 0,490 | 0,560 |
|                             |                    | PI            | 1,210 | 1,210 | 1,210 | 1,210 | 1,210 | 1,210 | 1,210 | 1,210 | 1,203 | 1,203 | 1,203 | 1,203 | 1,217 | 1,217 | 1,217 | 1,217 |
|                             | 0                  | TC            | 6,143 | 6,143 | 6,143 | 6,193 | 6,485 | 6,485 | 6,485 | 6,485 | 6,660 | 6,660 | 6,660 | 6,660 | 7,102 | 7,102 | 7,102 | 7,102 |
|                             |                    | S/T           | 0,690 | 0,760 | 1,000 | 1,000 | 0,560 | 0,630 | 0,710 | 0,770 | 0,500 | 0,570 | 0,640 | 0,710 | 0,360 | 0,430 | 0,490 | 0,560 |
|                             |                    | PI            | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,217 | 1,210 | 1,210 | 1,210 | 1,210 | 1,217 | 1,217 | 1,217 | 1,217 |
|                             | 5                  | TC            | 6,110 | 6,110 | 6,110 | 6,160 | 6,460 | 6,460 | 6,460 | 6,460 | 6,644 | 6,644 | 6,644 | 6,644 | 7,094 | 7,094 | 7,094 | 7,094 |
|                             |                    | S/T           | 0,690 | 0,770 | 1,000 | 1,000 | 0,560 | 0,630 | 0,710 | 0,780 | 0,500 | 0,570 | 0,640 | 0,710 | 0,360 | 0,430 | 0,490 | 0,560 |
|                             |                    | PI            | 1,223 | 1,223 | 1,223 | 1,223 | 1,223 | 1,223 | 1,223 | 1,223 | 1,223 | 1,223 | 1,223 | 1,223 | 1,230 | 1,230 | 1,230 | 1,230 |
|                             | 10                 | TC            | 6,077 | 6,077 | 6,077 | 6,127 | 6,427 | 6,427 | 6,427 | 6,427 | 6,610 | 6,610 | 6,610 | 6,610 | 7,077 | 7,077 | 7,077 | 7,077 |
|                             |                    | S/T           | 0,690 | 0,770 | 1,000 | 1,000 | 0,560 | 0,630 | 0,710 | 0,780 | 0,500 | 0,570 | 0,640 |       |       |       |       |       |

| INDOOR<br>AIRFLOW<br>(rate) | OUTDOOR<br>DB (°C) | ID WB<br>(°C)<br>ID DB<br>(°C) | 16.0  |       |       |       | 18.0  |       |       |       | 19.0  |       |       |       | 22.0  |       |       |       |
|-----------------------------|--------------------|--------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                             |                    |                                | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  | 23.0  | 25.0  | 27.0  | 30.0  |
| Max                         | -15                | TC                             | 6,402 | 6,402 | 6,477 | 6,552 | 6,719 | 6,719 | 6,719 | 6,719 | 6,885 | 6,885 | 6,885 | 6,885 | 7,327 | 7,327 | 7,327 | 7,327 |
|                             |                    | S/T                            | 0,700 | 0,790 | 1,000 | 1,000 | 0,560 | 0,650 | 0,720 | 0,980 | 0,500 | 0,580 | 0,660 | 0,730 | 0,350 | 0,420 | 0,490 | 0,570 |
|                             |                    | PI                             | 1,237 | 1,237 | 1,237 | 1,237 | 1,237 | 1,237 | 1,237 | 1,237 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 |
|                             | -10                | TC                             | 6,360 | 6,360 | 6,435 | 6,510 | 6,685 | 6,685 | 6,685 | 6,685 | 6,852 | 6,852 | 6,852 | 6,852 | 7,302 | 7,302 | 7,302 | 7,302 |
|                             |                    | S/T                            | 0,710 | 0,800 | 1,000 | 1,000 | 0,560 | 0,650 | 0,730 | 0,980 | 0,500 | 0,580 | 0,660 | 0,740 | 0,350 | 0,430 | 0,490 | 0,570 |
|                             |                    | PI                             | 1,230 | 1,230 | 1,230 | 1,230 | 1,237 | 1,237 | 1,237 | 1,237 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 |
|                             | -5                 | TC                             | 6,327 | 6,327 | 6,402 | 6,477 | 6,660 | 6,660 | 6,660 | 6,660 | 6,827 | 6,827 | 6,827 | 6,827 | 7,277 | 7,277 | 7,277 | 7,277 |
|                             |                    | S/T                            | 0,710 | 0,800 | 1,000 | 1,000 | 0,570 | 0,650 | 0,730 | 0,990 | 0,510 | 0,590 | 0,660 | 0,740 | 0,350 | 0,430 | 0,500 | 0,580 |
|                             |                    | PI                             | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 | 1,230 |
|                             | 0                  | TC                             | 6,293 | 6,293 | 6,368 | 6,443 | 6,635 | 6,635 | 6,635 | 6,635 | 6,810 | 6,810 | 6,810 | 6,810 | 7,277 | 7,277 | 7,277 | 7,277 |
|                             |                    | S/T                            | 0,720 | 0,800 | 1,000 | 1,000 | 0,570 | 0,660 | 0,740 | 0,990 | 0,510 | 0,590 | 0,670 | 0,740 | 0,350 | 0,430 | 0,500 | 0,580 |
|                             |                    | PI                             | 1,230 | 1,230 | 1,230 | 1,230 | 1,237 | 1,237 | 1,237 | 1,237 | 1,237 | 1,237 | 1,237 | 1,237 | 1,237 | 1,237 | 1,237 | 1,237 |
|                             | 5                  | TC                             | 6,260 | 6,260 | 6,335 | 6,410 | 6,610 | 6,610 | 6,610 | 6,610 | 6,785 | 6,785 | 6,785 | 6,785 | 7,269 | 7,269 | 7,269 | 7,269 |
|                             |                    | S/T                            | 0,720 | 0,810 | 1,000 | 1,000 | 0,570 | 0,660 | 0,740 | 1,000 | 0,510 | 0,590 | 0,670 | 0,750 | 0,350 | 0,430 | 0,500 | 0,580 |
|                             |                    | PI                             | 1,244 | 1,244 | 1,244 | 1,244 | 1,251 | 1,251 | 1,251 | 1,251 | 1,244 | 1,244 | 1,244 | 1,244 | 1,244 | 1,244 | 1,244 | 1,244 |
|                             | 10                 | TC                             | 6,227 | 6,227 | 6,293 | 6,368 | 6,577 | 6,577 | 6,577 | 6,577 | 6,760 | 6,760 | 6,760 | 6,760 | 7,252 | 7,252 | 7,252 | 7,252 |
|                             |                    | S/T                            | 0,720 | 0,810 | 1,000 | 1,000 | 0,570 | 0,660 | 0,740 | 1,000 | 0,510 | 0,590 | 0,670 | 0,750 | 0,360 | 0,440 | 0,500 | 0,580 |
|                             |                    | PI                             | 1,265 | 1,265 | 1,265 | 1,265 | 1,265 | 1,265 | 1,265 | 1,265 | 1,265 | 1,265 | 1,265 | 1,265 | 1,265 | 1,265 | 1,265 | 1,265 |
|                             | 15                 | TC                             | 6,168 | 6,168 | 6,243 | 6,318 | 6,527 | 6,527 | 6,527 | 6,527 | 6,719 | 6,719 | 6,719 | 6,719 | 7,219 | 7,219 | 7,219 | 7,219 |
|                             |                    | S/T                            | 0,730 | 0,820 | 0,900 | 0,990 | 0,580 | 0,670 | 0,750 | 0,840 | 0,520 | 0,600 | 0,680 | 0,760 | 0,360 | 0,440 | 0,510 | 0,590 |
|                             |                    | PI                             | 1,299 | 1,299 | 1,299 | 1,299 | 1,299 | 1,299 | 1,299 | 1,299 | 1,292 | 1,292 | 1,292 | 1,292 | 1,292 | 1,292 | 1,292 | 1,292 |
|                             | 20                 | TC                             | 6,102 | 6,102 | 6,177 | 6,243 | 6,460 | 6,460 | 6,460 | 6,460 | 6,652 | 6,652 | 6,652 | 6,652 | 7,152 | 7,152 | 7,152 | 7,152 |
|                             |                    | S/T                            | 0,730 | 0,820 | 0,900 | 0,990 | 0,580 | 0,670 | 0,750 | 0,840 | 0,520 | 0,600 | 0,680 | 0,760 | 0,360 | 0,440 | 0,510 | 0,590 |
|                             |                    | PI                             | 1,340 | 1,340 | 1,340 | 1,340 | 1,340 | 1,340 | 1,340 | 1,340 | 1,333 | 1,333 | 1,333 | 1,333 | 1,327 | 1,327 | 1,327 | 1,327 |
|                             | 25                 | TC                             | 5,818 | 5,818 | 5,860 | 5,910 | 6,177 | 6,177 | 6,177 | 6,177 | 6,368 | 6,368 | 6,368 | 6,368 | 6,844 | 6,844 | 6,844 | 6,844 |
|                             |                    | S/T                            | 0,740 | 0,830 | 0,920 | 1,000 | 0,590 | 0,680 | 0,760 | 0,850 | 0,520 | 0,600 | 0,690 | 0,780 | 0,360 | 0,440 | 0,520 | 0,600 |
|                             |                    | PI                             | 1,485 | 1,485 | 1,485 | 1,485 | 1,485 | 1,485 | 1,485 | 1,485 | 1,485 | 1,485 | 1,485 | 1,485 | 1,485 | 1,485 | 1,485 | 1,485 |
|                             | 30                 | TC                             | 5,527 | 5,527 | 5,577 | 5,627 | 5,885 | 5,885 | 5,885 | 5,885 | 6,077 | 6,077 | 6,077 | 6,077 | 6,535 | 6,535 | 6,535 | 6,535 |
|                             |                    | S/T                            | 0,750 | 0,850 | 0,940 | 1,000 | 0,590 | 0,680 | 0,780 | 0,870 | 0,520 | 0,610 | 0,700 | 0,790 | 0,350 | 0,440 | 0,520 | 0,600 |
|                             |                    | PI                             | 1,622 | 1,622 | 1,622 | 1,622 | 1,622 | 1,622 | 1,622 | 1,622 | 1,622 | 1,622 | 1,622 | 1,622 | 1,629 | 1,629 | 1,629 | 1,629 |
|                             | 35                 | TC                             | 5,268 | 5,268 | 5,310 | 5,360 | 5,602 | 5,602 | 5,602 | 5,652 | 5,768 | 5,768 | 5,860 | 5,768 | 6,218 | 6,218 | 6,218 | 6,218 |
|                             |                    | S/T                            | 0,760 | 0,860 | 0,960 | 1,000 | 0,600 | 0,700 | 0,790 | 0,890 | 0,520 | 0,620 | 0,710 | 0,810 | 0,350 | 0,440 | 0,530 | 0,610 |
|                             |                    | PI                             | 1,773 | 1,773 | 1,773 | 1,773 | 1,780 | 1,780 | 1,780 | 1,780 | 1,787 | 1,787 | 1,787 | 1,787 | 1,794 | 1,794 | 1,794 | 1,794 |
|                             | 40                 | TC                             | 4,968 | 4,993 | 5,035 | 5,085 | 5,293 | 5,293 | 5,293 | 5,343 | 5,452 | 5,452 | 5,502 | 5,452 | 5,893 | 5,893 | 5,893 | 5,893 |
|                             |                    | S/T                            | 0,790 | 0,900 | 1,000 | 1,000 | 0,610 | 0,720 | 0,830 | 0,930 | 0,530 | 0,630 | 0,740 | 0,840 | 0,340 | 0,440 | 0,540 | 0,900 |
|                             |                    | PI                             | 1,959 | 1,959 | 1,959 | 1,959 | 1,966 | 1,966 | 1,966 | 1,966 | 1,973 | 1,973 | 1,973 | 1,973 | 1,986 | 1,986 | 1,986 | 1,986 |
|                             | 46                 | TC                             | 4,601 | 4,651 | 4,701 | 4,743 | 4,910 | 4,910 | 4,910 | 4,960 | 5,060 | 5,060 | 5,060 | 5,060 | 5,485 | 5,485 | 5,485 | 5,485 |
|                             |                    | S/T                            | 0,800 | 0,910 | 1,000 | 1,000 | 0,620 | 0,730 | 0,840 | 0,950 | 0,530 | 0,640 | 0,750 | 0,860 | 0,340 | 0,440 | 0,540 | 0,920 |
|                             |                    | PI                             | 2,179 | 2,179 | 2,179 | 2,179 | 2,186 | 2,186 | 2,186 | 2,186 | 2,193 | 2,193 | 2,193 | 2,193 | 2,213 | 2,213 | 2,213 | 2,213 |
|                             | 50                 | TC                             | 4,318 | 4,360 | 4,410 | 4,460 | 4,601 | 4,601 | 4,601 | 4,651 | 4,768 | 4,768 | 4,768 | 4,768 | 5,151 | 5,151 | 5,151 | 5,151 |
|                             |                    | S/T                            | 0,820 | 0,940 | 1,000 | 1,000 | 0,630 | 0,750 | 0,870 | 0,980 | 0,540 | 0,650 | 0,770 | 0,880 | 0,340 | 0,440 | 0,550 | 0,970 |
|                             |                    | PI                             | 2,364 | 2,364 | 2,364 | 2,364 | 2,371 | 2,371 | 2,371 | 2,371 | 2,378 | 2,378 | 2,378 | 2,378 | 2,392 | 2,392 | 2,392 | 2,392 |

**OUTDOOR DB:** Outdoor air temperature (Dry bulb)

**ID WB:** Indoor air temperature (Wet bulb)

**ID DB:** Indoor air temperature (Dry bulb)

**TC:** Total Cooling Capacity (kW)

**S/T:** Sensible Cooling Capacity Ratio

**PI:** Power Input(kW)

**Note:** The table shows the case where the operation frequency of a compressor is fixed.

## GIADA S 9

| INDOOR<br>AIRFLOW<br>(rate) | HEATING PERFORMANCE AT INDOOR DRY BULB TEMPERATURE |                                     |       |       |       |                                  |       |       |       |
|-----------------------------|----------------------------------------------------|-------------------------------------|-------|-------|-------|----------------------------------|-------|-------|-------|
|                             | OUTDOOR<br>DB (°C)                                 | TC:TOTAL CAPACITY IN KILOWATTS (KW) |       |       |       | PI:TOTAL POWER IN KILOWATTS (KW) |       |       |       |
|                             |                                                    | Indoor Conditions (DB °C )          |       |       |       | Indoor Conditions (DB °C )       |       |       |       |
|                             |                                                    | 16.0                                | 20.0  | 22.0  | 24.0  | 16.0                             | 20.0  | 22.0  | 24.0  |
| Min                         | -20                                                | 2,080                               | 2,060 | 2,060 | 2,030 | 0,742                            | 0,770 | 0,761 | 0,770 |
|                             | -15                                                | 2,250                               | 2,230 | 2,230 | 2,200 | 0,817                            | 0,844 | 0,826 | 0,835 |
|                             | -10                                                | 2,410                               | 2,380 | 2,380 | 2,350 | 0,863                            | 0,900 | 0,881 | 0,891 |
|                             | -7                                                 | 2,520                               | 2,490 | 2,490 | 2,460 | 0,919                            | 0,956 | 0,937 | 0,946 |
|                             | -5,6                                               | 2,520                               | 2,490 | 2,490 | 2,460 | 0,900                            | 0,909 | 0,919 | 0,919 |
|                             | -2,8                                               | 2,520                               | 2,490 | 2,490 | 2,460 | 0,854                            | 0,863 | 0,872 | 0,872 |
|                             | 0                                                  | 2,490                               | 2,460 | 2,460 | 2,430 | 0,817                            | 0,826 | 0,826 | 0,826 |
|                             | 2,8                                                | 2,580                               | 2,520 | 2,520 | 2,490 | 0,779                            | 0,789 | 0,789 | 0,789 |
|                             | 5,6                                                | 2,720                               | 2,660 | 2,660 | 2,640 | 0,752                            | 0,752 | 0,752 | 0,752 |
|                             | 7                                                  | 2,910                               | 2,840 | 2,810 | 2,790 | 0,733                            | 0,714 | 0,733 | 0,733 |
|                             | 11,1                                               | 2,960                               | 2,900 | 2,900 | 2,870 | 0,677                            | 0,677 | 0,677 | 0,677 |
|                             | 13,9                                               | 3,020                               | 2,960 | 2,960 | 2,930 | 0,640                            | 0,631 | 0,631 | 0,631 |
|                             | 16,7                                               | 3,080                               | 3,020 | 3,020 | 2,990 | 0,603                            | 0,594 | 0,594 | 0,594 |
|                             | 18                                                 | 3,100                               | 3,050 | 3,050 | 3,020 | 0,585                            | 0,575 | 0,575 | 0,566 |
| Med                         | -20                                                | 2,130                               | 2,100 | 2,100 | 2,080 | 0,761                            | 0,779 | 0,770 | 0,770 |
|                             | -15                                                | 2,300                               | 2,280 | 2,280 | 2,250 | 0,826                            | 0,854 | 0,835 | 0,844 |
|                             | -10                                                | 2,460                               | 2,430 | 2,430 | 2,400 | 0,881                            | 0,909 | 0,891 | 0,900 |
|                             | -7                                                 | 2,580                               | 2,550 | 2,550 | 2,520 | 0,937                            | 0,974 | 0,946 | 0,956 |
|                             | -5,6                                               | 2,580                               | 2,550 | 2,550 | 2,520 | 0,909                            | 0,919 | 0,928 | 0,928 |
|                             | -2,8                                               | 2,580                               | 2,550 | 2,550 | 2,520 | 0,872                            | 0,872 | 0,881 | 0,881 |
|                             | 0                                                  | 2,550                               | 2,520 | 2,520 | 2,490 | 0,826                            | 0,835 | 0,835 | 0,835 |
|                             | 2,8                                                | 2,610                               | 2,580 | 2,580 | 2,550 | 0,789                            | 0,798 | 0,798 | 0,798 |
|                             | 5,6                                                | 2,780                               | 2,720 | 2,720 | 2,690 | 0,761                            | 0,761 | 0,761 | 0,761 |
|                             | 7                                                  | 2,960                               | 2,900 | 2,870 | 2,840 | 0,742                            | 0,724 | 0,742 | 0,742 |
|                             | 11,1                                               | 3,020                               | 2,960 | 2,960 | 2,930 | 0,687                            | 0,687 | 0,677 | 0,677 |
|                             | 13,9                                               | 3,080                               | 3,020 | 3,020 | 2,990 | 0,649                            | 0,640 | 0,640 | 0,640 |
|                             | 16,7                                               | 3,130                               | 3,080 | 3,080 | 3,050 | 0,603                            | 0,603 | 0,603 | 0,594 |
|                             | 18                                                 | 3,160                               | 3,100 | 3,100 | 3,080 | 0,585                            | 0,585 | 0,575 | 0,575 |
| Max                         | -20                                                | 2,150                               | 2,130 | 2,130 | 2,110 | 0,761                            | 0,789 | 0,770 | 0,779 |
|                             | -15                                                | 2,330                               | 2,300 | 2,300 | 2,280 | 0,826                            | 0,863 | 0,844 | 0,854 |
|                             | -10                                                | 2,490                               | 2,460 | 2,460 | 2,430 | 0,881                            | 0,919 | 0,900 | 0,909 |
|                             | -7                                                 | 2,610                               | 2,580 | 2,580 | 2,550 | 0,937                            | 0,974 | 0,956 | 0,965 |
|                             | -5,6                                               | 2,610                               | 2,580 | 2,580 | 2,550 | 0,919                            | 0,928 | 0,937 | 0,937 |
|                             | -2,8                                               | 2,610                               | 2,580 | 2,580 | 2,550 | 0,872                            | 0,881 | 0,891 | 0,891 |
|                             | 0                                                  | 2,580                               | 2,550 | 2,550 | 2,520 | 0,835                            | 0,844 | 0,844 | 0,844 |
|                             | 2,8                                                | 2,640                               | 2,610 | 2,610 | 2,580 | 0,798                            | 0,807 | 0,807 | 0,807 |
|                             | 5,6                                                | 2,810                               | 2,750 | 2,750 | 2,720 | 0,770                            | 0,770 | 0,770 | 0,770 |
|                             | 7                                                  | 2,990                               | 2,930 | 2,900 | 2,870 | 0,752                            | 0,733 | 0,752 | 0,752 |
|                             | 11,1                                               | 3,050                               | 2,990 | 2,990 | 2,960 | 0,696                            | 0,696 | 0,696 | 0,696 |
|                             | 13,9                                               | 3,100                               | 3,050 | 3,050 | 3,020 | 0,659                            | 0,649 | 0,649 | 0,649 |
|                             | 16,7                                               | 3,160                               | 3,100 | 3,100 | 3,080 | 0,622                            | 0,612 | 0,612 | 0,612 |
|                             | 18                                                 | 3,190                               | 3,130 | 3,130 | 3,100 | 0,603                            | 0,594 | 0,594 | 0,594 |

OUTDOOR DB: Outdoor air temperature (Dry bulb)

Note: The table shows the case where the operation frequency of a compressor is fixed.

## GIADA S 12

| INDOOR<br>AIRFLOW<br>(rate) | HEATING PERFORMANCE AT INDOOR DRY BULB TEMPERATURE |                                     |       |       |       |                                  |       |       |       |
|-----------------------------|----------------------------------------------------|-------------------------------------|-------|-------|-------|----------------------------------|-------|-------|-------|
|                             | OUTDOOR<br>DB (°C)                                 | TC:TOTAL CAPACITY IN KILOWATTS (KW) |       |       |       | PI:TOTAL POWER IN KILOWATTS (KW) |       |       |       |
|                             |                                                    | Indoor Conditions (DB °C )          |       |       |       | Indoor Conditions (DB °C )       |       |       |       |
|                             |                                                    | 16.0                                | 20.0  | 22.0  | 24.0  | 16.0                             | 20.0  | 22.0  | 24.0  |
| Min                         | -20                                                | 1,902                               | 1,883 | 1,855 | 1,855 | 0,636                            | 0,654 | 0,671 | 0,680 |
|                             | -15                                                | 2,052                               | 2,033 | 2,015 | 2,015 | 0,698                            | 0,716 | 0,733 | 0,742 |
|                             | -10                                                | 2,193                               | 2,174 | 2,146 | 2,146 | 0,742                            | 0,769 | 0,786 | 0,786 |
|                             | -7                                                 | 2,296                               | 2,277 | 2,249 | 2,249 | 0,786                            | 0,813 | 0,830 | 0,839 |
|                             | -5,6                                               | 2,436                               | 2,408 | 2,380 | 2,380 | 0,795                            | 0,822 | 0,839 | 0,848 |
|                             | -2,8                                               | 2,577                               | 2,549 | 2,521 | 2,492 | 0,813                            | 0,839 | 0,857 | 0,866 |
|                             | 0                                                  | 2,652                               | 2,624 | 2,596 | 2,596 | 0,830                            | 0,857 | 0,875 | 0,883 |
|                             | 2,8                                                | 2,867                               | 2,820 | 2,792 | 2,792 | 0,857                            | 0,883 | 0,901 | 0,910 |
|                             | 5,6                                                | 3,167                               | 3,111 | 3,083 | 3,083 | 0,883                            | 0,910 | 0,928 | 0,936 |
|                             | 7                                                  | 3,523                               | 3,458 | 3,354 | 3,326 | 0,892                            | 0,945 | 0,945 | 0,954 |
|                             | 11,1                                               | 3,711                               | 3,682 | 3,654 | 3,626 | 0,928                            | 0,954 | 0,972 | 0,990 |
|                             | 13,9                                               | 3,926                               | 3,870 | 3,842 | 3,814 | 0,945                            | 0,981 | 0,998 | 1,016 |
|                             | 16,7                                               | 4,113                               | 4,057 | 4,029 | 4,010 | 0,963                            | 0,998 | 1,016 | 1,034 |
|                             | 18                                                 | 4,226                               | 4,170 | 4,113 | 4,085 | 0,981                            | 1,016 | 1,034 | 1,051 |
| Med                         | -20                                                | 1,940                               | 1,921 | 1,902 | 1,902 | 0,645                            | 0,663 | 0,680 | 0,689 |
|                             | -15                                                | 2,099                               | 2,080 | 2,052 | 2,052 | 0,707                            | 0,724 | 0,742 | 0,751 |
|                             | -10                                                | 2,239                               | 2,221 | 2,193 | 2,193 | 0,751                            | 0,777 | 0,786 | 0,795 |
|                             | -7                                                 | 2,352                               | 2,324 | 2,296 | 2,296 | 0,795                            | 0,822 | 0,839 | 0,848 |
|                             | -5,6                                               | 2,492                               | 2,464 | 2,436 | 2,436 | 0,804                            | 0,830 | 0,848 | 0,857 |
|                             | -2,8                                               | 2,624                               | 2,596 | 2,577 | 2,549 | 0,822                            | 0,848 | 0,866 | 0,875 |
|                             | 0                                                  | 2,736                               | 2,680 | 2,652 | 2,652 | 0,839                            | 0,866 | 0,883 | 0,892 |
|                             | 2,8                                                | 2,923                               | 2,895 | 2,867 | 2,839 | 0,857                            | 0,892 | 0,910 | 0,919 |
|                             | 5,6                                                | 3,223                               | 3,195 | 3,167 | 3,139 | 0,883                            | 0,919 | 0,936 | 0,945 |
|                             | 7                                                  | 3,570                               | 3,542 | 3,429 | 3,411 | 0,901                            | 0,954 | 0,945 | 0,963 |
|                             | 11,1                                               | 3,814                               | 3,757 | 3,729 | 3,711 | 0,936                            | 0,963 | 0,981 | 0,998 |
|                             | 13,9                                               | 4,010                               | 3,954 | 3,926 | 3,898 | 0,954                            | 0,990 | 1,007 | 1,016 |
|                             | 16,7                                               | 4,226                               | 4,170 | 4,142 | 4,113 | 0,972                            | 1,007 | 1,025 | 1,043 |
|                             | 18                                                 | 4,310                               | 4,254 | 4,226 | 4,198 | 0,981                            | 1,016 | 1,034 | 1,051 |
| Max                         | -20                                                | 1,968                               | 1,949 | 1,921 | 1,921 | 0,654                            | 0,671 | 0,689 | 0,689 |
|                             | -15                                                | 2,127                               | 2,108 | 2,080 | 2,080 | 0,707                            | 0,733 | 0,751 | 0,760 |
|                             | -10                                                | 2,277                               | 2,249 | 2,221 | 2,221 | 0,760                            | 0,786 | 0,795 | 0,804 |
|                             | -7                                                 | 2,380                               | 2,352 | 2,333 | 2,333 | 0,804                            | 0,830 | 0,848 | 0,857 |
|                             | -5,6                                               | 2,521                               | 2,492 | 2,464 | 2,464 | 0,813                            | 0,839 | 0,857 | 0,866 |
|                             | -2,8                                               | 2,652                               | 2,624 | 2,596 | 2,596 | 0,830                            | 0,857 | 0,875 | 0,883 |
|                             | 0                                                  | 2,764                               | 2,708 | 2,708 | 2,680 | 0,848                            | 0,875 | 0,892 | 0,901 |
|                             | 2,8                                                | 2,952                               | 2,923 | 2,895 | 2,867 | 0,875                            | 0,901 | 0,919 | 0,928 |
|                             | 5,6                                                | 3,251                               | 3,223 | 3,195 | 3,167 | 0,892                            | 0,928 | 0,945 | 0,963 |
|                             | 7                                                  | 3,598                               | 3,570 | 3,458 | 3,429 | 0,910                            | 0,963 | 0,963 | 0,972 |
|                             | 11,1                                               | 3,842                               | 3,786 | 3,757 | 3,729 | 0,945                            | 0,972 | 0,990 | 1,007 |
|                             | 13,9                                               | 4,029                               | 3,982 | 3,954 | 3,926 | 0,963                            | 0,998 | 1,016 | 1,034 |
|                             | 16,7                                               | 4,254                               | 4,198 | 4,170 | 4,113 | 0,981                            | 1,016 | 1,034 | 1,051 |
|                             | 18                                                 | 4,329                               | 4,282 | 4,254 | 4,226 | 0,998                            | 1,034 | 1,051 | 1,069 |

OUTDOOR DB: Outdoor air temperature (Dry bulb)

Note: The table shows the case where the operation frequency of a compressor is fixed.

## GIADA S 18

| INDOOR<br>AIRFLOW<br>(rate) | HEATING PERFORMANCE AT INDOOR DRY BULB TEMPERATURE |                                     |       |       |       |                                  |       |       |       |
|-----------------------------|----------------------------------------------------|-------------------------------------|-------|-------|-------|----------------------------------|-------|-------|-------|
|                             | OUTDOOR<br>DB (°C)                                 | TC:TOTAL CAPACITY IN KILOWATTS (KW) |       |       |       | PI:TOTAL POWER IN KILOWATTS (KW) |       |       |       |
|                             |                                                    | Indoor Conditions (DB °C )          |       |       |       | Indoor Conditions (DB °C )       |       |       |       |
|                             |                                                    | 16.0                                | 20.0  | 22.0  | 24.0  | 16.0                             | 20.0  | 22.0  | 24.0  |
| Min                         | -20                                                | 2,953                               | 2,918 | 2,891 | 2,873 | 1,042                            | 1,075 | 1,075 | 1,091 |
|                             | -15                                                | 3,194                               | 3,150 | 3,132 | 3,105 | 1,141                            | 1,182 | 1,182 | 1,191 |
|                             | -10                                                | 3,417                               | 3,364 | 3,346 | 3,319 | 1,215                            | 1,257 | 1,257 | 1,273 |
|                             | -7                                                 | 3,578                               | 3,525 | 3,498 | 3,480 | 1,298                            | 1,339 | 1,339 | 1,356 |
|                             | -5,6                                               | 3,712                               | 3,658 | 3,632 | 3,605 | 1,290                            | 1,315 | 1,331 | 1,339 |
|                             | -2,8                                               | 3,810                               | 3,783 | 3,756 | 3,739 | 1,265                            | 1,298 | 1,315 | 1,323 |
|                             | 0                                                  | 3,890                               | 3,864 | 3,837 | 3,810 | 1,248                            | 1,281 | 1,290 | 1,306 |
|                             | 2,8                                                | 4,122                               | 4,069 | 4,042 | 4,015 | 1,248                            | 1,273 | 1,290 | 1,298 |
|                             | 5,6                                                | 4,488                               | 4,435 | 4,408 | 4,381 | 1,240                            | 1,273 | 1,281 | 1,298 |
|                             | 7                                                  | 4,872                               | 4,809 | 4,684 | 4,658 | 1,240                            | 1,265 | 1,273 | 1,290 |
|                             | 11,1                                               | 5,122                               | 5,050 | 5,024 | 4,970 | 1,224                            | 1,248 | 1,257 | 1,273 |
|                             | 13,9                                               | 5,327                               | 5,256 | 5,229 | 5,202 | 1,207                            | 1,232 | 1,248 | 1,265 |
|                             | 16,7                                               | 5,568                               | 5,488 | 5,434 | 5,407 | 1,199                            | 1,224 | 1,240 | 1,248 |
|                             | 18                                                 | 5,666                               | 5,586 | 5,541 | 5,514 | 1,199                            | 1,224 | 1,232 | 1,240 |
| Med                         | -20                                                | 3,016                               | 2,971 | 2,953 | 2,936 | 1,058                            | 1,091 | 1,091 | 1,108 |
|                             | -15                                                | 3,266                               | 3,221 | 3,194 | 3,177 | 1,157                            | 1,191 | 1,191 | 1,207 |
|                             | -10                                                | 3,489                               | 3,435 | 3,409 | 3,391 | 1,232                            | 1,273 | 1,273 | 1,290 |
|                             | -7                                                 | 3,649                               | 3,605 | 3,578 | 3,551 | 1,315                            | 1,348 | 1,356 | 1,372 |
|                             | -5,6                                               | 3,783                               | 3,739 | 3,712 | 3,685 | 1,298                            | 1,331 | 1,339 | 1,356 |
|                             | -2,8                                               | 3,917                               | 3,864 | 3,837 | 3,810 | 1,281                            | 1,315 | 1,323 | 1,339 |
|                             | 0                                                  | 3,997                               | 3,944 | 3,917 | 3,890 | 1,265                            | 1,298 | 1,306 | 1,323 |
|                             | 2,8                                                | 4,203                               | 4,149 | 4,122 | 4,096 | 1,265                            | 1,290 | 1,306 | 1,315 |
|                             | 5,6                                                | 4,586                               | 4,542 | 4,488 | 4,461 | 1,257                            | 1,290 | 1,298 | 1,315 |
|                             | 7                                                  | 4,970                               | 4,916 | 4,792 | 4,765 | 1,248                            | 1,281 | 1,290 | 1,306 |
|                             | 11,1                                               | 5,229                               | 5,148 | 5,122 | 5,095 | 1,240                            | 1,265 | 1,273 | 1,290 |
|                             | 13,9                                               | 5,461                               | 5,380 | 5,327 | 5,309 | 1,232                            | 1,257 | 1,265 | 1,281 |
|                             | 16,7                                               | 5,666                               | 5,586 | 5,568 | 5,514 | 1,215                            | 1,240 | 1,257 | 1,265 |
|                             | 18                                                 | 5,800                               | 5,720 | 5,666 | 5,612 | 1,215                            | 1,240 | 1,248 | 1,265 |
| Max                         | -20                                                | 3,043                               | 2,998 | 2,980 | 2,980 | 1,067                            | 1,100 | 1,100 | 1,108 |
|                             | -15                                                | 3,293                               | 3,248 | 3,221 | 3,221 | 1,166                            | 1,199 | 1,199 | 1,215 |
|                             | -10                                                | 3,516                               | 3,462 | 3,444 | 3,444 | 1,240                            | 1,281 | 1,281 | 1,298 |
|                             | -7                                                 | 3,685                               | 3,632 | 3,605 | 3,605 | 1,323                            | 1,364 | 1,364 | 1,381 |
|                             | -5,6                                               | 3,810                               | 3,756 | 3,739 | 3,739 | 1,306                            | 1,339 | 1,356 | 1,372 |
|                             | -2,8                                               | 3,944                               | 3,890 | 3,864 | 3,837 | 1,298                            | 1,323 | 1,339 | 1,356 |
|                             | 0                                                  | 4,015                               | 3,971 | 3,944 | 3,917 | 1,281                            | 1,306 | 1,323 | 1,339 |
|                             | 2,8                                                | 4,256                               | 4,203 | 4,176 | 4,149 | 1,273                            | 1,306 | 1,315 | 1,331 |
|                             | 5,6                                                | 4,640                               | 4,568 | 4,542 | 4,515 | 1,273                            | 1,298 | 1,315 | 1,331 |
|                             | 7                                                  | 5,050                               | 4,970 | 4,836 | 4,809 | 1,265                            | 1,298 | 1,306 | 1,323 |
|                             | 11,1                                               | 5,282                               | 5,202 | 5,175 | 5,148 | 1,257                            | 1,281 | 1,298 | 1,306 |
|                             | 13,9                                               | 5,514                               | 5,434 | 5,407 | 5,354 | 1,248                            | 1,273 | 1,281 | 1,298 |
|                             | 16,7                                               | 5,746                               | 5,666 | 5,612 | 5,586 | 1,232                            | 1,265 | 1,273 | 1,290 |
|                             | 18                                                 | 5,844                               | 5,773 | 5,720 | 5,693 | 1,232                            | 1,257 | 1,273 | 1,281 |

OUTDOOR DB: Outdoor air temperature (Dry bulb)

Note: The table shows the case where the operation frequency of a compressor is fixed.

## GIADA S 24

| INDOOR<br>AIRFLOW<br>(rate) | HEATING PERFORMANCE AT INDOOR DRY BULB TEMPERATURE |                                     |       |       |       |                                  |       |       |       |
|-----------------------------|----------------------------------------------------|-------------------------------------|-------|-------|-------|----------------------------------|-------|-------|-------|
|                             | OUTDOOR<br>DB (°C)                                 | TC:TOTAL CAPACITY IN KILOWATTS (KW) |       |       |       | PI:TOTAL POWER IN KILOWATTS (KW) |       |       |       |
|                             |                                                    | Indoor Conditions (DB °C )          |       |       |       | Indoor Conditions (DB °C )       |       |       |       |
|                             |                                                    | 16.0                                | 20.0  | 22.0  | 24.0  | 16.0                             | 20.0  | 22.0  | 24.0  |
| Min                         | -20                                                | 4,003                               | 3,962 | 3,945 | 3,921 | 1,508                            | 1,561 | 1,541 | 1,554 |
|                             | -15                                                | 4,330                               | 4,289 | 4,265 | 4,248 | 1,648                            | 1,702 | 1,688 | 1,695 |
|                             | -10                                                | 4,625                               | 4,576 | 4,559 | 4,535 | 1,755                            | 1,816 | 1,802 | 1,809 |
|                             | -7                                                 | 4,846                               | 4,797 | 4,772 | 4,748 | 1,863                            | 1,930 | 1,910 | 1,923 |
|                             | -5,6                                               | 4,911                               | 4,870 | 4,846 | 4,821 | 1,829                            | 1,856 | 1,869 | 1,883 |
|                             | -2,8                                               | 4,985                               | 4,911 | 4,895 | 4,870 | 1,762                            | 1,789 | 1,802 | 1,816 |
|                             | 0                                                  | 4,985                               | 4,911 | 4,895 | 4,846 | 1,709                            | 1,729 | 1,742 | 1,749 |
|                             | 2,8                                                | 5,157                               | 5,083 | 5,059 | 5,010 | 1,662                            | 1,682 | 1,688 | 1,695 |
|                             | 5,6                                                | 5,509                               | 5,435 | 5,394 | 5,370 | 1,615                            | 1,628 | 1,635 | 1,642 |
|                             | 7                                                  | 5,885                               | 5,812 | 5,714 | 5,664 | 1,588                            | 1,581 | 1,615 | 1,621 |
|                             | 11,1                                               | 6,090                               | 6,000 | 5,951 | 5,926 | 1,508                            | 1,521 | 1,528 | 1,528 |
|                             | 13,9                                               | 6,262                               | 6,164 | 6,139 | 6,090 | 1,454                            | 1,461 | 1,467 | 1,467 |
| Med                         | 16,7                                               | 6,450                               | 6,352 | 6,303 | 6,262 | 1,394                            | 1,400 | 1,407 | 1,407 |
|                             | 18                                                 | 6,516                               | 6,426 | 6,377 | 6,327 | 1,367                            | 1,374 | 1,374 | 1,380 |
|                             | -20                                                | 4,076                               | 4,035 | 4,019 | 4,003 | 1,528                            | 1,575 | 1,561 | 1,568 |
|                             | -15                                                | 4,412                               | 4,371 | 4,347 | 4,330 | 1,668                            | 1,722 | 1,702 | 1,715 |
|                             | -10                                                | 4,715                               | 4,666 | 4,641 | 4,625 | 1,782                            | 1,836 | 1,816 | 1,829 |
|                             | -7                                                 | 4,936                               | 4,887 | 4,862 | 4,846 | 1,889                            | 1,950 | 1,930 | 1,943 |
|                             | -5,6                                               | 5,010                               | 4,960 | 4,936 | 4,911 | 1,849                            | 1,876 | 1,889 | 1,903 |
|                             | -2,8                                               | 5,083                               | 5,010 | 4,985 | 4,960 | 1,782                            | 1,809 | 1,822 | 1,829 |
|                             | 0                                                  | 5,083                               | 5,010 | 4,985 | 4,960 | 1,722                            | 1,749 | 1,755 | 1,762 |
|                             | 2,8                                                | 5,247                               | 5,198 | 5,157 | 5,132 | 1,675                            | 1,695 | 1,702 | 1,715 |
|                             | 5,6                                                | 5,632                               | 5,558 | 5,509 | 5,460 | 1,628                            | 1,642 | 1,648 | 1,662 |
|                             | 7                                                  | 6,000                               | 5,926 | 5,828 | 5,787 | 1,608                            | 1,595 | 1,628 | 1,635 |
| Max                         | 11,1                                               | 6,213                               | 6,115 | 6,090 | 6,049 | 1,521                            | 1,534 | 1,534 | 1,541 |
|                             | 13,9                                               | 6,401                               | 6,303 | 6,262 | 6,213 | 1,461                            | 1,474 | 1,474 | 1,481 |
|                             | 16,7                                               | 6,565                               | 6,475 | 6,426 | 6,377 | 1,407                            | 1,414 | 1,414 | 1,414 |
|                             | 18                                                 | 6,663                               | 6,565 | 6,516 | 6,475 | 1,380                            | 1,380 | 1,387 | 1,387 |
|                             | -20                                                | 4,117                               | 4,076 | 4,060 | 4,044 | 1,534                            | 1,588 | 1,575 | 1,588 |
|                             | -15                                                | 4,461                               | 4,412 | 4,396 | 4,371 | 1,682                            | 1,742 | 1,722 | 1,735 |
|                             | -10                                                | 4,756                               | 4,715 | 4,690 | 4,674 | 1,796                            | 1,856 | 1,836 | 1,849 |
|                             | -7                                                 | 4,985                               | 4,936 | 4,920 | 4,895 | 1,903                            | 1,970 | 1,950 | 1,963 |
|                             | -5,6                                               | 5,059                               | 5,010 | 4,985 | 4,960 | 1,869                            | 1,896 | 1,910 | 1,916 |
|                             | -2,8                                               | 5,132                               | 5,083 | 5,034 | 5,010 | 1,802                            | 1,822 | 1,836 | 1,849 |
|                             | 0                                                  | 5,132                               | 5,083 | 5,034 | 5,010 | 1,742                            | 1,762 | 1,769 | 1,776 |
|                             | 2,8                                                | 5,321                               | 5,247 | 5,222 | 5,173 | 1,688                            | 1,709 | 1,722 | 1,729 |
|                             | 5,6                                                | 5,673                               | 5,607 | 5,583 | 5,533 | 1,642                            | 1,655 | 1,662 | 1,675 |
|                             | 7                                                  | 6,074                               | 6,000 | 5,902 | 5,853 | 1,621                            | 1,608 | 1,642 | 1,648 |
|                             | 11,1                                               | 6,278                               | 6,188 | 6,164 | 6,115 | 1,534                            | 1,541 | 1,548 | 1,554 |
|                             | 13,9                                               | 6,475                               | 6,377 | 6,327 | 6,278 | 1,474                            | 1,481 | 1,487 | 1,494 |
|                             | 16,7                                               | 6,663                               | 6,565 | 6,516 | 6,475 | 1,420                            | 1,420 | 1,427 | 1,427 |
|                             | 18                                                 | 6,729                               | 6,638 | 6,589 | 6,540 | 1,387                            | 1,394 | 1,394 | 1,400 |

OUTDOOR DB: Outdoor air temperature (Dry bulb)

Note: The table shows the case where the operation frequency of a compressor is fixed.

