



Select a definition

DemoERPApi v1

DemoERPApi ^{1.0} OAS3

<https://localhost:7087/swagger/v1/swagger.json>

Authorize



Auth



POST

/api/Auth/register

^

🔒

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{
  "username": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
200	Success	No links

GET

/api/Auth/generatehash

^

🔒

Parameters

Try it out

Name	Description
password string (query)	password

Responses

Code	Description	Links
200	Success	No links

POST

/api/Auth/login

^

🔒

Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{
  "username": "qauser",
  "password": "Hxyz123123"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://localhost:7087/api/Auth/login' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "username": "qauser",
```

```
"password": "Hxyz123123"
},'
```

Request URL

https://localhost:7087/api/Auth/login

Server response

Code	Details
200	Response body <pre>{ "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJodHRwOi8vc2NoZW1hcy54bWxzbnIjYm9yZy93cy8yMDA1LzA1L2lkZW50aXR5L2NsYWltcy9uYm1lIjoicWF1c2VyIiwiaHR0cDovL3NjaGVtYXMuYm93cy8yMDA1LzA1L2lkZW50aXR5L2NsYWltcy9yb2x1IjoiiUUEiLCJleHAiOjE3ODMwMzIxMzUzIm1zcyI6IkpRbW9FU1BBcGkiLCJhdWQiOiJEZW1vRVVJQXBpVXNlcnMifQ.nS2S1r3qD7XW7YTF5nnVTnfvd bhm1MhSTatw8k_WB6Eg" }</pre> Response headers <pre>access-control-allow-origin: * content-type: application/json; charset=utf-8 date: Thu,02 Jul 2026 23:38:54 GMT server: Kestrel</pre> Download

Responses

Code	Description	Links
200	Success	No links

Customer



GET /api/Customer/{crmId}



Parameters

Cancel

Name	Description
------	-------------

crmId * required
string
(path)

CRM100

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7087/api/Customer/CRM100' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJodHRwOi8vc2NoZW1hcy54bWxzb2FwLm
```

Request URL

https://localhost:7087/api/Customer/CRM100

Server response

Code

Details

200

Response body

```
{
  "customerId": "CRM100",
  "firstName": "Michael",
  "lastName": "Johnson",
  "email": "michael@test.com",
  "phone": "6049998888"
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Thu,02 Jul 2026 23:39:21 GMT
server: Kestrel
```

Responses

Code

Description

Links

200

Success

No links

DELETE /api/Customer/{crmId}



Parameters

Cancel

Name

Description

crmId * required

string

(path)

CRM100

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
  'https://localhost:7087/api/Customer/CRM100' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJodHRwOi8vc2NoZW1hcy54bWxzbnB2FwLm
```

Request URL

https://localhost:7087/api/Customer/CRM100

Server response

Code

Details

200

Response body

Customer deleted

Download

Response headers

```
access-control-allow-origin: *
content-type: text/plain; charset=utf-8
date: Thu,02 Jul 2026 23:39:27 GMT
server: Kestrel
```

Responses

Code

Description

Links

200

Success

No links

POST

/api/Customer/sync



Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{
  "customerId": "CRM103",
  "firstName": "John",
  "lastName": "Smith",
  "email": "jsmith1@test.com",
  "phone": "6049998877"
}
```



Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://localhost:7087/api/Customer/sync' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJodHRwOi8vc2NoZW1hcy54bWxzb2FwLm'
  -H 'Content-Type: application/json' \
  -d '{
    "customerId": "CRM103",
    "firstName": "John",
    "lastName": "Smith",
    "email": "jsmith1@test.com",
    "phone": "6049998877"
  }'
```



Request URL

https://localhost:7087/api/Customer/sync

Server response

Code

Details

200

Response body

Customer synced successfully

Download

Code**Details****Response headers**

```
access-control-allow-origin: *
content-type: text/plain; charset=utf-8
date: Thu,02 Jul 2026 23:41:40 GMT
server: Kestrel
```

Responses**Code****Description****Links**

200

Success

*No links***PUT****/api/Customer/update****Parameters****Cancel****Reset**

No parameters

Request body

application/json

```
{
  "customerId": "CRM103",
  "firstName": "Bob",
  "lastName": "Smith",
  "email": "asmith1@test.com",
  "phone": "6049998876"
}
```

**Execute****Clear****Responses**

Curl

```
curl -X 'PUT' \
  'https://localhost:7087/api/Customer/update' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "customerId": "CRM103",
    "firstName": "Bob",
    "lastName": "Smith",
    "email": "asmith1@test.com",
    "phone": "6049998876"
  }'
```

Request URL

https://localhost:7087/api/Customer/update

Server response

Code

Details

401

Undocumented Error: response status is 401

Response headers

```
access-control-allow-origin: *
content-length: 0
date: Thu,02 Jul 2026 23:51:42 GMT
server: Kestrel
www-authenticate: Bearer
```

Responses

Code

Description

Links

200

Success

No links

DemoERPApi



GET

/



Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7087/' \
  -H 'accept: text/plain'
```

Request URL

https://localhost:7087/

Server response

Code	Details
200	Response body Demo ERP API is running! Download Response headers content-type: text/plain; charset=utf-8 date: Thu,02 Jul 2026 23:50:58 GMT server: Kestrel

Responses

Code	Description	Links
200	Success Media type text/plain Controls Accept header. Example Value Schema string <td>No links</td>	No links

Schemas



```
CustomerDto {
  customerId
  firstName      [...]
  lastName       [...]
  email          [...]
  phone          [...]
}
```

```
LoginRequest {
  username      [...]
  password      [...]
}
```

```
RegisterRequest {
  username      [...]
  password      [...]
}
```