# 4. 附录

附录有几个部分,分别讲述在不同的操作系统上安装 Code::Blocks,配置其他库等。

# 4.1 在 Linux 下安装 Code::Blocks

Linux 版本众多,不同版本有些差异,这里以在 ubuntu 和 fedora 上安装 Code::Blocks 为例。

## **4.1.1** Ubuntu

(1) 在/etc/apt/sources.list 下添加如下内容(需要有 root 权限)。

登陆,打开一个图形界面的编辑器,在终端上粘贴下面一行内容。

gksu gedit /etc/apt/sources.list

在文件末尾贴上以下内容。

# codeblocks

deb http://lgp203.free.fr/ubuntu/ gutsy universe

# wxwidgets

deb http://apt.wxwidgets.org/ gutsy-wx main

注意: 在第(1)步您也可能需要使用feisty而并非gutsy, 这跟你使用的ubuntu版本有关。

(2) 确保您的package system信任这些源就需要添加他们的key。

在终端键入以下内容。

wget -q http://lgp203.free.fr/public.key -O- | sudo apt-key add -

wget -q http://apt.wxwidgets.org/key.asc -O- | sudo apt-key add -

在终端键入以下内容更新这些包。

sudo apt-get update

sudo apt-get upgrade

(3) 安装Code::Blocks

在终端键入下行内容。

sudo apt-get install libcodeblocks0 codeblocks libwxsmithlib0 codeblocks-contrib

想得到最新的nightly build就重复一次第(3)步。

现在您应该可以在程序语言列表中见到Code::Blocks了。

## 4.1.2 Fedora

(1) 登陆,在控制台窗口执行下面的命令,需要有root权限。 yum install codeblocks

(2) 运行Code::Blocks

在应用程序的下拉菜单中找到程序设计选择Code::Blocks IDE。

或者打开一个控制台窗口执行下面的命令。

Codeblocks

# 4.2 在 Mac OS X 下安装 Code::Blocks

## 4.2.1 准备工作

(1) 确认X11已经安装

看看X11是否在您的系统中已经安装了(在应用程序的菜单里),如果没有安装就拿出 Mac OS的盘装上吧。安装方法很简单,选中备选安装包的installer,打开X11前面打勾安装上。如果您使用的是10.1至10.3的版本,可以从Apple网上下载X11。

(2) 安装开发工具 (Mac OS X 10.4以上版本不需要这一步)

打开**xterm**., 试试你在终端上不能使用Code::Blocks。xterm是X11的一部分,这也就是为何要安装X11的原因。

运行gcc命令,如果出错信息提示没有输入文件,说明gcc可用,如果出错信息说找不到gcc,那您需要安装开发工具。

如果需要安装开发工具的话,您可以从Apple网站下载或从Mac OS盘上安装,找到Xcode installer装上就是了,运行这个installer,除了文档可以不用安装外,其他全部选中安装上。

Mac OS X 10.3,需要安装1.2以上版本的Xcode工具,Mac OS X 10.4需要安装2.2以上版本的Xcode工具,Mac OS X 10.5需要安装3.1以上版本的Xcode工具。

## 4.2.2 安装Code::Blocks

解压zip安装包把CodeBlocks.app放到您想放的位置(建议放在/Developer/Applications或者~/Applications下)。


# 4.3 Code::Blocks 搭配高版本 gcc 编译器

Code::Blocks 搭配较高版本的 gcc 编译器有两种方法,如果你用 Windows 系统,可以升级和配置高版本的 MinGW(内嵌 gcc)从而使用高版本 gcc。在所有系统上都可以升级和搭配高版本的 gcc 编译器。

# 4.3.1 升级 MinGW

目前最新稳定的 MinGW 版本内嵌了 gcc4.4 编译器,测试版则内嵌了 gcc4.6,升级 MinGW 前需要先卸载原来古老版本的 MinGW 或者把新版本的 MinGW 安装到不同的位置。

笔者建议您首先卸载古老版本的 MinGW,然后下载最新版本 MinGW 的安装器(installer)并执行之,把 MinGW 安装到 Code::Blocks 文件夹下,启动 Code::Blocks,如果不能自动检测到新安装的 MinGW 的话,就在 Settings 下拉菜单中选择 Compiler and debugger...按钮,此时会弹出一个界面,选择左边带有标签 Global compiler settings 的图标,然后选择 Toolchain executables,见下图。用鼠标点击 Auto-detect 按钮(绿色框内),如果能识别最好,不能识别择需要点击按钮....,手工配置路径(注意红色框内的配置),配置完毕后,点击 OK 特別 是是一个




# 4.3.2 升级并配置 gcc 编译器

如果能找到 gcc 的二进制代码当然最好,如果没有二进制安装包就需要自己编译 gcc,编译 gcc 的方法这里不再赘述,请参阅相关文档。

假设您手头已经有了高版本的 gcc 二进制安装包,Windows 版本的 gcc 二进制文件可以登陆 http://www.equation.com/servlet/equation.cmd?call=fortran 下载。下载完毕后,笔者建议您把它安装到 Code::Blocks 的目录下,然后配置编译器选项(跟上面配置 MinGW 的类似),从 Settings 下拉菜单中选择 Compiler and debugger...按钮,此时会弹出一个界面,选择左边带有标签 Global compiler settings 的图标,然后选择 Toolchain executables,点击按钮 逐一配置好路径,见下图(注意粗线红色框内的文件配置)。

配置完毕后,编译运行一个小程序测试一下,如果编译成功则说明配置正确,失败就按照上面的配置说明好好检查一下,看看哪里有问题改正。



# 4.4 安装配置 boost

安装 boost 有点麻烦,因为需要下载源代码和编译文件,编译完 boost,然后再配置,配置完毕后还要测试安装是否正确。以下以 Windows XP 上安装 boost 为例进行介绍。

# (1) 下载 boost

登陆 http://www.boost.org 下载最新的 boost 源代码包和编译文件。写本文的时候最新的 boost 源代码包 是 1.42.0 版,最新的编译文件 boost jam 3.1.18,下载完毕后解压。

注意最好下载二进制的 boost jam,这样就可以直接使用它编译 boost 了。在 Windows 上安装 boost 需要下载 boost-jam-3.1.18-1-ntx86.zip,在 linux 上安装 boost 需要下载 boost-jam-3.1.18-1-linuxx86.tgz,在 Free BSD Unix 上安装 boost 需要下载 boost-jam-3.1.18-1-macosxx86.tgz。


# (2) 编译 boost

首先需要解压 boost 1.42.0 的包,再解压 boost-jam-3.1.18-1-ntx86.zip,解压完毕 boost-jam-3.1.18-1-ntx86.zip 后,只有一个可执行文件 bjam.exe,把这个文件复制到解压后的 boost 安装包下(在笔者电脑上是D:\TDDOWNLOAD\boost\_1\_42\_0\boost\_1\_42\_0)。

接下来需要设计 gcc 编译器环境变量,假如你已经成功安装了 GCC,或者 MinGW,全局环境变量就已经自动配置好了,可以进行命令行编译,否则需要设置 GCC 编译器路径。笔者电脑上 gcc.exe 的路径是 C:\CodeBlocks\MinGW\bin 把它加到全局变量路径就可以了。按照这样次序去找,My Computer(我的电脑) -> Properties(属性) -> Advanced(高级) -> Environment Variables(环境变量) -> Path -> Edit(编辑) -> [然后把 gcc.exe 文件的路径(C:\CodeBlocks\MinGW\bin)复制到环境变量 Path 其它环境变量的后面]保存就可以了。这是一种一

劳永逸的方法,如果您并不经常使用命令行编译文件,可以采用即设即用的方式。打开控制台键入 set path=C:\ProgramFiles\CodeBlocks\MinGW\bin 并按下回车键,则 gcc 编译器本次可用命令行编译,关闭控制台即失效。

在控制台上找到 bjam.exe 的路径(已经复制到 D:\TDDOWNLOAD\boost\_1\_42\_0\boost\_1\_42\_0 下面) 键入 bjam --toolset=gcc --prefix=C:\boost install 进行编译,此命令会把编译后的 boost 文件安装到 C:\boost 下。在控制台上用 gcc 编译器以命令行形式编译 boost 见下图。




需要特别注意:命令行中=前后不可以有空格,文件夹名字随便取,但是一个文件夹名字只能是一个单词,不能是两个或者两个以上中间用空格隔开的单词,否则可能编译失败。

编译过程将会是比较枯燥等待,好在时间不会太长,编译过程中 CPU、内存、硬盘负荷都很重,在笔者的古董笔记本电脑(WinXP(内核版本 5.1.2600), PIII 1.13GHz CPU, 512MB 内存 80GB 硬盘)上,纯编译时间大约用了一个小时。编译过程中往往会提示很多信息(包括一些警告信息),除非失败,否则一律不用理会它们,编译完毕后最终显示结果为:

# ... updated 8505 targets ...

说明 boost1.42.0 成功安装。一般而言,编译成功所有的文件并不容易,根据笔者经验,用 gcc3.4.5 和 gcc4.3.2 编译 boost1.37.0 从未完全编译成功所有的文件,这次使用 gcc4.4 编译 boost1.42.0 编译更新成功了所有文件。
(3) 配置 boost

打开 code::blocks,在 Settings 的下拉菜单中选择 Compiler and debugger... 然后在 Search directory 栏目下用 Add 添加 boost 的路径(在笔者电脑上是 C:\boost\include\boost-1\_42)保存退出,见下面截图红色框内文字。




# (4) 测试 boost

我们仅仅需要测试 boost 是否安装配置正确,而并非测试 boost 是否完整或者有没有 bug,测试 boost 的

```
完整性和是否有 bug 不是一件很容易的事情, boost 团队中有很多人一直进行着这项伟大的工作。
     //从终端接受一个整数序列,乘以3后输出到终端
     // test1.cpp
 3
     #include <iostream>
 4
 5
     #include <iterator>
     #include <algorithm>
     #include <boost/lambda/lambda.hpp>
 8
 9
     int main()
10
11
       using namespace boost::lambda;
12
       typedef std::istream_iterator<int> in;
       std::for_each(in(std::cin), in(), std::cout << (_1 * 3) << ' ');
13
14
15
16
90 87 678 56 44 6098 09 9875 5 8774 46
270 261 2034 168 132 18294 27 29625 15 26322 138
235346 345 58 5 45676 6790 5657 768
 706038 1035 174 15 137028 20370 16971 2304 💂
 1
     // 在终端输出[2](2,8)
     // test2.cpp
     #include <boost/numeric/ublas/vector.hpp>
 4
     #include <boost/numeric/ublas/matrix.hpp>
 5
 6
     #include <boost/numeric/ublas/io.hpp>
     #include <iostream>
 8
 9
     int main()
10
11
       using namespace boost::numeric::ublas;
       vector<double> x(2);
12
       x(0) = 1; x(1) = 2;
13
       matrix<double> A(2, 2);
14
15
       A(0, 0) = 0; A(0, 1) = 1;
16
       A(1, 0) = 2; A(1, 1) = 3;
17
       vector<double> y = prod(A, x);
       std::cout << y << std::endl;
18
       return 0;
19
2.0
[2](2.8)
Process returned 0 (0x0)
                              execution time : 0.190 s
Press any key to continue.
     // 注意编译运行时需要动态连接两个库文件libboost_system-mgw44-mt-1_42.lib
    // 和libboost_filesystem-mgw44-mt-1_42.lib, 运行结果test3.cpp
 3
    // test3.cpp
 4
 5
     #include <iostream>
 6
     #include <boost/filesystem/operations.hpp>
```

```
8
     int main()
 9
10
       namespace bfs = boost::filesystem;
11
       bfs::path p("test3.cpp");
12
       if(bfs::exists(p))
         std::cout << p.leaf() << std::endl;</pre>
13
14
       return 0;
     }
15
16
```

编译和运行 test3.cpp 都需要连接两个库文件,编译前需要在本工程中添加上这个两个文件的路径,见下 图红色框框起来的两个文件(首先在 Project 下拉菜单中选择 Build options..., 然后可以参考下图用 Add 按钮添 加,见下页红色框内文字)。



编译成功后,运行时还需要能找到这两个文件,运行结果如下:

```
test3.cpp
Process returned 0 (0x0)
                               execution time : 0.050 s
Press any key to continue.
     // 用fibonacci引擎产生位于区间[LOW, HIGH]的随机整数, uniform分布
 2
     // test4.cpp
 3
  4
     #include <iostream>
 5
      #include <cstdlib>
     #include <boost/random.hpp>
  6
     int main()
 8
 9
 10
       const unsigned long SZ = 100, LOW = 0, HIGH = 31;
       boost::lagged_fibonacci607 rng;
 11
       boost::uniform_int<> ui(LOW, HIGH);
 12
       boost::variate_generator<boost::lagged_fibonacci607&,
 13
 14
         boost::uniform_int<> > die(rng, ui);
       for(unsigned long i = 0; i < SZ; ++i)
  std::cout << die() << ' ';</pre>
 15
 16
       std::cout << '\n';
 17
 18
 19
       std::system("PAUSE");
 20
       return 0;
 21
 22
16 29 17 22 23 16 29 17 30 17 16 20 17 20 4 23 10 14 29 18 23 3 24 24 12 14 29 1
2 14 29 2 3 3 25 9 0 4 7 15 7 31 7 15 28 13 28 8 3 25 31 11 17 24 14 28 3 6 8 12
4 0 19 0 21 18 30 25 16 27 6 0 29 25 18 14 12 17 29 15 24 1 25 20 29 30 22 14 8
 4 7 31 4 26 26 29 8 27 5 5 4
Press any key to continue
```

#### **GNU Free Documentation License**

Version 1.3, 3 November 2008

Copyright © 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc. <a href="http://fsf.org/">http://fsf.org/</a>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### 0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondarily, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

#### 1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for

which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person or entity that distributes copies of the Document to the public.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

## 2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

# 3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

# 4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of

the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already

includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

#### 5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

## 6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

# 7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

#### 8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

# 9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

#### 10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See http://www.gnu.org/copyleft/.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

## 11. RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

"Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is "eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

# ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (C) YEAR YOUR NAME.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU"

Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with ... Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

封 底

笔者编译和调试本书中所有的程序都使用了较新版本的 MinGW(内嵌了 gcc4.4.0 编译器和 gdb6.8.3 调试

器),如果您想编译或调试本书中的任何程序,笔者也建议您使用较新版本的编译器和调试器,因为新版本的

编译器 bug 一般会少一些,调试器还可能增加一些方便的功能。编写本书过程中,部分内容使用了 Code::Blocks

build 5616 (nightly build), 部分内容使用了 Code::blocks8.02 官方版,版本越新,bug 可能越少,视觉效果可能

也越好, 但是需要的硬件配置也就越高。

本书主要以搭配 MinGW 为例,简要介绍了 Code::Blocks 常用功能的一个子集,它们一般十分简单,非

常容易掌握。Code::Blocks 仅使用 gcc 编译器和 gdb 调试器众多功能的一个微小子集,如欲了解 gcc 编译器和

gdb 调试器的用法请参阅 GNU 的有关文档。

后记:本书的初稿发布后,作者收到了很多读者的反馈信息,由于工作繁忙,Chipset 不能一一回复各位

读者的来信,希望广大读者朋友理解和见谅。本版是初稿的改进(不是第2版),修正了一些错别字的同时也添

加了一点点新内容。书写本书时 Code::Blocks 已经升级到了 10.05 版, 与 8.02 版相比, 色泽更加绚丽, 但基

本功能没有太多变化,因此笔者仍旧以原来的版本为例,简要介绍 Code::Blocks 的用法。

Chipset 感谢大家的支持和鼓励!

阅读过程中,如果您发现内容有什么问题,请联系本书作者,以便及时修正,作者的联系方式如下:

如果您在使用 Code::Blocks 的过程中发现本书能给您带来一点心得或收获,那将是笔者的荣幸。

主页: http://www.cppblog.com/Chipset

电邮: Chipset0418@yahoo.com.cn

电话: 15998212593

2010年06月08日