

ENR 2.1.3

区域管制区

CTA

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
1.北京飞行情报区 Beijing FIR					
1.1 北京区域管制区 Beijing Control Area			8 897 kHz	0001-1200	The relevant rules, see subsection ENR 2.2.2.
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZBAAAR01 N432658 E1112149 N413057 E1125726 N404413 E1125425 N414843 E1140800 N415205 E1145015 N422553 E1151044 N423342 E1175429 N431442 E1173100 N452317 E1152115 National Boundaries N432658 E1112149 12 500 m ----- 7 800 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	133.025 MHz (134.0 MHz)	by ATC	
ZBAAAR02 N422553 E1151044 N423342 E1175429 N421500 E1180500 N420438 E1181810 N415325 E1182345 N413439 E1170452 N411247 E1170036 N411051 E1151839 N415205 E1145015 N422553 E1151044 12 500 m ----- GND	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	125.9 MHz (134.45 MHz)	by ATC	不包括呼和浩特 管制区 01 号扇区 Exclude sector ZBHHR01

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
ZBAAAR03 N411051 E1151839 N411247 E1170036 N404448 E1165513 N404250 E1171655 N402102 E1170843 N400110 E1171221 N395951 E1161343 N402723 E1161343 N411051 E1151839 12 500 m ----- GND	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	132.475 MHz (134.45 MHz)	by ATC	
ZBAAAR04 N415325 E1182345 N404135 E1185837 N400110 E1171221 N402102 E1170843 N404250 E1171655 N404448 E1165513 N413439 E1170452 N415325 E1182345 12 500 m ----- GND	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	132.1 MHz (134.45 MHz)	by ATC	
ZBAAAR05 N412556 E1134137 N414843 E1140800 N415205 E1145015 N411051 E1151839 N402723 E1161343 N402057 E1161343 N400605 E1152929 N401052 E1135438 N401541 E1134343 N405246 E1141518 N412556 E1134137 12 500 m	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	135.35 MHz (123.7 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
----- GND					
ZBAAAR06 N395203 E1132356 N401541 E1134343 N401052 E1135438 N400605 E1152929 N402057 E1161343 N395951 E1161343 N394933 E1155719 N391752 E1152818 N384723 E1142812 N384405 E1141453 N383922 E1135603 N384427 E1135345 N395203 E1132356 12 500 m ----- GND	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	124.55 MHz (123.7 MHz)	by ATC	
ZBAAAR07 N432658 E1112149 N413057 E1125726 N404413 E1125425 N400407 E1121017 N390215 E1110415 N405049 E1104629 N424147 E1101229 National Boundaries N432658 E1112149 12 500 m ----- 7 800 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	127.7 MHz (120.7 MHz)	H24	
ZBAAAR08 N424147 E1101229 N405049 E1104629 N390215 E1110415 N390520 E1075816 N414451 E1051345	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	134.25 MHz (120.7 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
National Boundaries N424147 E1101229 12 500 m ----- 7 800 m(exclusive)					
ZBAAAR09 N380758 E1112539 N382344 E1124002 N371502 E1125932 N362939 E1120302 N380758 E1112539 12 500 m ----- 7 800 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	126.7 MHz (128.7 MHz)	H24	
ZBAAAR10 N371502 E1125932 N382344 E1124002 N380758 E1112539 N390215 E1110415 N400407 E1121017 N400454 E1121108 N395203 E1132356 N384427 E1135345 N383922 E1135603 N384405 E1141453 N382512 E1141950 N374128 E1142942 N373655 E1141357 N372908 E1134705 N371502 E1125932 12 500 m ----- 7 800 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	134.15 MHz (128.7 MHz)	by ATC	不包括北京区域 12、37 号管制扇 区 Exclude ZBAAAR12/37
ZBAAAR11 N362939 E1120302 N371502 E1125932 N373655 E1141357 N361917 E1142957	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	132.525 MHz (128.7 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N352902 E1122516 N362939 E1120302 12 500 m ----- 7 800 m(exclusive)					
ZBAAAR12 N380502 E1132442 N381900 E1140500 N382512 E1141950 N384027 E1150105 N385057 E1153051 N384003 E1153153 N383952 E1154034 N381717 E1152620 N374837 E1152812 N374009 E1152255 N374928 E1145751 N373655 E1141357 N372908 E1134705 N375707 E1132929 N380502 E1132442 8 900 m ----- GND	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	128.3 MHz (120.775 MHz)	H24	不包括北京区域 33 号管制扇区 Exclude ZBAAAR33
ZBAAAR13 N373655 E1141357 N374928 E1145751 N372520 E1160203 N365406 E1160218 N363830 E1151950 N361917 E1142957 N373655 E1141357 12 500 m ----- 8 900 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	132.65 MHz (120.775 MHz)	by ATC	
ZBAAAR14 N373655 E1141357 N374928 E1145751	北京区域管制中心 Beijing ACC	北京区域 Beijing Control	133.1 MHz (120.775 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N372520 E1160203 N365406 E1160218 N363830 E1151950 N361917 E1142957 N373655 E1141357 8 900 m ----- GND		中、英 Ch,En			
ZBAAAR15 N372520 E1160203 N374009 E1152255 N374837 E1152812 N381717 E1152620 N383952 E1154034 N383908 E1161225 N381545 E1160139 N372520 E1160203 12 500 m ----- 8 900 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	128.1 MHz (133.65 MHz)	H24	
ZBAAAR16 N372520 E1160203 N374009 E1152255 N374837 E1152812 N381717 E1152620 N383952 E1154034 N383908 E1161225 N381545 E1160139 N372520 E1160203 8 900 m ----- GND	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	135.3 MHz (133.65 MHz)	by ATC	
ZBAAAR17 N365406 E1160218 N372520 E1160203 N381545 E1160139 N383908 E1161225 N383838 E1163054	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	134.05 MHz (132.975 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N381641 E1162906 N371248 E1165430 N365406 E1160218 12 500 m ----- GND					
ZBAAAR18 N371248 E1165430 N381641 E1162906 N383838 E1163054 N383620 E1174012 N372641 E1173414 N371248 E1165430 12 500 m ----- GND	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	132.6 MHz (132.975 MHz)	by ATC	
ZBAAAR19 N400110 E1171221 N392536 E1171847 N390917 E1173001 N390413 E1180204 N383529 E1180145 N384003 E1153153 N391752 E1152818 N394509 E1155315 N394933 E1155719 N395951 E1161343 N400110 E1171221 12 500 m ----- 7 800 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	120.35 MHz (132.975 MHz)	H24	
ZBAAAR20 N400110 E1171221 N404135 E1185837 N403840 E1190000 N395400 E1192100 N385756 E1184517 N383630 E1184212	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	125.6 MHz (132.225 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N384243 E1180150 N390413 E1180204 N390917 E1173001 N392536 E1171847 N400110 E1171221 12 500 m ----- GND					
ZBAAAR21 N395400 E1192100 N393000 E1195200 N391500 E1195400 N382443 E1195902 N383630 E1184212 N385756 E1184517 N395400 E1192100 12 500 m ----- GND	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	133.525 MHz (132.225 MHz)	by ATC	
ZBAAAR22 N372641 E1173414 N383620 E1174012 N383529 E1180145 N384243 E1180150 N383630 E1184212 N382443 E1195902 N381500 E1200000 N380600 E1193200 N372641 E1173414 12 500 m ----- GND	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	132.7 MHz (132.225 MHz)	by ATC	
ZBAAAR23 N363830 E1151950 N380600 E1193200 N370900 E1193200 N364015 E1195240 N361930 E1195230	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	118.95 MHz (133.35 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N360750 E1194310 N361210 E1191102 N362436 E1171242 N355542 E1151121 N363830 E1151950 12 500 m ----- 7 800 m(exclusive)					
ZBAAAR24 N355542 E1151121 N362436 E1171242 N361210 E1191102 N360750 E1194310 N350330 E1191530 N344322 E1165556 N341420 E1160733 N351800 E1150400 N355542 E1151121 12 500 m ----- 7 800 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	127.35 MHz (133.35 MHz)	by ATC	
ZBAAAR25 N354204 E1125650 N361917 E1142957 N363830 E1151950 N351800 E1150400 N345328 E1152845 N341731 E1144240 N342221 E1141823 N342706 E1135425 N340735 E1132626 N354204 E1125650 12 500 m ----- 9 800 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	135.6 MHz (123.225 MHz)	by ATC	
ZBAAAR26 N360647 E1135811 N361917 E1142957	北京区域管制中心 Beijing ACC	北京区域 Beijing Control	127.5 MHz (123.225 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N363830 E1151950 N351800 E1150400 N345328 E1152845 N341731 E1144240 N342221 E1141823 N351416 E1140049 N354700 E1140926 N360647 E1135811 9 800 m ----- 7 800 m(exclusive)		中、英 Ch,En			
ZBAAAR27 N342706 E1135425 N342221 E1141823 N341731 E1144240 N345328 E1152845 N341420 E1160733 N325502 E1155001 N320730 E1140412 N321438 E1134838 N334603 E1133153 N335400 E1133035 N340735 E1132626 N342706 E1135425 12 500 m ----- 9 800 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	125.35 MHz (123.225 MHz)	by ATC	
ZBAAAR28 N342706 E1135425 N342221 E1141823 N341731 E1144240 N345328 E1152845 N341420 E1160733 N325502 E1155001 N320730 E1140412 N321438 E1134838 N334603 E1133153 N335400 E1133035	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	132.2 MHz (123.225 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N340735 E1132626 N342706 E1135425 9 800 m ----- 7 800 m(exclusive)					
ZBAAAR29 N352902 E1122516 N354204 E1125650 N340735 E1132626 N335400 E1133035 N334603 E1133153 N321438 E1134838 N333227 E1105056 N352902 E1122516 12 500 m ----- 9 800 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	134.225 MHz (132.425 MHz)	by ATC	
ZBAAAR30 N352902 E1122516 N354204 E1125650 N340735 E1132626 N335400 E1133035 N334603 E1133153 N335822 E1124810 N334944 E1110435 N352902 E1122516 9 800 m ----- 7 800 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	118.925 MHz (132.425 MHz)	by ATC	
ZBAAAR31 N334603 E1133153 N335822 E1124810 N334944 E1110435 N333227 E1105056 N321438 E1134838 N334603 E1133153 9 800 m -----	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	126.95 MHz (132.425 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
7 800 m(exclusive)					
ZBAAAR32 N412556 E1134137 N405246 E1141518 N401541 E1134343 N395203 E1132356 N400454 E1121108 N412556 E1134137 12 500 m ----- GND	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	133.775 MHz (123.7 MHz)	by ATC	
ZBAAAR33 N373330 E1123000 N370433 E1123232 N371502 E1125932 N372908 E1134705 N373655 E1141357 N381900 E1140500 N383922 E1135603 N384427 E1135345 N395203 E1132356 N373330 E1123000 In area: N373655 E1141357 N372908 E1134705 N375707 E1132929 N380502 E1132442 N380957 E1132144 N382748 E1131052 N383922 E1135603 N381900 E1140500 N373655 E1141357 6 000m ----- GND Other area: 7 800m -----	太原区域管制室 Taiyuan ACC	北京区域 Beijing Control 中、英 Ch,En	120.55 MHz (123.775 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
GND					
ZBAAAR34 N352902 E1122516 N370230 E1115044 N373330 E1123000 N370433 E1123232 N371502 E1125932 N372908 E1134705 N373655 E1141357 N361917 E1142957 N352902 E1122516 7 800 m ----- GND	太原区域管制室 Taiyuan ACC	北京区域 Beijing Control 中、英 Ch,En	127.1 MHz (123.775 MHz)	by ATC	
ZBAAAR35 N400407 E1121017 N400454 E1121108 N395203 E1132356 N373330 E1123000 N370230 E1115044 N390215 E1110415 N400407 E1121017 7 800 m ----- GND	太原区域管制室 Taiyuan ACC	北京区域 Beijing Control 中、英 Ch,En	133.9 MHz (123.775 MHz)	by ATC	
ZBAAAR36 N383952 E1154034 N381717 E1152620 N374837 E1152812 N374009 E1152255 N374928 E1145751 N374128 E1142942 N382512 E1141950 N384405 E1141453 N384723 E1142812 N391752 E1152818 N384003 E1153153 N383952 E1154034	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	134.75 MHz (133.65 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
12 500 m ----- 8 900 m(exclusive)					
ZBAAAR37 N381900 E1140500 N382512 E1141950 N384027 E1150105 N385057 E1153051 N391752 E1152818 N384723 E1142812 N384405 E1141453 N383922 E1135603 N382748 E1131052 N380957 E1132144 N380502 E1132442 N381900 E1140500 8 900 m ----- GND	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	124.95 MHz (133.65 MHz)	by ATC 该扇区不工作时由北京区域 36 号扇区代替 Contact ZBAAAR36 when ZBAAAR37 U/S.	不包括北京区域 33 号管制扇区 Exclude ZBAAAR33
ZBAAAR38 N354204 E1125650 N360647 E1135811 N354700 E1140926 N351416 E1140049 N342221 E1141823 N342706 E1135425 N340735 E1132626 N354204 E1125650 9 800 m ----- 7 800 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	Nil (Nil)	by ATC 该扇区不工作时由北京区域 26 号扇区代替 Contact ZBAAAR26 when ZBAAAR38 U/S.	
ZBAAAR39 N391752 E1152818 N394509 E1155315 N392524 E1161650 N390330 E1162428 N383908 E1161225 N384003 E1153153	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	Nil (Nil)	by ATC 该扇区不工作时由北京区域 19 号扇区代替 Contact ZBAAAR19	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N391752 E1152818 7 800 m ----- 6 000 m(exclusive)				when ZBAAAR39 U/S.	
ZBAAAR40 N400110 E1171221 N392536 E1171847 N390917 E1173001 N390413 E1180204 N383529 E1180145 N383908 E1161225 N390330 E1162428 N392524 E1161650 N394509 E1155315 N394933 E1155719 N395951 E1161343 N400110 E1171221 7 800 m ----- 6 000 m(exclusive)	北京区域管制中心 Beijing ACC	北京区域 Beijing Control 中、英 Ch,En	Nil (Nil)	by ATC 该扇区不工作时由北京区域 19 号扇区代替 Contact ZBAAAR19 when ZBAAAR40 U/S.	
1.2 北京中低空区域管制区 Beijing Lower Control Area					
ZBAALTA N420438 E1181810 N403840 E1190000 N395400 E1192100 N393000 E1195200 N391500 E1195400 N381500 E1200000 N380600 E1193200 N363830 E1151950 N361917 E1142957 N352902 E1122516 N390215 E1110415 N400407 E1121017 N414843 E1140800 N415820 E1162000 N420438 E1181810		中、英 Ch,En	Nil (Nil)		

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks

1.3 呼和浩特区域管制区 Hohhot Control Area			8 897 kHz	0001-1200	
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZBHAR01 N452317 E1152115 N434249 E1141745 N423736 E1141218 N414933 E1141811 N414843 E1140800 N410344 E1131620 N410737 E1105227 N424147 E1101229 National Boundaries N452317 E1152115 7 800 m ----- GND	呼和浩特区域管制 室 Hohhot ACC	呼和浩特区 域 Hohhot Control 中、英 Ch,En	133.7 MHz (120.5 MHz)	H24	
ZBHAR02 N410737 E1105227 N410344 E1131620 N400407 E1121017 N390215 E1110415 N403328 E1095948 N410737 E1105227 7 800 m ----- GND	呼和浩特区域管制 室 Hohhot ACC	呼和浩特区 域 Hohhot Control 中、英 Ch,En	119.325 MHz (120.5 MHz)	2300-1600(ne xt day)	
ZBHAR03 N424147 E1101229 N410737 E1105227 N403328 E1095948 N390215 E1110415 N390520 E1075816 N414451 E1051345 National Boundaries N424147 E1101229 7 800 m	呼和浩特区域管制 室 Hohhot ACC	呼和浩特区 域 Hohhot Control 中、英 Ch,En	132.775 MHz (120.5 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
----- GND					
ZBHAR04 N452317 E1152115 N434249 E1141745 N423736 E1141218 N414933 E1141811 N415820 E1162000 N420438 E1181810 N421500 E1180500 N431442 E1173100 N452317 E1152115 7 800 m ----- GND	呼和浩特区域管制室 Hohhot ACC	呼和浩特区域 Hohhot Control 中、英 Ch,En	Nil (Nil)	by ATC 该扇区不工作时由呼和浩特区域 01 号扇区代替 Contact ZBHAR01 when ZBHAR04 U/S.	
2.广州飞行情报区 Guangzhou FIR					
2.1 长沙区域管制区 Changsha Control Area			8 897 kHz	0001-1200	
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZGHAAR01 N293314 E1120945 N280106 E1125748 N271654 E1125418 N263212 E1125048 N253409 E1122134 N251645 E1112030 N261600 E1094350 N270900 E1103700 N274219 E1104255 N282737 E1104100 N285048 E1113712 N293314 E1120945 7 800 m ----- 6 600 m(exclusive)	长沙区域管制室 Changsha ACC	长沙区域 Changsha Control 中、英 Ch,En	123.2 MHz (133.15 MHz)	by ATC 该扇区不工作时由长沙区域 04 号扇区代替 Contact ZGHAAR04 when ZGHAAR01 U/S.	
ZGHAAR02 N290200 E1143400	长沙区域管制室 Changsha ACC	长沙区域 Changsha	132.55 MHz (127.35 MHz)	by ATC 该扇区不工作	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N293202 E1123206 N293314 E1120945 N280106 E1125748 N271654 E1125418 N273900 E1133054 N274056 E1141223 N290200 E1143400 7 800 m ----- GND		Control 中、英 Ch,En		时由长沙区域 04 号扇区代 替 Contact ZGHAAR04 when ZGHAAR02 U/S.	
ZGHAAR03 N274056 E1141223 N273900 E1133054 N271654 E1125418 N263212 E1125048 N253409 E1122134 N260244 E1140559 N264200 E1135700 N274056 E1141223 7 800 m ----- GND	长沙区域管制室 Changsha ACC	长沙区域 Changsha Control 中、英 Ch,En	135.1 MHz (127.35 MHz)	by ATC 该扇区不工作 时由长沙区域 02 号扇区代 替 Contact ZGHAAR02 when ZGHAAR03 U/S.	
ZGHAAR04 N293314 E1120945 N285048 E1113712 N282737 E1104100 N275454 E1092545 N284700 E1092300 N294035 E1090839 N293314 E1120945 7 800 m ----- GND	长沙区域管制室 Changsha ACC	长沙区域 Changsha Control 中、英 Ch,En	123.9 MHz (133.15 MHz)	H24	
ZGHAAR05 N293314 E1120945 N280106 E1125748 N271654 E1125418 N263212 E1125048	长沙区域管制室 Changsha ACC	长沙区域 Changsha Control 中、英 Ch,En	127.15 MHz (123.725 MHz)	0030-1400 该扇区不工作 时由长沙区域 01 号扇区代 替	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N253409 E1122134 N251645 E1112030 N261600 E1094350 N270900 E1103700 N274219 E1104255 N282737 E1104100 N285048 E1113712 N293314 E1120945 6 600 m ----- GND				Contact ZGHAAR01 when ZGHAAR05 U/S.	
ZGHAAR06 N282737 E1104100 N275454 E1092545 N273100 E1092700 N263500 E1091900 N261600 E1094350 N270900 E1103700 N274219 E1104255 N282737 E1104100 7 800 m ----- GND	长沙区域管制室 Changsha ACC	长沙区域 Changsha Control 中、英 Ch,En	128.55 MHz (123.725 MHz)	0030-1400 该扇区不工作 时由长沙区域 04 号扇区代 替 Contact ZGHAAR04 when ZGHAAR06 U/S.	
2.2 广州区域管制区 Guangzhou Control Area			10 066 kHz	0001-1200	The relevant rules, see subsection ENR 2.2.2. PMS radar vectoring area: N232616E111420 0-an anticlockwised arc with radius of 90KM centered at gaoyao VOR 'GYA' -N223037E11151 05-N230418E112 2907-N231230E1
			3 491 kHz	1201-2400	
			(6 556 kHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
					114936-N232616 E1114200.
ZGGGAR01 N242052 E1154002 N234049 E1154326 N232600 E1142742 N233855 E1141941 N234306 E1141200 N241736 E1144406 N242535 E1144554 N242052 E1154002 12 500 m ----- GND	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	118.95 MHz (132.4 MHz)	H24	
ZGGGAR02 N241736 E1144406 N234306 E1141200 N235542 E1133836 N241106 E1133254 N251228 E1133805 N244800 E1145100 N242535 E1144554 N241736 E1144406 9 200 m ----- GND	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	120.75 MHz (133.775 MHz)	by ATC	
ZGGGAR03 N244329 E1123951 N243754 E1133509 N241106 E1133254 N235542 E1133836 N233206 E1132306 N232430 E1123200 N235103 E1124749 N243039 E1123146 N244329 E1123951 12 500 m -----	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	120.95 MHz (122.5 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
GND					
ZGGGAR04 N215048 E1113030 N222806 E1104706 N225136 E1103300 N232842 E1111824 N240900 E1111618 N242107 E1111703 N232430 E1123200 N230417 E1122907 N224800 E1122918 N215048 E1113030 In area: N242107 E1111703 N232430 E1123200 N230417 E1122907 N224800 E1122918 N220431 E1114430 N232625 E1112950 N240900 E1111618 N242107 E1111703 8 400m — — — — — GND Other area: 8 400m — — — — — 7 800m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	124.45 MHz (122.5 MHz)	H24	
ZGGGAR05 N222130 E1135200 N214114 E1130000 N222606 E1130000 N224800 E1122918 N230417 E1122907 N232430 E1123200 N233206 E1132306 N235542 E1133836 N234306 E1141200	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	125.35 MHz (126.1 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N233855 E1141941 N232600 E1142742 N231524 E1141118 N225400 E1140342 N224818 E1142800 N223700 E1144500 N222430 E1144500 N222430 E1143000 Hong Kong Boundaries N222130 E1135200 9 800 m ----- GND					
ZGGGAR06 N234049 E1154326 N231904 E1154515 N231535 E1154532 N224911 E1160541 N224057 E1163005 N222430 E1154000 N222430 E1144500 N223700 E1144500 N224818 E1142800 N225400 E1140342 N231524 E1141118 N232600 E1142742 N234049 E1154326 12 500 m ----- GND	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	127.5 MHz (134.2 MHz)	by ATC	
ZGGGAR11 N251645 E1112030 N242107 E1111703 N240900 E1111618 N240742 E1101106 N244006 E1095024 N254200 E1073900 N263500 E1091900	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	132.75 MHz (132.1 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N261600 E1094350 N260420 E1100309 N251645 E1112030 12 500 m ----- 9 200 m(exclusive)					
ZGGGAR12 N273718 E1121729 N265430 E1123800 N253409 E1122134 N253121 E1121138 N251645 E1112030 N260420 E1100309 N274219 E1104255 N280722 E1104152 N280949 E1114246 N274807 E1114757 N273718 E1121729 9 500 m ----- 7 800 m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	128.1 MHz (134.15 MHz)	H24	
ZGGGAR13 N282629 E1115541 N293314 E1120945 N293202 E1123206 N290200 E1143400 N274501 E1141327 N273743 E1133143 N265430 E1123800 N273718 E1121729 N274807 E1114757 N280949 E1114246 N282629 E1115541 9 500 m ----- 7 800 m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	126.15 MHz (124.525 MHz)	by ATC	
ZGGGAR14 N282629 E1115541	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou	133.9 MHz (124.525 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N293314 E1120945 N293202 E1123206 N290200 E1143400 N274501 E1141327 N273743 E1133143 N265430 E1123800 N273718 E1121729 N274807 E1114757 N280949 E1114246 N282629 E1115541 12 500 m ----- 9 500 m(exclusive)		Control 中、英 Ch,En			
ZGGGAR15 N292937 E1124215 N290200 E1143400 N300520 E1141833 N305156 E1142738 N310724 E1130533 N303822 E1130832 N301259 E1131108 N292937 E1124215 9 800 m ----- 7 800 m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	135.35 MHz (133.5 MHz)	by ATC	
ZGGGAR16 N325502 E1155001 N321100 E1154030 N314805 E1154322 N311730 E1144752 N305156 E1142738 N310724 E1130533 N313036 E1114651 N325624 E1121506 N323540 E1130201 N320730 E1140412 N325502 E1155001 9 800 m	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	118.9 MHz (133.675 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
----- 7 800 m(exclusive)					
ZGGGAR17 N333227 E1105056 N325624 E1121506 N313036 E1114651 N303343 E1112837 N293605 E1111031 N294035 E1090839 N315400 E1093100 N325940 E1102520 N333227 E1105056 12 500 m ----- 7 800 m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	134.1 MHz (132.15 MHz)	by ATC	
ZGGGAR18 N273718 E1121729 N265430 E1123800 N253409 E1122134 N253121 E1121138 N251645 E1112030 N260420 E1100309 N274219 E1104255 N280722 E1104152 N280949 E1114246 N274807 E1114757 N273718 E1121729 12 500 m ----- 9 500 m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	123.425 MHz (134.15 MHz)	by ATC	
ZGGGAR19 N280949 E1114246 N280722 E1104152 N282014 E1094024 N281432 E1092442 N284700 E1092300 N294035 E1090839 N293605 E1111031	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	135.45 MHz (134.15 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N293314 E1120945 N282629 E1115541 N280949 E1114246 9 500 m ----- 7 800 m(exclusive)					
ZGGGAR20 N254825 E1145235 N252605 E1145923 N244800 E1145100 N251228 E1133805 N255615 E1134151 N263850 E1134142 N265924 E1140131 N261127 E1141540 N254825 E1145235 9 200 m ----- GND	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	132.3 MHz (134.25 MHz)	by ATC	不包括长沙管制 区 03 号扇区 Exclude sector ZGHAAR03
ZGGGAR21 N325502 E1155001 N321100 E1154030 N314805 E1154322 N311730 E1144752 N305156 E1142738 N310724 E1130533 N313036 E1114651 N325624 E1121506 N323540 E1130201 N320730 E1140412 N325502 E1155001 12 500 m ----- 9 800 m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	134.5 MHz (133.5 MHz)	by ATC	
ZGGGAR22 N251645 E1112030 N242107 E1111703 N240900 E1111618	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英	133.85 MHz (132.1 MHz)	by ATC 该扇区不工作 时由广州区域 11 号扇区代	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N240742 E1101106 N244006 E1095024 N254200 E1073900 N263500 E1091900 N261600 E1094350 N260420 E1100309 N251645 E1112030 9 200 m ----- 7 800 m(exclusive)		Ch,En		替 Contact ZGGGAR11 when ZGGGAR22 U/S.	
ZGGGAR23 N251645 E1112030 N253409 E1122134 N250322 E1122134 N244329 E1123951 N243039 E1123146 N235103 E1124749 N232430 E1123200 N242107 E1111703 N251645 E1112030 12 500 m ----- GND	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	125.75 MHz (132.65 MHz)	by ATC	
ZGGGAR24 N213420 E1114950 N215048 E1113030 N224800 E1122918 N222606 E1130000 N214114 E1130000 N203000 E1113000 N213420 E1114950 In area: N213420 E1114950 N215048 E1113030 N220431 E1114430 N213420 E1114950 12 500m -----	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	128.3 MHz (126.1 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
7 800m(exclusive) Other area: 12 500m ----- GND					
ZGGGAR25 N274501 E1141327 N265924 E1140131 N263850 E1134142 N255615 E1134151 N253409 E1122134 N265430 E1123800 N273743 E1133143 N274501 E1141327 9 500 m ----- 7 800 m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	119.375 MHz (124.525 MHz)	by ATC	
ZGGGAR26 N253409 E1122134 N265430 E1123800 N273743 E1133143 N274501 E1141327 N265924 E1140131 N263850 E1134142 N255615 E1134151 N253409 E1122134 12 500 m ----- 9 500 m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	135.3 MHz (134.15 MHz)	by ATC	
ZGGGAR27 N292937 E1124215 N290200 E1143400 N300520 E1141833 N305156 E1142738 N310724 E1130533 N303822 E1130832 N301259 E1131108 N292937 E1124215	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	132.35 MHz (133.5 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
12 500 m ----- 9 800 m(exclusive)					
ZGGGAR28 N254134 E1154653 N254825 E1145235 N261127 E1141540 N265924 E1140131 N273019 E1140937 N265020 E1162910 N254134 E1154653 9 200 m ----- GND	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	133.475 MHz (134.25 MHz)	by ATC	
ZGGGAR29 N222130 E1135200 N214114 E1130000 N222606 E1130000 N224800 E1122918 N230417 E1122907 N232430 E1123200 N233206 E1132306 N235542 E1133836 N234306 E1141200 N233855 E1141941 N232600 E1142742 N231524 E1141118 N225400 E1140342 N224818 E1142800 N223700 E1144500 N222430 E1144500 N222430 E1143000 Hong Kong Boundaries N222130 E1135200 12 500 m ----- 9 800 m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	133.075 MHz (126.1 MHz)	by ATC	
ZGGGAR30	广州区域管制室	广州区域	133.275 MHz	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N215048 E1113030 N222806 E1104706 N225136 E1103300 N232842 E1111824 N240900 E1111618 N242107 E1111703 N232430 E1123200 N230417 E1122907 N224800 E1122918 N215048 E1113030 12 500 m ----- 8 400 m(exclusive)	Guangzhou ACC	Guangzhou Control 中、英 Ch,En	(132.65 MHz)		
ZGGGAR31 N293605 E1111031 N293202 E1123206 N292937 E1124215 N301259 E1131108 N303822 E1130832 N310724 E1130533 N313036 E1114651 N303343 E1112837 N293605 E1111031 12 500 m ----- 7 800 m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	124.9 MHz (133.675 MHz)	by ATC	
ZGGGAR32 N280722 E1104152 N282014 E1094024 N281432 E1092442 N273100 E1092700 N263500 E1091900 N261600 E1094350 N260420 E1100309 N274219 E1104255 N280722 E1104152 12 500 m -----	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	133.375 MHz (132.925 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
7 800 m(exclusive)					
ZGGGAR33 N253409 E1122134 N255615 E1134151 N251228 E1133805 N243754 E1133509 N244329 E1123951 N250322 E1122134 N253409 E1122134 12 500 m ----- GND	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	133.525 MHz (122.5 MHz)	by ATC	
ZGGGAR34 N241736 E1144406 N234306 E1141200 N235542 E1133836 N241106 E1133254 N251228 E1133805 N244800 E1145100 N242535 E1144554 N241736 E1144406 12 500 m ----- 9 200 m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	126.75 MHz (133.775 MHz)	by ATC	
ZGGGAR35 N254825 E1145235 N252605 E1145923 N244800 E1145100 N251228 E1133805 N255615 E1134151 N263850 E1134142 N265924 E1140131 N261127 E1141540 N254825 E1145235 12 500 m ----- 9 200 m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	134.8 MHz (134.25 MHz)	by ATC	
ZGGGAR36	广州区域管制室	广州区域	133.25 MHz	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N314805 E1154322 N300500 E1155600 N290200 E1143400 N300520 E1141833 N305156 E1142738 N311730 E1144752 N314805 E1154322 12 500 m ----- 7 800 m(exclusive)	Guangzhou ACC	Guangzhou Control 中、英 Ch,En	(133.675 MHz)		
ZGGGAR37 N280949 E1114246 N280722 E1104152 N282014 E1094024 N281432 E1092442 N284700 E1092300 N294035 E1090839 N293605 E1111031 N293314 E1120945 N282629 E1115541 N280949 E1114246 12 500 m ----- 9 500 m(exclusive)	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	128.725 MHz (132.925 MHz)	by ATC	
ZGGGAR38 N254825 E1145235 N254134 E1154653 N252140 E1153450 N242052 E1154002 N242535 E1144554 N244800 E1145100 N252605 E1145923 N254825 E1145235 12 500 m ----- GND	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou Control 中、英 Ch,En	133.975 MHz (132.4 MHz)	by ATC	
ZGGGAR40 N254134 E1154653	广州区域管制室 Guangzhou ACC	广州区域 Guangzhou	132.825 MHz (134.25 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N254825 E1145235 N261127 E1141540 N265924 E1140131 N273019 E1140937 N265020 E1162910 N254134 E1154653 12 500 m ----- 9 200 m(exclusive)		Control 中、英 Ch,En			
2.3 广州中低空区域管制区 Guangzhou Lower Control Area					
ZGGGLTA N251645 E1112030 N240900 E1111618 N232625 E1112950 N213420 E1114950 N203000 E1113000 N193000 E1113000 N222130 E1135200 Hong Kong Boundaries N222430 E1143000 N222430 E1154000 N224057 E1163005 N224911 E1160541 N250710 E1141830 N260244 E1140559 N251645 E1112030 -----		中、英 Ch,En	Nil (Nil)		
2.4 南宁区域管制区 Nanning Control Area			10 066 kHz	0001-1200	
			3 491 kHz	1201-2400	
			(6 556 kHz)	H24	
ZGNNAR01 N250233 E1090328 N244006 E1095024 N240742 E1101106 N240752 E1101852 N240900 E1111618 N232842 E1111824	南宁区域管制室 Nanning ACC	南宁区域 Nanning Control 中、英 Ch,En	132.7 MHz (120.55 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N225136 E1103300 N222806 E1104706 N223018 E1092812 N220304 E1091236 N230750 E1090430 N232550 E1080717 N250233 E1090328 In area: N240742 E1101106 N240752 E1101852 N240900 E1111618 N232842 E1111824 N225136 E1103300 N240742 E1101106 6000m ----- GND Other area: 9 800m ----- GND					
ZGNNAR02 N231145 E1053230 N243900 E1054800 N254200 E1073900 N250233 E1090328 N232550 E1080717 N230410 E1075455 N225316 E1064201 National Boundaries N231145 E1053230 9 800 m ----- GND	南宁区域管制室 Nanning ACC	南宁区域 Nanning Control 中、英 Ch,En	133.1 MHz (120.55 MHz)	by ATC	
ZGNNAR03 N225316 E1064201 N230410 E1075455 N232550 E1080717	南宁区域管制室 Nanning ACC	南宁区域 Nanning Control 中、英	133.75 MHz (133.4 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N230750 E1090430 N220304 E1091236 N213748 E1085812 N210000 E1084800 N203000 E1091500 N203000 E1080300 N211235 E1081231 National Boundaries N213302 E1080010 National Boundaries N225316 E1064201 9 800 m ----- GND		Ch,En			
ZGNNAR04 N250233 E1090328 N244006 E1095024 N240742 E1101106 N225136 E1103300 N222806 E1104706 N223018 E1092812 N220304 E1091236 N230750 E1090430 N232550 E1080717 N250233 E1090328 12 500 m ----- 9 800 m(exclusive)	南宁区域管制室 Nanning ACC	南宁区域 Nanning Control 中、英 Ch,En	128.375 MHz (133.4 MHz)	by ATC	
ZGNNAR05 N231145 E1053230 N243900 E1054800 N254200 E1073900 N250233 E1090328 N232550 E1080717 N230410 E1075455 N225316 E1064201 National Boundaries N231145 E1053230	南宁区域管制室 Nanning ACC	南宁区域 Nanning Control 中、英 Ch,En	118.975 MHz (120.55 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
12 500 m ----- 9 800 m(exclusive)					
ZGNNAR06 N225316 E1064201 N230410 E1075455 N232550 E1080717 N230750 E1090430 N220304 E1091236 N213748 E1085812 N210000 E1084800 N203000 E1091500 N203000 E1080300 N211235 E1081231 National Boundaries N213302 E1080010 National Boundaries N225316 E1064201 12 500 m ----- 9 800 m(exclusive)	南宁区域管制室 Nanning ACC	南宁区域 Nanning Control 中、英 Ch,En	134.025 MHz (133.4 MHz)	by ATC	
ZGNNAR07 N240742 E1101106 N240752 E1101852 N240900 E1111618 N232625 E1112950 N213420 E1114950 N215048 E1113030 N222806 E1104706 N225136 E1103300 N240742 E1101106 In area: N240742 E1101106 N240752 E1101852 N240900 E1111618 N232842 E1111824 N225136 E1103300 N240742 E1101106	南宁区域管制室 Nanning ACC	南宁区域 Nanning Control 中、英 Ch,En	119.325 MHz (132.65 MHz)		

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
12 500m ----- 6 000m(exclusive) Other area: 7 800m ----- GND					
ZGNNAR08 N251645 E1112030 N240900 E1111618 N240752 E1101852 N245613 E1101408 an anticlockwise arc with radius of 30KM centered at N251217 E1101244 N252830 E1101113 N260120 E1100805 N251645 E1112030 7 800 m ----- GND	南宁区域管制室 Nanning ACC	南宁区域 Nanning Control 中、英 Ch,En	133.6 MHz (132.975 MHz)	H24	
ZGNNAR09 N263500 E1091900 N261600 E1094350 N260120 E1100805 N252830 E1101113 a clockwise arc with radius of 30KM centered at N251217 E1101244 N245613 E1101408 N240752 E1101852 N240742 E1101106 N244006 E1095024 N250233 E1090328 N254200 E1073900 N263500 E1091900 7 800 m -----	南宁区域管制室 Nanning ACC	南宁区域 Nanning Control 中、英 Ch,En	134.375 MHz (132.975 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
GND					
ZGNNAR10 N213420 E1114950 N203000 E1113000 N203000 E1102929 N215048 E1113030 N213420 E1114950 7 800 m ----- GND	南宁区域管制室 Nanning ACC	南宁区域 Nanning Control 中、英 Ch,En	133.95 MHz (132.35 MHz)	H24	
ZGNNAR11 N223018 E1092812 N213748 E1085812 N210000 E1084800 N203000 E1091500 N203000 E1100018 N222929 E1100018 N223018 E1092812 8 900 m ----- GND	南宁区域管制室 Nanning ACC	南宁区域 Nanning Control 中、英 Ch,En	128.7 MHz (132.35 MHz)	H24	
ZGNNAR12 N203000 E1102929 N215048 E1113030 N222806 E1104706 N222929 E1100018 N203000 E1100018 N203000 E1102929 7 800 m ----- GND	南宁区域管制室 Nanning ACC	南宁区域 Nanning Control 中、英 Ch,En	124.575 MHz (132.35 MHz)	by ATC 该扇区不工作时由南宁区域 10 号扇区代替 Contact ZGNNAR10 when ZGNNAR12 U/S.	
2.5 南宁中低空区域管制区 Nanning Lower Control Area					
ZGNNLTA N231145 E1053230 N243900 E1054800 N254200 E1073900 N263500 E1091900		中、英 Ch,En	Nil (Nil)		

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N261600 E1094350 N251645 E1112030 N240900 E1111618 N232625 E1112950 N213420 E1114950 N203000 E1113000 N203000 E1102929 N203000 E1100018 N203000 E1091500 N203000 E1080300 N211235 E1081231 N213302 E1080010 National Boundaries N231145 E1053230 -----					
3.香港飞行情报区 Hong Kong FIR					
4.昆明飞行情报区 Kunming FIR					
4.1 成都区域管制区 Chengdu Control Area			8 897 kHz	0001-1200	
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZUUUAR01 N321345 E1072350 N320151 E1084207 N311058 E1080455 N311210 E1064233 N321345 E1072350 12 500 m ----- 7 800 m(exclusive)	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	120.9 MHz (120.525 MHz)	H24	
ZUUUAR02 N300421 E1032750 N300508 E1033814 N302311 E1042704 N300012 E1051007 N294206 E1054400 N292353 E1054319 N292034 E1045808	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	122.8 MHz (126.15 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N292003 E1045127 N291835 E1043601 N291734 E1042637 N291619 E1041543 N291614 E1041238 N292323 E1040200 N292746 E1035821 N300421 E1032750 12 500 m ----- GND					
ZUUUAR03 N325802 E0980555 N324710 E1014130 N300932 E1013144 N295508 E1012542 N275137 E1001201 N282942 E0985430 N280839 E0980807 N325802 E0980555 12 500 m ----- GND	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	133.8 MHz (126.15 MHz)	by ATC	
ZUUUAR04 N324230 E1024834 N322956 E1051832 N314708 E1044628 N311456 E1042244 N310218 E1033800 N324230 E1024834 12 500 m ----- GND	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	128.35 MHz (133.3 MHz)	by ATC	
ZUUUAR05 N305612 E1052509 N311226 E1060542 N311210 E1064233 N305411 E1063041	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	123.7 MHz (133.3 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N294206 E1054400 N300012 E1051007 N302949 E1051847 N303851 E1052155 N305035 E1052511 N305612 E1052509 12 500 m ----- GND					
ZUUUAR06 N305411 E1063041 N305124 E1072254 N304218 E1080154 N300412 E1071731 N294216 E1070256 N294206 E1054400 N305411 E1063041 7 800 m ----- GND	重庆区域管制室 Chongqing ACC	成都区域 Chengdu Control 中、英 Ch,En	132.6 MHz (133.075 MHz)	H24	
ZUUUAR07 N294206 E1054400 N294216 E1070256 N291318 E1073007 N282408 E1073127 N280450 E1060311 N283506 E1054130 N294206 E1054400 7 800 m ----- GND	重庆区域管制室 Chongqing ACC	成都区域 Chengdu Control 中、英 Ch,En	134.3 MHz (133.075 MHz)	by ATC	
ZUUUAR08 N291734 E1042637 N291835 E1043601 N292003 E1045127 N292034 E1045808 N292353 E1054319 N284449 E1054152	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	118.95 MHz (126.15 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N284027 E1044951 N291734 E1042637 12 500 m ----- GND					
ZUUUAR09 N311755 E1052002 N311400 E1052126 N310317 E1052507 N305612 E1052509 N305035 E1052511 N303851 E1052155 N302949 E1051847 N300012 E1051007 N302311 E1042704 N300508 E1033814 N310218 E1033800 N311456 E1042244 N314708 E1044628 N314803 E1051006 N314112 E1051218 N312518 E1051723 N311755 E1052002 8 900 m ----- GND	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	132.3 MHz (133.3 MHz)	by ATC	
ZUUUAR10 N294206 E1054400 N294252 E1070223 N291637 E1072638 N294035 E1090839 N284700 E1092300 N282637 E1074310 N281837 E1070544 N280450 E1060311 N283506 E1054130 N284449 E1054152 N292353 E1054319	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	125.7 MHz (120.525 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N294206 E1054400 12 500 m ----- 7 800 m(exclusive)					
ZUUUAR11 N311755 E1052002 N311400 E1052126 N310317 E1052507 N305612 E1052509 N305035 E1052511 N303851 E1052155 N302949 E1051847 N300012 E1051007 N302311 E1042704 N300508 E1033814 N310218 E1033800 N311456 E1042244 N314708 E1044628 N314803 E1051006 N314112 E1051218 N312518 E1051723 N311755 E1052002 12 500 m ----- 8 900 m(exclusive)	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	127.55 MHz (133.3 MHz)	by ATC	
ZUUUAR12 N324710 E1014130 N324230 E1024834 N310218 E1033800 N300508 E1033814 N300421 E1032750 N300202 E1025712 N295508 E1012542 N300932 E1013144 N324710 E1014130 12 500 m ----- GND	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	132.675 MHz (133.3 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
ZUUUAR13 N320151 E1084207 N315400 E1093100 N294035 E1090839 N291637 E1072638 N294252 E1070223 N311058 E1080455 N320151 E1084207 12 500 m ----- 7 800 m(exclusive)	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	132.125 MHz (120.525 MHz)	by ATC	
ZUUUAR15 N321735 E1065719 N321345 E1072350 N311210 E1064233 N311226 E1060542 N305612 E1052509 N310317 E1052507 N311400 E1052126 N311755 E1052002 N321735 E1065719 12 500 m ----- GND	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	124.575 MHz (134.05 MHz)	by ATC	
ZUUUAR16 N322700 E1054900 N321735 E1065719 N311755 E1052002 N312518 E1051723 N314112 E1051218 N314803 E1051006 N314708 E1044628 N322956 E1051832 N322700 E1054900 12 500 m ----- GND	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	119.325 MHz (134.05 MHz)	by ATC	
ZUUUAR17	成都区域管制室	成都区域	132.475 MHz	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N284027 E1044951 N284449 E1054152 N283506 E1054130 N280450 E1060311 N275100 E1050246 N274815 E1045359 N274035 E1042945 N284027 E1044951 12 500 m ----- GND	Chengdu ACC	Chengdu Control 中、英 Ch,En	(134.45/126.15 MHz)		
ZUUUAR18 N292746 E1035821 N292323 E1040200 N291614 E1041238 N291619 E1041543 N291734 E1042637 N284027 E1044951 N274035 E1042945 N270441 E1024022 N282344 E1033755 N292746 E1035821 12 500 m ----- GND	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	133.125 MHz (126.15/134.45 MHz)	H24	
ZUUUAR19 N320210 E1084032 N315400 E1093100 N302428 E1091553 N294035 E1090839 N292032 E1091403 N291318 E1073007 N294216 E1070256 N300412 E1071731 N304218 E1080154 N305143 E1081259 N320210 E1084032 7 800 m	重庆区域管制室 Chongqing ACC	成都区域 Chengdu Control 中、英 Ch,En	134.0 MHz (133.075 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
----- GND					
ZUUUAR20 N311210 E1064233 N311058 E1080455 N294252 E1070223 N294206 E1054400 N305411 E1063041 N311210 E1064233 12 500 m ----- 7 800 m(exclusive)	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	123.775 MHz (120.525 MHz)	by ATC	
ZUUUAR21 N281837 E1070544 N282637 E1074310 N284700 E1092300 N273100 E1092700 N263500 E1091900 N261805 E1084641 N264859 E1070628 N270035 E1071003 N273436 E1071244 N281837 E1070544 12 500 m ----- 7 800 m(exclusive)	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	132.25 MHz (133.45/134.75 MHz)	by ATC	
ZUUUAR22 N274035 E1042945 N274815 E1045359 N275100 E1050246 N280450 E1060311 N281837 E1070544 N273436 E1071244 N270035 E1071003 N264859 E1070628 N263357 E1045859 N274035 E1042945 9 800 m	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	133.65 MHz (133.45/134.75 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
----- 7 800 m(exclusive)					
ZUUUAR23 N263357 E1045859 N264859 E1070628 N261805 E1084641 N254200 E1073900 N243900 E1054800 N263357 E1045859 9 800 m ----- 7 800 m(exclusive)	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	124.95 MHz (134.75/133.45 MHz)	by ATC	
ZUUUAR24 N274035 E1042945 N274815 E1045359 N275100 E1050246 N280450 E1060311 N281837 E1070544 N273436 E1071244 N270035 E1071003 N264859 E1070628 N263357 E1045859 N274035 E1042945 12 500 m ----- 9 800 m(exclusive)	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	133.225 MHz (134.75/133.45 MHz)	by ATC	
ZUUUAR25 N295508 E1012542 N300202 E1025712 N300421 E1032750 N292746 E1035821 N282344 E1033755 N270441 E1024022 N265312 E1020630 N275137 E1001201 N295508 E1012542 12 500 m -----	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	133.0 MHz (126.15 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
GND					
ZUUUAR26 N263357 E1045859 N264859 E1070628 N261805 E1084641 N254200 E1073900 N243900 E1054800 N263357 E1045859 12 500 m ----- 9 800 m(exclusive)	成都区域管制室 Chengdu ACC	成都区域 Chengdu Control 中、英 Ch,En	134.225 MHz (133.45/134.75 MHz)	by ATC	
ZUUUAR27 N321345 E1072350 N320210 E1084032 N305143 E1081259 N304218 E1080154 N305124 E1072254 N305411 E1063041 N311210 E1064233 N321345 E1072350 7 800 m ----- GND	重庆区域管制室 Chongqing ACC	成都区域 Chengdu Control 中、英 Ch,En	125.95 MHz (133.075 MHz)	by ATC	
ZUUUAR28 N291318 E1073007 N292032 E1091403 N284700 E1092300 N282408 E1073127 N291318 E1073007 7 800 m ----- GND	重庆区域管制室 Chongqing ACC	成都区域 Chengdu Control 中、英 Ch,En	133.875 MHz (133.075 MHz)	by ATC	
4.2 贵阳区域管制区 Guiyang Control Area			10 066 kHz	0001-1200	6000 米(含)以下 空域内航路(含航 线及侧向偏置)实 施目视间隔运行。 Visual separation is implemented
			3 491 kHz	1201-2400	
			(6 556 kHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
					for ATS routes (inclusive lateral offset) at 6 000m and below.
ZUGYAR01 N280450 E1060311 N282338 E1072908 N283149 E1080804 N283255 E1081320 N271953 E1080421 N264647 E1070137 N270220 E1063945 N280450 E1060311 7 800 m ----- GND	贵阳区域管制室 Guiyang ACC	贵阳区域 Guiyang Control 中、英 Ch,En	120.7 MHz (133.925 MHz)	by ATC	
ZUGYAR02 N274035 E1042945 N274815 E1045359 N275100 E1050246 N280450 E1060311 N270220 E1063945 N262922 E1064106 N250702 E1063651 N243900 E1054800 N262854 E1050110 N274035 E1042945 7 800 m ----- GND	贵阳区域管制室 Guiyang ACC	贵阳区域 Guiyang Control 中、英 Ch,En	128.15 MHz (122.2 MHz)	by ATC	
ZUGYAR03 N270220 E1063945 N264647 E1070137 N261604 E1084251 N254200 E1073900 N250702 E1063651 N262922 E1064106 N270220 E1063945	贵阳区域管制室 Guiyang ACC	贵阳区域 Guiyang Control 中、英 Ch,En	132.85 MHz (122.2 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
7 800 m ----- GND					
ZUGYAR04 N283255 E1081320 N284700 E1092300 N273100 E1092700 N263500 E1091900 N261604 E1084251 N264647 E1070137 N271953 E1080421 N283255 E1081320 7 800 m ----- GND	贵阳区域管制室 Guiyang ACC	贵阳区域 Guiyang Control 中、英 Ch,En	132.375 MHz (133.925 MHz)	by ATC	
4.3 昆明区域管制区 Kunming Control Area			10 066 kHz	0001-1200	Visual separation is implemented for ATS routes (inclusive lateral offset) at 6 000m and below.
			3 491 kHz	1201-2400	
			(6 556 kHz)	H24	
ZPPPAR01 N265312 E1020630 N270441 E1024022 N274035 E1042945 N265507 E1044946 N265145 E1043148 N260230 E1034810 N261049 E1033859 N260925 E1024125 N254142 E1021251 N263131 E1014752 N265312 E1020630 9 500 m ----- GND	昆明区域管制室 Kunming ACC	昆明区域 Kunming Control 中、英 Ch,En	124.55 MHz (125.35 MHz)	by ATC	
ZPPPAR02 N260230 E1034810	昆明区域管制室 Kunming ACC	昆明区域 Kunming	134.35 MHz (125.35 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N265145 E1043148 N265507 E1044946 N262854 E1050110 N243900 E1054800 N250346 E1045813 N250314 E1035222 N254816 E1040354 N260230 E1034810 9 500 m ----- GND		Control 中、英 Ch,En			
ZPPPAR03 N231145 E1053230 N243900 E1054800 N250346 E1045813 N250314 E1035222 N243224 E1034430 N240630 E1024530 N224650 E1023056 National Boundaries N231145 E1053230 9 500 m ----- GND	昆明区域管制室 Kunming ACC	昆明区域 Kunming Control 中、英 Ch,En	127.5 MHz (119.3 MHz)	by ATC	
ZPPPAR04 N224650 E1023056 N240630 E1024530 N235913 E1014722 N241801 E1014043 N224614 E0992308 National Boundaries N224650 E1023056 9 500 m ----- GND	昆明区域管制室 Kunming ACC	昆明区域 Kunming Control 中、英 Ch,En	125.75 MHz (119.3 MHz)	H24	
ZPPPAR05 N255104 E0984201 N253840 E1001929	昆明区域管制室 Kunming ACC	昆明区域 Kunming Control	120.775 MHz (119.3 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N251626 E1014651 N250140 E1013147 N243724 E1013351 N241801 E1014043 N224614 E0992308 National Boundaries N255104 E0984201 9 500 m ----- GND		中、英 Ch,En			
ZPPPAR06 N280839 E0980807 N282942 E0985430 N275137 E1001201 N265312 E1020630 N263131 E1014752 N254142 E1021251 N251626 E1014651 N253840 E1001929 N255104 E0984201 National Boundaries N280839 E0980807 9 500 m ----- GND	昆明区域管制室 Kunming ACC	昆明区域 Kunming Control 中、英 Ch,En	132.175 MHz (Nil)	by ATC	
ZPPPAR07 N254142 E1021251 N260925 E1024125 N261049 E1033859 N260230 E1034810 N254816 E1040354 N250314 E1035222 N250448 E1023108 N254142 E1021251 9 500 m ----- GND	昆明区域管制室 Kunming ACC	昆明区域 Kunming Control 中、英 Ch,En	Nil (Nil)	by ATC 该扇区不工作时由昆明区域 01 号扇区代替 Contact ZPPPAR01 when ZPPPAR07 U/S.	
ZPPPAR08	昆明区域管制室	昆明区域	Nil	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N250140 E1013147 N251626 E1014651 N254142 E1021251 N250448 E1023108 N250314 E1035222 N243224 E1034430 N240630 E1024530 N235913 E1014722 N241801 E1014043 N243724 E1013351 N250140 E1013147 9 500 m ----- GND	Kunming ACC	Kunming Control 中、英 Ch,En	(Nil)	该扇区不工作时由昆明区域04号扇区代替 Contact ZPPPAR04 when ZPPPAR08 U/S.	
ZPPPAR09 N231145 E1053230 N243900 E1054800 N262854 E1050110 N265507 E1044946 N274035 E1042945 N270441 E1024022 N265312 E1020630 N263131 E1014752 N250448 E1023108 N240630 E1024530 N224650 E1023056 National Boundaries N231145 E1053230 12 500 m ----- 9 500 m(exclusive)	昆明区域管制室 Kunming ACC	昆明区域 Kunming Control 中、英 Ch,En	120.975 MHz (125.35 MHz)	by ATC	
ZPPPAR10 N280839 E0980807 N282942 E0985430 N275137 E1001201 N265312 E1020630 N263131 E1014752 N250448 E1023108	昆明区域管制室 Kunming ACC	昆明区域 Kunming Control 中、英 Ch,En	132.425 MHz (119.3 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N240630 E1024530 N224650 E1023056 National Boundaries N280839 E0980807 12 500 m ----- 9 500 m(exclusive)					
4.4 拉萨区域管制区 Lhasa Control Area			10 066 kHz	0001-1200	
			3 491 kHz	1201-2400	
			(6 556 kHz)	H24	
ZULSAR01 N280213 E0864636 N313633 E0903119 N310553 E0951220 N281636 E0955332 National Boundaries N280213 E0864636 12 500 m ----- GND	拉萨区域管制室 Lhasa ACC	拉萨区域 LHASA Control 中、英 Ch,En	132.35 MHz (120.7 MHz)	H24	
ZULSAR02 N281636 E0955332 N310553 E0951220 N313633 E0903119 N325212 E0915551 N325802 E0980555 N280839 E0980807 National Boundaries N281636 E0955332 12 500 m ----- GND	拉萨区域管制室 Lhasa ACC	拉萨区域 LHASA Control 中、英 Ch,En	119.375 MHz (120.7 MHz)	by ATC	
ZULSAR03 N301332 E0820722 N361720 E0870710 N325212 E0915551 N313633 E0903119 N280213 E0864636	拉萨区域管制室 Lhasa ACC	拉萨区域 LHASA Control 中、英 Ch,En	Nil (Nil)	by ATC 该扇区不工作时由拉萨区域 01 号扇区代替 Contact	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
National Boundaries N301332 E0820722 12 500 m ----- GND				ZULSAR01 when ZULSAR03 U/S.	
5.兰州飞行情报区 Lanzhou FIR					
5.1 兰州区域管制区 Lanzhou Control Area			8 897 kHz	0001-1200	
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZLLAR01 N371256 E1051118 N360823 E1071013 N345330 E1065100 N353456 E1044540 N355938 E1051007 N371256 E1051118 8 400 m ----- GND	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	123.75 MHz (126.175 MHz)	by ATC	
ZLLAR02 N394124 E1072233 N390520 E1075816 N374440 E1073544 N382054 E1062442 N391355 E1061446 N394124 E1072233 12 500 m ----- GND	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	118.9 MHz (132.35 MHz)	H24	
ZLLAR03 N414451 E1051345 N380000 E1012156 N385435 E0991308 N423409 E1012323 National Boundaries N414451 E1051345 12 500 m	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	133.35 MHz (134.325 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
----- GND					
ZLLAR04 N401425 E0924857 N382010 E0901237 N361720 E0870710 N325212 E0915551 N325802 E0980555 N324842 E1011708 N343000 E1023700 N364730 E0990500 N371140 E1000000 N380314 E0980940 N392648 E0944631 N401425 E0924857 12 500 m ----- GND	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	132.8 MHz (132.2 MHz)	H24	
ZLLAR05 N354257 E1031836 N352332 E1034947 N352332 E1043403 N353456 E1044540 N345330 E1065100 N322700 E1054900 N324842 E1011708 N343000 E1023700 N354257 E1031836 8 400 m ----- GND	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	125.775 MHz (126.175 MHz)	by ATC 该扇区不工作时由兰州区域 01 号扇区代替 Contact ZLLAR01 when ZLLAR05 U/S.	
ZLLAR06 N354257 E1031836 N352332 E1034947 N352332 E1043403 N353456 E1044540 N345330 E1065100 N322700 E1054900	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	127.35 MHz (126.175 MHz)	by ATC 该扇区不工作时由兰州区域 05 号扇区代替 Contact ZLLAR05	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N324842 E1011708 N343000 E1023700 N354257 E1031836 12 500 m ----- 8 400 m(exclusive)				when ZLLAR06 U/S.	
ZLLAR07 N390255 E0985333 N380314 E0980940 N371140 E1000000 N373713 E1010017 N380000 E1012156 N390255 E0985333 12 500 m ----- GND	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	119.35 MHz (132.2 MHz)	by ATC 该扇区不工作时由兰州区域 04 号扇区代替 Contact ZLLAR04 when ZLLAR07 U/S.	
ZLLAR08 N371256 E1051118 N360823 E1071013 N345330 E1065100 N353456 E1044540 N355938 E1051007 N371256 E1051118 12 500 m ----- 8 400 m(exclusive)	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	134.2 MHz (126.175 MHz)	by ATC 该扇区不工作时由兰州区域 01 号扇区代替 Contact ZLLAR01 when ZLLAR08 U/S.	
ZLLAR09 N423409 E1012323 N385435 E0991308 N394310 E0971707 N401830 E0960518 N410141 E0950155 N412327 E0943107 N414729 E0950755 N425500 E0962014 National Boundaries N423409 E1012323 12 500 m	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	125.375 MHz (134.325 MHz)	by ATC	不包括兰州管制 区 10 号扇区 Exclude sector ZLLAR10

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
----- GND					
ZLLAR10 N403457 E0971322 N402249 E0990749 N393312 E0985312 N394310 E0971707 N403457 E0971322 6 000 m ----- GND	兰州进近管制室 Lanzhou APP	兰州区域 Lanzhou Control 中、英 Ch,En	125.9 MHz (127.525 MHz)	by ATC	
ZLLAR11 N414451 E1051345 N394124 E1072233 N391355 E1061446 N384406 E1050519 N373813 E1041557 N373115 E1030059 N380000 E1012156 N414451 E1051345 12 500 m ----- GND	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	128.725 MHz (132.35 MHz)	by ATC 该扇区不工作时由兰州区域 02 号扇区代替 Contact ZLLAR02 when ZLLAR11 U/S.	
ZLLAR12 N412327 E0943107 N410141 E0950155 N401830 E0960518 N392648 E0944631 N401425 E0924857 N412327 E0943107 12 500 m ----- GND	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	120.525 MHz (132.2 MHz)	by ATC	
ZLLAR13 N401830 E0960518 N394310 E0971707 N390255 E0985333 N380314 E0980940	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	128.125 MHz (132.2 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N392648 E0944631 N401830 E0960518 12 500 m ----- GND					
ZLLAR14 N380000 E1012156 N373115 E1030059 N360217 E1024815 N354257 E1031836 N343000 E1023700 N364730 E0990500 N371140 E1000000 N373713 E1010017 N380000 E1012156 8 400 m ----- GND	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	124.525 MHz (126.175 MHz)	by ATC 该扇区不工作时由兰州区域 15 号扇区代替 Contact ZLLAR15 when ZLLAR14 U/S.	
ZLLAR15 N380000 E1012156 N373115 E1030059 N360217 E1024815 N354257 E1031836 N343000 E1023700 N364730 E0990500 N371140 E1000000 N373713 E1010017 N380000 E1012156 12 500 m ----- 8 400 m(exclusive)	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	134.7 MHz (126.175 MHz)	H24	
ZLLAR16 N373813 E1041557 N371256 E1051118 N360823 E1071013 N374440 E1073544 N382054 E1062442 N391355 E1061446	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	133.475 MHz (132.35 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N384406 E1050519 N373813 E1041557 12 500 m ----- GND					
ZLLAR17 N373115 E1030059 N373813 E1041557 N371256 E1051118 N355938 E1051007 N353456 E1044540 N352332 E1043403 N352332 E1034947 N354257 E1031836 N360217 E1024815 N373115 E1030059 8 400 m ----- GND	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	120.75 MHz (126.175 MHz)	by ATC	
ZLLAR18 N373115 E1030059 N373813 E1041557 N371256 E1051118 N355938 E1051007 N353456 E1044540 N352332 E1043403 N352332 E1034947 N354257 E1031836 N360217 E1024815 N373115 E1030059 12 500 m ----- 8 400 m(exclusive)	兰州区域管制室 Lanzhou ACC	兰州区域 Lanzhou Control 中、英 Ch,En	133.825 MHz (126.175 MHz)	by ATC	
5.2 西安区域管制区 Xi'an Control Area			8 897 kHz	0001-1200	
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZLXYAR01 N374230 E1073517	西安区域管制室 Xi'an ACC	西安区域 Xi'an	125.3 MHz (120.95 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N373449 E1093232 N374150 E1113546 N370701 E1114902 N350713 E1094101 N352517 E1083547 N374230 E1073517 8 900 m ----- GND		Control 中、英 Ch,En			
ZLXYAR02 N350713 E1094101 N342010 E1105039 N341459 E1112443 N333227 E1105056 N325940 E1102520 N320345 E1093845 N334327 E1090943 N350713 E1094101 7 800 m ----- GND	西安区域管制室 Xi'an ACC	西安区域 Xi'an Control 中、英 Ch,En	120.05 MHz (134.85 MHz)	by ATC 该扇区不工作时由西安区域 01 号扇区代替 Contact ZLXYAR01 when ZLXYAR02 U/S.	
ZLXYAR03 N334327 E1090943 N320345 E1093845 N315400 E1093100 N321028 E1074557 N322700 E1054900 N342853 E1064019 N341627 E1072240 N335113 E1084457 N334327 E1090943 7 800 m ----- GND	西安区域管制室 Xi'an ACC	西安区域 Xi'an Control 中、英 Ch,En	133.05 MHz (133.425 MHz)	by ATC 该扇区不工作时由西安区域 01 号扇区代替 Contact ZLXYAR01 when ZLXYAR03 U/S.	
ZLXYAR04 N374230 E1073517 N345330 E1065100 N342853 E1064019	西安区域管制室 Xi'an ACC	西安区域 Xi'an Control 中、英	126.1 MHz (134.4 MHz)	by ATC 该扇区不工作时由西安区域 01 号扇区代	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N341627 E1072240 N352517 E1083547 N374230 E1073517 8 900 m ----- GND		Ch,En		替 Contact ZLXYAR01 when ZLXYAR04 U/S.	
ZLXYAR05 N334327 E1090943 N320345 E1093845 N315400 E1093100 N321028 E1074557 N335113 E1084457 N334327 E1090943 12 500 m ----- 7 800 m(exclusive)	西安区域管制室 Xi'an ACC	西安区域 Xi'an Control 中、英 Ch,En	132.9 MHz (133.425 MHz)	by ATC 该扇区不工作时由西安区域 03 号扇区代替 Contact ZLXYAR03 when ZLXYAR05 U/S.	
ZLXYAR06 N374230 E1073517 N373449 E1093232 N374150 E1113546 N370701 E1114902 N350713 E1094101 N352517 E1083547 N374230 E1073517 12 500 m ----- 8 900 m(exclusive)	西安区域管制室 Xi'an ACC	西安区域 Xi'an Control 中、英 Ch,En	124.1 MHz (120.95 MHz)	by ATC 该扇区不工作时由西安区域 01 号扇区代替 Contact ZLXYAR01 when ZLXYAR06 U/S.	
ZLXYAR07 N350713 E1094101 N342010 E1105039 N341459 E1112443 N333227 E1105056 N325940 E1102520 N320345 E1093845 N334327 E1090943 N350713 E1094101 12 500 m -----	西安区域管制室 Xi'an ACC	西安区域 Xi'an Control 中、英 Ch,En	127.575 MHz (134.85 MHz)	by ATC 该扇区不工作时由西安区域 02 号扇区代替 Contact ZLXYAR02 when ZLXYAR07 U/S.	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
7 800 m(exclusive)					
ZLXYAR08 N321028 E1074557 N322700 E1054900 N342853 E1064019 N341627 E1072240 N335113 E1084457 N321028 E1074557 12 500 m ----- 7 800 m(exclusive)	西安区域管制室 Xi'an ACC	西安区域 Xi'an Control 中、英 Ch,En	118.975 MHz (133.425 MHz)	by ATC 该扇区不工作时由西安区域 05 号扇区代替 Contact ZLXYAR05 when ZLXYAR08 U/S.	
ZLXYAR09 N374230 E1073517 N373449 E1093232 N374150 E1113546 N390215 E1110415 N390520 E1075816 N374230 E1073517 8 900 m ----- GND	西安区域管制室 Xi'an ACC	西安区域 Xi'an Control 中、英 Ch,En	125.975 MHz (120.95 MHz)	by ATC 该扇区不工作时由西安区域 01 号扇区代替 Contact ZLXYAR01 when ZLXYAR09 U/S.	
ZLXYAR10 N374230 E1073517 N373449 E1093232 N374150 E1113546 N390215 E1110415 N390520 E1075816 N374230 E1073517 12 500 m ----- 8 900 m(exclusive)	西安区域管制室 Xi'an ACC	西安区域 Xi'an Control 中、英 Ch,En	128.15 MHz (120.95 MHz)	by ATC 该扇区不工作时由西安区域 01 号扇区代替 Contact ZLXYAR01 when ZLXYAR10 U/S.	
ZLXYAR11 N350713 E1094101 N342010 E1105039 N341459 E1112443 N352902 E1122516 N370701 E1114902 N350713 E1094101	西安区域管制室 Xi'an ACC	西安区域 Xi'an Control 中、英 Ch,En	132.275 MHz (134.85 MHz)	by ATC 该扇区不工作时由西安区域 02 号扇区代替 Contact ZLXYAR02	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
12 500 m ----- GND				when ZLXYAR11 U/S.	
ZLXYAR12 N352517 E1083547 N341627 E1072240 N335113 E1084457 N334327 E1090943 N350713 E1094101 N352517 E1083547 8 900 m ----- GND	西安区域管制室 Xi'an ACC	西安区域 Xi'an Control 中、英 Ch,En	125.9 MHz (134.4 MHz)	by ATC 该扇区不工作时由西安区域 04 号扇区代替 Contact ZLXYAR04 when ZLXYAR12 U/S.	
ZLXYAR13 N374230 E1073517 N345330 E1065100 N342853 E1064019 N341627 E1072240 N335113 E1084457 N334327 E1090943 N350713 E1094101 N352517 E1083547 N374230 E1073517 12 500 m ----- 8 900 m(exclusive)	西安区域管制室 Xi'an ACC	西安区域 Xi'an Control 中、英 Ch,En	132.725 MHz (134.4 MHz)	by ATC 该扇区不工作时由西安区域 04 号扇区代替 Contact ZLXYAR04 when ZLXYAR13 U/S.	
6. 三亚飞行情报区 Sanya FIR					
6.1 三亚区域管制区 Sanya Control Area					The relevant rules, see subsection ENR 2.1.4
ZJSYAR01 N203000 E1080300 N195733 E1075547 N191604 E1071123 N182028 E1074053 N174000 E1082736 N174000 E1094000 N193000 E1113000	三亚区域管制室 Sanya ACC	三亚区域 Sanya Control 中、英 Ch,En	11 396 kHz 3 485 kHz (5 655 kHz) 120.5 MHz (122.9 MHz)	0001-1200 1201-2400 H24 H24	岛内管制空域, 不包括三亚区域 04 号管制扇区 Island airspace Exclude ZJSYAR04

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N203000 E1113000 N203000 E1102929 N203000 E1100018 N203000 E1091500 N203000 E1080300 12 500 m ----- GND					
ZJSYAR02 N174000 E1082736 N174000 E1094000 N193000 E1113000 N182300 E1123000 N170000 E1113000 N160122 E1101911 N174000 E1082736 12 500 m ----- 4 270 m	三亚区域管制室 Sanya ACC	三亚区域 Sanya Control 中、英 Ch,En	11 396 kHz 3 485 kHz (5 655 kHz) 122.6 MHz (123.65 MHz)	0001-1200 1201-2400 H24 H24	洋区空域 Oceanic airspace
ZJSYAR03 N160122 E1101911 N170000 E1113000 N182300 E1123000 N164000 E1140000 N143000 E1140000 N143000 E1120000 N160122 E1101911 12 500 m ----- 4 270 m	三亚区域管制室 Sanya ACC	三亚区域 Sanya Control 中、英 Ch,En	8 942 kHz 5 649 kHz (13 309 kHz) 130.2 MHz (134.4 MHz)	0001-1200 1201-2400 H24 H24	洋区空域 Oceanic airspace
ZJSYAR04 N203000 E1091500 N194000 E1094400 N184100 E1091000 N183000 E1100000 N181519 E1101457 N193000 E1113000 N203000 E1113000	三亚区域管制室 Sanya ACC	三亚区域 Sanya Control 中、英 Ch,En	11 396 kHz 3 485 kHz (5 655 kHz) 133.2 MHz (122.9 MHz)	0001-1200 1201-2400 H24 by ATC 该扇区不工作 时由三亚区域 01 号扇区代	岛内管制空域 Island airspace

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N203000 E1102929 N203000 E1100018 N203000 E1091500 9 800 m ----- GND				替 Contact ZJSYAR01 when ZJSYAR04 U/S.	
ZJSYAR11 N203000 E1100018 N222929 E1100018 N222806 E1104706 N215048 E1113030 N213420 E1114950 N203000 E1113000 N203000 E1102929 N203000 E1100018 12 500 m ----- 7 800 m(exclusive)	三亚区域管制室 Sanya ACC	三亚区域 Sanya Control 中、英 Ch,En	11 396 kHz 3 485 kHz (5 655 kHz) 133.35 MHz (126.95 MHz)	0001-1200 1201-2400 H24 H24	
ZJSYAR12 N223018 E1092812 N213748 E1085812 N210000 E1084800 N203000 E1091500 N203000 E1100018 N222929 E1100018 N223018 E1092812 12 500 m ----- 8 900 m(exclusive)	三亚区域管制室 Sanya ACC	三亚区域 Sanya Control 中、英 Ch,En	11 396 kHz 3 485 kHz (5 655 kHz) 134.45 MHz (126.95 MHz)	0001-1200 1201-2400 H24 H24	
7.上海飞行情报区 Shanghai FIR					
7.1 合肥区域管制区 Hefei Control Area			8 897 kHz	0001-1200	
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZSOFAR01 N313410 E1184200 N313910 E1180600 N314300 E1180618	合肥区域管制室 Hefei ACC	合肥区域 Hefei Control 中、英	125.775 MHz (133.55 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N324000 E1175259 N320307 E1170943 N315717 E1170257 N314104 E1170030 N312035 E1165838 N312413 E1184203 N313410 E1184200 7 800 m ----- GND		Ch,En			
ZSOFAR02 N312413 E1184203 N300840 E1184221 N302141 E1160939 N312035 E1165838 N312413 E1184203 7 800 m ----- GND	合肥区域管制室 Hefei ACC	合肥区域 Hefei Control 中、英 Ch,En	134.7 MHz (133.55 MHz)	by ATC 该扇区不工作时由合肥区域 01 号扇区代替 Contact ZSOFAR01 when ZSOFAR02 U/S.	
ZSOFAR03 N315205 E1154252 N315717 E1170257 N314104 E1170030 N312035 E1165838 N302141 E1160939 N300500 E1155600 N315205 E1154252 7 800 m ----- GND	合肥区域管制室 Hefei ACC	合肥区域 Hefei Control 中、英 Ch,En	135.65 MHz (128.175 MHz)	by ATC 该扇区不工作时由合肥区域 04 号扇区代替 Contact ZSOFAR04 when ZSOFAR03 U/S.	
ZSOFAR04 N341420 E1160733 N333155 E1163749 N320307 E1170943 N315717 E1170257 N315205 E1154252 N321100 E1154030	合肥区域管制室 Hefei ACC	合肥区域 Hefei Control 中、英 Ch,En	126.125 MHz (128.175 MHz)	0030-1130 该扇区不工作时由合肥区域 01 号扇区代替 Contact ZSOFAR01	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N341420 E1160733 7 800 m ----- GND				when ZSOFAR04 U/S.	
ZSOFAR05 N344623 E1171544 N344322 E1165556 N341420 E1160733 N333155 E1163749 N320307 E1170943 N324000 E1175259 N340342 E1173254 N344623 E1171544 7 800 m ----- GND	合肥区域管制室 Hefei ACC	合肥区域 Hefei Control 中、英 Ch,En	134.425 MHz (128.175 MHz)	by ATC 该扇区不工作 时由合肥区域 04 号扇区代 替 Contact ZSOFAR04 when ZSOFAR05 U/S.	
ZSOFAR06 N302141 E1160939 N300500 E1155600 N293200 E1170000 N293240 E1184230 N300840 E1184221 N302141 E1160939 7 800 m ----- GND	合肥区域管制室 Hefei ACC	合肥区域 Hefei Control 中、英 Ch,En	135.4 MHz (133.55 MHz)	by ATC	
7.2 济南区域管制区 Jinan Control Area			8 897 kHz	0001-1200	
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZSJNAR01 N363830 E1151950 N370818 E1164147 N360002 E1164917 N360002 E1151212 N363830 E1151950 7 800 m ----- GND	济南区域管制室 Jinan ACC	济南区域 Jinan Control 中、英 Ch,En	128.35 MHz (133.85 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
ZSJNAR02 N360002 E1151212 N360002 E1164917 N360002 E1175350 N345516 E1181600 N344322 E1165556 N341420 E1160733 N351800 E1150400 N360002 E1151212 7 800 m ----- GND	济南区域管制室 Jinan ACC	济南区域 Jinan Control 中、英 Ch,En	122.9 MHz (133.45 MHz)	2300-1400(next day) 该扇区不工作时由济南区域 01 号扇区代替 Contact ZSJNAR01 when ZSJNAR02 U/S.	
ZSJNAR03 N370900 E1193200 N364015 E1195240 N361930 E1195230 N360750 E1194310 N350330 E1191530 N345516 E1181600 N360002 E1175350 N370436 E1173059 N370900 E1193200 7 800 m ----- GND	济南区域管制室 Jinan ACC	济南区域 Jinan Control 中、英 Ch,En	125.7 MHz (133.45 MHz)	2300-1400(next day) 该扇区不工作时由济南区域 01 号扇区代替 Contact ZSJNAR01 when ZSJNAR03 U/S.	
ZSJNAR04 N372312 E1172411 N370436 E1173059 N360002 E1175350 N360002 E1164917 N370818 E1164147 N372312 E1172411 7 800 m ----- GND	济南区域管制室 Jinan ACC	济南区域 Jinan Control 中、英 Ch,En	134.375 MHz (133.85 MHz)	by ATC	
ZSJNAR05 N380600 E1193200 N370900 E1193200	济南区域管制室 Jinan ACC	济南区域 Jinan Control 中、英	132.375 MHz (133.85 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N370436 E1173059 N372312 E1172411 N380600 E1193200 7 800 m ----- GND		Ch,En			
7.3 南昌区域管制区 Nanchang Control Area			8 897 kHz	0001-1200	
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZSCNAR01 N293233 E1180141 N293200 E1170000 N285142 E1161319 N280808 E1163213 N285059 E1175412 N293233 E1180141 7 800 m ----- GND	南昌区域管制室 Nanchang ACC	南昌区域 Nanchang Control 中、英 Ch,En	120.5 MHz (130.3 MHz)	by ATC	
ZSCNAR02 N293200 E1170000 N300500 E1155600 N290200 E1143400 N285142 E1161319 N293200 E1170000 7 800 m ----- GND	南昌区域管制室 Nanchang ACC	南昌区域 Nanchang Control 中、英 Ch,En	125.9 MHz (130.3 MHz)	H24	
ZSCNAR03 N285142 E1161319 N290200 E1143400 N273019 E1140937 N270418 E1154133 N275640 E1161043 N280808 E1163213 N285142 E1161319 7 800 m -----	南昌区域管制室 Nanchang ACC	南昌区域 Nanchang Control 中、英 Ch,En	124.15 MHz (130.3 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
GND					
ZSCNAR04 N285059 E1175412 N280808 E1163213 N275640 E1161043 N270418 E1154133 N265020 E1162910 N261858 E1172427 N265554 E1183707 N280500 E1183000 N285059 E1175412 7 800 m ----- GND	南昌区域管制室 Nanchang ACC	南昌区域 Nanchang Control 中、英 Ch,En	125.375 MHz (135.725 MHz)	by ATC	
ZSCNAR05 N293230 E1193230 N293235 E1191629 N285059 E1175412 N280500 E1183000 N265554 E1183707 N272040 E1192700 N272900 E1192700 N293230 E1193230 7 800 m ----- GND	南昌区域管制室 Nanchang ACC	南昌区域 Nanchang Control 中、英 Ch,En	127.525 MHz (135.725 MHz)	by ATC	
ZSCNAR06 N293235 E1191629 N285059 E1175412 N293233 E1180141 N293235 E1191629 7 800 m ----- GND	南昌区域管制室 Nanchang ACC	南昌区域 Nanchang Control 中、英 Ch,En	133.825 MHz (135.725 MHz)	by ATC	
7.4 青岛区域管制区 Qingdao Control Area			8 897 kHz	0001-1200	
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
ZSQDAR01 N381500 E1221257 N380726 E1221704 N372831 E1230712 N370056 E1230759 N365100 E1232200 N363726 E1234005 N363732 E1240000 N360000 E1240000 N361546 E1221552 N361618 E1214753 N371759 E1214753 N381500 E1221257 9 200 m ----- 7 200 m(exclusive)	青岛区域管制室 Qingdao ACC	青岛区域 Qingdao Control 中、英 Ch,En	128.15 MHz (126.15 MHz)	by ATC	
ZSQDAR02 N380600 E1193200 N381500 E1200000 N381500 E1221257 N380726 E1221704 N372831 E1230712 N370056 E1230759 N365100 E1232200 N363726 E1234005 N363732 E1240000 N360000 E1240000 N361546 E1221552 N361618 E1214753 N361714 E1202206 N361900 E1200100 N361930 E1195230 N364015 E1195240 N370900 E1193200 N380600 E1193200 12 500 m ----- 9 200 m(exclusive)	青岛区域管制室 Qingdao ACC	青岛区域 Qingdao Control 中、英 Ch,En	133.05 MHz (126.15 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
ZSQDAR03 N380600 E1193200 N381500 E1200000 N381500 E1221257 N371759 E1214753 N361618 E1214753 N361714 E1202206 N361900 E1200100 N361930 E1195230 N364015 E1195240 N370900 E1193200 N380600 E1193200 7 200 m ----- GND	青岛区域管制室 Qingdao ACC	青岛区域 Qingdao Control 中、英 Ch,En	128.55 MHz (133.95 MHz)	H24	
ZSQDAR04 N381500 E1221257 N380726 E1221704 N372831 E1230712 N370056 E1230759 N365100 E1232200 N363726 E1234005 N363732 E1240000 N380000 E1240000 N381500 E1240121 N381500 E1230000 N381500 E1221257 12 500 m ----- 8 900 m	大连区域管制室 Dalian ACC	大连区域 Dalian Control 中、英 Ch,En	132.95 MHz (132.3 MHz)	H24	
ZSQDAR05 N381500 E1221257 N380726 E1221704 N372831 E1230712 N370056 E1230759 N365100 E1232200 N363726 E1234005 N363732 E1240000	大连区域管制室 Dalian ACC	大连区域 Dalian Control 中、英 Ch,En	133.15 MHz (132.3 MHz)	by ATC 该扇区不工作时由大连区域 03 号扇区代替 Contact ZYTAR03 when	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N380000 E1240000 N381500 E1240121 N381500 E1230000 N381500 E1221257 8 900 m(exclusive) ----- GND				ZSQDAR05 U/S.	
ZSQDAR06 N361930 E1195230 N360750 E1194310 N350330 E1191530 N350830 E1195440 N350830 E1240000 N360000 E1240000 N361546 E1221552 N361618 E1214753 N361714 E1202206 N361900 E1200100 N361930 E1195230 9 200 m ----- GND	青岛区域管制室 Qingdao ACC	青岛区域 Qingdao Control 中、英 Ch,En	134.85 MHz (133.95 MHz)	by ATC	
ZSQDAR07 N361930 E1195230 N360750 E1194310 N350330 E1191530 N350830 E1195440 N350830 E1240000 N360000 E1240000 N361546 E1221552 N361618 E1214753 N361714 E1202206 N361900 E1200100 N361930 E1195230 12 500 m ----- 9 200 m(exclusive)	青岛区域管制室 Qingdao ACC	青岛区域 Qingdao Control 中、英 Ch,En	133.725 MHz (132.825 MHz)	by ATC	
ZSQDAR08	青岛区域管制室	青岛区域	134.125 MHz	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N381500 E1221257 N380726 E1221704 N372831 E1230712 N370056 E1230759 N365100 E1232200 N363726 E1234005 N363732 E1240000 N360000 E1240000 N361546 E1221552 N361618 E1214753 N371759 E1214753 N381500 E1221257 7 200 m ----- GND	Qingdao ACC	Qingdao Control 中、英 Ch,En	(132.825 MHz)		
ZSQDAR09 N380600 E1193200 N381500 E1200000 N381500 E1221257 N371759 E1214753 N361618 E1214753 N361714 E1202206 N361900 E1200100 N361930 E1195230 N364015 E1195240 N370900 E1193200 N380600 E1193200 9 200 m ----- 7 200 m(exclusive)	青岛区域管制室 Qingdao ACC	青岛区域 Qingdao Control 中、英 Ch,En	132.125 MHz (132.825 MHz)	by ATC	
7.5 上海区域管制区 Shanghai Control Area			8 897 kHz	0001-1200	The relevant rules, see subsection ENR 2.2.2.
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZSSSAR01 N300840 E1184221 N300542 E1185920 N295307 E1201431 N293700 E1201400	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	128.325 MHz (132.9 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N291534 E1200725 N292400 E1193810 N291645 E1193147 N293230 E1193230 N293235 E1191629 N293240 E1184230 N300840 E1184221 8 400 m ----- 6 000 m(exclusive)					
ZSSSAR02 N282654 E1200127 N291534 E1200725 N293700 E1201400 N295307 E1201431 N293554 E1204854 N290118 E1213602 N283730 E1212648 N282700 E1204300 N282654 E1200127 12 500 m ----- GND	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	128.75 MHz (133.7 MHz)	H24	
ZSSSAR03 N320229 E1240000 N321540 E1250000 N312356 E1250000 N311043 E1240000 N320229 E1240000 12 500 m ----- GND	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	120.95 MHz (134.0 MHz)	H24	
ZSSSAR04 N313850 E1204602 N314758 E1203811 N321017 E1192943 N324755 E1185316 N332700 E1203136	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	125.95 MHz (123.7 MHz)	H24	与上海区域 26 号 扇区水平范围重 合区域垂直范围 为: 7 500m(不 含)-12 500m Vertical limits of

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N314342 E1212401 N313850 E1204602 12 500 m ----- GND					the intersection lateral limits between ZSSSAR04 and ZSSSAR26: 7 500m(exclusive)- 12 500m
ZSSSAR05 N315236 E1214712 N314611 E1224630 N311241 E1224630 N301500 E1221200 N301516 E1212845 N311014 E1214657 N314342 E1212401 N315236 E1214712 12 500 m ----- GND	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	120.55 MHz (134.2 MHz)	H24	
ZSSSAR06 N324000 E1175259 N324021 E1183441 N324755 E1185316 N330401 E1193315 N332700 E1203136 N341857 E1201406 N334630 E1190642 N334800 E1183506 N334906 E1180936 N334902 E1173628 N324000 E1175259 7 800 m ----- 6 000 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	134.9 MHz (135.7 MHz)	by ATC	
ZSSSAR07 N322636 E1225724 N331100 E1223849 N331100 E1203952	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英	135.0 MHz (127.55 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N332700 E1203136 N341857 E1201406 N350000 E1200000 N350830 E1195440 N350830 E1240000 N323902 E1240000 N322636 E1225724 12 500 m ----- GND		Ch,En			
ZSSSAR08 N283730 E1212648 N300211 E1220000 N301500 E1221200 N303512 E1222400 N293508 E1234654 N290000 E1240000 N275403 E1225151 N283730 E1212648 12 500 m ----- GND	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	134.3 MHz (133.7 MHz)	by ATC	
ZSSSAR09 N273906 E1190615 N264500 E1182500 N262500 E1183300 N261500 E1183000 N253931 E1180002 N255828 E1171316 N265020 E1162910 N271200 E1165800 N274042 E1175918 N275512 E1183154 N273906 E1190615 12 500 m ----- 7 800 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	128.15 MHz (134.4 MHz)	H24	
ZSSSAR10	上海区域管制室	上海区域	120.9 MHz	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N253931 E1180002 N255828 E1171316 N265020 E1162910 N252140 E1153450 N243707 E1153839 N242200 E1164200 N253931 E1180002 12 500 m ----- 7 800 m(exclusive)	Shanghai ACC	Shanghai Control 中、英 Ch,En	(132.1 MHz)		
ZSSSAR11 N290200 E1143400 N283222 E1152855 N280528 E1153500 N275640 E1161043 N270418 E1154133 N273019 E1140937 N290200 E1143400 12 500 m ----- 7 800 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	132.45 MHz (134.05 MHz)	by ATC 该扇区不工作时由上海区域 12 号扇区代替 Contact ZSSSAR12 when ZSSSAR11 U/S.	
ZSSSAR12 N290200 E1143400 N283222 E1152855 N280528 E1153500 N275640 E1161043 N280808 E1163213 N284732 E1174729 N292840 E1172700 N295118 E1173023 N300500 E1155600 N290200 E1143400 12 500 m ----- 9 200 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	128.7 MHz (134.05 MHz)	H24	
ZSSSAR13 N344322 E1165556 N341420 E1160733	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control	132.5 MHz (135.5 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N321100 E1154030 N315205 E1154252 N315717 E1170257 N324000 E1175259 N334902 E1173628 N340342 E1173254 N344623 E1171544 N344322 E1165556 12 500 m ----- 7 800 m(exclusive)		中、英 Ch,En			
ZSSSAR14 N312126 E1193835 N312413 E1184203 N313410 E1184200 N313910 E1180600 N314300 E1180618 N324000 E1175259 N324021 E1183441 N324755 E1185316 N321017 E1192943 N314738 E1192200 N313800 E1192200 N312126 E1193835 7 800 m ----- 6 900 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	132.4 MHz (123.275 MHz)	H24	
ZSSSAR15 N311015 E1202449 N302247 E1205633 N295307 E1201431 N300542 E1185920 N303742 E1195255 N310743 E1201315 N311015 E1202449 9 800 m ----- 6 000 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	135.75 MHz (132.75 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
ZSSSAR16 N334800 E1183506 N334906 E1180936 N334902 E1173628 N340342 E1173254 N344623 E1171544 N345302 E1180033 N342106 E1182307 N334800 E1183506 12 500 m ----- 6 000 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	134.25 MHz (124.575 MHz)	H24	
ZSSSAR17 N312035 E1165838 N312413 E1184203 N300840 E1184221 N301013 E1182548 N294412 E1181512 N295118 E1173023 N300500 E1155600 N312035 E1165838 12 500 m ----- 7 800 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	123.95 MHz (133.4 MHz)	by ATC	
ZSSSAR18 N282654 E1200127 N281349 E1195926 N272740 E1193744 N271852 E1204617 N274119 E1205855 N274926 E1205857 N283730 E1212648 N282700 E1204300 N282654 E1200127 12 500 m ----- GND	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	132.625 MHz (132.275 MHz)	H24	
ZSSSAR19	上海区域管制室	上海区域	124.95 MHz	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N272740 E1193744 N272900 E1192700 N273906 E1190615 N275512 E1183154 N282233 E1180210 N281700 E1184000 N291645 E1193147 N292400 E1193810 N291534 E1200725 N282654 E1200127 N281349 E1195926 N272740 E1193744 In area: N272900 E1192700 N273906 E1190615 N275512 E1183154 N282233 E1180210 N281700 E1184000 N291645 E1193147 12 500m ----- 7 800m(exclusive) Other area: 12 500m ----- 6 000m(exclusive)	Shanghai ACC	Shanghai Control 中、英 Ch,En	(119.3 MHz)		
ZSSSAR20 N270418 E1154133 N274554 E1160441 N275640 E1161043 N280808 E1163213 N272306 E1172132 N271200 E1165800 N265020 E1162910 N270418 E1154133 12 500 m ----- 7 800 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	133.0 MHz (133.325 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
ZSSSAR21 N284732 E1174729 N291558 E1173318 N292840 E1172700 N295118 E1173023 N294412 E1181512 N301013 E1182548 N300840 E1184221 N293240 E1184230 N293235 E1191629 N284732 E1174729 12 500 m ----- 7 800 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	120.7 MHz (119.3 MHz)	H24	
ZSSSAR22 N273019 E1140937 N265020 E1162910 N252140 E1153450 N243707 E1153839 N231904 E1154515 N231535 E1154532 N250710 E1141830 N264200 E1135700 N273019 E1140937 -----	上海区域管制室 Shanghai ACC	中、英 Ch,En	Nil (Nil)		
ZSSSAR23 N312035 E1165838 N314104 E1170030 N315717 E1170257 N324000 E1175259 N314300 E1180618 N313910 E1180600 N313410 E1184200 N312413 E1184203 N312035 E1165838 12 500 m ----- 7 800 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	132.325 MHz (135.5 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
ZSSSAR24 N315236 E1214712 N314342 E1212401 N331100 E1203952 N331100 E1223849 N322636 E1225724 N314611 E1224630 N315236 E1214712 12 500 m ----- GND	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	133.275 MHz (127.55 MHz)	by ATC	
ZSSSAR25 N300500 E1155600 N315205 E1154252 N315717 E1170257 N314104 E1170030 N312035 E1165838 N300500 E1155600 12 500 m ----- 7 800 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	120.1 MHz (133.4 MHz)	by ATC	
ZSSSAR26 N313521 E1201944 N311911 E1201848 N312126 E1193835 N313800 E1192200 N314738 E1192200 N321017 E1192943 N324755 E1185316 N330401 E1193315 N314758 E1203811 N313850 E1204602 N313521 E1201944 12 500 m ----- GND	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	125.325 MHz (123.7 MHz)	by ATC	与上海区域 04 号 扇区水平范围重 合区域垂直范围 为: GND-7 500m Vertical limits of the intersection lateral limits between ZSSSAR04 and ZSSSAR26: GND-7 500m
ZSSSAR27 N300542 E1185920	上海区域管制室 Shanghai ACC	上海区域 Shanghai	133.075 MHz (132.75 MHz)	0030-1500	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N300840 E1184221 N312413 E1184203 N312126 E1193835 N311911 E1201848 N311015 E1202449 N310743 E1201315 N303742 E1195255 N300542 E1185920 12 500 m ----- 6 000 m(exclusive)		Control 中、英 Ch,En			
ZSSSAR28 N283730 E1212648 N275403 E1225151 N270758 E1220524 N271852 E1204617 N274119 E1205855 N274926 E1205857 N283730 E1212648 12 500 m ----- GND	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	123.775 MHz (132.275 MHz)	by ATC	
ZSSSAR29 N244127 E1193618 N252005 E1185501 N253931 E1180002 N261500 E1183000 N262500 E1183300 N264500 E1182500 N273906 E1190615 N272900 E1192700 N272740 E1193744 N271852 E1204617 N270758 E1220524 N262908 E1212656 N250000 E1200000 N244127 E1193618 12 500 m	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	133.225 MHz (134.4 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
----- 7 800 m(exclusive)					
ZSSSAR30 N252005 E1185501 N244127 E1193618 N230000 E1173000 N233000 E1173000 N234200 E1171100 N242200 E1164200 N253931 E1180002 N252005 E1185501 12 500 m ----- 7 800 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	125.975 MHz (132.1 MHz)	by ATC	
ZSSSAR31 N281700 E1184000 N282233 E1180210 N282642 E1175748 N284732 E1174729 N293235 E1191629 N293230 E1193230 N291645 E1193147 N281700 E1184000 12 500 m ----- 7 800 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	118.975 MHz (119.3 MHz)	H24	
ZSSSAR32 N295307 E1201431 N302247 E1205633 N301518 E1211311 N301500 E1221200 N300211 E1220000 N290118 E1213602 N293554 E1204854 N295307 E1201431 12 500 m ----- GND	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	133.875 MHz (133.7 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
ZSSSAR33 N323902 E1240000 N290000 E1240000 N293508 E1234654 N303512 E1222400 N311241 E1224630 N314611 E1224630 N322636 E1225724 N323902 E1240000 12 500 m ----- GND	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	120.75 MHz (134.0 MHz)	by ATC	
ZSSSAR34 N312126 E1193835 N312413 E1184203 N313410 E1184200 N313910 E1180600 N314300 E1180618 N324000 E1175259 N324021 E1183441 N324755 E1185316 N321017 E1192943 N314738 E1192200 N313800 E1192200 N312126 E1193835 12 500 m ----- 7 800 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	128.125 MHz (123.275 MHz)	H24	
ZSSSAR35 N280808 E1163213 N284732 E1174729 N282642 E1175748 N282233 E1180210 N275512 E1183154 N274042 E1175918 N272306 E1172132 N280808 E1163213 12 500 m	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	135.05 MHz (133.325 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
----- 7 800 m(exclusive)					
ZSSSAR36 N334630 E1190642 N334800 E1183506 N342106 E1182307 N345302 E1180033 N350330 E1191530 N350830 E1195440 N350000 E1200000 N341857 E1201406 N334630 E1190642 12 500 m ----- 6 000 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	134.475 MHz (124.575 MHz)	by ATC	
ZSSSAR37 N314342 E1212401 N311014 E1214657 N301516 E1212845 N301518 E1211311 N302247 E1205633 N311911 E1201848 N313521 E1201944 N314342 E1212401 12 500 m ----- GND	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	126.175 MHz (134.2 MHz)	by ATC	
ZSSSAR38 N324000 E1175259 N324021 E1183441 N324755 E1185316 N330401 E1193315 N332700 E1203136 N341857 E1201406 N334630 E1190642 N334800 E1183506 N334906 E1180936 N334902 E1173628	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	133.8 MHz (135.7 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N324000 E1175259 12 500 m ----- 7 800 m(exclusive)					
ZSSSAR39 N290200 E1143400 N283222 E1152855 N280528 E1153500 N275640 E1161043 N280808 E1163213 N284732 E1174729 N292840 E1172700 N295118 E1173023 N300500 E1155600 N290200 E1143400 9 200 m ----- 7 800 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	126.9 MHz (134.05 MHz)	by ATC 该扇区不工作时由上海区域 12 号扇区代替 Contact ZSSSAR12 when ZSSSAR39 U/S.	
ZSSSAR40 N242200 E1164200 N243707 E1153839 N231904 E1154515 N231535 E1154532 N224911 E1160541 N224057 E1163005 N230000 E1173000 N233000 E1173000 N234200 E1171100 N242200 E1164200 12 500 m ----- 7 800 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	128.35 MHz (132.1 MHz)	H24	
ZSSSAR41 N312126 E1193835 N312413 E1184203 N313410 E1184200 N313910 E1180600 N314300 E1180618	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	132.05 MHz (123.275 MHz)	by ATC 该扇区不工作时由上海区域 14 号扇区代替 Contact	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N324000 E1175259 N324021 E1183441 N324755 E1185316 N321017 E1192943 N314738 E1192200 N313800 E1192200 N312126 E1193835 6 900 m ----- 6 000 m(exclusive)				ZSSSAR14 when ZSSSAR41 U/S.	
ZSSSAR42 N300840 E1184221 N300542 E1185920 N295307 E1201431 N293700 E1201400 N291534 E1200725 N292400 E1193810 N291645 E1193147 N293230 E1193230 N293235 E1191629 N293240 E1184230 N300840 E1184221 9 800 m ----- 8 400 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	124.1 MHz (132.9 MHz)	by ATC 该扇区不工作时由上海区域 01 号扇区或 上海区域 44 号扇区代替 Contact ZSSSAR01 or ZSSSAR44 when ZSSSAR42 U/S.	
ZSSSAR43 N311015 E1202449 N302247 E1205633 N295307 E1201431 N300542 E1185920 N303742 E1195255 N310743 E1201315 N311015 E1202449 12 500 m ----- 9 800 m(exclusive)	上海区域管制室 Shanghai ACC	上海区域 Shanghai Control 中、英 Ch,En	123.375 MHz (132.75 MHz)	by ATC 该扇区不工作时由上海区域 15 号扇区代 替 Contact ZSSSAR15 when ZSSSAR43 U/S.	
ZSSSAR44 N300840 E1184221	上海区域管制室 Shanghai ACC	上海区域 Shanghai	134.55 MHz (132.9 MHz)	by ATC 该扇区不工作	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N300542 E1185920 N295307 E1201431 N293700 E1201400 N291534 E1200725 N292400 E1193810 N291645 E1193147 N293230 E1193230 N293235 E1191629 N293240 E1184230 N300840 E1184221 12 500 m ----- 9 800 m(exclusive)		Control 中、英 Ch,En		时由上海区域 01 号扇区代 替 Contact ZSSSAR01 when ZSSSAR44 U/S.	
7.6 上海中低空区域管制区 Shanghai Lower Control Area					
ZSSSLTA N344623 E1171544 N350830 E1195440 N350830 E1240000 N320229 E1240000 N321540 E1250000 N312356 E1250000 N311043 E1240000 N290000 E1240000 N270758 E1220524 N272900 E1192700 N293230 E1193230 N293240 E1184230 N313410 E1184200 N313910 E1180600 N314300 E1180618 N340342 E1173254 N344623 E1171544 -----		中、英 Ch,En	Nil (Nil)		
7.7 厦门区域管制区 Xiamen Control Area			8 897 kHz	0001-1200	
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZSAMAR01	厦门区域管制室	厦门区域	133.175 MHz	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N251931 E1170127 N243454 E1164842 N242200 E1164200 N234200 E1171100 N233000 E1173000 N230000 E1173000 N240005 E1184408 N243359 E1180057 N251931 E1170127 7 800 m ----- GND	Xiamen ACC	Xiamen Control 中、英 Ch,En	(132.725 MHz)		
ZSAMAR02 N255540 E1185217 N260000 E1175936 N251931 E1170127 N243359 E1180057 N240005 E1184408 N250000 E1200000 N251428 E1201354 N254429 E1192310 N255540 E1185217 7 800 m ----- GND	厦门区域管制室 Xiamen ACC	厦门区域 Xiamen Control 中、英 Ch,En	120.525 MHz (125.3 MHz)	by ATC 该扇区不工作 时由厦门区域 04 号扇区代 替 Contact ZSAMAR04 when ZSAMAR02 U/S.	
ZSAMAR03 N272900 E1192700 N272040 E1192700 N271132 E1190830 N261826 E1190803 N255540 E1185217 N254429 E1192310 N251428 E1201354 N262908 E1212656 N270758 E1220524 N272900 E1192700 7 800 m -----	厦门区域管制室 Xiamen ACC	厦门区域 Xiamen Control 中、英 Ch,En	133.65 MHz (125.3 MHz)	by ATC 该扇区不工作 时由厦门区域 04 号扇区代 替 Contact ZSAMAR04 when ZSAMAR03 U/S.	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
GND					
ZSAMAR04 N271132 E1190830 N261858 E1172427 N265020 E1162910 N255543 E1155531 N253418 E1164154 N251931 E1170127 N260000 E1175936 N255540 E1185217 N261826 E1190803 N271132 E1190830 7 800 m ----- GND	厦门区域管制室 Xiamen ACC	厦门区域 Xiamen Control 中、英 Ch,En	125.7 MHz (125.3 MHz)	H24	
ZSAMAR05 N255543 E1155531 N252140 E1153450 N243707 E1153839 N242200 E1164200 N243454 E1164842 N251931 E1170127 N253418 E1164154 N255543 E1155531 7 800 m ----- GND	厦门区域管制室 Xiamen ACC	厦门区域 Xiamen Control 中、英 Ch,En	124.55 MHz (132.725 MHz)	by ATC 该扇区不工作时由厦门区域 01 号扇区代替 Contact ZSAMAR01 when ZSAMAR05 U/S.	
ZSAMAR06 N243707 E1153839 N231904 E1154515 N231535 E1154532 N224911 E1160541 N224057 E1163005 N230000 E1173000 N233000 E1173000 N234200 E1171100 N242200 E1164200 N243707 E1153839	厦门区域管制室 Xiamen ACC	厦门区域 Xiamen Control 中、英 Ch,En	123.225 MHz (132.725 MHz)	by ATC 该扇区不工作时由厦门区域 01 号扇区代替 Contact ZSAMAR01 when ZSAMAR06 U/S.	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
7 800 m ----- GND					
ZSAMAR07 N273019 E1140937 N265020 E1162910 N252140 E1153450 N231904 E1154515 N231535 E1154532 N250710 E1141830 N264200 E1135700 N273019 E1140937 -----	厦门区域管制室 Xiamen ACC	中、英 Ch,En	Nil (Nil)		
8.沈阳飞行情报区 Shenyang FIR					
8.1 大连区域管制区 Dalian Control Area			8 897 kHz	0001-1200	Visual separation is implemented for ATS routes at 6 000m and below.(including ZYTLAR06)
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZYTLAR01 N391500 E1195400 N381500 E1200000 N381500 E1221257 N382522 E1220238 N383454 E1215306 N384233 E1210404 N394234 E1202910 N391500 E1195400 12 500 m ----- 8 900 m	大连区域管制室 Dalian ACC	大连区域 Dalian Control 中、英 Ch,En	123.2 MHz (132.55 MHz)	by ATC 该扇区不工作时由大连区域 03 号扇区代替 Contact ZYTLAR03 when ZYTLAR01 U/S.	
ZYTLAR02 N394234 E1202910 N384233 E1210404 N383454 E1215306 N382522 E1220238 N384936 E1233321	大连区域管制室 Dalian ACC	大连区域 Dalian Control 中、英 Ch,En	135.65 MHz (128.775 MHz)	by ATC 该扇区不工作时由大连区域 03 号扇区代替 Contact	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N392800 E1224500 N403200 E1213400 N400722 E1210124 N394234 E1202910 12 500 m ----- 8 900 m				ZYTLAR03 when ZYTLAR02 U/S.	
ZYTLAR03 N381500 E1221257 N381500 E1230000 N381500 E1240121 N385747 E1240515 N384936 E1233321 N382522 E1220238 N381500 E1221257 12 500 m ----- 8 900 m	大连区域管制室 Dalian ACC	大连区域 Dalian Control 中、英 Ch,En	132.95 MHz (132.3 MHz)	H24	
ZYTLAR04 N391500 E1195400 N381500 E1200000 N381500 E1221257 N382522 E1220238 N383454 E1215306 N384233 E1210404 N394234 E1202910 N391500 E1195400 8 900 m(exclusive) ----- GND	大连区域管制室 Dalian ACC	大连区域 Dalian Control 中、英 Ch,En	122.15 MHz (132.55 MHz)	by ATC 该扇区不工作时由大连区域 01 号扇区代替 Contact ZYTLAR01 when ZYTLAR04 U/S.	
ZYTLAR05 N394234 E1202910 N384233 E1210404 N383454 E1215306 N382522 E1220238 N384936 E1233321 N392800 E1224500 N403200 E1213400	大连区域管制室 Dalian ACC	大连区域 Dalian Control 中、英 Ch,En	133.3 MHz (128.775 MHz)	by ATC 该扇区不工作时由大连区域 02 号扇区代替 Contact ZYTLAR02 when	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N400722 E1210124 N394234 E1202910 8 900 m(exclusive) ----- GND				ZYTLAR05 U/S.	
ZYTLAR06 N381500 E1221257 N381500 E1230000 N381500 E1240121 N385747 E1240515 N384936 E1233321 N382522 E1220238 N381500 E1221257 8 900 m(exclusive) ----- GND	大连区域管制室 Dalian ACC	大连区域 Dalian Control 中、英 Ch,En	133.15 MHz (132.3 MHz)	by ATC 该扇区不工作时由大连区域 03 号扇区代替 Contact ZYTLAR03 when ZYTLAR06 U/S.	
ZYTLAR07 N403903 E1251627 N411730 E1242000 N404400 E1234900 N403300 E1233630 N405900 E1230100 N411000 E1230200 N411300 E1225430 N411130 E1215910 N404830 E1215730 N403200 E1213400 N392800 E1224500 N384936 E1233321 N385747 E1240515 N394941 E1241006 National Boundaries N403903 E1251627 12 500 m ----- 8 900 m	大连区域管制室 Dalian ACC	大连区域 Dalian Control 中、英 Ch,En	120.7 MHz (128.775 MHz)	by ATC 该扇区不工作时由大连区域 02 号扇区代替 Contact ZYTLAR02 when ZYTLAR07 U/S.	
ZYTLAR08 N403903 E1251627	大连区域管制室 Dalian ACC	大连区域 Dalian	134.325 MHz (128.775 MHz)	by ATC 该扇区不工作	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N411730 E1242000 N404400 E1234900 N403300 E1233630 N405900 E1230100 N411000 E1230200 N411300 E1225430 N411130 E1215910 N404830 E1215730 N403200 E1213400 N392800 E1224500 N384936 E1233321 N385747 E1240515 N394941 E1241006 National Boundaries N403903 E1251627 8 900 m(exclusive) ----- GND		Control 中、英 Ch,En		时由大连区域 02 号扇区或 大连区域 05 号扇区或大连 区域 07 号扇 区代替 Contact ZYTLAR02 or ZYTLAR05 or ZYTLAR07 when ZYTLAR08 U/S.	
ZYTLAR09 N403903 E1251627 N411730 E1242000 N414400 E1244500 N424600 E1245400 N434440 E1283135 N434259 E1311314 National Boundaries N403903 E1251627 12 500 m ----- GND	大连区域管制室 Dalian ACC	大连区域 Dalian Control 中、英 Ch,En	128.125 MHz (128.775 MHz)	by ATC 该扇区不工作 时由大连区域 02 号扇区或 大连区域 07 号扇区代替 Contact ZYTLAR02 or ZYTLAR07 when ZYTLAR09 U/S.	
8.2 哈尔滨区域管制区 Harbin Control Area			8 897 kHz	0001-1200	Visual separation is implemented for ATS routes at 6 000m and below.
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZYHBAR01 N533000 E1222035	哈尔滨区域管制室 Harbin ACC	哈尔滨区域 Harbin	133.2 MHz (120.75 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N503748 E1230212 N501636 E1224618 N483112 E1230354 N472729 E1223724 N455608 E1250335 N450554 E1253833 N445501 E1260601 N451726 E1311130 N451323 E1314128 National Boundaries N533000 E1222035 9 800 m(exclusive) ----- GND		Control 中、英 Ch,En			
ZYHBAR02 N434259 E1311314 N434440 E1283135 N433724 E1271700 N435240 E1261656 N434618 E1255057 N440517 E1245350 N450554 E1253833 N445501 E1260601 N451726 E1311130 N451323 E1314128 National Boundaries N434259 E1311314 9 800 m(exclusive) ----- GND	哈尔滨区域管制室 Harbin ACC	哈尔滨区域 Harbin Control 中、英 Ch,En	118.95 MHz (124.55 MHz)	by ATC	
ZYHBAR03 N444836 E1230430 N441506 E1242330 N440517 E1245350 N450554 E1253833 N455608 E1250335 N472729 E1223724 N460412 E1220424	哈尔滨区域管制室 Harbin ACC	哈尔滨区域 Harbin Control 中、英 Ch,En	128.75 MHz (124.55 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N444836 E1230430 9 800 m(exclusive) ----- GND					
ZYHBAR04 N463655 E1194603 N460412 E1220424 N472729 E1223724 N483112 E1230354 N501636 E1224618 N503748 E1230212 N533000 E1222035 National Boundaries N463655 E1194603 12 500 m ----- GND	哈尔滨区域管制室 Harbin ACC	哈尔滨区域 Harbin Control 中、英 Ch,En	123.90 MHz (134.45 MHz)	by ATC	
ZYHBAR05 N460412 E1220424 N472729 E1223724 N483112 E1230354 N501636 E1224618 N503748 E1230212 N533000 E1222035 National Boundaries N434259 E1311314 N434440 E1283135 N433724 E1271700 N435240 E1261656 N434618 E1255057 N440517 E1245350 N441506 E1242330 N444836 E1230430 N460412 E1220424 12 500 m ----- 9 800 m	哈尔滨区域管制室 Harbin ACC	哈尔滨区域 Harbin Control 中、英 Ch,En	120.55 MHz (133.975 MHz)	by ATC	
8.3 沈阳区域管制区			8 897 kHz	0001-1200	Visual separation

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
Shenyang Control Area			3 016 kHz	1201-2400	is implemented for ATS routes at 6 000m and below.
			(6 571 kHz)	H24	
ZYTXAR01 N404135 E1185837 N403840 E1190000 N395400 E1192100 N393000 E1195200 N391500 E1195400 N400722 E1210124 N403200 E1213400 N404830 E1215730 N411130 E1215910 N411300 E1225430 N421734 E1230855 N421935 E1213757 N415802 E1201921 N404135 E1185837 8 900 m(exclusive) ----- GND	沈阳区域管制室 Shenyang ACC	沈阳区域 Shenyang Control 中、英 Ch,En	125.95 MHz (124.85 MHz)	by ATC 该扇区不工作 时由沈阳区域 02 号扇区代 替 Contact ZYTXAR02 when ZYTXAR01 U/S.	
ZYTXAR02 N440517 E1245350 N434618 E1255057 N435240 E1261656 N433724 E1271700 N434440 E1283135 N424600 E1245400 N420802 E1244827 N421734 E1230855 N431021 E1233345 N440517 E1245350 8 900 m(exclusive) ----- GND	沈阳区域管制室 Shenyang ACC	沈阳区域 Shenyang Control 中、英 Ch,En	118.9 MHz (132.45 MHz)	H24	
ZYTXAR03 N414400 E1244500	沈阳区域管制室 Shenyang ACC	沈阳区域 Shenyang	119.3 MHz (132.45 MHz)	by ATC 该扇区不工作	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N404400 E1234900 N403300 E1233630 N405900 E1230100 N411000 E1230200 N411300 E1225430 N421734 E1230855 N420802 E1244827 N414400 E1244500 8 900 m(exclusive) ----- GND		Control 中、英 Ch,En		时由沈阳区域 01 号扇区代 替 Contact ZYTXXAR01 when ZYTXXAR03 U/S.	
ZYTXXAR04 N435955 E1200404 N445939 E1225555 N435031 E1221528 N432626 E1222809 N425303 E1220553 N421935 E1213757 N415802 E1201921 N435955 E1200404 8 900 m(exclusive) ----- GND	沈阳区域管制室 Shenyang ACC	沈阳区域 Shenyang Control 中、英 Ch,En	133.25 MHz (124.85 MHz)	by ATC 该扇区不工作 时由沈阳区域 02 号扇区代 替 Contact ZYTXXAR02 when ZYTXXAR04 U/S.	
ZYTXXAR05 N452317 E1152115 N431442 E1173100 N435955 E1200404 N445939 E1225555 N460412 E1220424 N463655 E1194603 National Boundaries N452317 E1152115 12 500 m ----- GND	沈阳区域管制室 Shenyang ACC	沈阳区域 Shenyang Control 中、英 Ch,En	119.375 MHz (124.85 MHz)	by ATC 该扇区不工作 时由沈阳区域 04 号扇区代 替 Contact ZYTXXAR04 when ZYTXXAR05 U/S.	
ZYTXXAR06 N445939 E1225555 N444836 E1230430	沈阳区域管制室 Shenyang ACC	沈阳区域 Shenyang Control	128.375 MHz (132.45 MHz)	by ATC 该扇区不工作 时由沈阳区域	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N441506 E1242330 N440517 E1245350 N431021 E1233345 N421734 E1230855 N421935 E1213757 N425303 E1220553 N432626 E1222809 N435031 E1221528 N445939 E1225555 8 900 m(exclusive) ----- GND		中、英 Ch,En		04 号扇区代 替 Contact ZYTXXAR04 when ZYTXXAR06 U/S.	
ZYTXXAR07 N431442 E1173100 N435955 E1200404 N415802 E1201921 N404135 E1185837 N420438 E1181810 N421500 E1180500 N431442 E1173100 8 900 m(exclusive) ----- GND	沈阳区域管制室 Shenyang ACC	沈阳区域 Shenyang Control 中、英 Ch,En	120.975 MHz (124.85 MHz)	by ATC 该扇区不工作 时由沈阳区域 04 号扇区代 替 Contact ZYTXXAR04 when ZYTXXAR07 U/S.	
ZYTXXAR08 N440517 E1245350 N434618 E1255057 N435240 E1261656 N433724 E1271700 N434440 E1283135 N424600 E1245400 N420802 E1244827 N421734 E1230855 N431021 E1233345 N440517 E1245350 12 500 m ----- 8 900 m	沈阳区域管制室 Shenyang ACC	沈阳区域 Shenyang Control 中、英 Ch,En	125.325 MHz (132.45 MHz)	by ATC 该扇区不工作 时由沈阳区域 02 号扇区代 替 Contact ZYTXXAR02 when ZYTXXAR08 U/S.	
ZYTXXAR09	沈阳区域管制室	沈阳区域	132.75 MHz	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N404135 E1185837 N403840 E1190000 N395400 E1192100 N393000 E1195200 N391500 E1195400 N400722 E1210124 N403200 E1213400 N404830 E1215730 N411130 E1215910 N411300 E1225430 N421734 E1230855 N421935 E1213757 N415802 E1201921 N404135 E1185837 12 500 m ----- 8 900 m	Shenyang ACC	Shenyang Control 中、英 Ch,En	(132.875 MHz)	该扇区不工作时由沈阳区域01号扇区代替 Contact ZYTXXAR01 when ZYTXXAR09 U/S.	
ZYTXXAR10 N445939 E1225555 N444836 E1230430 N441506 E1242330 N440517 E1245350 N431021 E1233345 N421734 E1230855 N421935 E1213757 N425303 E1220553 N432626 E1222809 N435031 E1221528 N445939 E1225555 12 500 m ----- 8 900 m	沈阳区域管制室 Shenyang ACC	沈阳区域 Shenyang Control 中、英 Ch,En	120.575 MHz (125.725 MHz)	by ATC 该扇区不工作时由沈阳区域06号扇区代替 Contact ZYTXXAR06 when ZYTXXAR10 U/S.	
ZYTXXAR11 N435955 E1200404 N445939 E1225555 N435031 E1221528 N432626 E1222809 N425303 E1220553	沈阳区域管制室 Shenyang ACC	沈阳区域 Shenyang Control 中、英 Ch,En	123.775 MHz (132.875 MHz)	by ATC 该扇区不工作时由沈阳区域04号扇区代替 Contact	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N421935 E1213757 N415802 E1201921 N435955 E1200404 12 500 m ----- 8 900 m				ZYTXAR04 when ZYTXAR11 U/S.	
ZYTXAR12 N414400 E1244500 N404400 E1234900 N403300 E1233630 N405900 E1230100 N411000 E1230200 N411300 E1225430 N421734 E1230855 N420802 E1244827 N414400 E1244500 12 500 m ----- 8 900 m	沈阳区域管制室 Shenyang ACC	沈阳区域 Shenyang Control 中、英 Ch,En	132.35 MHz (125.725 MHz)	by ATC 该扇区不工作时由沈阳区域 03 号扇区代替 Contact ZYTXAR03 when ZYTXAR12 U/S.	
ZYTXAR13 N431442 E1173100 N435955 E1200404 N415802 E1201921 N404135 E1185837 N420438 E1181810 N421500 E1180500 N431442 E1173100 12 500 m ----- 8 900 m	沈阳区域管制室 Shenyang ACC	沈阳区域 Shenyang Control 中、英 Ch,En	132.175 MHz (132.875 MHz)	by ATC 该扇区不工作时由沈阳区域 07 号扇区代替 Contact ZYTXAR07 when ZYTXAR13 U/S.	
9.台北飞行情报区 Taibei FIR					
10.乌鲁木齐飞行情报区 Urumqi FIR					
10.1 乌鲁木齐区域管制区 Urumqi Control Area			10 018 kHz	0101-1300	
			3 467 kHz	1301-0100	
			(5 658 kHz)	H24	
ZWWWAR01 N424934 E0913816	乌鲁木齐区域管制室	乌鲁木齐区域	118.9 MHz (120.95 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N424954 E0920010 N423518 E0931435 N413449 E0944826 N394711 E0921047 N404142 E0885207 N420651 E0901739 N414903 E0905217 N424934 E0913816 12 500 m ----- GND	Urumqi ACC	Urumqi Control 中、英 Ch,En			
ZWWWAR02 N434800 E0803224 N433729 E0835213 N441421 E0851421 N440702 E0864039 N440409 E0870452 N442637 E0872908 N452753 E0882042 N454450 E0904425 National Boundaries N434800 E0803224 12 500 m ----- GND	乌鲁木齐区域管制 室 Urumqi ACC	乌鲁木齐区 域 Urumqi Control 中、英 Ch,En	119.3 MHz (132.65 MHz)	H24	
ZWWWAR03 N434800 E0803224 N433729 E0835213 N441421 E0851421 N440702 E0864039 N440409 E0870452 N432051 E0871058 N413735 E0870431 N414333 E0864436 N421028 E0843426 N424422 E0822713 N425344 E0803515 National Boundaries	乌鲁木齐区域管制 室 Urumqi ACC	乌鲁木齐区 域 Urumqi Control 中、英 Ch,En	128.15 MHz (132.65 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N434800 E0803224 12 500 m ----- GND					
ZWWWAR04 N441232 E0885309 N440431 E0885042 N435756 E0884842 N433605 E0880333 N430703 E0891031 N430125 E0895931 N431255 E0901016 N434202 E0903752 N435759 E0905314 N441403 E0893933 N441232 E0885309 9 500 m ----- GND	乌鲁木齐区域管制 室 Urumqi ACC	乌鲁木齐区 域 Urumqi Control 中、英 Ch,En	120.575 MHz (126.125 MHz)	H24	
ZWWWAR05 N362339 E0824941 N381019 E0823844 N384115 E0853942 N391151 E0873420 N404717 E0883103 N394711 E0921047 N382010 E0901237 N361720 E0870710 N341953 E0852435 N362339 E0824941 12 500 m ----- GND	乌鲁木齐区域管制 室 Urumqi ACC	乌鲁木齐区 域 Urumqi Control 中、英 Ch,En	119.375 MHz (127.55 MHz)	H24	
ZWWWAR06 N411111 E0775839 N404415 E0785512 N400714 E0801017 N400233 E0822619	乌鲁木齐区域管制 室 Urumqi ACC	乌鲁木齐区 域 Urumqi Control 中、英	125.95 MHz (127.55 MHz)	H24	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N403053 E0835554 N413924 E0842216 N421028 E0843426 N424422 E0822713 N425344 E0803515 National Boundaries N411111 E0775839 12 500 m ----- GND		Ch,En			
ZWWWAR07 N435759 E0905314 N434202 E0903752 N431255 E0901016 N430125 E0895931 N423022 E0893053 N420651 E0901739 N414903 E0905217 N424934 E0913816 N433806 E0921417 N434839 E0913439 N435759 E0905314 12 500 m ----- GND	乌鲁木齐区域管制 室 Urumqi ACC	乌鲁木齐区 域 Urumqi Control 中、英 Ch,En	123.7 MHz (126.125 MHz)	by ATC	
ZWWWAR08 N450055 E0923635 N434839 E0913439 N441403 E0893933 N441232 E0885309 N440431 E0885042 N435756 E0884842 N433244 E0875643 N432051 E0871058 N440409 E0870452 N442637 E0872908 N452753 E0882042 N454450 E0904425	乌鲁木齐区域管制 室 Urumqi ACC	乌鲁木齐区 域 Urumqi Control 中、英 Ch,En	132.15 MHz (126.125 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
National Boundaries N450055 E0923635 12 500 m ----- GND					
ZWWWAR09 N411111 E0775839 N404415 E0785512 N400714 E0801017 N400233 E0822619 N381019 E0823844 N362339 E0824941 N341953 E0852435 N301332 E0820722 National Boundaries N411111 E0775839 12 500 m ----- GND	乌鲁木齐区域管制室 Urumqi ACC	乌鲁木齐区域 Urumqi Control 中、英 Ch,En	118.975 MHz (127.55 MHz)	by ATC	
ZWWWAR10 N450055 E0923635 N434839 E0913439 N433806 E0921417 N424934 E0913816 N424954 E0920010 N423518 E0931435 N413449 E0944826 N414729 E0950755 N425500 E0962014 National Boundaries N450055 E0923635 12 500 m ----- GND	乌鲁木齐区域管制室 Urumqi ACC	乌鲁木齐区域 Urumqi Control 中、英 Ch,En	124.55 MHz (120.95 MHz)	by ATC	
ZWWWAR11 N441403 E0893933 N441232 E0885309 N440431 E0885042	乌鲁木齐区域管制室 Urumqi ACC	乌鲁木齐区域 Urumqi Control	134.2 MHz (126.125 MHz)	by ATC	不包括乌鲁木齐区域 04 号管制扇区 Exclude

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N435756 E0884842 N433605 E0880333 N433244 E0875643 N432051 E0871058 N411000 E0870249 N404142 E0885207 N420651 E0901739 N423022 E0893053 N430125 E0895931 N431255 E0901016 N434202 E0903752 N435759 E0905314 N441403 E0893933 12 500 m ----- GND		中、英 Ch,En			ZWWWAR04
ZWWWAR12 N421028 E0843426 N414333 E0864436 N413735 E0870431 N411000 E0870249 N405402 E0880522 N404717 E0883103 N394804 E0875530 N393424 E0874728 N391151 E0873420 N384115 E0853942 N381019 E0823844 N393226 E0822945 N400233 E0822619 N403053 E0835554 N413924 E0842216 N421028 E0843426 12 500 m ----- GND	乌鲁木齐区域管制 室 Urumqi ACC	乌鲁木齐区 域 Urumqi Control 中、英 Ch,En	125.325 MHz (127.55 MHz)	by ATC	
10.2 乌鲁木齐中低空区域管制区					

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
Urumqi Lower Control Area					
ZWWWLTA N425500 E0962014 N414729 E0950755 N382010 E0901237 N361720 E0870710 N301332 E0820722 National Boundaries N425500 E0962014 -----		中、英 Ch,En	Nil (Nil)		
11.武汉飞行情报区 Wuhan FIR					
11.1 武汉区域管制区 Wuhan Control Area			8 897 kHz	0001-1200	
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZHHHAR01 N331947 E1112053 N322303 E1112330 N314842 E1121342 N310545 E1122356 N304659 E1141214 N314657 E1154331 N321100 E1154030 N325502 E1155001 N320730 E1140412 N331947 E1112053 7 800 m ----- GND	武汉区域管制室 Wuhan ACC	武汉区域 Wuhan Control 中、英 Ch,En	119.7 MHz (133.75 MHz)	H24	
ZHHHAR02 N314842 E1121342 N310545 E1122356 N303822 E1130832 N301259 E1131108 N292937 E1124215 N293202 E1123206 N293605 E1111031 N303349 E1112839	武汉区域管制室 Wuhan ACC	武汉区域 Wuhan Control 中、英 Ch,En	134.35 MHz (132.95 MHz)	0000-1530	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N322303 E1112330 N314842 E1121342 7 800 m ----- GND					
ZHHHAR03 N331947 E1112053 N322303 E1112330 N303349 E1112839 N293605 E1111031 N294035 E1090839 N315400 E1093100 N325940 E1102520 N333227 E1105056 N331947 E1112053 7 800 m ----- GND	武汉区域管制室 Wuhan ACC	武汉区域 Wuhan Control 中、英 Ch,En	119.3 MHz (133.75 MHz)	0030-1430	
ZHHHAR04 N304659 E1141214 N290200 E1143400 N300500 E1155600 N314657 E1154331 N304659 E1141214 7 800 m ----- GND	武汉区域管制室 Wuhan ACC	武汉区域 Wuhan Control 中、英 Ch,En	120.975 MHz (132.95 MHz)	0000-1300	
ZHHHAR05 N304659 E1141214 N290200 E1143400 N292937 E1124215 N301259 E1131108 N303822 E1130832 N310545 E1122356 N304659 E1141214 7 800 m ----- GND	武汉区域管制室 Wuhan ACC	武汉区域 Wuhan Control 中、英 Ch,En	132.625 MHz (132.95 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
11.2 郑州区域管制区 Zhengzhou Control Area			8 897 kHz	0001-1200	
			3 016 kHz	1201-2400	
			(6 571 kHz)	H24	
ZHCCAR01 N361553 E1142115 N361917 E1142957 N363830 E1151950 N351800 E1150400 N344941 E1153232 N341731 E1144240 N342221 E1141823 N353121 E1141500 N361553 E1142115 7 800 m ----- GND	郑州区域管制室 Zhengzhou ACC	郑州区域 Zhengzhou Control 中、英 Ch,En	119.35 MHz (133.6 MHz)	H24	
ZHCCAR02 N344941 E1153232 N341420 E1160733 N325502 E1155001 N320730 E1140412 N321343 E1135039 N332830 E1133325 N341955 E1132117 N342706 E1135425 N342221 E1141823 N341731 E1144240 N344941 E1153232 6 900 m ----- GND	郑州区域管制室 Zhengzhou ACC	郑州区域 Zhengzhou Control 中、英 Ch,En	132.85 MHz (133.6 MHz)	0000-1530	
ZHCCAR03 N352902 E1122516 N354339 E1130044 N341955 E1132117 N332830 E1133325 N333905 E1122916 N334239 E1105859	郑州区域管制室 Zhengzhou ACC	郑州区域 Zhengzhou Control 中、英 Ch,En	122.2 MHz (133.2 MHz)	0000-1530	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
N352902 E1122516 7 800 m ----- GND					
ZHCCAR04 N344941 E1153232 N341420 E1160733 N325502 E1155001 N320730 E1140412 N321343 E1135039 N332830 E1133325 N341955 E1132117 N342706 E1135425 N342221 E1141823 N341731 E1144240 N344941 E1153232 7 800 m ----- 6 900 m(exclusive)	郑州区域管制室 Zhengzhou ACC	郑州区域 Zhengzhou Control 中、英 Ch,En	125.725 MHz (133.2 MHz)	by ATC	
ZHCCAR05 N361553 E1142115 N353121 E1141500 N342221 E1141823 N342706 E1135425 N341955 E1132117 N354339 E1130044 N361553 E1142115 7 800 m ----- GND	郑州区域管制室 Zhengzhou ACC	郑州区域 Zhengzhou Control 中、英 Ch,En	120.725 MHz (135.8 MHz)	by ATC	
ZHCCAR06 N334239 E1105859 N333905 E1122916 N332830 E1133325 N321343 E1135039 N333227 E1105056 N334239 E1105859 7 800 m	郑州区域管制室 Zhengzhou ACC	郑州区域 Zhengzhou Control 中、英 Ch,En	134.6 MHz (135.8 MHz)	by ATC	

名称、水平范围、垂直范围 Name Lateral limits Vertical limits	提供服务的单位 Unit providing service	呼号、语言 Call sign Languages	频率 (备用频率) Frequency (SEC FREQ)	服务时间 Hours of service	备注 Remarks
----- GND					