

ENR 3.2.5

V 系列航路

Air routes of Series V

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
V1					
▲滦县 Luanxian VOR/DME (LUX)			N39°44.5′ E118°43.6′		
RNAV2	172 9352 ° 68	1 065		↓↑	Beijing ACC
▲UPSAT			N39°09′00″ E118°56′30″		
RNAV2	172 9352 ° 28	610		↓↑	Beijing ACC
▲IRTAK			N38°54′36″ E119°01′30″		
使用 V1 航线的时间为 1600-2200。 Available during time of 1600-2200.					
V2					
▲横沙 Hengsha VOR/DME (HSH)			N31°22.1′ E121°50.8′		
RNAV2	360 9180 ° 57	1 232		↓↑	Shanghai ACC
▲UDOXI			N31°52′37″ E121°47′06″		
RNAV2	360 9180 ° 154	600		↓↑	Shanghai ACC
▲ODULO			N33°15′09″ E121°37′14″		
V3					
▲POMOK			N31°27′00″ E121°07′00″		
RNAV2	079 9259 ° 118	845		↓↑	Shanghai ACC
▲EKVUT			N31°45′25″ E122°18′37″		
RNAV2	115 9295 ° 32	600		↓↑	Shanghai ACC
▲MATNU			N31°39′36″ E122°38′00″		
V4					

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲IKOSA			N37°03'39" E116°40'24"		
RNAV2	282 9--- 6	626		↓	Beijing ACC(Above 7800m) Jinan ACC(7800m or below)
▲PABTA			N37°03'55" E116°36'13"		
V5					
▲BEMAG			N26°01'04" E114°00'03"		
RNAV2	192 9--- 99	2 605		↓	Guangzhou ACC
▲OVTIX			N25°08'12" E113°50'57"		
RNAV2	192 9--- 85	1 985		↓	Guangzhou ACC
▲IRTAT			N24°22'49" E113°43'15"		
RNAV2	192 9--- 7	1 889		↓	Guangzhou ACC
▲ENVIP			N24°19'07" E113°42'38"		
RNAV2	192 9--- 10	1 889		↓	Guangzhou ACC
△IPDAN			N24°13'37" E113°41'42"		
RNAV2	192 9--- 7	1 889		↓	Guangzhou ACC
▲MUBLO			N24°09'41" E113°41'02"		
RNAV2	192 9--- 64	1 882		↓	Guangzhou ACC
▲从化 Conghua VOR/DME (CON)			N23°35.3' E113°35.2'		
V7					
▲ATLIX			N31°38'03" E119°23'00"		
RNAV2	236 9056 ° 17	1 011		↓↑	Shanghai ACC
▲UPKEK			N31°32'05" E119°14'29"		
RNAV2	236 9056 ° 11	1 011		↓↑	Shanghai ACC

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲OROTU			N31°28'13" E119°09'00"		
V8					
▲横沙 Hengsha VOR/DME (HSH)			N31°22.1' E121°50.8'		
RNAV2	320 7140 ° 13	845		↓↑	Shanghai ACC
▲VEBNI			N31°27'00" E121°45'02"		
RNAV2	320 7140 ° 103	885		↓↑	Shanghai ACC
▲南通 Nantong VOR/DME (NTG)			N32°05.8' E120°58.7'		
V9					
▲LULTA			N39°58'24" E117°12'51"		
RNAV2	126 7--- 17	1 465		↓	Beijing ACC
▲TONIL			N39°54'00" E117°23'18"		
RNAV2	152 7--- 77	1 465		↓	Beijing ACC
▲BIMEG			N39°20'00" E117°54'00"		
RNAV2	110 7--- 92	840		↓	Beijing ACC
▲UPSAT			N39°09'00" E118°56'30"		
RNAV2	126 7--- 88	610		↓	Beijing ACC
▲VAPGU			N38°46'23" E119°49'44"		
V10					
▲TONIL			N39°54'00" E117°23'18"		
RNAV2	187 7--- 91	1 464		↓	Beijing ACC
△PAMRU			N39°04'43" E117°22'26"		
RNAV2	195 7--- 201	1 197		↓	Beijing ACC

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲PANKI			N37°17'45" E116°59'59"		
V11					
▲无锡 Wuxi VOR/DME (VMB)			N31°44.6' E120°11.5'		
RNAV2	282 °--- 76	1 031		↓	Shanghai ACC
△PIMUS			N31°48'18" E119°23'30"		
RNAV2	279 °--- 41	1 011		↓	Shanghai ACC
▲DOGVI			N31°49'14" E118°57'50"		
V12					
▲南盈滨岛 Nanyingbindao VOR/DME (NYB)			N20°00.9' E110°08.2'		
RNAV2	018 °198 ° 33	870		↓↑	Sanya ACC(Above 7 200m) Haikou APP(7 200m or below)
▲AGPOR			N20°18'09" E110°13'48"		
参阅海口/美兰机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of HAIKOU/Meilan airport.					
V13					
▲东木栏头 Dongmulantou VOR/DME (MLT)			N20°09.1' E110°40.4'		
RNAV2	291 °111 ° 49	822		↓↑	Sanya ACC(Above 7 200m) Haikou APP(7 200m or below)
▲AGPOR			N20°18'09" E110°13'48"		
参阅海口/美兰机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of HAIKOU/Meilan airport.					
V14					
▲PIMOL			N32°14'45" E119°45'42"		
RNAV2	258 °078 ° 27	1 026		↓↑	Shanghai ACC
▲AGPUX			N32°10'22" E119°29'25"		
RNAV2	258 °078 ° 67	1 072		↓↑	Shanghai ACC

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲NOBEM			N31°59'25" E118°48'31"		
航线高度 7 800 米（含）以上。 En-route altitude 7 800m or above.					
V16					
▲硕放 Shuofang VOR/DME (SUF)			N31°29.9' E120°25.9'		
RNAV2	216 7--- 3	1 031		↓	Shanghai ACC
▲TEPAG			N31°28'26" E120°24'57"		
RNAV2	280 7--- 112	1 087		↓	Shanghai ACC
▲UPKEK			N31°32'05" E119°14'29"		
V17					
▲GUBLO			N22°42'36" E114°02'05"		
RNAV2	043 7223 ° 30	1 604		↓↑	Guangzhou ACC
▲SULAS			N22°54'58" E114°13'16"		
RNAV2	043 7223 ° 36	1 918		↓↑	Guangzhou ACC
▲IGAGA			N23°09'52" E114°27'13"		
RNAV2	043 7223 ° 28	1 918		↓↑	Guangzhou ACC
▲UBDOB			N23°21'42" E114°37'30"		
RNAV2	043 7223 ° 128	1 918		↓↑	Guangzhou ACC
▲NUVGA			N24°13'55" E115°26'36"		
RNAV2	359 7179 ° 49	1 893		↓↑	Guangzhou ACC
▲ODOPI			N24°40'25" E115°24'30"		
V18					
▲UBDOB			N23°21'42" E114°37'30"		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
RNAV2	015 7195 ° 105	1 920		↓↑	Guangzhou ACC
▲XEBUL			N24°17'00" E114°51'00"		
V19					
▲湖光 Huguang NDB (LH)			N21°08.1' E110°20.0'		
RNAV2	066 7246 ° 183	1 937		↓↑	湖光 Huguang NDB: Sanya ACC(Above 7800m) Nanning ACC(7800m or below) UDUTI : Guangzhou ACC
▲UDUTI			N21°51'00" E111°56'00"		
RNAV2	068 7248 ° 184	1 614		↓↑	Guangzhou ACC
▲南朗 Nanlang VOR/DME (NLG)			N22°31.9' E113°33.7'		
V20					
▲UDUTI			N21°51'00" E111°56'00"		
RNAV2	201 7021 ° 33	1 468		↓↑	Guangzhou ACC
▲BIGRO			N21°34'12" E111°49'36"		
V21					
▲AVPAM			N23°12'30" E111°49'36"		
RNAV2	178 7358 ° 151	1 739		↓↑	Guangzhou ACC
▲UDUTI			N21°51'00" E111°56'00"		
RNAV2	091 7271 ° 63	1 363		↓↑	Guangzhou ACC
▲TOMUD			N21°51'27" E112°32'50"		
RNAV2	087 7267 ° 77	1 382		↓↑	Guangzhou ACC
▲高栏 Gaolan NDB (UJ)			N21°55.2' E113°17.6'		
V25					

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲AVPAM			N23°12'30" E111°49'36"		
RNAV2	136°316° 208	1 685		↓↑	Guangzhou ACC
▲高栏 Gaolan NDB (UJ)			N21°55.2' E113°17.6'		
V27					
▲POMOK			N31°27'00" E121°07'00"		
RNAV2	096°276° 60	1 235		↓↑	Shanghai ACC
▲VEBNI			N31°27'00" E121°45'02"		
V30					
▲济南 Jinan VOR/DME (YQG)			N36°50.0' E117°12.9'		
RNAV2	009°189° 62	1 020		↓↑	Jinan VOR/DME: Beijing ACC(Above 7800m) Jinan ACC(7800m or below) KAMOM: Beijing ACC
△KAMOM			N37°23'28" E117°15'17"		
RNAV2	009°189° 188	1 197		↓↑	Beijing ACC
△PAMRU			N39°04'43" E117°22'26"		
V33					
▲ISNAG			N34°51'46" E113°43'46"		
RNAV2	---/217° 87	1 386		↑	Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲LEKUB			N35°31'21" E114°15'00"		
RNAV2	---/217° 111	1 386		↑	Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲魏县 Weixian VOR/DME (WXI)			N36°21.8' E114°55.0'		
V35					
▲牛岭 Niuling VOR/DME (JCS)			N23°35.9' E116°24.7'		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
RNAV2	197°017° 101	1 885		↓↑	Guangzhou ACC
▲DOTMI			N22°43'06" E116°10'06"		
参阅揭阳/潮汕机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of JIEYANG/Chaoshan airport.					
V36					
▲牛岭 Niuling VOR/DME (JCS)			N23°35.9' E116°24.7'		
RNAV2	065°245° 72	2 097		↓↑	Shanghai ACC(Above 7800m) Xiamen ACC(7800m or below)
▲SAPUT			N23°54'22" E117°02'02"		
RNAV2	065°245° 54	1 762		↓↑	Shanghai ACC(Above 7800m) Xiamen ACC(7800m or below)
▲TEBON			N24°08'17" E117°30'04"		
参阅揭阳/潮汕机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of JIEYANG/Chaoshan airport.					
V37					
▲牛岭 Niuling VOR/DME (JCS)			N23°35.9' E116°24.7'		
RNAV2	119°299° 40	1 885		↓↑	Guangzhou ACC
▲汕头 Shantou VOR/DME (SWA)			N23°26.4' E116°46.0'		
参阅揭阳/潮汕机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of JIEYANG/Chaoshan airport.					
V38					
▲VINEX			N30°36'27" E106°41'48"		
RNAV2	101°281° 255	2 723		↓↑	VINEX: Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below) TOSIM: Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below)
▲TOSIM			N30°19'26" E109°20'18"		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
RNAV2	101°28'1"° 25	2 678		↓↑	Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below)
▲恩施 Enshi VOR/DME (ENH)			N30°17.5' E109°36.1'		
V39					
▲GUXUV			N32°11'18" E116°43'42"		
RNAV2	057°23'7"° 64	906		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲SEGPI			N32°32'00" E117°16'00"		
V41					
▲RUNEG			N20°30'00" E108°11'06"		
RNAV2	137°31'7"° 151	894		↓↑	Sanya ACC(Above 7 200m) Haikou APP(7 200m or below)
▲DABUB			N19°31'11" E109°11'36"		
RNAV2	170°35'0"° 117	2 711		↓↑	DABUB: Sanya ACC(Above 7 200m) Haikou APP(7 200m or below) Baolong NDB: Sanya ACC(Above 7 200m) Sanya APP(7 200m or below)
▲抱龙 Baolong NDB (WL)			N18°29.3' E109°24.2'		
V42					
▲REPOL			N37°35'32" E119°40'42"		
RNAV2	---/247° 35	643		↑	Qingdao ACC
▲UKMEV			N37°45'22" E120°01'14"		
RNAV2	---/247° 56	746		↑	Qingdao ACC
▲GUMED			N38°01'00" E120°34'20"		
V43					
▲大连 Dalian VOR/DME (DBL)			N38°57.7' E121°34.2'		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
	283 9--- 18	1 004		↓	Dalian ACC
▲ VABRA			N38°58'44" E121°21'42"		
	193 9--- 19	1 065		↓	Dalian ACC
▲ REDEM			N38°48'22" E121°20'26"		
	134 9--- 98	1 065		↓	Dalian ACC
▲ POVAG			N38°16'44" E122°15'04"		
参阅大连/周水子机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of DALIAN/Zhoushuizi airport.					
V44					
▲ 大连 Dalian VOR/DME (DBL)			N38°57.7' E121°34.2'		
	283 9--- 18	1 004		↓	Dalian ACC
▲ VABRA			N38°58'44" E121°21'42"		
	222 9--- 98	1 065		↓	Dalian ACC
▲ KARPI			N38°15'00" E120°43'02"		
参阅大连/周水子机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of DALIAN/Zhoushuizi airport.					
V45					
▲ ALARA			N38°33'40" E120°33'06"		
	075 9--- 74	1 065		↓	Dalian ACC
▲ REDEM			N38°48'22" E121°20'26"		
	056 9--- 26	1 065		↓	Dalian ACC
▲ 大连 Dalian VOR/DME (DBL)			N38°57.7' E121°34.2'		
参阅大连/周水子机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of DALIAN/Zhoushuizi airport.					

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
V46					
▲UNSEK			N38°36'46" E120°14'08"		
	070 9--- 89	1 065		↓	Dalian ACC
▲RANBO			N38°58'49" E121°08'35"		
	100 9--- 37	1 004		↓	Dalian ACC
▲大连 Dalian VOR/DME (DBL)			N38°57.7' E121°34.2'		
参阅大连/周水子机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of DALIAN/Zhoushuizi airport.					
V47					
▲大连 Dalian VOR/DME (DBL)			N38°57.7' E121°34.2'		
	283 9--- 60	1 004		↓	Dalian ACC
▲VIDUX			N39°00'51" E120°52'34"		
	259 9--- 65	815		↓	Dalian ACC
▲SARUD			N38°49'53" E120°09'48"		
	230 9--- 26	600		↓	Dalian ACC
▲ANRAT			N38°39'30" E119°57'24"		
参阅大连/周水子机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of DALIAN/Zhoushuizi airport.					
V48					
△PAMRU			N39°04'43" E117°22'26"		
RNAV2	064 9--- 53	1 130		↓	Beijing ACC
▲BIMEG			N39°20'00" E117°54'00"		
V49					
▲淮安 Huaian VOR/DME (HUN)			N33°46.4' E119°06.6'		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
	183 °003 93	622		↓↑	Shanghai ACC
▲NIXEM			N32°56'31" E119°09'38"		
参阅淮安/涟水机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of HUAIAN/Lianshui airport.					
V50					
▲UGUGU			N26°35'01" E108°22'10"		
RNAV2	340 °160 151	2 600		↓↑	Chengdu ACC(Above 7800m) Guiyang ACC(7800m or below)
▲TAXOR			N27°49'41" E107°46'23"		
RNAV2	324 °144 52	2 282		↓↑	Chengdu ACC(Above 7800m) Guiyang ACC(7800m or below)
▲OTLEK			N28°11'18" E107°26'24"		
RNAV2	324 °144 23	2 361		↓↑	Chengdu ACC(Above 7800m) Guiyang ACC(7800m or below)
▲SEBGU			N28°21'10" E107°17'32"		
RNAV2	319 °139 48	2 596		↓↑	Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)
▲VILUS			N28°39'43" E106°57'05"		
V51					
▲RUNEG			N20°30'00" E108°11'06"		
RNAV2	107 °--- 100	600		↓	Sanya ACC
▲UBSIR			N20°16'24" E109°06'33"		
RNAV2	107 °--- 111	892		↓	Sanya ACC
▲南盈滨岛 Nanyingbindao VOR/DME (NYB)			N20°00.9' E110°08.2'		
V52					
▲GUSIV			N29°14'07" E113°44'26"		
RNAV2	182 °--- 305	2 600		↓	Guangzhou ACC(Above 7800m) Changsha ACC(7800m or below)

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲OPUNI			N26°30'00" E113°51'42"		
V53					
▲连云港 Lianyungang VOR/DME (GFK)			N34°23.5' E119°09.9'		
RNAV1	144 °324 144	1 105		↓↑	Shanghai ACC
▲盐城 Yancheng VOR/DME (YCH)			N33°25.3' E120°12.3'		
RNAV1	166 °346 148	700		↓↑	Shanghai ACC
▲PIKAS			N32°10'00" E120°44'00"		
V54					
▲魏县 Weixian VOR/DME (WXI)			N36°21.8' E114°55.0'		
RNAV2	215 °035 36	674		↓↑	Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲DOSKU			N36°05'04" E114°43'18"		
RNAV2	215 °035 80	1 153		↓↑	Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲GUKNA			N35°27'40" E114°17'15"		
RNAV2	215 °035 73	1 133		↓↑	Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲PUBOV			N34°53'12" E113°53'39"		
V55					
▲ENVEN			N25°20'30" E118°55'06"		
RNAV2	251 °071 40	1 611		↓↑	Shanghai ACC(Above 7800m) Xiamen ACC(7800m or below)
▲LAMIM			N25°12'16" E118°32'49"		
RNAV2	231 °051 54	1 820		↓↑	Shanghai ACC(Above 7800m) Xiamen ACC(7800m or below)
▲GORMU			N24°52'35" E118°09'05"		
RNAV2	231 °051 21	1 874		↓↑	Shanghai ACC(Above 7800m) Xiamen ACC(7800m or below)

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲KADUG			N24°44'56" E117°59'54"		
参阅厦门/高崎机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of XIAMEN/Gaoqi airport.					
V56					
▲东羊角 Dongyangjiao NDB (PU)			N41°30.4' E123°17.5'		
RNAV2	351 7--- 10	878		↓	Shenyang ACC
▲TX405			N41°35'49" E123°15'19"		
RNAV2	287 7--- 94	899		↓	Shenyang ACC
▲TX401			N41°43'34" E122°07'56"		
RNAV2	266 7--- 81	1 411		↓	Shenyang ACC
▲OMDUS			N41°34'30" E121°11'00"		
参阅沈阳/桃仙机场标准仪表离场程序。 Refer SID of SHENYANG/Taoxian airport.					
V57					
▲OMDUS			N41°34'30" E121°11'00"		
RNAV2	099 7--- 76	1 411		↓	Shenyang ACC
▲TX404			N41°33'38" E122°05'58"		
RNAV2	107 7--- 91	860		↓	Shenyang ACC
▲TX408			N41°26'13" E123°10'39"		
RNAV2	057 7--- 6	860		↓	Shenyang ACC
▲GUMOD			N41°28'12" E123°13'39"		
参阅沈阳/桃仙机场标准仪表进场程序。 Refer STAR of SHENYANG/Taoxian airport.					
V58					
▲TX410			N40°54'35" E123°54'22"		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
RNAV2	331 9--- 84	1 718		↓	Shenyang ACC
▲东羊角 Dongyangjiao NDB (PU)			N41°30.4′ E123°17.5′		
参阅沈阳/桃仙机场标准仪表进场程序。 Refer STAR of SHENYANG/Taoxian airport.					
V59					
▲东羊角 Dongyangjiao NDB (PU)			N41°30.4′ E123°17.5′		
RNAV2	161 9--- 77	1 731		↓	Shenyang ACC
▲TX661			N40°53′14″ E123°42′49″		
RNAV2	161 9--- 7	1 731		↓	Shenyang ACC
▲ISKEM			N40°49′57″ E123°45′01″		
参阅沈阳/桃仙机场标准仪表离场程序。 Refer SID of SHENYANG/Taoxian airport.					
V60					
▲东羊角 Dongyangjiao NDB (PU)			N41°30.4′ E123°17.5′		
RNAV2	176 9356 ° 105	1 731		↓↑	Shenyang ACC
▲TOSID			N40°34′55″ E123°33′59″		
参阅沈阳/桃仙机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of SHENYANG/Taoxian airport.					
V61					
▲TX557			N42°01′59″ E124°05′02″		
RNAV2	088 9--- 61	1 577		↓	Shenyang ACC
▲TX560			N42°08′03″ E124°48′19″		
参阅沈阳/桃仙机场标准仪表离场程序。 Refer SID of SHENYANG/Taoxian airport.					
V62					
▲沈阳 Shenyang VOR/DME (SEY)			N41°38.5′ E123°28.7′		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
RNAV2	058 7238 ° 26	1 018		↓↑	Shenyang ACC
▲TX603			N41°47'37" E123°43'00"		
RNAV2	058 7238 ° 40	1 236		↓↑	Shenyang ACC
▲TX557			N42°01'59" E124°05'02"		
RNAV2	055 7235 ° 33	1 309		↓↑	Shenyang ACC
▲TX611			N42°14'11" E124°22'06"		
RNAV2	055 7235 ° 73	1 577		↓↑	TX611 : Shenyang ACC TX415 : Dalian ACC
▲TX415			N42°41'17" E125°00'37"		
参阅沈阳/桃仙机场标准仪表进场/标准仪表离场程序。 Refer STAR/SID of SHENYANG/Taoxian airport.					
V63					
▲朝阳 Chaoyang VOR/DME (CHG)			N41°32.2' E120°26.0'		
RNAV2	076 7256 ° 319	1 478		↓↑	Shenyang ACC
▲开原 Kaiyuan VOR/DME (KYU)			N42°37.9' E124°00.4'		
飞行高度 1 000 米（不含）以上；往返同。 En-route altitudes above 1 000m; and vice versa.					
V64					
▲NOBEM			N31°59'25" E118°48'31"		
RNAV2	275 7095 ° 72	1 068		↓↑	Shanghai ACC
▲LEBIK			N31°58'59" E118°02'33"		
RNAV2	275 7095 ° 61	992		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲TUTKI			N31°59'09" E117°23'39"		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
RNAV2	275°095° 10	986		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲AVLOG			N31°59'00" E117°17'27"		
RNAV2	275°095° 26	986		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲MAGLI			N31°59'00" E117°00'47"		
LEBIK 及 MAGLI 之间航线高度 6 000 米（含）以上。 Segments between LEBIK and MAGLI, En-route altitude 6 000m or above.					
V65					
▲LEBIK			N31°58'59" E118°02'33"		
RNAV2	243°063° 40	992		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
△AGASK			N31°47'02" E117°41'19"		
RNAV2	243°063° 45	1 113		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲VILID			N31°33'27" E117°17'23"		
RNAV2	245°065° 154	2 374		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲IKUBA			N30°51'20" E115°54'03"		
航线高度 6 000 米（含）以上。 En-route altitude 6 000m or above.					
V66					
▲VIKEB			N28°07'36" E113°42'37"		
RNAV2	204°--- 56	1 591		↓	Guangzhou ACC(Above 7800m) Changsha ACC(7800m or below)
▲醴陵 Liling VOR/DME (LIG)			N27°38.9' E113°31.0'		
RNAV2	200°--- 37	1 614		↓	Guangzhou ACC(Above 7800m) Changsha ACC(7800m or below)
▲REBIS			N27°19'40" E113°24'27"		
RNAV2	195°--- 177	2 513		↓	Guangzhou ACC(Above 7800m) Changsha ACC(7800m or below)

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲ VESUX			N25°45'49" E113°03'42"		
V67					
▲ NUKTI			N41°51'42" E095°11'58"		
RNAV2	130 7310 ° 25	2 978		↓↑	Lanzhou ACC
▲ TESEN			N41°43'09" E095°25'57"		
RNAV2	130 7310 ° 216	3 155		↓↑	Lanzhou ACC
▲ NOBAN			N40°27'54" E097°24'06"		
RNAV2	132 7312 ° 107	3 399		↓↑	Lanzhou ACC
▲ 嘉峪关 Jiayuguan VOR/DME (JSG)			N39°50.7' E098°21.4'		
RNAV2	096 7276 ° 52	3 189		↓↑	Lanzhou ACC
▲ BIPOM			N39°48'26" E098°57'39"		
RNAV2	100 7280 ° 321	2 642		↓↑	Lanzhou ACC
▲ ALGOT			N39°26'05" E102°40'20"		
V68					
▲ TEKAM			N37°35'10" E120°45'17"		
RNAV2	041 7221 ° 90	1 414		↓↑	Qingdao ACC
▲ ORIXA			N38°15'18" E121°19'21"		
RNAV2	041 7221 ° 21	600		↓↑	Dalian ACC
△ DOBGA			N38°24'47" E121°27'31"		
V69					
▲ 康定 Kangding VOR/DME (KDJ)			N30°08.5' E101°43.9'		
RNP4	086 7266 ° 69	6 672		↓↑	Chengdu ACC

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲ATPOG			N30°12'00" E102°26'56"		
RNP4	086°266° 45	5 808		↓↑	Chengdu ACC
▲ABVIR			N30°14'17" E102°54'55"		
RNP4	086°266° 37	3 890		↓↑	Chengdu ACC
▲MUDEL			N30°16'14" E103°18'06"		
RNP4	086°266° 38	2 564		↓↑	Chengdu ACC
▲回龙 Huilong VOR/DME (HLC)			N30°18.1' E103°41.7'		
RNP4	066°246° 54	1 593		↓↑	Chengdu ACC
▲柏鹤寺 Baihesi VOR/DME (BHS)			N30°30.7' E104°12.0'		
RNP4	071°251° 30	1 659		↓↑	Chengdu ACC
▲五凤溪 Wufengxi VOR/DME (WFX)			N30°36.4' E104°29.5'		
V70					
▲POMOK			N31°27'00" E121°07'00"		
RNAV2	322°--- 115	934		↓	Shanghai ACC
▲UNTAN			N32°12'14" E120°17'04"		
V72					
▲OVNEV			N29°54'34" E121°43'15"		
RNAV2	034°214° 43	1 273		↓↑	Shanghai ACC
▲ISPUR			N30°14'55" E121°56'01"		
RNAV2	027°207° 66	1 077		↓↑	Shanghai ACC
▲ELAGO			N30°48'00" E122°11'00"		
V73					

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲MULOV			N29°36'51" E120°14'52"		
RNAV2	057 7--- 74	1 795		↓	Shanghai ACC
▲SUPAR			N30°01'23" E120°51'29"		
RNAV2	026 7--- 131	1 249		↓	Shanghai ACC
▲九亭 Jiuting VOR/DME (JTN)			N31°07.4' E121°20.5'		
V74					
△PAMVU			N28°41'30" E120°43'18"		
RNAV2	037 7--- 63	1 930		↓	Shanghai ACC
▲SUSMU			N29°10'00" E121°04'00"		
RNAV2	023 7--- 85	1 691		↓	Shanghai ACC
▲栎社 Lishe NDB (BK)			N29°53.7' E121°20.0'		
V76					
▲黄山 Huangshan VOR/DME (TXN)			N29°44.3' E118°15.2'		
RNAV2	123 7--- 45	1 995		↓	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲DUBVU			N29°32'40" E118°39'48"		
RNAV2	123 7--- 106	1 995		↓	DUBVU : Shanghai ACC(Above 7800m) Hefei ACC(7800m or below) OSPAM : Shanghai ACC
▲OSPAM			N29°05'08" E119°37'13"		
V77					
▲ADBAS			N30°20'36" E120°16'02"		
RNAV2	039 7219 ° 84	1 012		↑↓	Shanghai ACC
▲LURMA			N30°58'30" E120°44'55"		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
V78					
▲TUTKI			N31°59'09" E117°23'39"		
RNAV2	315 °--- 13	865		↓	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲AKNAX			N32°03'44" E117°17'15"		
RNAV2	315 °--- 136	808		↓	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲ISNEB			N32°50'47" E116°10'30"		
RNAV2	280 °--- 42	892		↓	ISNEB : Shanghai ACC(Above 7800m) Hefei ACC(7800m or below) 阜阳 Fuyang VOR/DME: Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲阜阳 Fuyang VOR/DME (FYG)			N32°53.0' E115°44.0'		
V79					
▲正定 Zhengding VOR/DME (SJW)			N38°16.8' E114°41.9'		
RNAV2	155 °335 ° 20	816		↓↑	Beijing ACC
▲VEMOT			N38°07'34" E114°49'15"		
RNAV2	143 °323 ° 70	878		↓↑	Beijing ACC
▲NIRIM			N37°40'10" E115°22'15"		
RNAV2	143 °323 ° 37	637		↓↑	Beijing ACC
▲VAVNA			N37°25'39" E115°39'29"		
V81					
▲BUBDI			N46°29'56" E126°27'11"		
	161 °341 ° 25	825		↓↑	Harbin ACC
▲SULTI			N46°18'19" E126°36'47"		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
	199°019° 51	1 079		↓↑	Harbin ACC
▲GUXEN			N45°50'56" E126°30'57"		
	229°049° 32	1 079		↓↑	Harbin ACC
▲哈尔滨 Harbin VOR/DME (HRB)			N45°37.6' E126°15.6'		
参阅哈尔滨/太平机场标准仪表离场程序。 Refer SID of HARBIN/Taiping airport.					
V82					
▲IGADO			N45°57'48" E127°24'44"		
	296°116° 25	972		↓↑	Harbin ACC
▲TOGEP			N46°01'20" E127°06'15"		
	258°078° 49	1 079		↓↑	Harbin ACC
▲GUXEN			N45°50'56" E126°30'57"		
参阅哈尔滨/太平机场标准仪表离场程序。 Refer SID of HARBIN/Taiping airport.					
V83					
▲VETEX			N45°34'45" E126°36'50"		
	077°--- 54	1 250		↓	Harbin ACC
▲SAREV			N45°46'27" E127°15'09"		
	041°--- 24	1 250		↓	Harbin ACC
▲IGADO			N45°57'48" E127°24'44"		
参阅哈尔滨/太平机场标准仪表离场程序。 Refer SID of HARBIN/Taiping airport.					
V84					
▲哈尔滨 Harbin VOR/DME (HRB)			N45°37.6' E126°15.6'		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
	111 9--- 28	1 079		↓	Harbin ACC
▲VETEX			N45°34'45" E126°36'50"		
	144 9--- 53	1 250		↓	Harbin ACC
▲NOKUV			N45°14'58" E127°06'28"		
	178 9--- 25	1 250		↓	Harbin ACC
▲KETOV			N45°01'46" E127°10'37"		
参阅哈尔滨/太平机场标准仪表离场程序。 Refer SID of HARBIN/Taiping airport.					
V85					
▲哈尔滨 Harbin VOR/DME (HRB)			N45°37.6' E126°15.6'		
	191 9--- 19	864		↓	Harbin ACC
▲ATVOM			N45°27'28" E126°15'19"		
	145 9--- 22	857		↓	Harbin ACC
▲IDIMO			N45°19'07" E126°27'24"		
	143 9--- 43	1 166		↓	Harbin ACC
▲UKDIN			N45°03'14" E126°51'55"		
	107 9--- 25	1 166		↓	Harbin ACC
▲KETOV			N45°01'46" E127°10'37"		
参阅哈尔滨/太平机场标准仪表离场程序。 Refer SID of HARBIN/Taiping airport.					
V86					
▲黔西 Qianxi VOR/DME (QNX)			N27°02.5' E106°01.8'		
RNAV2	173 9353 ° 79	2 432		↑↓	Chengdu ACC(Above 7800m) Guiyang ACC(7800m or below)

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲MEVUL			N26°20'36" E106°09'38"		
RNAV2	173 9353 ° 152	2 432		↓↑	Chengdu ACC(Above 7800m) Guiyang ACC(7800m or below)
▲TESIL			N24°59'59" E106°24'30"		
RNAV2	173 9353 ° 121	2 633		↓↑	Nanning ACC
▲百色 Bose VOR/DME (BSE)			N23°55.4' E106°36.1'		
V87					
▲三峡 Sanxia VOR/DME (YIH)			N30°32.1' E111°30.4'		
RNAV2	188 9--- 106	1 601		↓	Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below)
▲OMGIB			N29°35'25" E111°25'25"		
RNAV2	188 9--- 336	2 275		↓	OMGIB : Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below) EXURI : Guangzhou ACC(Above 7800m) Changsha ACC(7800m or below)
▲EXURI			N26°35'00" E111°10'24"		
V88					
▲三峡 Sanxia VOR/DME (YIH)			N30°32.1' E111°30.4'		
RNAV2	193 9--- 106	1 700		↓	Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below)
▲GUKVO			N29°35'42" E111°19'20"		
RNAV2	193 9--- 434	2 647		↓	GUKVO : Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below) ONEMI : Guangzhou ACC(Above 7800m) Nanning ACC(7800m or below)
▲ONEMI			N25°45'04" E110°36'29"		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
V89					
▲胶北 Jiaobei VOR/DME (JDW)			N36°19.8' E119°58.6'		
RNAV1	350 7170 ° 57	1 269		↓↑	Qingdao ACC
▲GUTVO			N36°49'01" E119°47'08"		
RNAV1	359 7179 ° 87	1 278		↓↑	Qingdao ACC
▲UPDAD			N37°35'20" E119°37'49"		
RNAV1	359 7179 ° 59	600		↓↑	UPDAD : Qingdao ACC DOVIV : Beijing ACC
▲DOVIV			N38°06'40" E119°31'57"		
V90					
▲BISAL			N37°06'02" E112°13'37"		
	327 7--- 106	3 430		↓	BISAL : Beijing ACC(Above 7800m) Taiyuan ACC(7800m or below) LEBOM : Xi'an ACC
▲LEBOM			N37°51'30" E111°30'00"		
V91					
▲TODAM			N39°29'31" E112°12'03"		
	211 7--- 304	3 388		↓	TODAM : Beijing ACC(Above 7800m) Taiyuan ACC(7800m or below) MAPMU : Xi'an ACC
▲MAPMU			N37°02'41" E110°38'16"		
V104					
▲ISNEB			N32°50'47" E116°10'30"		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
RNAV2	304 °124 ° 66	807		↓↑	ISNEB: Shanghai ACC(Above 7800m) Hefei ACC(7800m or below) AVNOD: Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲AVNOD			N33°07'46" E115°33'26"		
RNAV2	334 °154 ° 100	754		↓↑	Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲VETIP			N33°54'03" E115°00'22"		
RNAV2	334 °154 ° 17	656		↓↑	Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲LENPO			N34°01'57" E114°54'39"		
RNAV2	334 °154 ° 18	660		↓↑	Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲KILUD			N34°10'20" E114°48'34"		
V105					
▲新郑 Xinzheng VOR/DME (CGO)			N34°31.1' E113°50.6'		
	011 °--- 41	1 086		↓	Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲PUBOV			N34°53'12" E113°53'39"		
	345 °--- 95	2 330		↓	Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲IGPIL			N35°41'23" E113°32'28"		
	313 °--- 28	2 416		↓	Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲PADNO			N35°50'45" E113°17'36"		
V106					
▲IKUBA			N30°51'20" E115°54'03"		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
	262 7--- 166	2 307		↓	IKUBA : Shanghai ACC(Above 7800m) Hefei ACC(7800m or below) ESKAM : Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below)
▲ESKAM			N30°32'34" E114°11'52"		
	253 7--- 104	1 058		↓	Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below)
▲GUGAM			N30°12'59" E113°11'08"		
V107					
▲老粮仓 Laoliangcang VOR/DME (LLC)			N28°04.1' E112°12.5'		
RNAV2	---/188 ° 12	1 468		↑	Guangzhou ACC(Above 7800m) Changsha ACC(7800m or below)
△IPMUG			N28°10'35" E112°13'08"		
RNAV2	---/188 ° 152	1 475		↑	Guangzhou ACC(Above 7800m) Changsha ACC(7800m or below)
▲DUBNA			N29°32'10" E112°18'32"		
RNAV2	---/188 ° 22	789		↑	DUBNA : Guangzhou ACC(Above 7800m) Changsha ACC(7800m or below) VIBUB : Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below)
▲VIBUB			N29°44'14" E112°19'22"		
V108					
▲天河 Tianhe NDB (HG)			N30°55.5' E114°21.0'		
	142 7--- 171	1 528		↓	Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below)
▲TULMU			N29°47'28" E115°33'05"		
V109					

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲KAMDA			N33°21'57" E114°12'13"		
	191 9--- 387	1 480		↓	KAMDA: Beijing ACC(Above 7 800m) Zhengzhou ACC(7 800m or below) Longkou VOR/DME: Guangzhou ACC(Above 7 800m) Wuhan ACC(7 800m or below)
▲龙口 Longkou VOR/DME (LKO)			N29°54.4' E113°41.5'		
V110					
▲浞水 Xishui VOR/DME (XSH)			N30°26.1' E115°16.0'		
	325 9145 ° 127	1 584		↓↑	Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below)
▲河口 Hekou VOR/DME (HOK)			N31°19.5' E114°25.8'		
V111					
▲武当山 Wudangshan VOR/DME (DSY)			N32°34.3' E110°56.1'		
	314 9134 ° 139	2 504		↓↑	Wudangshan VOR/DME: Guangzhou ACC(Above 7 800m) Wuhan ACC(7 800m or below) TOGOG: Xi'an ACC
▲TOGOG			N33°22'34" E109°47'19"		
	286 9106 ° 21	2 504		↓↑	Xi'an ACC
▲SUDGO			N33°24'52" E109°33'56"		
V112					
▲IKEKA			N36°49'53" E123°21'15"		
RNAV2	244 9064 ° 176	600		↓↑	Qingdao ACC
△GUSEV			N35°58'24" E121°41'49"		
RNAV2	244 9064 ° 31	600		↓↑	Qingdao ACC

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲NOBOB			N35°49'12" E121°24'32"		
RNAV2	244 9064 ° 68	600		↓↑	Qingdao ACC
▲LATUX			N35°29'00" E120°47'00"		
V113					
▲VETIP			N33°54'03" E115°00'22"		
	298 9118 ° 37	664		↓↑	Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲GUTUS			N34°01'52" E114°38'13"		
V114					
▲LENPO			N34°01'57" E114°54'39"		
	298 9118 ° 32	670		↓↑	Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲OGOVI			N34°08'39" E114°35'34"		
V116					
▲LUPRO			N42°53'21" E090°53'37"		
RNAV2	149 9329 ° 161	2 006		↓↑	Urumqi ACC
△ESDEX			N41°37'45" E091°51'08"		
V117					
▲ORUNA			N35°30'00" E104°06'43"		
RNAV2	317 9--- 94	4 271		↓	Lanzhou ACC
▲IKOMU			N36°05'05" E103°21'36"		
V118					
▲兰州 Lanzhou VOR/DME (DNC)			N36°32.5' E103°37.1'		
RNAV1	143 9--- 103	3 680		↓	Lanzhou ACC
▲VIKOV			N35°49'54" E104°21'09"		
V119					

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲BISAL			N37°06'02" E112°13'37"		
RNAV2	164 9344 ° 158	2 995		↓↑	Beijing ACC(Above 7800m) Taiyuan ACC(7800m or below)
▲URBIL			N35°47'13" E112°52'52"		
V120					
▲MEXOS			N35°40'00" E112°04'06"		
RNAV2	144 9324 ° 69	2 838		↓↑	MEXOS: Xi'an ACC NUNGA: Beijing ACC(Above 7800m) Zhengzhou ACC(7800m or below)
▲NUNGA			N35°12'16" E112°34'42"		
V121					
▲LULTA			N39°58'24" E117°12'51"		
RNAV2	109 9289 ° 132	1 465		↓↑	Beijing ACC
▲滦县 Luanxian VOR/DME (LUX)			N39°44.5' E118°43.6'		
V140					
▲GOVNI			N30°21'16" E121°23'40"		
RNAV1	055 9235 ° 13	839		↓↑	Shanghai ACC
▲IDNIK			N30°26'00" E121°29'54"		
RNAV1	355 9175 ° 78	1 235		↓↑	Shanghai ACC
▲九亭 Jiuting VOR/DME (JTN)			N31°07.4' E121°20.5'		
V141					
▲IDNIK			N30°26'00" E121°29'54"		
RNAV2	038 9--- 157	750		↓	Shanghai ACC
▲ALDAP			N31°37'31" E122°22'14"		
V142					

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲ATVAD			N33°17'45" E118°51'15"		
RNAV1	---/013 ° 113	1 027		↑	Shanghai ACC
▲VEGDA			N32°17'12" E118°42'34"		
RNAV1	---/013 ° 40	1 068		↑	Shanghai ACC
▲MABOS			N31°55'59" E118°39'34"		
V143					
▲OLRIS			N31°39'01" E119°02'25"		
RNAV2	171 7351 ° 10	1 078		↓↑	Shanghai ACC
▲SAPIN			N31°33'55" E119°04'00"		
RNAV2	171 7351 ° 231	2 128		↓↑	Shanghai ACC
▲EMRID			N29°32'56" E119°38'55"		
RNAV2	160 7340 ° 222	2 058		↓↑	Shanghai ACC
▲东山 Dongshan VOR/DME (DST)			N27°45.0' E120°37.8'		
V144					
▲MUBEL			N24°12'35" E111°16'14"		
RNAV2	181 7001 ° 47	1 816		↓↑	Guangzhou ACC(Above 7800m) NanningACC(7800m or below)
▲OPENU			N23°47'08" E111°17'12"		
RNAV2	156 7336 ° 39	1 816		↓↑	Guangzhou ACC(Above 7800m) NanningACC(7800m or below)
▲LENAD			N23°28'20" E111°27'40"		
RNAV2	131 7311 ° 48	1 599		↓↑	Guangzhou ACC
▲AVPAM			N23°12'30" E111°49'36"		
V145					

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲IGIVI			N23°26'24" E110°43'15"		
RNAV2	166°346° 29	1 393		↓↑	Nanning ACC
▲OVLUG			N23°11'36" E110°48'01"		
RNAV2	106°286° 50	1 486		↓↑	Guangzhou ACC(Above 7800m) NanningACC(7800m or below)
▲AVDOK			N23°05'41" E111°16'47"		
RNAV2	094°274° 34	1 486		↓↑	AVDOK : Guangzhou ACC(Above 7800m) NanningACC(7800m or below) UKMA3 : Guangzhou ACC
▲UKMA3			N23°05'22" E111°36'25"		
RNAV2	094°274° 90	1 615		↓↑	Guangzhou ACC
▲高要 Gaoyao VOR/DME (GYA)			N23°04.2' E112°29.2'		
V146					
▲倍加皂 Beijiazao VOR/DME (BJZ)			N40°03.3' E113°29.6'		
RNAV2	247°067° 127	2 862		↓↑	Beijing ACC
▲TODAM			N39°29'31" E112°12'03"		
V147					
▲MOLSO			N24°25'17" E113°25'20"		
RNAV2	319°139° 137	2 503		↓↑	Guangzhou ACC
▲OPIXU			N25°18'03" E112°28'13"		
RNAV2	272°092° 114	2 499		↓↑	Guangzhou ACC
▲UGRIG			N25°16'45" E111°20'30"		
RNAV2	269°089° 114	2 499		↓↑	Guangzhou ACC

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲MAMSI			N25°12'17" E110°12'44"		
V148					
▲OSNOV			N24°29'24" E112°44'35"		
RNAV2	347 9--- 94	2 318		↓	Guangzhou ACC
▲OPIXU			N25°18'03" E112°28'13"		
V149					
▲LIDMA			N26°56'00" E107°00'59"		
RNAV1	056 9--- 112	2 167		↓	Chengdu ACC(Above 7800m) Guiyang ACC(7800m or below)
▲ESLIR			N27°33'02" E107°54'50"		
RNAV2	056 9--- 189	3 120		↓	ESLIR: Chengdu ACC(Above 7800m) Guiyang ACC(7800m or below) Huayuan VOR/DME: Guangzhou ACC(Above 7800m) Changsha ACC(7800m or below)
▲花垣 Huayuan VOR/DME (HUY)			N28°34.8' E109°27.0'		
V150					
▲EPGIG			N28°05'13" E120°49'55"		
RNP1	006 9186 ° 43	1 864		↓↑	Shanghai ACC
▲IGLUR			N28°28'33" E120°49'55"		
RNP1	354 9174 ° 44	1 930		↓↑	Shanghai ACC
▲REMIM			N28°51'32" E120°44'24"		
V151					
▲KARVU			N36°46'37" E114°43'55"		
RNAV2	019 9199 ° 208	764		↓↑	Beijing ACC
▲TEKIL			N38°36'32" E115°13'25"		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
V152					
▲ TONOV			N38°11'20" E114°06'24"		
RNAV2	082°26'2"° 143	1 694		↓↑	Beijing ACC
▲ GUVRI			N38°29'52" E115°42'00"		
V153					
▲ 南宁 Nanning VOR/DME (WUY)			N22°35.1' E108°08.9'		
RNAV2	106°28'6"° 82	1 233		↓↑	Nanning ACC
△ DUMUV			N22°24'32" E108°55'38"		
RNAV2	167°34'7"° 65	1 166		↓↑	Nanning ACC
▲ ALEKI			N21°50'58" E109°05'42"		
V154					
▲ ESPEG			N30°58'04" E106°00'32"		
RNAV2	090°--- 136	1 812		↓	ESPEG: Chengdu ACC Jinya VOR/DME: Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)
▲ 金埡 Jinya VOR/DME (DJY)			N31°02.7' E107°25.8'		
RNAV2	093°--- 8	1 719		↓	Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)
▲ VIBOD			N31°02'52" E107°30'57"		
RNAV2	093°--- 15	1 719		↓	Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)
▲ UXAXU			N31°03'04" E107°40'37"		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
RNAV2	093 °--- 194	2 404		↓	UXAXU: Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below) WUSHAN VOR/DME: Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below)
▲巫山 Wushan VOR/DME (SNF)			N31°04.5' E109°42.7'		
V155					
▲ATIVU			N30°26'21" E111°14'56"		
RNAV2	290 °--- 159	2 646		↓	Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below)
▲SOSNU			N30°49'18" E109°38'54"		
RNAV2	290 °--- 30	2 708		↓	Guangzhou ACC(Above 7800m) Wuhan ACC(7800m or below)
▲SOVGI			N30°53'29" E109°20'44"		
RNAV2	273 °--- 149	2 651		↓	Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)
▲ORIP1			N30°52'21" E107°47'21"		
RNAV2	273 °--- 38	1 871		↓	Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)
▲AKNIP			N30°51'53" E107°23'14"		
RNAV2	270 °--- 88	1 812		↓	Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)
▲VELPU			N30°49'19" E106°27'51"		
RNAV2	261 °--- 43	1 424		↓	Chengdu ACC
▲BONPI			N30°44'30" E106°01'29"		
V156					
▲江北 Jiangbei VOR/DME (CKG)			N29°44.8' E106°39.2'		
RNAV2	036 °--- 105	2 315		↓	Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲GUVIV			N30°32'35" E107°14'20"		
RNAV2	040 9--- 70	1 780		↓	Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)
▲UXAXU			N31°03'04" E107°40'37"		
V157					
▲ORIP1			N30°52'21" E107°47'21"		
RNAV2	223 9--- 51	1 871		↓	Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)
▲KADVA			N30°31'02" E107°27'00"		
RNAV2	225 9--- 115	2 196		↓	Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)
▲江北 Jiangbei VOR/DME (CKG)			N29°44.8' E106°39.2'		
V158					
▲AKNIP			N30°51'53" E107°23'14"		
RNAV2	249 9--- 44	1 812		↓	Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)
▲TAMUS			N30°42'04" E106°58'03"		
RNAV2	251 9--- 28	1 805		↓	Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)
▲VINEX			N30°36'27" E106°41'48"		
RNAV2	272 9--- 40	1 424		↓	Chengdu ACC(Above 7800m) Chongqing ACC(7800m or below)
▲URGEG			N30°35'56" E106°17'03"		
V159					
△AKVAP			N24°23'05" E109°36'10"		
	229 9--- 9	1 161		↓	Nanning ACC
△UPNET			N24°19'54" E109°32'30"		
	229 9--- 159	2 265		↓	Nanning ACC

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲IGNED			N23°20'24″ E108°24'52″		
	201 9--- 88	2 360		↓	Nanning ACC
▲南宁 Nanning VOR/DME (WUY)			N22°35.1′ E108°08.9′		
V160					
▲XEREN			N22°25'35″ E107°15'19″		
	092 9--- 59	1 373		↓	Nanning ACC
▲扶绥 Fusui VOR/DME (FSL)			N22°26.1′ E107°50.0′		
	065 9--- 37	1 373		↓	Nanning ACC
▲南宁 Nanning VOR/DME (WUY)			N22°35.1′ E108°08.9′		
V161					
▲来宾 Laibin VOR/DME (LBN)			N23°45.8′ E109°08.8′		
	191 9--- 153	1 671		↓	Nanning ACC
△DUMUV			N22°24'32″ E108°55'38″		
V162					
▲磴口 Dengkou VOR/DME (DKO)			N40°18.5′ E106°57.8′		
RNAV2	259 9079 ° 129	2 448		↓↑	Dengkou VOR/DME: Beijing ACC(Above 7800m) Hohhot ACC(7800m or below) KASTI: Lanzhou ACC
▲KASTI			N40°00'00″ E105°30'00″		
RNAV2	259 9079 ° 222	2 470		↓↑	Lanzhou ACC
▲DAMRO			N39°28'21″ E102°59'43″		
V163					
▲黄城 Huangcheng VOR/DME (HCH)			N37°39.3′ E120°32.7′		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
RNAV2	292°112° 48	1 427		↓↑	Qingdao ACC
▲UKMEV			N37°45'22" E120°01'14"		
RNAV2	273°093° 111	720		↓↑	Qingdao ACC
▲UBRES			N37°40'11" E118°46'07"		
RNAV2	268°088° 68	814		↓↑	Beijing ACC(Above 7800m) Jinan ACC(7800m or below)
▲IPLUL			N37°34'10" E118°00'30"		
RNAV2	253°073° 57	733		↓↑	Beijing ACC(Above 7800m) Jinan ACC(7800m or below)
▲NOBUP			N37°21'16" E117°25'00"		
V164					
▲GUTVO			N36°49'01" E119°47'08"		
RNAV2	284°104° 278	1 427		↓↑	GUTVO: Qingdao ACC IKOSA: Beijing ACC(Above 7800m) Jinan ACC(7800m or below)
▲IKOSA			N37°03'39" E116°40'24"		
V165					
▲胶北 Jiaobei VOR/DME (JDW)			N36°19.8' E119°58.6'		
RNAV2	287°107° 359	1 508		↓↑	Jiaobei VOR/DME: Qingdao ACC MUMUN: Beijing ACC(Above 7800m) Jinan ACC(7800m or below)
▲MUMUN			N36°47'35" E116°00'00"		
V166					
▲ONAXU			N34°45'10" E117°07'40"		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
RNAV2	172°352° 25	934		↓↑	ONAXU: Beijing ACC(Above 7800m) Jinan ACC(7800m or below) IDKUP: Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲IDKUP			N34°31'55" E117°12'00"		
RNAV2	172°352° 61	961		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲OVSON			N34°00'11" E117°22'18"		
RNAV2	172°352° 118	961		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲ELDIV			N32°58'50" E117°41'50"		
RNAV2	226°046° 64	906		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲SEGPI			N32°32'00" E117°16'00"		
V167					
▲姚集 Yaoji NDB (DO)			N34°04.5' E117°48.7'		
RNAV2	192°012° 122	909		↓↑	Shanghai ACC
▲ELDIV			N32°58'50" E117°41'50"		
RNAV2	269°089° 42	890		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
△BOPDA			N32°55'42" E117°15'24"		
RNAV2	274°094° 143	890		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲阜阳 Fuyang VOR/DME (FYG)			N32°53.0' E115°44.0'		
V168					
▲VESUX			N25°45'49" E113°03'42"		
RNAV2	135°--- 106	2 513		↓	Guangzhou ACC

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高 度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
▲OVTIX			N25°08'12" E113°50'57"		
V169					
▲VILID			N31°33'27" E117°17'23"		
RNAV2	254°074° 71	1 656		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲IDUKI			N31°19'09" E116°36'06"		
RNAV2	237°057° 42	2 339		↓↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲RURBU			N31°05'15" E116°15'00"		
RNAV2	212°--- 43	2 339		↓	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
△IPDEP			N30°44'46" E116°03'00"		
RNAV2	186°--- 84	2 307		↓	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲DYTES			N29°59'25" E116°03'00"		
RNAV2	197°--- 101	2 074		↓	Shanghai ACC(Above 7800m) Nanchang ACC(7800m or below)
▲EMRAL			N29°06'00" E115°50'00"		
V170					
▲RURBU			N31°05'15" E116°15'00"		
RNAV2	---/006° 135	2 339		↑	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲KAKBA			N29°52'35" E116°15'00"		
RNAV2	---/018° 105	2 074		↑	Shanghai ACC(Above 7800m) Nanchang ACC(7800m or below)
▲IKINU			N28°57'26" E116°00'59"		
V171					
▲蟠龙 Panlong VOR/DME (PLT)			N25°48.5' E114°52.5'		
RNAV2	047°227° 67	1 631		↓↑	Guangzhou ACC

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
△ DOVOR			N26°15'00" E115°20'00"		
RNAV2	026°206° 180	1 895		↓↑	DOVOR: Guangzhou ACC UPVIR: Shanghai ACC(Above 7800m) Nanchang ACC(7800m or below)
△ UPVIR			N27°45'00" E116°00'00"		
RNAV2	050°230° 105	1 780		↓↑	Shanghai ACC(Above 7800m) Nanchang ACC(7800m or below)
▲ ATMOX			N28°25'00" E116°45'00"		
RNAV2	095°275° 119	2 096		↓↑	Shanghai ACC(Above 7800m) Nanchang ACC(7800m or below)
▲ 上饶 Shangrao VOR/DME (SHR)			N28°25.0' E117°58.2'		
V172					
▲ 蟠龙 Panlong VOR/DME (PLT)			N25°48.5' E114°52.5'		
RNAV2	355°175° 78	1 625		↓↑	Guangzhou ACC
△ SEOGA			N26°30'00" E114°45'00"		
RNAV2	026°206° 213	1 625		↓↑	SEOGA: Guangzhou ACC OMKOB: Shanghai ACC(Above 7800m) Nanchang ACC(7800m or below)
△ OMKOB			N28°17'04" E115°31'36"		
V173					
▲ OMDEM			N28°03'34" E117°32'58"		
RNAV2	014°194° 79	2 630		↓↑	Shanghai ACC(Above 7800m) Nanchang ACC(7800m or below)
▲ TOCEF			N28°45'48" E117°40'26"		
V174					
▲ VILID			N31°33'27" E117°17'23"		

航路代号 Route designator					
重要点名称、类型、识别 Significant Point Name,Type,Identification			重要点坐标 Significant Point Coordinates		
导航规范 Navigation specification	航迹(MAG) 距离(km) Track(MAG) DIST(km)	最低飞行高度(m) MNM flight altitude(m)	航路宽度 (km) Lateral limits(km)	航段方向 Direction of segment	管制单位、备注 Controlling unit, Remarks
RNAV2	292 °--- 24	1 113		↓	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲ KIKEG			N31°36'52" E117°03'03"		
RNAV2	262 °--- 42	1 071		↓	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
△ ENPAX			N31°31'30" E116°37'07"		
RNAV2	240 °--- 66	2 374		↓	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
△ AKOGE			N31°10'32" E116°03'41"		
RNAV2	209 °--- 39	2 339		↓	Shanghai ACC(Above 7800m) Hefei ACC(7800m or below)
▲ IKUBA			N30°51'20" E115°54'03"		
V178					
▲ 烟庄 Yanzhuang NDB (ZS)			N34°13.3' E108°51.2'		
RNAV2	162 °342 ° 239	3 402		↓↑	Xi'an ACC
▲ EMVIL			N32°13'05" E109°46'39"		