



Indira Gandhi National Open University

Year: 2023-2024

BCA PROJECT REPORT BCSP-064

Matrimonial Web Application

Submitted By

Name: **Debasish Halder**
Enrollment no.: **2105282012**

Under the Supervision of

Dr. Avijit Kumar Chaudhuri

*Submitted in partial fulfilment of the requirements for qualifying
BCA (Bachelor of Computer Application)*

INDEX

1. INTRODUCTION	1
1.1 Project Detail	
1.2 Purpose	
1.3 Scope	
1.4 Objective	
2. ABOUT THE SYSTEM	9
2.1 About Matrimonial Web Application	
2.2 Feasibility Study	
2.3 Software Matrices	
3. ANALYSIS	15
3.1 E-R Diagram	
3.2 Data Flow Diagram	
3.3 Use Case Diagram	
3.4 Sequence Diagram	
3.5 Activity Diagram	
3.6 Class Diagram	
4. DESIGN	30
4.1 System Requirement Specification	
4.2 Data Modeling	
4.3 Table Relationship	
4.4 Front End Interface	
4.5 Application Navigation	
5. IMPLEMENTATION	82
5.1 Implementation Environment	
5.2 Security Feature	
5.3 Coding Standard	
5.4 Stored Procedure	
5.5 Data Access Layer	
5.6 Business Logic Layer	
5.7 Coding	

7. TESTING**174**

6.1 Testing Plan	
6.2 Testing Strategy	
6.3 Testing Methods	
6.4 Test Cases	

8. CONCLUSION AND FUTURE EXTENSION**187**

7.1 Conclusion	
7.2 Future Extensions	

9. BIBLIOGRAPHY**188**

Chapter 1

INTRODUCTION

1.1 PROJECT DETAIL

1.1.1 Project Definition

Matrimonial Web Application.

What is Matrimonial Web Application?

The main objective of Matrimonial Web Application is to provide Grooms and Brides with excellent matchmaking experience by exploring the opportunities and resources to meet true potential partner. Keeping our objective in mind, we have created a world renowned online matchmaking services that will touch the souls of millions of people all over the globe.

The purposes of the Matrimonial Web Application are:

- The main purpose of this application is to facilitate matchmaking business by applying the information in the field.
- It helps the user by providing profiles of perspective “Bride” or “Groom” and other information regarding them online.
- User can get information regarding their dream life partner at his/her home at his/her convenience.
- This application also provides a search utility which helps those users who have a certain criteria of qualities in mind to make online matrimonial easier.
- Since internet is a pivot for modern business, our project which is based on internet paves a path for modernization in trade.

Matrimonial Web Application will allow a new user to register and after successfully registration user can get email confirmation, after completing registration users profile will be visible to other users. Matrimonial website which will provide platform to a lot of Bride/Groom for finding perfect match. There are different sectors like Registration, Partner, Search, etc. So the Bride/Groom can get their interest for find their partner. Bride/Groom can directly search Partner according to their required criteria. The Bride/Groom can use match By Email functionality so he/she can get directly E-mail alert for the match which fulfill their required criteria.

For This Application, we will provide following capabilities:

- (1) Admin Module.
- (2) User Registration Module
- (3) Image Uploading module
- (4) Creating album
- (5) Sending Express Interest
- (6) Sending Personal messages
- (7) Marriage Loan
- (8) Paid Membership
- (9) Search Module.
- (10) Quick Tour.
- (11) Directory.

Considering the security and privacy aspects, Matrimonial Web Application will use HTTPS protocol (A version of the HTTP protocol that includes data encryption for security.)

The application will have to be completed using Visual Studio 2005 and SQL Server 2005 with help of other office productivity tools such as (Microsoft Front page 2003, Microsoft Visio 2003, Microsoft Project 2003 etc.)

The application testing criteria and installation requirements will be part of the detailed application architecture document.

1.1.2 About Project

Project profile

Project Title : Matrimonial Web Application.

Objective of System : Matrimonial Web Application will allow a new user to register and after successfully registration user can get email confirmation, after completing registration users profile will be visible to other users.

Operating Systems : Microsoft Windows XP Professional With SP2

Hardware Requirement : Pentium 90 MHZ or Faster and 96 MB Ram (Client)
Pentium 133 MHZ or Faster and 128 Ram (Server)

Software Requirement : Microsoft Visual Studio .Net

Front End : Microsoft Visual Studio Asp.Net

Back End : Microsoft SQL Server

Others :

- Microsoft Visio
- .Net Framework

Guided By : Dr Avijit Kumar Chaudhuri

1.2 PURPOSE

Matrimonial website which will provide platform to a lot of Bride/Groom for finding perfect match. There are different sectors like Registration, Partner , Search, etc. So the Bride/Groom can get their interest for find their partner. Bride/Groom can directly search Partner according to their required criteria. The Bride/Groom can use match By Email functionality so he/she can get directly E-mail alert for the match which fulfill their required criteria.

The purposes of the Matrimonial Web Application are:

- The main purpose of this application is to facilitate matchmaking business by applying the information in the field.
- It helps the user by providing profiles of perspective “Bride” and “Groom” and other information regarding them online.
- User can get information regarding their dream life partner at his/her home at his/her convenience.
- This application also provides a search utility which helps those users who have a certain criteria of qualities in mind to make online matrimonial easier.
- Since internet is a pivot for modern business, our project which is based on internet paves a path for modernization in trade.

1.3 SCOPE

- Matrimonial website which will provide platform to a lot of Bride/Groom for finding perfect match.
- There are different sectors like Registration, Partner, Search, etc. So, the Bride/Groom can get their interest for find their partner. Bride/Groom can directly search Partner according to their required criteria.
- The Bride/Groom can use match By Email functionality so he/she can get directly E-mail alert for the match which fulfill their required criteria.

1.4 OBJECTIVE

What is Matrimonial Web Application?

The main objective of Matrimonial Web Application is to provide Grooms and Brides with excellent matchmaking experience by exploring the opportunities and resources to meet true potential partner. Keeping our objective in mind, we have created a world-renowned online matchmaking services that will touch the souls of millions of people all over the globe.

What are the purposes of Matrimonial Web Application?

- The purposes of the Matrimonial Web Application are:
- The main purpose of this application is to facilitate matchmaking business by applying the information in the field.
- It helps the user by providing profiles of perspective “bride” or “groom” and other information regarding them online.
- User can get information regarding their dream life partner at his/her home at his/her convenience.
- This application also provides a search utility which helps those users who have a certain criteria of qualities in mind to make online matrimonial easier.
 - Since internet is a pivot for modern business, our project which is based on internet paves a path for modernization in trade.

1.5 TECHNOLOGY AND LITERATURE REVIEW

Operating System	Window-xp
Technology	.Net 2005 with 2.0 architecture
Language	Asp.net
Database	MS-SQL 2005 server

Table 1.1 Technology and OS

1.5.1 The .net framework

A frame work is commonly thought of as a set of class libraries that aid in the development of applications. The .net framework is more than just a set of classes. The .net framework is targeted by compliers using a wide variety of applications. Including everything from small components that run on handheld devices to large Microsoft ASP.NET application that span web farms, where multiple web servers act together to improve the performance fault tolerance of a web site. The .NET framework is responsible for providing a basic platform that these applications can share. This basic platform includes a runtimes set of services that oversee the execution of applications. A key responsibility of the runtime is to manage execution so that software written by different programming languages uses classes and other types safely.

1.5.2 Microsoft .net framework architecture

Microsoft's .NET Framework is comprised of two main components - the Common Language Runtime (CLR) and the .NET Framework class libraries. The CLR is the real foundation of the .NET Framework. It is the execution engine for all .NET applications. Every target computer requires the CLR to successfully run a .NET application that uses the .NET Framework. The main features of CLR include:

- Automatic Memory Management
- Thread Management
- Code Compilation & Execution
- Code Verification
- High level of security
- Remoting
- Structured Exception Handling
- Interoperability between Managed and Unmanaged code.
- Integration with Microsoft Office System

All .NET applications are compiled into Intermediate Language code (MSIL). When executed on the CLR, MSIL is converted into native machine code specific to the operating platform. This process is done by a Just in Time (JIT) compiler. The code executed by the CLR is called as Managed Code. This code is type safe and thoroughly checked by the CLR before being deployed. The .NET runtime also provides a facility to incorporate existing COM components and DLL's into a .NET application. Code that is not controlled by the CLR is called Unmanaged Code.

The .NET Framework is further comprised of Common Type System (CTS) and Common Language Specification (CLS). The CTS defines the common data types used by .NET programming languages. The CTS tells you how to represent characters and numbers in a program. The CLS represents the guidelines defined by for the .NET Framework. These specifications are normally used by the compiler developers and are available for all languages, which target the .NET Framework.




Fig 1.1 .Net architecture

1.5.3 Common Language Specification

To fully interact with other objects regardless of the language they were implemented in, objects must expose to callers only those features that are common to all the languages they must interoperate with. For this reason, the Common Language Specification (CLS), which is a set of basic language features needed by many applications, has been defined. The CLS rules define a subset of the Common Type System; that is, all the rules that apply to the common type system apply to the CLS, except where stricter rules are defined in the CLS. The CLS helps enhance and ensure language interoperability by defining a set of features that developer can rely on to be available in a wide variety of languages. The CLS also establishes requirements for CLS compliance; these help you determine whether your managed code conforms to the CLS and to what extent a given tool supports the development of managed code that uses CLS features.

If your component uses only CLS features in the API that it exposes to other code (including derived classes), the component is guaranteed to be accessible from any programming language that supports the CLS. Components that adhere to the CLS rules and use only the features included in the CLS are said to be CLS-compliant components.

The CLS was designed to be large enough to include the language constructs that are commonly needed by developers, yet small enough that most languages are able to support it. In addition, any language constructs that makes it impossible to rapidly verify the type safety of code was excluded from the CLS so that all CLS-compliant languages can produce verifiable code if they choose to do so.

1.5.4 Common Language Runtime

The Common Language Runtime (CLR) is the virtual machine component of Microsoft's .NET initiative. It is Microsoft's implementation of the Common Language Infrastructure (CLI) standard, which defines an execution environment for program code. The CLR runs a form of byte code called the Microsoft Intermediate Language (MSIL), Microsoft's implementation of the Common Intermediate Language.

Developers using the CLR write code in a high level language such as C# or VB.Net. At compile-time, a .NET compiler converts such code into MSIL (Microsoft Intermediate Language) code. At runtime, the CLR's just-in-time compiler (JIT compiler) converts the MSIL code into code native to the operating system. Alternatively, the MSIL code can be compiled to native code in a separate step prior to runtime. This speeds up all later runs of the software as the MSIL-to-native compilation is no longer necessary.

Although some other implementations of the Common Language Infrastructure run on non-Windows operating systems, the CLR runs on Microsoft Windows operating systems.

The virtual machine aspect of the CLR allows programmers to ignore many details of the specific CPU that will execute the program. The CLR also provides other important services, including the following:

- Memory management
- Thread management

- Exception handling
- Garbage collection
- Security

1.5.5 Introduction to ASP.NET

Although so Microsoft Visual Basic.NET is a powerful but simple language aimed primarily at developers creating web applications for the Microsoft .NET platform. It inherits many of the best features of C++ and Microsoft Visual Basic, but with some of the inconsistencies and anachronisms removed, resulting in cleaner and logical language. VB also contains a variety of useful new innovations that accelerate application development, especially when used in conjunction with Microsoft Visual Studio .NET.

The Common Language Runtime provides the services that are needed for executing any application that's developed with one of the .NET languages. This is possible because all of the .NET languages compile to a common Intermediate Language. The CLR also provides the common type system that defines that data types that are used by all the .Net languages. That way, you can use same data types regardless of what .NET language you're using to develop your application. plementations.

ASP.NET: Microsoft, realizing that ASP does posses some significant shortcomings, developed ASP.net. ASP.net is a set of components that provide developers with a framework with which to implement complex functionality. Two of the major improvements of ASP.net over traditional ASP are scalability and availability. ASP.net is scalable in that it provides state services that can be utilized to manage session variables across multiple web services in a server farm. Additionally, ASP.net possesses a high performance process model that can detect application failures and recover from them. We use the fundamentals of programming with VB using Visual Studio .NET and .NET framework.

The project is the starting point for authoring applications, components & services in Visual Studio.NET 2005. It eats as a container that manages your source code, data connections & references. A project is organized as part of a solution, which can contain multiple projects that are independent of each other. C# project file has .asproj extension where as solution file has .sln extension.

In order to write code against an external component, your project must first contain a reference to it. A reference can be made to the following types of component.

- (1) .NET class libraries or assemblies
- (2) COM components
- (3) Other class libraries of projects in the same solution
- (4) XML web services

Features of ASP.NET:

- (1) Component Infrastructure.
- (2) Language Integration.
- (3) Internet Interoperation.
- (4) Simple Development.
- (5) Simple Deployment.
- (6) Reliability.
- (7) Security

1.5.6 Introduction to Micro Soft SQL Server

Microsoft SQL Server enhances the performance, reliability, and scalability provided by earlier releases of SQL Server by making the processes of developing applications, managing systems, and replicating data easier than ever.

All of data processing is involved with the operations of storing and retrieving data. A database, such as Microsoft SQL Server, is designed as the central repository for all the data of an organization. The crucial nature of data to any organization underlines the importance of the method used to store it and enable its later retrieval.

Microsoft SQL Server uses features similar to those found in other databases and some features that are unique. Most of these additional features are made possible by SQL Server's tight integration with the Windows NT operating system. SQL Server contains the data storage options and the capability to store and process the same volume of data as a mainframe or minicomputer.

Like most mainframe or minicomputer databases, SQL Server is a Database that has seen an evolution from its introduction in the mid-1960s until today. Microsoft's SQL Server is founded in the mature and powerful relational model, currently the preferred model for data storage and retrieval.

Unlike mainframe and minicomputer databases, a server database is accessed by users-- called clients-- from other computer systems rather than from input/output devices, such as terminals. Mechanisms must be in place for SQL Server to solve problems that arise from the access of data from perhaps Hundreds of computer systems, each of which can process portions of the database independently from the data on the server. Within the framework of a client/server database, a server database also requires integration with communication components of the server in order to enable connections with client systems.

SQL server also contains many of the front-end tools of PC databases that traditionally haven't been available as part of either mainframe or minicomputer databases. In addition to using a dialect of Structured Query Language (SQL), GUI applications can be used fro the storage, retrieval, and administration of the database.

2.1 ABOUT MATRIMONIAL WEB APPLICATION

The main objective of Matrimonial Web Application is to provide Grooms and Brides with excellent matchmaking experience by exploring the opportunities and resources to meet true potential partner. Keeping our objective in mind, we have created a world-renowned online matchmaking services that will touch the souls of millions of people all over the globe.

- The main purpose of this application is to facilitate matchmaking business by applying the information in the field.
- It helps the user by providing profiles of perspective “Bride” or “Groom” and other information regarding them online.
- User can get information regarding their dream life partner at his/her home at his/her convenience.
- This application also provides a search utility which helps those users who have a certain criterion of qualities in mind to make online matrimonial easier.
- Since internet is a pivot for modern business, our project which is based on internet paves a path for modernization in trade.

Matrimonial Web Application will allow a new user to register and after successfully registration user can get email confirmation, after completing registration users profile will be visible to other users.

Matrimonial website which will provide platform to a lot of Bride/Groom for finding perfect match. There are different sectors like Registration, Partner, Search, etc. So, the Bride/Groom can get their interest for find their partner. Bride/Groom can directly search Partner according to their required criteria. The Bride/Groom can use match By Email functionality so he/she can get directly E-mail alert for the match which fulfill their required criteria.

For This Application, we will provide following capabilities:

(a) Admin Module.

The main functions of admin of are as mentioned below.

- 1) Login
- 2) Report generation
 - Report of all members
 - Report of free members and paid members
 - User management
- 3) Logout

(b) User Registration Module.

In this module when user fill-ups first three registration form users will get a member id and will also get conformation message on his/her Email id.

After getting member id user will use his/her member id to login, and user can modify his/her profile, fill-up remaining form of registration, image upload, create album.

(c) Image Uploading module.

User can change his/her photo, Image uploading is done after registration only, so user must have member id for image uploading.

(d) Creating album.

User can create album.

(e) Search Module.

These five types of search available for user.

- Advance Search,
- Quick Search,
- Search by City,
- Search by Id,
- Search by Profession,

(f) Sending Express Interest.

Here after searching the profile user can send an express interest to a profile of his liking. The messages here will be pre-defined here.

(g) Sending Personal messages.

Here after searching the profile user can send a Personal Message to a profile of his liking. For this functionality user must be a paid member.

(h) Marriage Loan.

Here user can apply for marriage loan. For this to happen user have to fill up the form for loan specifying his need for loan and loan amount.

(i) Paid Membership.

Some of the facilities can only be done by only paid members .And they are like Send a personal message ,viewing album of user, viewing contact information.

(j) Profile Management Module.

After login user will be redirected to the page containing his information. User can edit, update and delete the profile if no longer he wants to retain it .

(k) Quick Tour.

This is a module that contains the flow of the website. Here user can have a idea how he can commit himself in the website.

(l) Directory.

This is a module that contains the details like hotels, beauticians .Here user can have best options for appropriate category to chose among them.

2.2 FEASIBILITY STUDY

Feasibility study is a process to check possibilities of system development. It is a method to check various different requirements and availability of financial & technical resources.

Before starting the process, various parameters must be checked like:

- Estimated finance is there or not?
- The man power to operate the system is there or not?
- The man power is trained or not?

All the above conditions must be satisfied to start the project. This is why in-depth analysis of feasibility is carried out.

There are three different ways feasibility can be tested

- 1) Economical Feasibility
- 2) Technical Feasibility
- 3) Operational Feasibility.

2.2.1 Economic Feasibility:

In economical feasibility, analysis of the cost of the system is carried out. The system should be only developed if it is going to give returned the current manual system user can get the price only by purchasing the newspapers. In addition, if he/she wants to see archives of particular equity then he has to refer to all the old newspapers. For research reports he has to buy another magazine. So Instead of buying no of magazines user has to just go online and with a single click he can get whatever information he wants. So, our project of online share news passes the test of economical feasibility.

2.2.2 Technical Feasibility:

It is basically used to see existing computer, hardware and software etc, whether it is sufficient or additional equipments are required? Minimum System Requirement is such that it can be affordable by of the user who is having computer. All the user requires is compatible browser and .net framework installed so our system is fully technical feasible.

2.2.3 Operational Feasibility:

Once the system is designed there must be trained and expert operator. If there are not trained they should give training according to the needs of the system.

From the user's perspective our system fully operational feasible as it just requires some knowledge of computer. Operators only need add daily prices of various equities and there are enough validations available so operator does not require any special technical knowledge. So, our system also passes the test of operational feasibility.

2.3 SOFTWARE MATRICES

2.3.1 Estimation: -

In Web engineering, the metrics have three goals:

- 1 To provide the indication of the quality from the technical point of view.
- 2 To provide the basis for effort estimation.
- 3 To provide an indication of the success from the business point of view.

2.3.2 Application Authoring and Design Tool: -

Suggested measure	Description
Structuring effort	Time to structure Web App and/or device architecture.
Interlinking effort	Time to interlink pages to build the Apps.
Interfacing planning	Time taken to plan Web Application Interface.
	Interface building Time taken to implement Web Application interface.
Link-testing effort	Time taken to test all links in Web Application.
Media-testing effort	Time taken to test all media in Web Application.

Total effort

Structuring effort + Interlinking effort
+ Interface Planning + Interface Building

PAGE AUTHORING

Text effort

Time taken to author or reuse text in
Page.

Page-linking effort

Time taken to author links in page.
Time taken to structure page.

Total page effort

Text effort + Page-linking effort
+ Page structuring effort

MEDIA AUTHORING

Media Effort

Time taken to author or re-use media files.

Media-digitizing effect

Time taken to digitize media.

Total Media Effort

Media Effort + Media-digitizing effort.

PROGRAM AUTHORING

Programming effort


Time taken to author HTML, PHP or language
implementations.


Re-use effort

Time to reuse / modify existing.

2.3.3 Calculation: -


Structuring effort	6-PDay
Interfacing planning	3-PDay
Interlinking effort	3-PDay
Interface Building	6-PDay
Link-testing effort	3-PDay
Media-testing effort	3-PDay
Total Effort	(6+3+3+6+3+3)=24-PDay
Text Effort	6-PDay
Page-linking effort	4-PDay
Page structuring effort	6-PDay
Total Page Effort	(6+4+6)days=16-PDay
Programming Effort	40-PDay
Reuse effort	10-PDay

3.1 E-R DIAGRAM




3.2 DATA FLOW DIAGRAM

3.2.1 Level 0



3.2.2 Level 1


3.2.2.1 Data Flow Diagram for User



Level 1: Data Flow Diagram

3.2.3 Level 1


3.2.2.1 Data Flow Diagram For Admin



ADMIN DATA FLOW DIAGRAM

3.3 USE CASE DIAGRAM

3.3.1 Admin Use Case: -



1.0 Use case Name

Admin

1.1 Basic Flow

Admin starts this use case. It provides the capability for the admin to verify different procedures. He can perform various types of operations like edit, update, delete, sending the mail etc.

2.0 Flow of Events

2.1 Basic Flow

Admin performs the four main activities like storing information of the customer, sending the mail to the customer, searching for perfect matching etc.

Customer Information: -

The admin maintains the information about the customer in the database whenever he/she fills up the form.

Sending the mail: -

The admin will send the email to the customer according to its requirement for male/female. He will also send the mail if any new thing is introducing in us system.

Add/Update/Delete records: -

The admin can add, update or delete the records in the database.

2.2 Alternate Flows

2.2.1 Invalid Password

An invalid password is entered. The user can re-enter a password or terminate the use case.

2.2.2 Invalid Username:

The system informs the user that the username is invalid. The user can re-enter the username or terminate the use case.

3.0 Special Requirements

There are no special requirements for this use case.

4.0 Preconditions

There are no special requirements for this use case.


5.0 Post Conditions

There are no post conditions.

6.0 Extension Points

There are no extension points.

3.3.2 User Use Case: -



1.0 Use case Name

User.

1.1 Brief Description

User can perform several operations on the system like registration, login. He or she can also edit his or her profile, searching facility is also there.

2.0 Flow of Events

2.1 Basic Flow

User can perform mainly four activities.

Registration: -

Before using this system, the user must have to register in the system. He has to fill up the form and enter his/her profile in the database.

Login: -

The existing users are giving his/her userid & password to access their accounts. If they are successfully login then they can edit or update their accounts.

Edit profile: -

The user can also edit his/her personal profile in the system but first he/she have to login in the system.

2.2 Alternate Flows

2.2.1 Invalid Password

An invalid password is entered. The user can re-enter a password or terminate the use case.

2.2.2 Invalid Username:

The system informs the user that the username is invalid. The user can re-enter the username or terminate the use case.

3.0 Special Requirements

The user must be first login to access his accounts.

4.0 Preconditions

The user must be first login to access his accounts.

5.0 Post Conditions


There are no post conditions.

6.0 Extension Points


There are no extension points.

3.4 SEQUENCE DIAGRAM


Sequence Diagram For Registration:-





Sequence Diagram For Edit Profile:-






Sequence Diagram For Search:-



3.5 ACTIVITY DIAGRAM









Update Record

3.6 CLASS DIAGRAM


(1) Admin class diagram



(2) User Class Diagram



(3) Login Class Diagram



Enter username and
password

Invalid username or
password

Login

Validation

Database

4.1 SYSTEM REQUIREMENT SPECIFICATION

R1: Admin login page

R.1.1 For report generate.

Input: Click on link of report generate.

Output: Control is redirect to the screen of report generate, which contain three type of report generation.

- 1.Report of paid member.
- 2.Report of free member.
- 3.Report of all member.

R.1.2 For send or read mail.

Input: Click on link of mail.

Output: Control is redirect to the screen of mail, which contain two links
1.Send mail.
2.Read mail.

R2: Login page

R.2.1 For unregistered person, registration process

Input: Click on link for new registration.

Output: Registration is done for new user

Flow: Control is redirected to registration form and after fill up the form
and after click on the register button data of new user is stored into database
and an email is sent to the user

R.2.2 For registered person, login process

Input: MemberId and password.

Output: Get the screen of verify MemberId and Password.

Flow: If MemberId and Password correct then user will get
his/her profile. user can do update profile, create album, change photo,
hide profile, apply for loan after correct login.

R.2.3 If Password is forgotten than redirect to retrieve page

Input: Click on link for forgotten password
Output: Get the screen for retrieving password and enter member id and email id on that page. An email will be sent to user with memberid and password

R.2.4 If session is expired than redirect to login page

Input: Return URL
Output: Get Login Page

R.2.5: For search partner

Input: Click on search button.
Output: Control is redirect to the search screen.

R3: Directory

Input: Click on directory button.
Output: Get the screen of directory.
Flow: Select category and city so user can search address, for different type of category like hotels, caterers, jewelry shop, beauticians, in different city if matched with database, if not matched than user gets matched not found screen.

R4: Quick Tour

Input: Click on link of quick tour.
Output: Control is redirect to the screen of quick tour.

4.2 DATA MODELING

4.2.1 Data Dictionary

Register:

Name	Null ?	Type	Description
Memberid	No	Int	Primary key
Membershiptype	No	Text	Paid or free member
Domain	No	Text	Domain of user
Fname	No	Nvarchar(50)	User name
Lname	No	Nvarchar(50)	Last name of user
Age	No	Int	Age
Agemonth	No	Text	Month of birth
Agedate	No	Int	Date of birth
Ageyear	No	Int	Date of year
Gender	No	Text	Male or female
Maritalstatus	No	Text	Married or not
Children	No	Int	Have children or not
Childrenstatus	No	Text	Children living with his/her or not
Religion	No	Text	Religion of user
Country	No	Text	Country of user
City	No	Text	City of user
Employee	No	Text	Government or private employee
Email	No	Nvarchar(50)	Emailid
Password1	No	Varchar(50)	Password
Height	No	Int	Height in cm
Weight	No	Int	Weight in k.g
Bodytype	No	Text	Type of body(average,heavy,slim)
Complexion	No	Text	Complexion(fair,very fair,dark)
Physicalstatus	No	Text	Normal or physically challenged
Bloodgroup	No	Text	Bloodgroup
Education	No	Text	Education
Occupation	No	Text	Profession of user
Income	No	Numeric(18,2)	Annual income
Eatinghabits	No	Text	Vegetarian or not
Smoke	No	Text	Smokes or not
Drink	No	Text	Drink or not
Mothertongue	No	Text	Mothertongue
Cast	No	Text	Cast
Subcast	No	Nvarchar(50)	Subcast
Gothra	No	Nvarchar(50)	Gothra

Star	No	Text	Horoscope information
Raasi	No	Text	Horoscope information
Horoscope	No	Text	Horoscope information
Manglik	No	Text	Horoscope information
Residentstate	No	Text	State of resident
Residentcity	No	Text	City of resident
Address	No	Nvarchar(MAX)	Living address
Countrycode	No	Nvarchar(50)	Phone Code of living country
Areacode	No	Nvarchar(50)	Area code
Phoneno	No	Nvarchar(50)	Landline Contact number
Mobileno	No	Nvarchar(50)	Mobile number
Aboutmyself	No	Nvarchar(MAX)	About user
Familyvalue	No	Text	Familyvalue(orthodox,traditional,moderate,liberal)
Familystatus	No	Text	Status of family(middle,upper,rich)
Familytype	No	Text	Type of family(joint,nuclear,other)
Fatheroccupation	No	Text	Profession of father
Motheroccupation	No	Text	Profession of mother
Familyorigin	No	Nvarchar(50)	Origin of family
Noofbrother	No	Text	Number of brother
Brothermarried	No	Text	Brother married status
Noofsister	No	Text	Number of sister
Sistermarried	No	Text	Sister married status
Aboutfamily	No	Nvarchar(MAX)	About family
Hobbies1	No	Text	Hobbies
Hobbies2	No	Text	Hobbies
Hobbies3	No	Text	Hobbies
Hobbies4	No	Text	Hobbies
Exhobbies	No	Nvarchar(50)	Extra Hobbies
Interest1	No	Text	Interest
Interest2	No	Text	Interest
Interest3	No	Text	Interest
Interest4	No	Text	Interest
Exinterest	No	Nvarchar(50)	Extra Interest
Music1	No	Text	Music
Music2	No	Text	Music
Music3	No	Text	Music
Music4	No	Text	Music
Exmusic	No	Nvarchar(50)	Extra music
Read1	No	Text	Reading
Read2	No	Text	Reading
Read3	No	Text	Reading
Read4	No	Text	Reading
Exread	No	Nvarchar(50)	Extra Reading
Movie1	No	Text	Movie
Movie2	No	Text	Movie

Movie3	No	Text	Movie
Movie4	No	Text	Movie
Exmovie	No	Nvarchar(50)	Extra movie
Sport1	No	Text	Sport
Sport2	No	Text	Sport
Sport3	No	Text	Sport
Sport4	No	Text	Sport
Exsport	No	Nvarchar(50)	Extra sport
Language1	No	Text	Langguage known by user
Language2	No	Text	Langguage known by user
Language3	No	Text	Langguage known by user
Domain1	No	Text	Domain of user (for express interest)
Lookingfor	No	Text	Looking for male/female
Agefrom	No	Nvarchar(50)	Age from
Ageto	No	Nvarchar(50)	Age to
Interest	No	Text	Interest
Children1	No	Text	Number of children
Heightfrom	No	Nvarchar(50)	Height from
Heightto	No	Nvarchar(50)	Height to
Physicalstatus1	No	Text	Physical status
Mothertongue1	No	Text	Mothertongue
Description	No	Nvarchar(MAX)	Description about partner
Religion1	No	Text	Religion of partner
Cast1	No	Text	Cast of partner
Manglik1	No	Text	Horoscope information about partner
Eating1	No	Text	Eating habits
Education1	No	Text	Qualification
Cityzenship1	No	Text	Citizenship of partner
Country1	No	Text	Living country
State1	No	Text	Living state

Success_Story:

Name	Null?	Type	Description
Female	No	Nvarchar(50)	Female
Male	No	Nvarchar(50)	Male
Id	No	Int	Primary Key
Email	No	Nvarchar(50)	EmailID
Story	No	Nvarchar(MAX)	Success Story

Loan

Name	Null?	Type	Description
Fullname	No	Nvarchar(50)	Name of User
Dateofmonth	No	Nvarchar(50)	Month
Dateofday	No	Nvarchar(50)	Date
Dateofyear	No	Nvarchar(50)	Year
Landlineno1	No	Nvarchar(50)	Contact Number1
Landlineno2	No	Nvarchar(50)	Contact Number2
Mobileno	No	Nvarchar(50)	Mobile Number
Emailid	No	Nvarchar(50)	Email Id
Needforloan	No	Nvarchar(50)	Reason for loan
Loanamount	No	Nvarchar(50)	Amount
City	No	Nvarchar(50)	City
Employeestype	No	Nvarchar(50)	Type of Profession
Organization	No	Nvarchar(50)	Name of Organization
Occupation	No	Nvarchar(50)	Occupation
Income	No	Nvarchar(50)	Annual Income
MemberId	No	Nvarchar(50)	Primary Key


Msg_Express_Interest:

Name	Null?	Type	Description
Msgfrom	No	Int	Received Messages
Msgto	No	Int	Sent Messages
Msg	No	Nvarchar(MAX)	Messages

Msg_Personal_Paid:

Name	Null?	Type	Description
Msgfrom	No	Int	Received Messages
Msgto	No	Int	Sent Messages
Msg	No	Nvarchar(MAX)	Messages

4.3 TABLE RELATIONSHIP



4.4 FRONT END INTERFACE

In front end interface I have first design the interface and after complete designing have implemented it using ASP. Here in user interface main two users are there, administrator and normal user. Administrator has authority to generate report, delete profile, update information for directory. And a normal user can search partner, registration, profile management.

Admin Login Page at run time:

This is the admin login page. After successfully login user can authenticate to system. Admin can generate report for all member, paid member, free member. Also update information for directory, delete profile of user.

The screenshot shows a web application interface. At the top, there is a horizontal navigation bar with links: Home, All Members, Paid Members, Members username and passwords, Statistics, and Others. Below the navigation bar, the main content area is titled "Admin LogIN". It contains a "Log In" button at the top left of a form. The form includes fields for "User Name" and "Password", both with input boxes. Below these fields is a checkbox labeled "Remember me next time." and another "Log In" button at the bottom right of the form area.

List of all members:

MemberID	Membershiptype	Username	Country
FA 1	P	Dharmesh	American Samoa
FA 2	P	dipen	Brazil
FA 4	P	arjun	India
FA 6	P	kshitij	Belarus
FA 7	P	dipan	India
FA 8	P	tapan	India
FA 9	P	gaurav	India
FA 10	P	vishal	India
FA 11	P	monil	India
FA 12	P	shreya	Belgium
FA 13	P	a	Bahrain

Converting free members to paid members:

MemberID	Username	Membershiptype	Country	
FA 3	ritesh	F	Cameroon	<button>Convert</button>
FA 5	pinkal	F	India	<button>Convert</button>

Site statistics:

Home	All Members	Paid Members	Members username and passwords	Statistics	Others
------	-------------	--------------	--------------------------------	------------	--------

 Site Statistics

Total Members	13
Male	12
Female	1
Free Members	2
Paid Members	11

Update Information Page for Directory at run time:

This is the update information page for directory. After successfully login of admin it can authenticate to system. Only Admin can update information for directory. For that admin have to fill-up information like category, city, category name, phone no, address.

The screenshot shows a web application interface for updating directory information. At the top, there is a navigation bar with links: Home, All Members, Paid Members, Members username and passwords, Statistics, and Others. Below the navigation bar, there is a form with the following fields:

Category	<input type="text" value="Hotels"/>
City	<input type="text" value="Ahmedabad"/>
Category Name	<input type="text" value="pride"/>
phone No	<input type="text" value="9285373190"/>
Address	<input type="text" value="ahmedabad"/>

At the bottom of the form is a single "Submit" button.

Update Done Page for Directory at run time:

This is the update done page for directory.

Wedindia
We make relation . . .

	Name	Contact No	Address
 Apparels	Hotel Aavas	079-26575830	Opp V S Hospital, Ellisbridge, Ahmedabad, 380006, Gujarat, India, Ahmedabad
 Astrology	Hotel Capri	079-25506644	Relief Road, Ahmedabad, 380001, Gujarat, India, Ahmedabad
 Beauticians	Hotel Sky Camy	079-22149157	Nr Railway Station Opp Madhav Baug, Ahmedabad, Ahmedabad, 380002, Gujarat, India, Ahmedabad
 Caterers	Parth Hotels	079-25465027	Bhagwan Chambers, Maninagar Char Rasta, Maninagar, Ahmedabad, 380008, Gujarat, India, Ahmedabad
 Entertainment	The Pride Hotel	079-30115555	Judges Bungalow Road, Bodakdev, Ahmedabad, 380054, Gujarat, India, Ahmedabad
 Florists	Hotel Ritz Inn	079-22123842	Station Road, Kalupur, Ahmedabad, 380001, Gujarat, India, Ahmedabad
 Gifts	Comfort Inn Sunset	079-22862591	Airport Circle, Hansol, Ahmedabad, 382475, Gujarat, India Rent-a-car, Ahmedabad
 Hotels	Pride	9285373190	ahmedabad

Edit, Delete profile page at run time:

This is the edit, delete profile page. After successfully login of admin it can authenticate to system. Only Admin can edit, delete profile of registered user. Admin have to click on delete link for delete profile of registered user. Admin can see information like id, user name, email id, password, of registered user.

Home	All Members	Paid Members	Members username and passwords	Statistics	Others
View Details					
	MemberID		Username	Password	
Delete	FA 1		Dharmesh	hitesh1	
Delete	FA 2		dipen	dipen1	
Delete	FA 3		ritesh	ritesh1	
Delete	FA 4		arjun	arjun1	
Delete	FA 5		pinkal	pinkal1	
Delete	FA 6		kshitij	kshitij1	
Delete	FA 7		dipan	dipan1	
Delete	FA 8		tapan	tapan1	
Delete	FA 9		gaurav	gaurav1	
Delete	FA 10		vishal	vishal1	

Delete Profile Entry by Admin at run time:

After successfully login of admin it can authenticate to system. Only Admin can edit, delete profile of registered user. Admin have to click on delete link for delete profile of registered user.

	MemberID	Username	Password
Delete	FA 1	Dharmesh	hitesh1
Delete	FA 2	dipen	dipen1
Delete	FA 3	ritesh	ritesh1
Delete	FA 4	arjun	arjun1
Delete	FA 5	pinkal	pinkal1
Delete	FA 6	kshitij	kshitij1
Delete	FA 7	dipan	dipan1
Delete	FA 8	tapan	tapan1
Delete	FA 9	gaurav	gaurav1
Delete	FA 11	vishal	vishal1

1 2

Login Page at run time:

Any user who wants to use the functionality of Matrimonial Web Application through this system, he has to logs into via the given page. Any user whether the administrator or the normal user, he has to login first and get authenticate. Only those users can enter in this system which is created by the administrator. If user is not registered then it can do his/her registration by clicking on new registration link button. User can go to other page like loan, search, quick tour, directory just click on the link button of respective page shown at side bar.

The screenshot shows the 'Existing Member Login' page of the Wedindia website. At the top, there's a yellow header with the logo 'Wedindia' and the tagline 'We make relation...'. Below the header, the main content area has a light blue background. On the left, there's a vertical sidebar with buttons for 'HOME', 'REGISTER', 'LOGIN', 'QUICKTOUR', 'SEARCH', 'MEMBERSHIP', 'MARRIAGE LOAN', and 'DIRECTORY'. In the center, there's a form for 'Existing Member Login' with fields for 'User ID' and 'Password', and buttons for 'Log In' and 'Forgot Password'. To the right of the form is a photo of a smiling couple. Below the photo is a circular diagram with three steps: 1. Register your profile, 2. Subscribe, and 3. Start sending proposals today. A 'New User? Register Free!' button is located near the steps. At the bottom of the page, there's a 'Success Story' section featuring a photo of a couple and a testimonial from Alpa Bose, a 26-year-old Dentist. There are also small thumbnail images of various wedding-related scenes at the very bottom.

First Registration Page at Run Time:

This is the first registration page. It provides facility to user for fill-up his/her personal information. User can see the success story of user who met by this web site.

Wedindia
We make relation ...

Personal Details

Please complete the form below to register your profile. The next few minutes could change your life for the better..

HOME **REGISTER** **LOGIN** **QUICKTOUR** **SEARCH** **MEMBERSHIP** **MARRIAGE LOAN** **DIRECTORY**

Domain:

Firstname:

Lastname:

Age: Years or -Month- -Date- -Year-

Gender: Male Female

Marital Status: Unmarried Widow/Widower Divorced Separated

No.Of Children:

Children Living Status: Living With me Not Living With me

Religion:

Country Living in:

City:

CityZenShip:

Resident Status: Citizen Permanent resident Work Permit Student Visa Temporary Visa

Employed in: Government Private Business Defence Not Working

Email:

Choose Password:

Confirm Password:

SUBMIT

Success Story

The responses that I got, made me realize that I should have tried this a long time ago...



Nausheen Wadia

Specially after I added my photo... in the beginning, I didn't want to put it up on a website. But it seemed safe on Shaadi.com since I was given a password to keep it hidden until I was sure the person was serious about marriage. Then I received Karan's mail. We both clicked right away and got engaged on 12 Aug...

[Post Story now!](#)

- Nausheen Wadia, 26, Journalist

Second Registration Page at Run Time:

This is the second registration page. It provides facility to user for fill-up his/her physical attributes information. User can see the success story of user who met by this web site.

Wedindia
We make relation . . .

Physical Attributes

HOME Height: --cms--

REGISTER Weight: --Kgs--

LOGIN Body Type: Average Athletic Slim Heavy

QUICK TOUR Complexion: Very Fair Fair Wheatish Wheatish Brown Dark

SEARCH Physical Status: Normal Physical Challenged

Blood Group: Select- button

MEMBERSHIP

MARRIAGE LOAN

DIRECTORY

Success Story



With my busy schedule this is certainly the best way to find someone to share my life.

Though I tried for a suitable match through family connections and many newspaper ads, I finally found Yogita through your site. Last month we met through your site and the alliance has been fixed. I thank you & your team for helping me in finding a happy match

- Ashok Mehta, 29, MBBS [Post Story now!](#)

Third Registration Page at Run Time:

This is the third registration page. It provides facility to user for fill-up his/her socio-occupational information. User can see the success story of user who met by this web site.

WedIndia
We make relation . . .

Socio-Occupational information

HOME

Education :

REGISTER

Occupation:

LOGIN

Annual Income: (Amount Indian Rs in Lakhs)

QUICK TOUR

Eating Habits: Vegetarian Non-Vegetarian Eggetarian

Smoke: Non-Smoker Light/Social Smoker Regular Smoker

Drink: Non-Drinker light/Social Drinker Regular Drinker

SEARCH

MEMBERSHIP

MARRIAGE LOAN

DIRECTORY

Success Story


We chatted for months and decided to go ahead before his parents spoke to my father.

By then we felt like we've known each other for ages. For a successful match-making and a happy marriage, both partners should get the opportunity to communicate effectively and set the expectations right before making a decision. We (Me and Sachin) think that, your site is a great matchmaking site.

- Sweta Jhoshi, 26, Teacher
[Post Story now !](#)

Submit

Fourth Registration Page at Run Time:

This is the fourth registration page. It provides facility to user for fill-up his/her home truths information. User can see the success story of user who met by this web site.

WedIndia
We make relation . . .

Home Truths

HOME Mother Tongue:

REGISTER Cast/Division:

LOGIN SubCast:

QUICK TOUR Gothra(m):

SEARCH Star:

MEMBERSHIP Raasi/Moon Sign:

HoroScope Match: Required Doesn't Matter

Manglik: Yes No Don't Know

MARRIAGE LOAN Residing State:

DIRECTORY Residing City/District:

Contact Address:

Contact Phone: or

About MySelf

SUBMIT:

Success Story

Looked all over the world, but I found my man in Essex.



Within a month of adding my profile , I had so many great proposals I dint know how to choose. So when I read Ashfaq's email I wasn't sure how to respond. We decided to meet up the next time he came to London and we soon knew we were perfect for each other!

[Post Story now !](#)

- Yasmin, 28, Investment Banker

Fifth Registration Page at Run Time:

This is the fifth registration page. It provides facility to user for fill-up his/her family details information.

The screenshot shows the Wedindia website with a yellow-to-orange gradient header containing the logo "Wedindia" and the tagline "We make relation...". On the left, there is a vertical navigation bar with buttons for HOME, REGISTER, LOGIN, QUICK TOUR, SEARCH, MEMBERSHIP, MARRIAGE LOAN, and DIRECTORY. The main content area is titled "Family Details". It contains several form fields: "Family Value" with radio buttons for Orthodox (selected), Traditional, Moderate, and Liberal; "Family Type" with radio buttons for Joint Family (selected), Nuclear Family, and Others; "Family Status" with radio buttons for Middle Class (selected), Upper Middle Class, and Rich/Affluent; "Father's Occupation" with a text input field containing "abc"; "Mother's Occupation" with a text input field containing "abc"; "Ancestral/Family Origin" with a text input field containing "abc"; "No. of Brothers" and "Brothers Married" each with a dropdown menu set to "1"; "No. of Sisters" and "Sisters Married" each with a dropdown menu set to "1"; and a large text area labeled "About my Family" containing "abc". At the bottom right, there is a "SUBMIT" button.

Sixth Registration Page at Run Time:

This is the sixth registration page. It provides facility to user for fill-up his/her hobbies and interests information.



Hobbies and Interests

HOME

Hobbies:

<input type="checkbox"/> Acting	<input type="checkbox"/> Cooking	<input type="checkbox"/> Gardening	<input type="checkbox"/> Palmistry
<input type="checkbox"/> Astronomy	<input type="checkbox"/> Crosswords	<input type="checkbox"/> Graphology	<input type="checkbox"/> Pets
<input type="checkbox"/> Astrology	<input type="checkbox"/> Dancing	<input type="checkbox"/> nature	<input type="checkbox"/> Photography
<input type="checkbox"/> Art/handicraft	<input type="checkbox"/> Film-making	<input type="checkbox"/> Numerology	<input type="checkbox"/> Playing musical instruments
<input type="checkbox"/> Collectible	<input type="checkbox"/> Fishing	<input type="checkbox"/> Painting	<input type="checkbox"/> Puzzles

REGISTER

Any other hobbies:

LOGIN

Interests:

<input type="checkbox"/> Adventure Sports	<input type="checkbox"/> Movies	<input type="checkbox"/> Social service	<input type="checkbox"/> Writing
<input type="checkbox"/> Book clubs	<input type="checkbox"/> Music	<input type="checkbox"/> Sports	<input type="checkbox"/> Yoga
<input type="checkbox"/> Computer games	<input type="checkbox"/> Politics	<input type="checkbox"/> Television	<input type="checkbox"/> Alternative Healing
<input type="checkbox"/> Health&Fitness	<input type="checkbox"/> Reading	<input type="checkbox"/> Theatre	<input type="checkbox"/> Medicine
<input type="checkbox"/> Internet		<input type="checkbox"/> Travel	

QUICK TOUR

Any other interests:

SEARCH

Favourite Music:

<input type="checkbox"/> Blue	<input type="checkbox"/> Hip-Hop	<input type="checkbox"/> Jaz	<input type="checkbox"/> Sufi
<input type="checkbox"/> Devotional	<input type="checkbox"/> Heavy metal	<input type="checkbox"/> pop	<input type="checkbox"/> Techno
<input type="checkbox"/> Disco	<input type="checkbox"/> house music	<input type="checkbox"/> Qawalis	<input type="checkbox"/> Western classical
<input type="checkbox"/> Film songs	<input type="checkbox"/> Indian classical	<input type="checkbox"/> Rap	<input type="checkbox"/> Don't have an ear of
<input type="checkbox"/> Ghazals	<input type="checkbox"/> Indipop	<input type="checkbox"/> Reggae	<input type="checkbox"/> music

MEMBERSHIP

Any other music:

MARRIAGE LOAN

DIRECTORY

Favourite Reads:

<input type="checkbox"/> Actually Bookwarm	<input type="checkbox"/> Fantasy	<input type="checkbox"/> Philosophy
<input type="checkbox"/> Biographies	<input type="checkbox"/> History	<input type="checkbox"/> Poetry
<input type="checkbox"/> Business/Occupational	<input type="checkbox"/> Human	<input type="checkbox"/> Romance
<input type="checkbox"/> Classi	<input type="checkbox"/> Literature	<input type="checkbox"/> Science-fiction
<input type="checkbox"/> Comics	<input type="checkbox"/> magazines/newspapers	<input type="checkbox"/> Self-Help
<input type="checkbox"/> Short stories	<input type="checkbox"/> Stay away from books	<input type="checkbox"/> Thriller/suspense

Any other reads:

Prefferred Movies:

<input type="checkbox"/> Action/suspense	<input type="checkbox"/> Epics	<input type="checkbox"/> Not into movies
<input type="checkbox"/> Comedy	<input type="checkbox"/> Horror	<input type="checkbox"/> Non-commercial art
<input type="checkbox"/> Classic	<input type="checkbox"/> Romantic	<input type="checkbox"/> World cinema
<input type="checkbox"/> Drama	<input type="checkbox"/> Short films	<input type="checkbox"/> You can call me a movie
<input type="checkbox"/> Documentaries	<input type="checkbox"/> Sci-Fi&fantasy	

Any particular movie:

Sports/Fitness Activities:

<input type="checkbox"/> Adventure sports	<input type="checkbox"/> Cricket	<input type="checkbox"/> Golf	<input type="checkbox"/> Swimming/water sports
<input type="checkbox"/> Aerobics	<input type="checkbox"/> Cycling	<input type="checkbox"/> Hockey	<input type="checkbox"/> Table-tennis
<input type="checkbox"/> Basketball	<input type="checkbox"/> Card games	<input type="checkbox"/> Jogging/walking	<input type="checkbox"/> Tennis
<input type="checkbox"/> Badminton	<input type="checkbox"/> Carrom	<input type="checkbox"/> Martial arts	<input type="checkbox"/> Volleyball
<input type="checkbox"/> Bowling	<input type="checkbox"/> Chess	<input type="checkbox"/> Scrabble	<input type="checkbox"/> Weight training
<input type="checkbox"/> Billiards/snooker/pool	<input type="checkbox"/> Football	<input type="checkbox"/> Squash	<input type="checkbox"/> Yoga/meditation

Any other particular sports:


Spoken Languages:

<input type="checkbox"/> Assamese	<input type="checkbox"/> Kashmiri	<input type="checkbox"/> Oriya
<input type="checkbox"/> Bengali	<input type="checkbox"/> Konkani	<input type="checkbox"/> Punjabi
<input type="checkbox"/> English	<input type="checkbox"/> Kutchi	<input type="checkbox"/> Sindhi
<input type="checkbox"/> Gujarati	<input type="checkbox"/> Malayalam	<input type="checkbox"/> Tamil
<input type="checkbox"/> Hindi	<input type="checkbox"/> marathi	<input type="checkbox"/> Telugu
<input type="checkbox"/> Kanada	<input type="checkbox"/> Marwadi	<input type="checkbox"/> Urdu

SUBMIT:

Seventh Registration Page at Run Time:

This is the seventh registration page. It provides facility to user for fill-up his/her partner preference information.



The image shows a screenshot of the Wedindia registration page. The header features the 'Wedindia' logo and the tagline 'We make relation...'. On the left, there is a vertical navigation bar with buttons for HOME, REGISTER, LOGIN, QUICK TOUR, SEARCH, MEMBERSHIP, MARRIAGE LOAN, and DIRECTORY. The main form area contains various input fields and dropdown menus for partner preferences. The fields include:

- Domain(s): Gujarati
- Looking for: Male (radio button selected)
- Age: From 18 to 88
- Interests: Any, Unmarried (checkbox selected), Widow/Widower, Divorced, Separated
- Have children: Doesn't matter, Yes.living together, Yes.not living together, No
- Height: From 140 to 157
- Physical status: Normal, Doesn't matter
- Mother tongue: Gujarati
- Partner description: abc
- Religion: Hindu
- Cast/Division: Dont Wish to specify
- Manglik: Doesn't matter, Yes, No
- Eating Habits: Doesn't matter, Veg, Non-veg
- Education: Bachelors-Engineering/Computers
- Citizenship: India
- Country living in: India
- Resident state: Gujarat
- Resident status: Citizen (radio button selected), Perment resident, Work Permit, Student Visa, Temporary Visa

At the bottom right of the form area is a 'SUBMIT' button.

Congratulation Page at Run Time:

This is the congratulation page. User can get this page after complete fill-up first three registration form. User can see his/her member id on this page. If user want to complete his/her profile now the user needs to click on complete your profile now link. If user want complete his/her profile later then user need to click on complete your profile later link.

The screenshot shows the WedIndia website's congratulation page. At the top, the logo "WedIndia" with the tagline "We make relation . . ." is displayed. Below the logo, there is a navigation bar with links: HOME, REGISTER, LOGIN, QUICK TOUR, SEARCH, MEMBERSHIP, MARRIAGE LOAN, and DIRECTORY. A message "Congratulation!! You have successfully completed the registration process." is centered. It is followed by a note: "It is important to complete these 3 Categories of information for other Members to understand you better." Below this, there are three links: "Details about yourself", "Family details", and "Partner Preference". A "Your Member ID is" label is followed by a text input field containing "FA13". At the bottom, there are two more links: "Complete Your Profile Now" and "Complete Your Profile Later".

Profile Page at Run Time:

This is a user Profile form where user can manage his profile and it contains various links like for creating album, image upload, personal messages, express interest, delete photo.

Wedindia
We make relation ...

[Home](#) [Search](#) [My Profile](#) [Paid Membership](#) [Logout](#)

My Messages

[Message Sent](#)
[Message Received](#)

Interests

[Interests Received](#)
[Interests Sent](#)

My Profile

[Modify Profile](#)
[Modify Partner Preference](#)
[Hide Profile](#)
[Delete Profile](#)

My Album

[My Album](#)
[Edit Album](#)

My Profile 

Name	Dharmesh
Member ID	FA1
Profile Created On	Label
Profile Last Edited	Label



[Upload Photo](#)
[Delete Photo](#)

[Add Photo](#) Add Photos of your liking
[Create Album](#) Add multiple photos to your profile and increase the responses by 20 times.

Complete Your Profile now !

[Home truths](#) (Tell Your Home truths) [Hobbies & Interests](#) (Enhance your profile)
[Family Details](#) (Add family details) [Partner Preference](#) (Set your partner criteria)

User Detail Profile page At Run Time:

This is a user details Profile page form where user can manage his profile this is done after successfully login of user. User can modify information about his/her personal details, physical attributes, socio-occupational information, home truths, contact details, family information, primary information, social information, education, location



The screenshot shows the Wedindia user detail profile page. The header features the logo "Wedindia" and the tagline "We make relation...". The top navigation bar includes links for Home, Search, My Profile, Paid Membership, and Logout. On the left, a sidebar menu lists options like My Messages, Message Sent, Message Received, Interests, Interests Received, Interests Sent, My Profile, Modify Profile, Modify Partner Preference, Hide Profile, Delete Profile, My Album, and Edit Album. The main content area displays various profile sections with edit buttons:

- Personal Details:** Member ID: FA1. Name: Dharmesh, Gender: Male, Marital Status: Unmarried, Religion: Muslim. Country: American Samoa, City: Belize, City citizenship: Ahmedabad.
- Physical Attributes:** Height: 161, Weight: 65, Body Type: Average, Complexion: Very Fair. Physical Status: Normal, Bloodgroup: A2-.
- Socio-Occupational Information:** Education: B.Pharma, Occupation: Consultant, Income: 2.00, EatingHabits: Vegetarian. Smoke: Non-Smoker, Drink: Non-Drinker.
- Home Truths:** Mother Tongue: Tulu, Cast: -Select-, Subcast: a, Gothra: a. Star: Raasi, Raasi: Vishaka / Vishakam, Vrishchik (Scorpio).
- Contact Information:** State: Rajasthan, City: Ayodhya, Contact Address: a. Contact Phone: 1.
- Family Detail:** Family Value: Orthodox, Family Type: Joint Family, Family Status: Middle Class.
- Partner Preference:** Age: not specified, Looking for: not specified, Height: not specified. Physical Status: MotherTongue: not specified.
- Primary Information:** Age: not specified, Looking for: not specified, Height: not specified. Physical Status: MotherTongue: not specified.
- Social Information:** Religion: not specified, Cast: not specified, Manglik: not specified. Eating Habits: not specified.
- Education:** Education: not specified.
- Location:** City: not specified, Country: not specified, State: not specified. Residential Status: not specified.

Image Upload page At Run Time:

This is image upload page form where user can change photo of profile. this is done after successfully login of user.

Wedindia
We make relation . . .

Home Search My Profile Paid Membership Logout

My Messages

[Message Sent](#)
[Message Received](#)

Interests

[Interests Received](#)
[Interests Sent](#)

My Profile

[Modify Profile](#)
[Modify Partner Preference](#)
[Hide Profile](#)
[Delete Profile](#)

My Album

[My Album](#)
[Edit Album](#)

Let your photo do all the talking!

It is a widely accepted fact that profiles with photos get more attention and response. We have enlisted a few ways through which you can add photos to your profile.

Why you should Add Photo?

Get 20 times more response
Get featured in photo search results
Express yourself in more ways than one

Tips for a perfect photo

Ensure that all the photos are individual shots of yourself
The main photo should be a close-up shot
The other photos may feature you in different postures
Ensure that all photos are clear and at least post card size

Upload your Photo now!

Photo (JPG Only)

Description * Optional

Find your perfect partner



Result Page of Image Upload at Run Time:

This is result page of image upload.

Wedindia
We make relation . . .

[Home](#) [Search](#) [My Profile](#) [Paid Membership](#) [Logout](#)

My Messages

[Message Sent](#)
[Message Received](#)

Interests

[Interests Received](#)
[Interests Sent](#)

My Profile

[Modify Profile](#)
[Modify Partner Preference](#)

[Hide Profile](#)
[Delete Profile](#)

My Album

[My Album](#)
[Edit Album](#)

My Profile 

Name	Dharmesh
Member ID	FA1
Profile Created On	Label
Profile Last Edited	Label


[Upload Photo](#)
[Delete Photo](#)

[Add Photo](#) Add Photos of your liking
[Create Album](#) Add multiple photos to your profile and increase the responses by 20 times.

Complete Your Profile now !

[Home truths](#) (Tell Your Home truths) [Hobbies & Interests](#) (Enhance your profile)

[Family Details](#) (Add family details) [Partner Preference](#) (Set your partner criteria)

Create Album Page at Run Time:

This is page for create album. This is done after successfully login of user. User can create album for user have to need to click on link of create album. User can add up to five photos in his/her album.

Wedindia
We make relation . . .

Home Search My Profile Paid Membership Logout

My Messages

[Message Sent](#)

[Message Received](#)

Interests

[Interests Received](#)

[Interests Sent](#)

My Profile

[Modify Profile](#)

[Modify Partner Preference](#)

[Hide Profile](#)

[Delete Profile](#)

My Album

[My Album](#)

[Edit Album](#)

Create Your Album Here !

Click "Browse" to find the photo you'd like to upload from your computer.

You can upload upto 5 Photo

FA1













Change Password at run time:

The screenshot shows a web browser window with the following details:

- Title Bar:** Shows standard Windows icons for file operations like Back, Forward, Stop, and Refresh.
- Address Bar:** Displays the URL "Find Images" and "QuickSearch".
- Header:** The website logo "Wedindia" and the tagline "We make relation . . ." are displayed.
- Navigation Bar:** Includes links for "Home", "Search", "My Profile", "Paid Membership", and "Logout".
- Left Sidebar:** A vertical sidebar with several menu items:
 - My Messages** (highlighted in yellow)
 - [Message Sent](#)
 - [Message Received](#)
 - Interests** (highlighted in yellow)
 - [Interests Received](#)
 - [Interests Sent](#)
 - My Profile** (highlighted in yellow)
 - [Modify Profile](#)
 - [Modify Partner Preference](#)
 - [Hide Profile](#)
 - [Delete Profile](#)
- Form Content:** A "Change Password" section with three input fields for "Old Password", "New Password", and "Confirm New Password".
- Buttons:** A "Submit" button and a "Done" button.
- Bottom Bar:** Shows standard Windows taskbar icons and the text "Local intranet".

Express Interest Page at Run Time:

This is the express interest page. Here after searching the profile user can send a express interest to a profile of his/her liking. The messages here will be pre-defined here.

The screenshot shows the Wedindia website interface. At the top, there is a yellow header bar with the logo "Wedindia" and the tagline "We make relation...". Below the header, there is a navigation menu with links: Home, Search, My Profile, Paid Membership, and Logout. On the left side, there is a sidebar with links: My Messages, Message Sent, Message Received, Interests, and My Profile. The "Interests" link is highlighted with a yellow box. To its right, the text "Express Interest" is displayed in red. Below this, there is a sub-section titled "Interests Received" with the text "Express Interest by sending pre-set messages to members for free." and a link "Interests Sent". The main content area contains a list of five pre-defined messages, each preceded by a radio button. The messages are: "I am interested in your profile. If you are interested in my profile, please contact me.", "I have gone through your details and feel we have lot in common. Would sure like to know your opinion on this?", "You are someone special I wish to know better. Please contact me at the earliest.", "We found your profile to be a good match. Please contact us to proceed further.", and "You are the kind of person we were searching for. Please send us your contact details.". At the bottom of the main content area, there is a "Send" button. On the far left of the sidebar, there are links for Modify Profile, Modify Partner Preference, Hide Profile, and Delete Profile. At the bottom of the sidebar, there are links for My Album and Edit Album.

Personal Message

The screenshot shows a web application window titled "Personal Message". The top navigation bar includes links for Home, Search, My Profile, Paid Membership, and Logout. A yellow sidebar on the left contains links for My Messages, Message Sent, Message Received, Interests, Interests Received, Interests Sent, My Profile, Modify Profile, Modify Partner Preference, Hide Profile, Delete Profile, My Album, and Edit Album. The main content area displays a form for sending a personal message. The form fields include "From" (FA1), "To" (FA1), and a large "Message" text area. A "Send" button is located below the message area. The status bar at the bottom shows "Done" and "Local intranet".

Personal Message And Express Interest Page At Run Time:

Here user can see the messages he has sent to other members and received from the other members.

The screenshot shows the Wedindia website interface. At the top, there is a yellow header bar with the logo "Wedindia" and the tagline "We make relation...". Below the header, there is a navigation menu with links: Home, Search, My Profile, Paid Membership, and Logout. The main content area is divided into several sections:

- My Messages**: A section containing links for Message Sent and Message Received.
- Interests**: A section containing links for Interests Received and Interests Sent.
- My Profile**: A section containing links for Modify Profile, Modify Partner Preference, Hide Profile, and Delete Profile.
- Message from FA_10**: A table showing a message from a user named FA_10. The table has two columns: "Messagefrom" and "Message". The "Messagefrom" column contains "FA_10" and the "Message" column contains "I am interested in your profile. If you are interested in my profile, please contact me."
- My Album**: A section containing a link for My Album.

Search Option Page At Run Time:

This is the search option page. It provides facility to user to search about partner. This page contain five type link for search, like quick search, advance search, search by id, search by profession, search by location.

The screenshot shows the Wedindia website's search options page. The header features the 'Wedindia' logo and the tagline 'We make relation...'. On the left, there is a vertical navigation menu with buttons for HOME, REGISTER, LOGIN, QUICK TOUR, SEARCH, MEMBERSHIP, MARRIAGE LOAN, and DIRECTORY. The main content area is titled 'Search options' and contains a message: 'Our various search tools will make your partner search much faster and easier. Go ahead and enjoy your search.' Below this, there is a section titled 'Search options' with five items:

- Quick Search**: Search based on the most important criteria that you would look for in a partner.
- View by profile ID**: Directly helps you to view the profile of a particular ID..
- Search by Profession**: Search based on the Profession ..
- Advance Search**: The most comprehensive search that searches across all criteria.
- Search by location**: Search based on the location .

Quick Search Page At Run Time:

This is the quick search page. It provides facility to user to quick search about partner. For quick search about partner user have to fill-up information like age range, domain, gender, religion, of search partner .

Wedindia
We make relation . . .

HOME

REGISTER

LOGIN

QUICK TOUR

SEARCH

MEMBERSHIP

MARRIAGE LOAN

DIRECTORY

Quick Search Your Soul Mate

Gender Female Male

Domain

Religion

Age to

Find your perfect partner



Quick Search Result Page at Run Time:

This is the quick search result page. It provides information like member id, name, gender of partner. if user want to know more about search partner then user need to click on details button.

The screenshot shows the WedIndia website interface. At the top, there is a yellow header bar with the logo "WedIndia" and the tagline "We make relation . . ." Below the header, there is a vertical sidebar on the left containing several navigation buttons: HOME, REGISTER, LOGIN, QUICK TOUR, SEARCH, MEMBERSHIP, MARRIAGE LOAN, and DIRECTORY. To the right of the sidebar, the main content area is titled "Search Results". A table displays the search results with columns for Memberid, Name, Gender, and Detail. The data in the table is as follows:

Memberid	Name	Gender	Detail
FA8	tapan	Male	Detail
FA10	vishal	Male	Detail
FA11	monil	Male	Detail
FA13	a	Male	Detail

Details of Searched Partner Page at Run Time:

This is the details of searched partner page. It provides details information about searched partner. Only paid member can see this information.

Wedindia
We make relation . . .

[Express Interest](#) [Send a Personal Message](#) [view album](#)

[HOME](#) [REGISTER](#) [LOGIN](#) [QUICK TOUR](#) [SEARCH](#) [MEMBERSHIP](#) [MARRIAGE LOAN](#) [DIRECTORY](#)

 Member ID : FA10

Name:	vishal	Country	India
Gender:	Male	Citizenship	India
Marital Status	Unmarried	City	not specified
Religion	Hindu		

Physical Attributes :

Height:	161	Physical Status:	Normal
Weight:	65	Bloodgroup:	A2-
Body Type:	Average		
Complexion:	Very Fair		

Socio-Occupational Information :

Education:	B.E/B.TECH	Smoke:	Non-Smoker
Occupation:	Teaching/Academician	Drink:	Non-Drinker
Income:	3.00		
EatingHabits:	Vegetarian		

Home Truths :

Mother Tongue:	Tamil	Star:	Vishaka / Vishakam
Cast:	SC	Rasi:	Vrishchik (Scorpio)
Subcast:	a		
Gothra:	a		

Contact Information :

State:	Maharashtra	Contact Phone:	3
City:	Srinagar		
Contact Address:	a		

Family Detail :

Family Value:	Orthodox
Family Type:	Joint Family
Family Status:	Middle Class

Partner Preference :

Primary Information :

Age:	18	Physical Status:	Normal
Looking for:	Female	MotherTongue:	Arunachali
Height:	140		

Social Information :

Religion:	Hindu	Eating Habits:	Doesnt matter
Cast:	Dont Wish to specify		
Manglik:	dnt		

Education :


Education:	Bachelors-Engineering/Computers
------------	---------------------------------

Location :

Cityzension:	India	Residential Status:	Citizen
Country:	India		
State:	Andaman & Nicobar		

Advance Search Page At Run Time:

This is the advance search page. It provides facility to user to advance search about partner. For advance search about partner user have to fill-up information like age range, domain, gender, interest, height, mother tongue, religion, cast, manglik, eating habit, education, citizen ship,country, resident status of search partner .



The screenshot shows the 'Wedindia' website's advance search interface. The header features the 'Wedindia' logo and the tagline 'We make relation...'. On the left, there is a vertical navigation bar with buttons for HOME, REGISTER, LOGIN, QUICK TOUR, SEARCH, MEMBERSHIP, MARRIAGE LOAN, and DIRECTORY. The main content area is titled 'Advance Search' and contains several input fields for search criteria:

- Domain:** Gujarati (dropdown menu)
- Looking for:** Male (radio button selected)
- Age:** From 18 to 22 (text input fields)
- Interests:** Unmarried (radio button selected), Widow/Widower, Divorced, Separated (radio buttons)
- Height:** From 140 to 170 (text input fields)
- Mother tongue:** Gujarati (dropdown menu)
- Religion:** Hindu (dropdown menu)
- Cast/Division:** ST (dropdown menu)
- Manglik:** Doesn't matter, Yes, No (radio buttons)
- Eating Habits:** Vegetarian (radio button selected), Non-Vegetarian, Eggatarian (radio buttons)
- Education:** B.Com (dropdown menu)
- Citizenship:** India (dropdown menu)
- Country living in:** India (dropdown menu)
- Resident status:** Citizen (radio button selected), Permanent resident, Work Permit, Student Visa, Temporary Visa (radio buttons)

At the bottom right of the search form is a 'SUBMIT' button.

Advance Search Result Page At Run Time:

This is the advance search result page. It provides information like member id, name, gender of partner. if user want to know more about search partner then user need to click on details button.

The screenshot shows the WedIndia website interface. The header features the logo "WedIndia" and the tagline "We make relation . . .". On the left side, there is a vertical navigation menu with buttons for HOME, REGISTER, LOGIN, QUICK TOUR, SEARCH, MEMBERSHIP, MARRIAGE LOAN, and DIRECTORY. The main content area is titled "Search Results". A table displays the search results with columns for Memberid, Name, Gender, and Detail. The first row of the table shows Memberid FA8, Name tapan, Gender Male, and a "Detail" button.

Memberid	Name	Gender	Detail
FA8	tapan	Male	Detail

Search by Id Page with Result at Run Time:

This is the search by id page. Here user enter member id and click on search button it will get information like member id, name, gender of partner. if user want to know more about search partner then user need to click on view details link.

The screenshot shows the Wedindia website interface. On the left, there is a vertical navigation menu with the following buttons: HOME, REGISTER, LOGIN, QUICK TOUR, SEARCH, MEMBERSHIP, MARRIAGE LOAN, and DIRECTORY. The main content area has a yellow header with the text "Wedindia" and "We make relation...". Below the header, the title "View By Profile ID" is displayed. A form field labeled "Profile ID" contains the value "FA1". To the right of the input field is a "Search" button. The results are presented in a table with three columns: "MemberID", "Name", and "Gender". The table shows one row with the data: "FA 1", "Dharmesh", and "Male". At the bottom of the results area, there is a link labeled "View Detail".

MemberID	Name	Gender
FA 1	Dharmesh	Male

Search by Location Page At Run Time:

This is the search by location page. It provides facility to user to search about partner by location wise. For search by location about partner user have to fill-up information like age range, maritalstatus, gender, country, city of search partner.

Wedindia
We make relation . . .

HOME

REGISTER

LOGIN

QUICK TOUR

SEARCH

MEMBERSHIP

MARRIAGE LOAN

DIRECTORY

Marital Status : Unmarried Widow/Widower Divorced Separated

Gender: Male Female

Country : Bahrain

City : Banglore

Age : 18 to 22



Search by Location Result Page at Run Time:

This is the search by location result page. It provides information like memberid, name, gender of searched partner. if user want to know more about search partner then user need to click on details button

The screenshot shows the WedIndia website interface. At the top, there is a yellow header bar with the logo "WedIndia" and the tagline "We make relation...". Below the header, there is a navigation menu on the left side with the following buttons: HOME, REGISTER, LOGIN, QUICK TOUR, SEARCH, MEMBERSHIP, MARRIAGE LOAN, and DIRECTORY. In the center, the title "Search Results" is displayed above a table. The table has four columns: Memberid, Name, Gender, and Detail. The first row of the table contains the data: Memberid FA13, Name a, Gender Male, and a "Detail" button.

Memberid	Name	Gender	Detail
FA13	a	Male	Detail

Search By Profession Page At Run Time:

This is the search by profession page. It provides facility to user to search about partner by profession wise. For search by profession about partner user have to fill-up information like age range, marital status, gender, country, education, profession of search partner .


We make relation . . .

HOME

REGISTER

LOGIN

QUICK TOUR

SEARCH

MEMBERSHIP

MARRIAGE LOAN

DIRECTORY

Search by Profession

Gender : Male Female

Age: to

Marital Status Unmarried Widow/Widower Divorced Separated

Country

Education

Profession



Quick Tour Page at Run Time:

This is a module that contains the flow of the website. Here user can have a idea how he can commit himself in the website.

The screenshot shows a "QUICK TOUR" page with the following elements:

- Navigation Bar:** Includes links for "About You", "Your Partner", "Your Search", "Your Communication", "Your privacy&Security", and "Our Record".
- Text Content:**
 - "We'll help you find the Perfect Match!"
 - "Add your Partner Preference and get daily matches in your inbox."
 - "Plus get matches based on:
Profiles you're looking for
Profiles looking for you
Two Way Match
You can also check for horoscope"
- Image:** A portrait of a smiling woman with the text "Find your perfect partner" above her.
- Call-to-Action:** A purple button labeled "Register FREE >>".
- Page Navigation:** At the bottom, there are small arrows pointing left and right, indicating this is a slide or part of a larger tour.

Wedding Directory Page at Run Time:

This is a module that contains information like name, address and contact number for apparels, astrologist, beauticians, caterers, entertainment, florists, gifts, hotels, jewelers, tours and travels.

The screenshot shows the homepage of the Wedindia website. The header features the brand name "Wedindia" in a large, stylized font, with the tagline "We make relation . . ." below it. A sidebar on the left lists various service categories with corresponding icons: Apparels, Astrology, Beauticians, Caterers, Entertainment, Florists, Gifts, Hotels, Jewellers, and Tours&Travels. The main content area includes two dropdown menus: "Category:" and "City:", both currently set to "-SELECT CATEGORY-" and "-SELECT CITY-", respectively. A "Button" is positioned between these dropdowns. The background of the page has a warm, orange-to-yellow gradient.

Result Page at Run Time:

Wedindia

We make relation . . .

Category	Name	Contact No	Address
 Apparels	Hotel Avas	079-26575830	Opp V S Hospital, Ellisbridge, Ahmedabad, 380006, Gujarat, India, Ahmedabad
 Astrology	Hotel Capri	079-25506644	Relief Road, Ahmedabad, 380001, Gujarat, India, Ahmedabad
 Beauticians	Hotel Sky Camy	079-22149157	Nr Railway Station Opp Madhav Baug, Ahmedabad, Ahmedabad, 380002, Gujarat, India, Ahmedabad
 Caterers	Parth Hotels	079-25465027	Bhagwan Chambers, Maninagar Char Rasta, Maninagar, Ahmedabad, 380008, Gujarat, India, Ahmedabad
 Entertainment	The Pride Hotel	079-30115555	Judges Bungalow Road, Bodakdev, Ahmedabad, 380054, Gujarat, India, Ahmedabad
 Florists	Hotel Ritz Inn	079-22123842	Station Road, Kalupur, Ahmedabad, 380001, Gujarat, India, Ahmedabad
 Gifts	Comfort Inn Sunset	079-22862591	Airport Circle, Hansol, Ahmedabad, 382475, Gujarat, India Rent-a-car, Ahmedabad
 Hotels	pride	9286373190	ahmedabad

Paid Membership form:

We make relation . . .

As our esteemed customer we would like you to benefit by upgrading your membership before the rates are increased . . .

Fill the information below and take advantage of paid membership . . .

HOME

Name :

REGISTER

Member ID :

LOGIN

Mobile No :

QUICK TOUR

Email ID :

SEARCH

Choose Package
 Classic
 Classic plus
 Classic super

Amount (Rs.) :

MEMBERSHIP

Validity (Months) :

MARRIAGE LOAN

DIRECTORY

Note : Payment is accepted at our registered offices . . .

Done Local intranet

Marriage Loan:

WedIndia
We make relation ...
tion ...

Apply for loan

HOME	Full Name	<input type="text"/>
REGISTER	Date of birth	-Month- <input type="text"/> -Date- <input type="text"/> -Year <input type="text"/>
LOGIN	Land line No.	<input type="text"/> <input type="text"/>
QUICK TOUR	Mobile No.	<input type="text"/>
SEARCH	Email ID	<input type="text"/>
SEARCH	Type of Loan	Personal loan
MEMBERSHIP	Need for loan	-SELECT- <input type="button"/>
MARRIAGE LOAN	Loan Amount	<input type="text"/>
DIRECTORY	City	-Select city in India <input type="button"/>
	Employment Type	-SELECT- <input type="button"/>
	Organisation Name	<input type="text"/>
	Occupation	<input type="text"/>
	Monthly Income	<input type="text"/>


Submit




**When it comes to achieving your dreams,
money should never be the constraints !**

We now help you to apply and acquire loans for your personal expenses such as wedding expenses, renovating your house, a vehicle or any other personal requirements. [Loanwala.com](#) is a new initiative by us fulfilling all your loan needs, making your search convenient and effective. Various banks compete to provide you with the best they can offer and you can choose the right loan that suits your requirements. All you need to do is fill in your details in the given personal loan form and submit.


4.4 APPLICATION NAVIGATION




Application Navigation Diagram-1




Application Navigation Diagram-2




Application Navigation Diagram-3




Application Navigation Diagram-4




Application Navigation Diagram-5



Application Navigation Diagram- 6



Application Navigation Diagram- 7



Application Navigation Diagram-8

Chapter 5

IMPLEMENTATION

IMPLEMENTATION PLANNING.

5.1 IMPLEMENTATION ENVIRONMENT

OS Name	Microsoft(R) Windows(R) Server 2003 for Small Business Server
Version	5.2.3790 Service Pack 2 Build 3790
Other OS Description	Not Available
OS Manufacturer	Microsoft Corporation
System Name	SERVER21
System Manufacturer	Dell Inc.
System Model	PowerEdge SC1430
System Type	X86-based PC
Processor	x86 Family 6 Model 15 Stepping 7 GenuineIntel ~1596 Mhz
Processor	x86 Family 6 Model 15 Stepping 7 GenuineIntel ~1596 Mhz
Processor	x86 Family 6 Model 15 Stepping 7 GenuineIntel ~1596 Mhz
Processor	x86 Family 6 Model 15 Stepping 7 GenuineIntel ~1596 Mhz
BIOS Version/Date	Dell Inc. 1.2.4, 3/26/2007
SMBIOS Version	2.4
Windows Directory	C:\WINDOWS
System Directory	C:\WINDOWS\system32
Boot Device	\Device\HarddiskVolume2
Locale	United States
Hardware Abstraction Layer	Version = "5.2.3790.3959 (srv03_sp2_itm.070216-1710)"
User Name	Not Available
Time Zone	Eastern Daylight Time
Total Physical Memory	2,047.17 MB
Available Physical Memory	119.71 MB
Total Virtual Memory	3.85 GB
Available Virtual Memory	1.83 GB
Page File Space	2.00 GB
Page File	C:\pagefile.sys

5.2 SECURITY FEATURE

In this application all data transaction is doing under HTTP secure protocol In this application Login id and password verification is required. User should Login with authenticated memberid and password as well as user should verified his/her password. Failure to do this will not allow to user to access the application

5.3 CODING STANDARD

Checks for Normal Working	To Be Checked?
a) Does your screen save data in the database?	*
b) In update does your screen load correct data?	*
c) Fields are showing the data in correct format? [USE REGULAR EXPRESSIONS DEFINED AS PER TESTING STANDARDS]	
1. Date Should always be selectable in addition to manual entry.	*
2. Integer	*
3. Float, Double	*
4. Percentage	*
5. For web site entry field, populate by default with value (http://www.)	*
6. All email entry fields should be multiple email addresses enabled	*
d) Will your screen crash if wrong data type is entered?	*
e) Does your screen sequence is working?	*

Basic Validations	
a.	Maximum allowed length property is set? *
b.	Validation for Required field is done? *
c.	Validation for Integer, Float, Double, Date, Time is done? *
d.	Spell check *
e.	Type Check / Type Safety *
f.	Boundary Value Analysis (for highest order value and lowest order value) *
g.	Date Format (dates must be converted from SQL only) NEVER DISPLAY 12:00:00 AM *
h.	Is page validation enabled? [must be done for user entry fields] *

User Interface Checks		To Be Checked?
a.	Caption of each label is correct, do you have read caption twice? Captions must not be in bold.	*
b.	Tab sequence is set correctly? i.On load, focus should go to first data entry field. Only in Search focus should go to first search result on search, on load, set focus to fist search field	*
c.	Panel heading are right? Make sure you have used CSS class for DIV formatting	*
d.	Main heading of the screen is Right? Look at application bar in browser window.	*
e.	Menu heading is correct?	*
f.	If the screen is part of a screen sequence / wizard than: 1. Have you given Steps as heading s to make sequence understood?	*
	2. Next / Back Button should be at one fixed location	*
	3. Wizard should have consistent size for all steps.	*
	4. Make sure all elements in all wizard steps are consistent. a) For example, if you are using left side part of data entry fields, then align same width for it on all wizard steps (60% for data entry & 40% for search of list panel)	*
g.	Fields are having width as per their length in the database?	
h.	Fields are well aligned? i.Always follow the rule of left to right with increasing indent. ii.Images should be well aligned and text should be centre aligned to image, NOT TOP OF BOTTOM. iii.IF YOU HAVE MULTIPLE lines of text to be aligned, 1. User should not move his mouse all over screen to click one button to another	*
i.	Is the screen look good and well formatted?	

User Interface Checks	To Be Checked?
j. Default values are given as per requirement?	
i.Highlight compulsory fields with * and put an Note on screen in light grey color that * Indicates Compulsory Fields	*
ii.All static information fields must be in specific color variants	*
iii.ENTER KEY SHOULD PERFORM CORE SCREEN OPERATION ON EACH SCREEN. IT SHOULD BE DEFAULT BUTTON, 1. After save / update, if you are focusing back to same screen, in case you retain same record, move focus to first editable field on screen or for new records, move focus to first field as well.	*
iv.Images / logos should have tooltip + alternate text	*
v.Each grid should have paging size between [10-25] per page + exception handling code in bind for no page scenario	*
vi.Sorting should be enabled for all columns in grid	*
vii.SCREENS SHOULD BE CENTRE ALIGNED to eliminate screen size issues	*
viii.Width of screen should be maximum to 980 PX	*
ix.TARGET 1024 X 768 resolution	*
x.USE HTML formatting in alert boxes when you want to display confirmation messages	*
xi.Sequence of Fields should be pleasing to eye [do not make your screen look like khichdi of controls) give user some breathing space	*
xii.User minimum colors.	*
xiii.Help Button should be at top right corner of the form (not application) and screen # + Type: <application / paint> should be added to each screen	*
xiv.PROVIDE HELP WITH EXAMPLE, remain objective in help text.	

User Interface Checks	To Be Checked?
xv.User focus will go from left to right, use left section of your page for more important information.	*
xvi.Wherever you use images, use legends on screen.	*
xvii.Each dropdown should be default sorted	*
xviii.Each grid should be sorted by default [as per field availability]	*
xix.If you happen to open something in new window, use an image to indicate that.	*
xx.Search result should be consistent	*
xxi.PAGE SHOULD NEVER SCROLL HORIZONTALLY...NEVER EVER	*
xxii.USE ARIAL / VERDANA FONT	*
xxiii.Warning messages should be informative.	*
xxiv.Each page should have breadcrumb [hyperlink enabled]	*
xxv.If the requirement is Data should be shown in Capital, then adequate measures are done?	*
xxvi.Show results found on each search screen 1. If there are no results, show 0 results found, and set focus to first field of data entry on the screen. Even if you cannot control back button behavior for now, DO NOT ENTICE USER TO USE BACK BUTTON, provide back link on screen itself where required. CLOSE APPLICATION IF BACK BUTTON IS PRESSED ON ANY OF THE SCREENS. Also, disable submit button after it is clicked once. POPULATE FIELDS WITH DEFAULT VALUES [for example, First Name field data entry should read, Enter First Name and as soon as focus is there, remove that text]	*

5.4 STORED PROCEDURE

After creating database, I have created stored procedure for select, insert, update and delete. With the help of the stored procedure access should be fast and we don't have need to compile it. we can run it directly. I have created stored procedure inserting all data of the table with value type and than I have created query for select, update, delete, insert in their procedure.

5.5 DATA ACCESS LAYER


Data Access Layer:

When working with data one option is to embed the data-specific logic directly into the presentation layer. This may take the form of writing ADO.NET code in the ASP.NET page's code portion or using the SqlDataSource control from the markup portion. creating a connection to the database, issuing SELECT, INSERT, UPDATE, and DELETE commands, and so on – should be located in the Delete presentation layer should not contain any references to such data access code, but should instead make calls into the DAL for any and all data requests. I have created data access layer for Fill() and Get() methods. Get is done by two ways.

- Get Story (), which will return information about the success story or user who met by this site.
- Get Message (), which will return information about a message for particular type of membership.

These methods, when invoked, will connect to the database, issue the appropriate query, and return the results. These methods could simply return a DataSet or DataReader populated by the database query, but ideally these results should be returned using strongly-typed objects.

In strongly-typed DataTable, will have each of its columns implemented as properties, resulting in code that looks like: DataTable.Rows[index].columnName.Figure illustrates the workflow between the different layers of an application that uses Typed DataSets.



To retrieve the data to populate the DataTable, I used a TableAdapter class, which functions as my Data Access Layer. For our story DataTable, the TableAdapter is containing the methods – Getstory(), Getstorybyid(memberid), and so on – that I can invoke from the presentation layer. The DataTable's role is to serve as the strongly-typed objects used to pass data between the layers.

I have a Typed DataSet with a single DataTable (message) and a strongly-typed DataAdapter class (FmsgTableAdapter,PmsgTableAdpter) with a GetMessage() method.

In my application I have used pattern for inserting, updating, and deleting data, this pattern involves creating methods that, when invoked, issue an INSERT, UPDATE, or DELETE command to the database that operates on a single database record. Such methods are typically passed in a series of scalar values (integers, strings, Booleans, DateTimes, and so on) that correspond to the values to insert, update, or delete.

The patterns use the TableAdapter's InsertCommand, UpdateCommand, and DeleteCommand properties to issue their INSERT, UPDATE, and DELETE commands to the database.




Figure Each Insert, Update, and Delete Request Is Sent to the Database Immediately

5.6 BUSINESS LOGIC LAYER

The DAL cleanly separates the data access details from the presentation layer, it does not enforce any business rules that may apply. So I have to Create Business Logic Layer (BLL). these business rules into a Business Logic Layer (BLL) that serves as an intermediary for data exchange between the presentation layer and the DAL.In BLL the rules like value cant be null, some field changed only by admin and so on...

BLL will be composed of classes, one for each TableAdapter in the DAL; each of these BLL classes will have methods for retrieving, inserting, updating, and deleting from the respective TableAdapter in the DAL, applying the appropriate business rules. The BLL classes can accessed declaratively (as can the Typed DataSet) by using the ObjectDataSource.

I have created Dataadapter object than creating methods for Adddata(),Updatedata(),Deletedata().In this method creating Objects for dataset and datarow and with the help of the datarow object getting/updating/deleting data and for that I have used Try and Catch method.

5.7 CODING

Registration Form

Registration1.aspx

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="Registration1.aspx.cs" Inherits="Default3" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>REGISTRATION FORM STEP-1</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            <asp:Panel ID="Panel1" runat="server" BackColor="#FFFFC0" BorderColor="#FF8080" BorderStyle="Double"
                Height="486px" Style="z-index: 100; left: 212px; position: absolute; top: 165px"
                Width="566px">
                <asp:Label ID="Label1" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
                    Font-Size="Larger" ForeColor="#C00000" Height="23px" Style="z-index: 100; left: 0px;
                    position: absolute; top: 0px" Text="Registration Form Step-1" Width="558px"></asp:Label>
                <asp:Label ID="Label2" runat="server" Style="z-index: 101; left: 23px; position: absolute;
                    width: 558px" Text="Registration Form Step-1" Width="558px"></asp:Label>
            </div>
        </form>
</body>
</html>
```

```

        top: 212px" Text="Your Email Address :" Width="187px" Height="19px">></asp:Label>
<asp:Label ID="Label3" runat="server" Height="19px" Style="z-index: 102; left: 23px;
    position: absolute; top: 99px" Text="Password :" Width="187px"></asp:Label>
<asp:Label ID="Label4" runat="server" Height="19px" Style="z-index: 103; left: 23px;
    position: absolute; top: 142px" Text="Conform Password :" Width="187px"></asp:Label>
<asp:Label ID="Label5" runat="server" Height="19px" Style="z-index: 104; left: 23px;
    position: absolute; top: 179px" Text="Gender :" Width="187px"></asp:Label>
 &nbsp; &nbsp;
<asp:TextBox ID="TextBox2" runat="server" Style="z-index: 105; left: 226px; position: absolute;
    top: 102px"TabIndex="3" Height="15px" Width="155px" TextMode="Password"></asp:TextBox>
<asp:RadioButton ID="RadioButton1" runat="server" Style="z-index: 106; left: 226px;
    position: absolute; top: 181px" Text="Male" TabIndex="5" Height="22px" Width="71px" GroupName="a"
Checked="True" />
    <asp:RadioButton ID="RadioButton2" runat="server" Style="z-index: 107; left: 321px;
        position: absolute; top: 181px" Text="Female" TabIndex="6" Height="22px" Width="44px"
GroupName="a" />
    &nbsp;
    <asp:Label ID="Label7" runat="server" Style="z-index: 108; left: 23px; position: absolute;
        top: 293px" Text="Religion :" Width="187px" Height="23px"></asp:Label>
    <asp:Label ID="Label8" runat="server" Height="19px" Style="z-index: 109; left: 23px;
        position: absolute; top: 340px" Text="I 'm Living In :" Width="187px"></asp:Label>
    <asp:Label ID="Label9" runat="server" Height="19px" Style="z-index: 110; left: 23px;
        position: absolute; top: 375px" Text="Type The Code Show Below :" Width="187px"></asp:Label>
    <asp:TextBox ID="TextBox4" runat="server" Style="z-index: 111; left: 226px; position: absolute;
        top: 375px"TabIndex="10" ></asp:TextBox>
    &nbsp;
    <asp:DropDownList ID="DropDownList1" runat="server" Height="22px" Style="z-index: 112;
        left: 226px; position: absolute; top: 336px"Width="151px" TabIndex="9">
        <asp:ListItem>NA</asp:ListItem>
        <asp:ListItem>Agra</asp:ListItem>
        <asp:ListItem>Ahmedabad</asp:ListItem>
        <asp:ListItem Value="Ajmer"></asp:ListItem>
        <asp:ListItem>Aligarh</asp:ListItem>
        <asp:ListItem>Kolkata</asp:ListItem>
        <asp:ListItem>None Of Above</asp:ListItem>
    </asp:DropDownList>
    &nbsp; &nbsp;&nbsp;
    <asp:DropDownList ID="DropDownList2" runat="server" Height="22px" Style="z-index: 113;
        left: 226px; position: absolute; top: 292px"Width="151px" TabIndex="8">
        <asp:ListItem>NA</asp:ListItem>
        <asp:ListItem>Hinduism</asp:ListItem>
        <asp:ListItem>Islam</asp:ListItem>
        <asp:ListItem>Sikhism</asp:ListItem>
        <asp:ListItem>Buddhism</asp:ListItem>
        <asp:ListItem>Christainity</asp:ListItem>

```

```

<asp:ListItem>Jainism</asp:ListItem>
<asp:ListItem>No Religion</asp:ListItem>
<asp:ListItem>Other</asp:ListItem>
</asp:DropDownList>
 &nbsp; &nbsp;
<asp:RequiredFieldValidator ID="RequiredFieldValidator1" runat="server" ControlToValidate="TextBox1"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 114; left: 393px; position: absolute;
    top: 214px">*</asp:RequiredFieldValidator>
<asp:RequiredFieldValidator ID="RequiredFieldValidator2" runat="server" ControlToValidate="TextBox2"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 115; left: 393px; position: absolute;
    top: 104px">*</asp:RequiredFieldValidator>
<asp:RequiredFieldValidator ID="RequiredFieldValidator3" runat="server" ControlToValidate="TextBox7"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 116; left: 394px; position: absolute;
    top: 143px">*</asp:RequiredFieldValidator>
<asp:RequiredFieldValidator ID="RequiredFieldValidator4" runat="server" ControlToValidate="TextBox4"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 117; left: 393px; position: absolute;
    top: 378px">*</asp:RequiredFieldValidator>
 &nbsp;&nbsp;
<asp:Label ID="Label11" runat="server" Style="z-index: 118; left: 23px; position: absolute;
    top: 41px" Text="User Name :" Width="187px" Height="19px"></asp:Label>
<asp:TextBox ID="TextBox6" runat="server" Style="z-index: 119; left: 226px; position: absolute;
    top: 43px" Height="13px" Width="155px" ValidationGroup="uname" TabIndex="1"></asp:TextBox>
<asp:RequiredFieldValidator ID="RequiredFieldValidator5" runat="server" ControlToValidate="TextBox6"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 120; left: 393px; position: absolute;
    top: 46px" ValidationGroup="uname">*</asp:RequiredFieldValidator>
<asp:LinkButton ID="LinkButton2" runat="server" BackColor="#FFC080" BorderColor="#FF8000"
    BorderStyle="Outset" Style="z-index: 121; left: 226px;
    position: absolute; top: 449px" Width="113px" OnClick="LinkButton2_Click" ToolTip="SUBMIT THE
USER INFOMATION" TabIndex="11">SUBMIT</asp:LinkButton>
 &nbsp;
<asp:TextBox ID="TextBox7" runat="server" Style="z-index: 122; left: 226px; position: absolute;
    top: 144px" Height="15px" Width="155px" TextMode="Password" TabIndex="4"></asp:TextBox>
<asp:Button ID="Button1" runat="server" OnClick="Button1_Click" Style="z-index: 123;
    left: 411px; position: absolute; top: 44px" Text="Check Availability" ValidationGroup="uname"
BackColor="#FFC080" BorderColor="#FF8000" BorderStyle="Double" ToolTip="CHECK AVAILABILITY" TabIndex="2" />
<asp:Label ID="Label12" runat="server" Font-Size="Smaller" ForeColor="Red" Style="z-index: 124;
    left: 231px; position: absolute; top: 72px"
    Width="176px"></asp:Label>
<asp:CompareValidator ID="CompareValidator1" runat="server" ControlToCompare="TextBox2"
    ControlToValidate="TextBox7" ErrorMessage="Enter valid Password" Style="z-index: 125;
    left: 414px; position: absolute; top: 143px"></asp:CompareValidator>
<asp:TextBox ID="TextBox1" runat="server" Style="z-index: 126; left: 226px; position: absolute;
    top: 213px" TabIndex="7"></asp:TextBox>
<asp:RegularExpressionValidator ID="RegularExpressionValidator1" runat="server"
    ErrorMessage="RegularExpressionValidator"
```

```

        Style="z-index: 127; left: 414px; position: absolute; top: 213px" ControlToValidate="TextBox1"
ValidationExpression="\w+([-+.']\w+)*@\w+([-.\w+]*)\.\w+([-.\w+]*">Enter Valid
Expression</asp:RegularExpressionValidator>
    &nbsp;
    <asp:CompareValidator ID="CompareValidator2" runat="server" ControlToCompare="TextBox3"
        ControlToValidate="TextBox4" ErrorMessage="CompareValidator" Style="z-index: 128;
        left: 412px; position: absolute; top: 376px" Width="144px" SetFocusOnError="True"
Type="Integer">Enter Valid key</asp:CompareValidator>
    <asp:TextBox ID="TextBox3" runat="server" Style="z-index: 129; left: 225px; position: absolute;
        top: 406px; background-color: #99ccff" ReadOnly="True" ></asp:TextBox>
    &nbsp; &nbsp;
</asp:Panel>
<asp:Label ID="Label10" runat="server" Style="z-index: 101; left: 215px; position: absolute;
    top: 672px" Text="When you submit the form, email is sent to your mailbox. It will contain email
confirmation link. You will require this link to verify your email address."
    Width="648px"></asp:Label>
<asp:Image ID="Image1" runat="server" Height="122px" ImageUrl="~/img/hastamilan1.JPG"
    Style="z-index: 102; left: 0px; position: absolute; top: 1px" Width="1004px" />
<marquee style="z-index: 106; left: 211px; text-transform: capitalize; width: 572px; color: crimson;
font-style: italic; position: absolute; top: 124px; font-variant: normal; text-decoration: underline; clear:
none; display: inline; float: right; overflow: hidden; font-family: 'Book Antiqua'; border-right: #990000 thin
dotted; border-top: #990000 thin dotted; font-weight: bold; border-left: #990000 thin dotted; border-bottom:
#990000 thin dotted; height: 12px; background-color: #ffcccc;" id="MARQUEE1">**REGISTRATION FORM :STEP-
1**</marquee>
    &nbsp;
    <asp:Panel ID="Panel3" runat="server" Height="586px" Style="z-index: 103; left: 788px;
        position: absolute; top: 121px" Width="210px" BackColor="Info" BorderColor="#C00000"
BorderStyle="Solid">
        <asp:Image ID="Image3" runat="server" ImageUrl="~/img/right-barat.gif"
            Style="z-index: 100; left: 0px; position: absolute; top: 0px" Height="124px" Width="209px" />
    &nbsp; &nbsp;&nbsp; &nbsp; &nbsp; &nbsp;
        <asp:Label ID="Label13" runat="server" BackColor="#FF8080" BorderColor="#C00000"
            BorderStyle="Double" ForeColor="#C00000" Height="23px" Style="z-index: 101; left: -1px;
            position: absolute; top: 126px" Text="Our Features" Width="205px"></asp:Label>
    &nbsp; &nbsp; &nbsp;&nbsp;&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
        <asp:HyperLink ID="HyperLink2" runat="server" ForeColor="Green" NavigateUrl="~/loginn2.aspx"
            Style="z-index: 102; left: 24px; position: absolute; top: 275px" Width="141px" Font-Size="Medium"
ToolTip="REGISTERED MEMBER CAN CHANGE PASSWORD" TabIndex="13">Change Password</asp:HyperLink>
        <asp:Image ID="Image4" runat="server" ImageUrl="~/img/bullet.gif" Style="z-index: 103;
            left: 6px; position: absolute; top: 274px" />
        <asp:Image ID="Image6" runat="server" ImageUrl="~/img/bullet.gif" Style="z-index: 104;
            left: 6px; position: absolute; top: 346px" />
    &nbsp;
        <asp:Image ID="Image7" runat="server" ImageUrl="~/img/bullet.gif" Style="z-index: 105;

```

```

        left: 6px; position: absolute; top: 309px" />
    &nbsp;
    <asp:Image ID="Image9" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 106;
        left: 6px; position: absolute; top: 235px" />
    <asp:HyperLink ID="HyperLink1" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl "~/loginn1.aspx" Style="z-index: 107; left: 25px; position: absolute;
        top: 236px" TabIndex="12" ToolTip="LOGIN HERE" Width="111px">Login Here</asp:HyperLink>
    <asp:HyperLink ID="HyperLink3" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl "~/other_contactus.aspx" Style="z-index: 108; left: 24px; position: absolute;
        top: 345px" TabIndex="15" ToolTip="CONTACT US">Contact Us</asp:HyperLink>
    <asp:HyperLink ID="HyperLink4" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl "~/other_aboutus.aspx" Style="z-index: 110; left: 24px; position: absolute;
        top: 306px" TabIndex="14" ToolTip="ABOUT US">About Us</asp:HyperLink>
</asp:Panel>
&nbsp;&nbsp;<br><br><br><br><br><br><br><br><br>
<asp:Panel ID="Panel2" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Double"
    Height="583px" Style="z-index: 104; left: 1px; position: absolute; top: 120px"
    Width="201px">
    <asp:Image ID="Image2" runat="server" Height="123px" ImageUrl "~/img/ganesh.gif"
        Style="z-index: 100; left: 2px; position: absolute; top: 3px" Width="196px" />
    &nbsp;&nbsp;<br /> <br><br><br><br>
    <asp:Label ID="Label16" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
        ForeColor="#C00000" Height="23px" Style="z-index: 101; left: 0px; position: absolute;
        top: 127px" Text="Our Features" Width="193px"></asp:Label>
    &nbsp; &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<br />
    &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;&nbsp;&nbsp;&nbsp; &nbsp; &nbsp;&nbsp;
    <asp:Label ID="Label14" runat="server" Font-Size="Medium" ForeColor="Maroon" Style="z-index: 102;
        left: 5px; position: absolute; top: 178px" Text="Hastamilan is Currently Free ::">
    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<br />
    <br />
    &nbsp; &nbsp; &nbsp; &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
    <br />
    <asp:Image ID="Image5" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 103;
        left: 4px; position: absolute; top: 226px" />
    <asp:Label ID="Label16" runat="server" ForeColor="Green" Style="z-index: 104; left: 20px;
        position: absolute; top: 228px" Text="Fast easy registration process" Width="183px" Font-
    Size="Medium"></asp:Label> <br><br><br><br><br>
    <asp:Image ID="Image8" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 105;
        left: 3px; position: absolute; top: 263px" />
    <asp:Label ID="Label17" runat="server" ForeColor="Green" Style="z-index: 106; left: 21px;
        position: absolute; top: 262px" Text="Register for membership" Width="177px" Font-
    Size="Medium"></asp:Label>
    <asp:Image ID="Image10" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 107;
        left: 1px; position: absolute; top: 305px" />
    <asp:Label ID="Label18" runat="server" ForeColor="Green" Style="z-index: 108; left: 18px;
        position: absolute; top: 309px" Text="Membership Details" Width="177px" Font-
    Size="Medium"></asp:Label>

```

```

        position: absolute; top: 301px" Text="Search for men/women who meet your criteria"
        Width="180px" Font-Size="Medium">></asp:Label>
<asp:Image ID="Image11" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 109;
        left: 2px; position: absolute; top: 363px" />
<asp:HyperLink ID="HyperLink5" runat="server" Font-Size="Medium" ForeColor="Green"
        Style="z-index: 111; left: 18px; position: absolute; top: 352px" Width="173px">You have full
search and browse capability</asp:HyperLink>
</asp:Panel>
&nbsp;

</div>
</form>
</body>
</html>

```

Registration1.aspx.cs

```

using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Net.Mail;

public partial class Default3 : System.Web.UI.Page
{
    string strconn =
System.Configuration.ConfigurationManager.ConnectionStrings["hastamilandatabase"].ConnectionString;
    System.Data.OleDb.OleDbConnection conn;
    protected void Page_Load(object sender, EventArgs e)
    {
        System.Random rnd = new Random();
        TextBox3.Text = rnd.Next(500, 50000).ToString();
        if (IsPostBack == false)
        {
            TextBox2.Enabled = false;
            TextBox7.Enabled = false;
            RadioButton1.Enabled = false;

```

```

        RadioButton2.Enabled = false;
        TextBox1.Enabled = false;
        DropDownList2.Enabled = false;
        DropDownList1.Enabled = false;
        TextBox4.Enabled = false;
        LinkButton2.Enabled = false;
    }
}
protected void LinkButton2_Click(object sender, EventArgs e)
{
    string rname = "";
    if (RadioButton1.Checked == true)
    {
        rname = RadioButton1.Text.ToString();
    }
    if (RadioButton2.Checked == true)
    {
        rname = RadioButton2.Text.ToString();
    }
    conn = new System.Data.OleDb.OleDbConnection(strconn);
    conn.Open();
    string stradd = "Insert into re1 values('" + TextBox6.Text + "','" + TextBox2.Text + "','" + TextBox7.Text + "','" + rname + "','" + TextBox1.Text + "','" + DropDownList2.Text + "','" + DropDownList1.Text +
"', '" + TextBox4.Text + "')";
    System.Data.OleDb.OleDbCommand cmd = new System.Data.OleDb.OleDbCommand(stradd, conn);
    cmd.ExecuteNonQuery();
    cmd.Dispose();
    conn.Close();
    Response.Redirect("Registration2.aspx?x=" + TextBox6.Text + "");
}
protected void Button1_Click(object sender, EventArgs e)
{
    conn = new System.Data.OleDb.OleDbConnection(strconn);
    conn.Open();
    string s = "select * from re1 where UName='" + TextBox6.Text + "'";
    System.Data.OleDb.OleDbCommand cmd1 = new System.Data.OleDb.OleDbCommand(s, conn);
    System.Data.OleDb.OleDbDataReader r;
    r = cmd1.ExecuteReader();
    if (r.HasRows == true)
    {
        while (r.Read())
        {
            if (r[0].ToString() == TextBox6.Text)
            {
                Label12.Text = "user id already exist";
            }
        }
    }
}

```

```

        TextBox2.Enabled = false;
        TextBox7.Enabled = false;
        RadioButton1.Enabled = false;
        RadioButton2.Enabled = false;
        TextBox1.Enabled = false;
        DropDownList2.Enabled = false;
        DropDownList1.Enabled = false;
        TextBox4.Enabled = false;
        LinkButton2.Enabled = false;
        break;
    }
    else
    {
        Label12.Text = "";
        TextBox2.Enabled = true;
        TextBox7.Enabled = true;
        RadioButton1.Enabled = true;
        RadioButton2.Enabled = true;
        TextBox1.Enabled = true;
        DropDownList2.Enabled = true;
        DropDownList1.Enabled = true;
        TextBox4.Enabled = true;
        LinkButton2.Enabled = true;
    }
}
else
{
    Label12.Text = "";
    TextBox2.Enabled = true;
    TextBox7.Enabled = true;
    RadioButton1.Enabled = true;
    RadioButton2.Enabled = true;
    TextBox1.Enabled = true;
    DropDownList2.Enabled = true;
    DropDownList1.Enabled = true;
    TextBox4.Enabled = true;
    LinkButton2.Enabled = true;
}
}

protected void LinkButton1_Click(object sender, EventArgs e)
{
    Response.Redirect("loginn1.aspx");
}
}

```

Login Form 1

loginn1.aspx

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="loginn1.aspx.cs" Inherits="_Default" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>LOGIN FORM</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            <asp:Panel ID="Panel1" runat="server" Height="225px" Style="z-index: 100; left: 279px; position: absolute; top: 431px" Width="390px" BackColor="#FFFFC0" BorderColor="#FF8080" BorderStyle="Double">
                <asp:Label ID="Label1" runat="server" Style="z-index: 100; left: 0px; position: absolute; top: 0px" Text="Login For Registered Members" Width="382px" BackColor="#FF8080" BorderColor="Red" BorderStyle="Double" Font-Size="Larger" ForeColor="#C00000"></asp:Label>
                <asp:Label ID="Label2" runat="server" Style="z-index: 101; left: 15px; position: absolute; top: 56px" Text="UserID :" Width="84px"></asp:Label>
                <asp:Label ID="Label3" runat="server" Style="z-index: 102; left: 17px; position: absolute; top: 91px" Text="Password :" Width="90px"></asp:Label>
                &nbsp;
                <asp:TextBox ID="txt_uid" runat="server" Style="z-index: 103; left: 124px; position: absolute; top: 55px" TabIndex="1" ToolTip="ENTER THE USER ID" Width="148px"></asp:TextBox>
                <asp:TextBox ID="txt_passwd" runat="server" Style="z-index: 104; left: 124px; position: absolute; top: 92px" TextMode="Password" TabIndex="2" ToolTip="ENTER THE PASSWORD" Width="147px"></asp:TextBox>
                &nbsp; &nbsp;
                <asp:HyperLink ID="HyperLink1" runat="server" BackColor="#FFC080" BorderColor="#FF8000" BorderStyle="Groove" ForeColor="Black" NavigateUrl="~/loginn2.aspx" Style="z-index: 105; left: 3px; position: absolute; top: 196px" Width="143px" ToolTip="CLICK HERE TO CHANGE PASSWORD" TabIndex="5">Change Password</asp:HyperLink>
                <asp:Button ID="Button1" runat="server" OnClick="Button1_Click" Style="z-index: 106; left: 125px; position: absolute; top: 155px" Text="Login" BackColor="#FFC080" BorderColor="#FF8000" BorderStyle="Inset" Width="88px" ToolTip="LOGIN HERE" TabIndex="3" />
                <asp:Button ID="Button2" runat="server" Style="z-index: 107; left: 288px; position: absolute; top: 153px" Text="Reset" OnClick="Button2_Click" BackColor="#FFC080" BorderColor="#FF8000" BorderStyle="Outset" Width="78px" TabIndex="4" />
                <asp:RequiredFieldValidator ID="RequiredFieldValidator1" runat="server" ControlToValidate="txt_uid" ErrorMessage="RequiredFieldValidator" Style="z-index: 108; left: 287px; position: absolute; top: 59px">*</asp:RequiredFieldValidator>
                <asp:RequiredFieldValidator ID="RequiredFieldValidator2" runat="server" >
            </asp:Panel>
        </div>
    </form>
</body>
```

```

ControlToValidate="txt_passwd"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 109; left: 289px; position: absolute;
    top: 97px">*</asp:RequiredFieldValidator><center >
<asp:Label ID="Label5" runat="server" Style="z-index: 110; left: 6px; position: absolute;
    top: 128px" Width="381px" Visible="False" ForeColor="Red"></asp:Label></center>
</asp:Panel>
<asp:Image ID="Image1" runat="server" Height="122px" ImageUrl "~/img/hastamilan1.JPG"
    Style="z-index: 101; left: 4px; position: absolute; top: 3px" Width="947px" />
<marquee style="z-index: 114; left: 7px; text-transform: capitalize; width: 939px; color: crimson;
font-style: italic; position: absolute; top: 126px; font-variant: normal; text-decoration: underline; clear:
none; display: inline; float: right; overflow: hidden; font-family: 'Book Antiqua'; border-right: #990000 thin
dotted; border-top: #990000 thin dotted; font-weight: bold; border-left: #990000 thin dotted; border-bottom:
#990000 thin dotted; height: 12px; background-color: #ffcccc;" id="MARQUEE1">**LOGIN**</marquee>
<asp:Panel ID="Panel2" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Double"
    Height="468px" Style="z-index: 102; left: 0px; position: absolute; top: 196px"
    Width="217px">
<asp:Image ID="Image2" runat="server" Height="126px" ImageUrl "~/img/ganesh.gif"
    Style="z-index: 100; left: 0px; position: absolute; top: 4px" Width="214px" />
<asp:Label ID="Label6" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
    ForeColor="#C00000" Style="z-index: 101; left: 0px; position: absolute; top: 133px"
    Text="Our Features" Width="209px"></asp:Label>
<asp:Label ID="Label9" runat="server" Font-Size="Medium" ForeColor="Maroon" Style="z-index: 102;
    left: 3px; position: absolute; top: 181px" Text="Hastamilan is Currently Free ::">
    Width="212px"></asp:Label>
<br />
<asp:Image ID="Image5" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 103;
    left: 5px; position: absolute; top: 227px" />
    &nbsp;&nbsp;
<asp:Image ID="Image8" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 104;
    left: 5px; position: absolute; top: 256px" />
<asp:Image ID="Image9" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 105;
    left: 5px; position: absolute; top: 282px" />
<asp:Image ID="Image10" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 106;
    left: 5px; position: absolute; top: 313px" />
<asp:Label ID="Label4" runat="server" ForeColor="Green" Style="z-index: 107; left: 25px;
    position: absolute; top: 228px" Text="Fast easy registration process" Width="183px"></asp:Label>
    &nbsp; &nbsp;
<asp:Label ID="Label10" runat="server" ForeColor="Green" Style="z-index: 108; left: 25px;
    position: absolute; top: 352px" Text="Search for men/women who meet your criteria"
    Width="190px"></asp:Label>
    &nbsp; &nbsp;&nbsp;&nbsp;
<asp:Label ID="Label13" runat="server" ForeColor="Green" Style="z-index: 109; left: 25px;
    position: absolute; top: 254px" Text="Provide Contact numbers"></asp:Label>
<asp:HyperLink ID="HyperLink10" runat="server" Font-Size="Medium" ForeColor="Green"
    Style="z-index: 110; left: 25px; position: absolute; top: 279px">Upload the Photo</asp:HyperLink>

```

```

<asp:Image ID="Image29" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 111;
    left: 5px; position: absolute; top: 356px" />
<asp:HyperLink ID="HyperLink11" runat="server" Font-Size="Medium" ForeColor="Green"
    Style="z-index: 113; left: 25px; position: absolute; top: 306px" Width="183px">You have full
search and browse capability</asp:HyperLink>
</asp:Panel>
<asp:HyperLink ID="HyperLink6" runat="server" ForeColor="#C00000" Style="z-index: 103;
    left: 479px; position: absolute; top: 166px" NavigateUrl("~/AstrologyServices1.aspx" Width="184px"
ToolTip="TO SEE ASTROLOGY SITES" TabIndex="10">[ASTROLOGY SERVICES]</asp:HyperLink>
    &nbsp; &nbsp; &nbsp; &nbsp;
<asp:Panel ID="Panel3" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Double"
    Height="469px" Style="z-index: 104; left: 727px; position: absolute; top: 199px"
    Width="225px">
    <asp:Image ID="Image3" runat="server" ImageUrl "~/img/right-barat.gif" Style="z-index: 100;
        left: 3px; position: absolute; top: 4px" Height="127px" Width="214px" />
    <asp:Label ID="Label7" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
        ForeColor="#C00000" Height="23px" Style="z-index: 101; left: 0px; position: absolute;
        top: 133px" Text="Our Features" Width="218px"></asp:Label>
    <asp:HyperLink ID="Hyperlink5" runat="server" Style="z-index: 102; left: 32px; position: absolute;
        top: 250px" Font-Size="Medium" ForeColor="Green" NavigateUrl "~/Registration1.aspx"
ToolTip="MATRIMONIAL REGISTRATION TO NEW USER" TabIndex="6">Matrimonial Registration</asp:HyperLink>
    &nbsp; &nbsp;&nbsp; &nbsp; &nbsp; &nbsp;&nbsp;
    <asp:Image ID="Image13" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 103;
        left: 13px; position: absolute; top: 249px" />
    <asp:HyperLink ID="HyperLink8" runat="server" NavigateUrl "~/other_aboutus.aspx"
        Style="z-index: 106; left: 31px; position: absolute; top: 293px" Width="126px" ForeColor="Green"
ToolTip="About Us">About Us</asp:HyperLink>
    <asp:HyperLink ID="HyperLink9" runat="server" NavigateUrl "~/other_contactus.aspx"
        Style="z-index: 107; left: 31px; position: absolute; top: 335px" Font-Size="Medium"
ForeColor="Green" ToolTip="CONTACT US" Width="89px">Contact Us</asp:HyperLink>
    <asp:Image ID="Image6" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 108;
        left: 13px; position: absolute; top: 334px" />
    <asp:Image ID="Image7" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 110;
        left: 12px; position: absolute; top: 291px" />
</asp:Panel>
<asp:HyperLink ID="HyperLink3" runat="server" ForeColor="#C00000" NavigateUrl "~/Registration1.aspx"
    Style="z-index: 105; left: 6px; position: absolute; top: 164px" ToolTip="MATRIMONIAL REGISTRATION TO
NEW USER" TabIndex="8">[MATRIMONIAL REGISTRATION]</asp:HyperLink>
    <asp:HyperLink ID="HyperLink4" runat="server" ForeColor="#C00000" Style="z-index: 106;
        left: 273px; position: absolute; top: 166px" NavigateUrl "~/Matrimonialsites1.aspx" ToolTip="TO SEE
MORE MATRIMONIAL SITES LINKS" TabIndex="9">[MATRIMONIAL SITES]</asp:HyperLink>
    <asp:HyperLink ID="HyperLink7" runat="server" ForeColor="#C00000" NavigateUrl "~/loginn2.aspx"
        Style="z-index: 107; left: 703px; position: absolute; top: 166px" Width="183px" ToolTip="REGISTERED
MEMBER CAN CHANGE PASSWORD" TabIndex="11" BackColor="White">[CHANGE PASSWORD]</asp:HyperLink>
    <asp:Image ID="Image14" runat="server" Height="255px" ImageUrl "~/img/curtains-left.gif"

```

```

        Style="z-index: 108; left: 226px; position: absolute; top: 200px" Width="48px" />
<asp:Image ID="Image15" runat="server" Height="273px" ImageUrl "~/img/curtains-right.gif"
        Style="z-index: 109; left: 680px; position: absolute; top: 205px" Width="47px" />
<asp:Image ID="Image11" runat="server" ImageUrl "~/img/hand.jpg" Style="z-index: 110;
        left: 279px; position: absolute; top: 212px" Width="93px" />
<asp:Panel ID="Panel4" runat="server" ForeColor="#C00000" Height="218px" Style="z-index: 111;
        left: 276px; position: absolute; top: 207px" Width="403px">
    &nbsp; &nbsp;
    &nbsp;This matchmaking technique is more powerful<br />
    &nbsp; &nbsp;
    &nbsp; &nbsp; &nbsp;than marriage bureaus, matchmakers and others&nbsp;<br />
    &nbsp; &nbsp;
    &nbsp; &nbsp; &nbsp;Arrange marriage and atrimonay Methods.....you&nbsp;<br />
    &nbsp; &nbsp;
    &nbsp; are bound to find a suitable alliance.<br />
<asp:Image ID="Image17" runat="server" Height="10px" ImageUrl "~/img/circle-arrow.gif"
        Style="z-index: 101; left: 7px; position: absolute; top: 130px" Width="10px" />
<asp:Image ID="Image18" runat="server" Height="10px" ImageUrl "~/img/circle-arrow.gif"
        Style="z-index: 102; left: 7px; position: absolute; top: 152px" Width="10px" />
<asp:Image ID="Image19" runat="server" Height="10px" ImageUrl "~/img/circle-arrow.gif"
        Style="z-index: 103; left: 6px; position: absolute; top: 173px" Width="10px" />
<asp:Image ID="Image20" runat="server" Height="10px" ImageUrl "~/img/circle-arrow.gif"
        Style="z-index: 104; left: 7px; position: absolute; top: 191px" Width="10px" />
<asp:Label ID="Label14" runat="server" Font-Size="Smaller" Style="z-index: 105; left: 28px;
    position: absolute; top: 130px" Text="Register for membership"></asp:Label>
<asp:Label ID="Label15" runat="server" Font-Size="Smaller" Style="z-index: 106; left: 30px;
    position: absolute; top: 195px" Text="Search for men/women who meet your criteria"></asp:Label>
<asp:Label ID="Label16" runat="server" Font-Size="Smaller" Style="z-index: 107; left: 33px;
    position: absolute; top: 174px" Text="Live a happy life no need to be single"></asp:Label>
<asp:Label ID="Label17" runat="server" Font-Size="Smaller" Style="z-index: 110; left: 31px;
    position: absolute; top: 154px" Text="Different Type of Quick search"></asp:Label>
    &nbsp; &nbsp;
<asp:Label ID="Label18" runat="server" BackColor="Info" ForeColor="#004000" Height="32px"
        Style="z-index: 109; left: 3px; position: absolute; top: 85px" Text="Here's a quick way to find
your life partner ::--"
        Width="396px"></asp:Label>
</asp:Panel>
<asp:Image ID="Image12" runat="server" ImageUrl "~/img/hand.jpg" Style="z-index: 112;
        left: 578px; position: absolute; top: 347px" Width="94px" Height="72px" />
    &nbsp; &nbsp;

```

loginn1.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;

public partial class _Default : System.Web.UI.Page
{
    string strconn =
System.Configuration.ConfigurationManager.ConnectionStrings["hastamilandatabase"].ConnectionString;
    System.Data.OleDb.OleDbConnection conn;

    protected void Page_Load(object sender, EventArgs e)
    {
        txt_uid.Focus();
    }
    protected void Button1_Click(object sender, EventArgs e)
    {
        conn = new System.Data.OleDb.OleDbConnection(strconn);
        conn.Open();
        string str = "select * from re1";
        System.Data.OleDb.OleDbCommand cmd = new System.Data.OleDb.OleDbCommand(str, conn);
        System.Data.OleDb.OleDbDataReader r;
        r = cmd.ExecuteReader();
        int ii = 0;
        if (r.HasRows == true)
        {
            while (r.Read())
            {
                if (r[0].ToString() == txt_uid.Text)
                {
                    if (r[1].ToString() == txt_passwd.Text)
                    {

                        Label5.Visible = false;
                        ii = 1;
                        Response.Cookies["name"].Value = txt_uid.Text.ToString();
                    }
                }
            }
        }
    }
}
```

```

        Response.Redirect("Homepage.aspx");
    }
}
}
if (ii == 0)
{
    Label5.Visible = true;
    Label5.Text = "Plz Enter Correct User ID & Password ";
}
}
protected void LinkButton1_Click(object sender, EventArgs e)
{
    Response.Redirect("loginn2.aspx");
}
protected void Button2_Click(object sender, EventArgs e)
{
    txt_uid.Text = "";
    txt_passwd.Text = "";
    txt_uid.Focus();
}
}
}

```

Login Form 2

loginn2.aspx

```

<%@ Page Language="C#" AutoEventWireup="true" CodeFile="loginn2.aspx.cs" Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>CHANGE PASSWORD FORM</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            <asp:Image ID="Image1" runat="server" Height="135px" ImageUrl "~/img/hastamilan1.JPG"
                Style="z-index: 100; left: -4px; position: absolute; top: -4px" Width="957px" />
            <marquee style="z-index: 106; left: 208px; text-transform: capitalize; width: 529px; color: crimson;
                font-style: italic; position: absolute; top: 130px; font-variant: normal; text-decoration: underline; clear:
                none; display: inline; float: right; overflow: hidden; font-family: 'Book Antiqua'; border-right: #990000 thin
            >
        </div>
    </form>
</body>

```

```

dotted; border-top: #990000 thin dotted; font-weight: bold; border-left: #990000 thin dotted; border-bottom:
#990000 thin dotted; height: 11px; background-color: #ffcccc;" id="MARQUEE1">**CHANGE PASSWORD**</marquee>
<br />
<br />
 <br />
<asp:Panel ID="Panel1" runat="server" ForeColor="White" Height="362px" Style="z-index: 101;
    left: 279px; position: absolute; top: 165px" Width="384px" BackColor="#FFFFC0" BorderColor="#FF8080"
BorderStyle="Double">
    &nbsp;&nbsp;
    <asp:Label ID="Label1" runat="server" Style="z-index: 100; left: 2px; position: absolute;
        top: 0px" Text="Change Password" Width="374px" BackColor="#FF8080" BorderColor="#C00000"
BorderStyle="Double" Font-Size="Larger" ForeColor="#C00000" Height="21px"></asp:Label>
    <asp:Label ID="Label2" runat="server" Height="19px" Style="z-index: 101; left: 12px;
        position: absolute; top: 46px" Text="User ID :" Width="108px" ForeColor="Black"></asp:Label>
    <asp:TextBox ID="txt_uid" runat="server" Style="z-index: 102; left: 155px; position: absolute;
        top: 36px" TabIndex="1"></asp:TextBox>
    &nbsp;
    <asp:RequiredFieldValidator ID="RequiredFieldValidator1" runat="server" ControlToValidate="Txt_uid"
        ErrorMessage="RequiredFieldValidator" Style="z-index: 103; left: 325px; position: absolute;
        top: 41px">*</asp:RequiredFieldValidator>
    &nbsp;
    <asp:Label ID="Label3" runat="server" Height="19px" Style="z-index: 105; left: 15px;
        position: absolute; top: 92px" Text="Old Password :" Width="109px" ForeColor="Black"></asp:Label>
    <asp:TextBox ID="txt_passwd" runat="server" Style="z-index: 106; left: 155px; position: absolute;
        top: 91px" TextMode="Password" TabIndex="2"></asp:TextBox>
    &nbsp;
    <asp:RequiredFieldValidator ID="RequiredFieldValidator2" runat="server"
ControlToValidate="Txt_passwd"
        ErrorMessage="RequiredFieldValidator" Style="z-index: 107; left: 324px; position: absolute;
        top: 91px">*</asp:RequiredFieldValidator>
    <asp:Button ID="Button1" runat="server" Height="23px" PostBackUrl="~/loginn2.aspx"
        Style="z-index: 108; left: 66px; position: absolute; top: 253px" Text="Change Password"
        Width="119px" BackColor="#FFC080" BorderColor="#FF8000"
        BorderStyle="Double" ToolTip="CHANGE PASSWORD" TabIndex="5"
        onclick="Button1_Click1" />
    <asp:Label ID="Label5" runat="server" Height="18px" Style="z-index: 109; left: 15px;
        position: absolute; top: 177px" Text="Conform Password :" Width="128px"
ForeColor="Black"></asp:Label>
    <asp:TextBox ID="txt_conformpasswd" runat="server" Height="16px" Style="z-index: 110;
        left: 155px; position: absolute; top: 174px" TextMode="Password" TabIndex="4"></asp:TextBox>
    <br />
    <asp:Button ID="Button2" runat="server" BackColor="#FFC080" BorderColor="#FF8000"
        BorderStyle="Double" OnClick="Button2_Click" Style="z-index: 117; left: 228px;
        position: absolute; top: 254px" Text="Reset" Width="95px" TabIndex="6" />
    <br />

```

```

<asp:Label ID="Label4" runat="server" Height="19px" Style="z-index: 112; left: 15px;
    position: absolute; top: 139px" Text="New Password :" Width="121px"
ForeColor="Black"></asp:Label>
<asp:TextBox ID="txt_newpasswd" runat="server" Style="z-index: 113; left: 155px;
    position: absolute; top: 137px" TextMode="Password" TabIndex="3"></asp:TextBox>
<asp:CompareValidator ID="CompareValidator1" runat="server" ControlToCompare="txt_newpasswd"
    ControlToValidate="txt_conformpasswd" ErrorMessage="CompareValidator" Font-Size="Medium"
    Style="z-index: 114; left: 14px; position: absolute; top: 207px" Width="353px">New Password And
Conform Password Are Not Same</asp:CompareValidator>
<asp:Label ID="Label7" runat="server" Style="z-index: 115; left: 70px; position: absolute;
    top: 286px" Width="268px" ForeColor="Red" Font-Size="Medium"></asp:Label>
<br />
<asp:HyperLink ID="HyperLink1" runat="server" ForeColor="Black" Height="26px"
ImageUrl "~/img/home.gif"
    Style="z-index: 116; left: 282px; position: absolute; top: 321px" NavigateUrl="~/loginn1.aspx"
BorderColor="#C00000" BorderStyle="Double" ToolTip="GO TO LOGIN FORM" TabIndex="10">HyperLink</asp:HyperLink>
</asp:Panel>
<asp:Panel ID="Panel2" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Double"
    Height="445px" Style="z-index: 102; left: 0px; position: absolute; top: 129px"
    Width="200px">
    <asp:Image ID="Image2" runat="server" Height="127px" ImageUrl "~/img/ganesh.gif"
        Style="z-index: 100; left: 0px; position: absolute; top: 0px" Width="196px" />
    <asp:Label ID="Label8" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
        ForeColor="#C00000" Height="24px" Style="z-index: 101; left: 0px; position: absolute;
        top: 125px" Text="Our Features" Width="192px"></asp:Label>
    &nbsp; &nbsp; &nbsp; &nbsp;&nbsp; &nbsp; &nbsp;
    <asp:Label ID="Label6" runat="server" Font-Size="Medium" ForeColor="Green" Style="z-index: 102;
        left: 22px; position: absolute; top: 279px" Text="Fast easy registration process"
        Width="176px"></asp:Label>
    <asp:Label ID="Label10" runat="server" Font-Size="Medium" ForeColor="Green" Style="z-index: 103;
        left: 22px; position: absolute; top: 322px" Text="You have full search and browse capability"
        Width="166px"></asp:Label>
    <asp:Label ID="Label11" runat="server" Font-Size="Medium" ForeColor="Green" Style="z-index: 104;
        left: 22px; position: absolute; top: 249px" Text="Provide Contact numbers"
        Width="170px"></asp:Label>
    <asp:Image ID="Image6" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 105;
        left: 4px; position: absolute; top: 331px" />
    <asp:Image ID="Image7" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 106;
        left: 4px; position: absolute; top: 286px" />
    <asp:Image ID="Image8" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 107;
        left: 4px; position: absolute; top: 248px" />
    <asp:HyperLink ID="HyperLink4" runat="server" Font-Size="Medium" ForeColor="Green"
        Style="z-index: 108; left: 22px; position: absolute; top: 221px">Upload the Photo</asp:HyperLink>
    <asp:Image ID="Image9" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 109;
        left: 4px; position: absolute; top: 219px" />

```

```

<asp:Label ID="Label12" runat="server" ForeColor="Maroon" Style="z-index: 111; left: 2px;
    position: absolute; top: 174px" Text="Hastamilan is Currently Free ::"></asp:Label>
</asp:Panel>
<asp:Panel ID="Panel3" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Double"
    Height="451px" Style="z-index: 103; left: 741px; position: absolute; top: 131px"
    Width="202px" Font-Size="Smaller" ForeColor="White" ToolTip="REGISTERED MEMBER CAN CHANGE PASSWORD">
    <asp:Image ID="Image3" runat="server" Height="134px" ImageUrl "~/img/right-barat.gif"
        Style="z-index: 100; left: 0px; position: absolute; top: 0px" Width="201px" />
    <asp:Label ID="Label19" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
        ForeColor="#C00000" Height="23px" Style="z-index: 101; left: 0px; position: absolute;
        top: 131px" Text="Our Features" Width="196px" Font-Size="Medium"></asp:Label>
    &nbsp; &nbsp;&nbsp; &nbsp;&nbsp; &nbsp; &nbsp; &nbsp;
    <asp:HyperLink ID="HyperLink10" runat="server" ForeColor="Green" NavigateUrl="~/Registration1.aspx"
        Style="z-index: 102; left: 25px; position: absolute; top: 210px" Font-Size="Medium" Width="164px"
        ToolTip="MATRIMONIAL REGISTRATION TO NEW USER" TabIndex="7">Matrimonial Registration</asp:HyperLink>
    &nbsp; &nbsp; &nbsp;
    <asp:Image ID="Image12" runat="server" Style="z-index: 103; left: 8px; position: absolute;
        top: 210px" ImageUrl "~/img/bullet.gif" />
    <asp:Image ID="Image4" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 104;
        left: 8px; position: absolute; top: 253px" />
    <asp:Image ID="Image5" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 105;
        left: 8px; position: absolute; top: 296px" />
    <asp:HyperLink ID="HyperLink2" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl="~/loginn2.aspx" Style="z-index: 106; left: 25px; position: absolute;
        top: 253px" Width="122px" TabIndex="8">Change Password</asp:HyperLink>
    <asp:HyperLink ID="HyperLink3" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl="~/loginn1.aspx" Style="z-index: 108; left: 25px; position: absolute;
        top: 296px" Width="127px" ToolTip="LOGIN HERE TO REGISTERED MEMBER" TabIndex="9">Login
Here</asp:HyperLink>
    </asp:Panel>
    <asp:Image ID="Image10" runat="server" Height="232px" ImageUrl "~/img/curtains-right.gif"
        Style="z-index: 104; left: 678px; position: absolute; top: 172px" Width="53px" />
    <asp:Image ID="Image11" runat="server" Height="218px" ImageUrl "~/img/curtains-left.gif"
        Style="z-index: 107; left: 216px; position: absolute; top: 169px" Width="56px" />
</div>
</form>
</body>
</html>

```

loginn2.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;

public partial class _Default : System.Web.UI.Page
{
    string strconn =
System.Configuration.ConfigurationManager.ConnectionStrings["hastamilandatabase"].ConnectionString;
    System.Data.OleDb.OleDbConnection conn;
    System.Data.OleDb.OleDbConnection conn1;

    protected void Page_Load(object sender, EventArgs e)
    {
        Label17.Text = "";
    }
    protected void Button2_Click(object sender, EventArgs e)
    {
        Response.Redirect("loginn2.aspx");
    }
    protected void Button1_Click1(object sender, EventArgs e)
    {
        conn = new System.Data.OleDb.OleDbConnection(strconn);
        conn.Open();
        string str = "select * from re1";
        System.Data.OleDb.OleDbCommand cmd = new System.Data.OleDb.OleDbCommand(str, conn);
        System.Data.OleDb.OleDbDataReader r;
        r = cmd.ExecuteReader();

        if (r.HasRows == true)
        {
            while (r.Read())
            {
                string u = r[0].ToString();
                string p = r[1].ToString();
                if (u == txt_uid.Text)
                {

```

```

        if (p == txt_passwd.Text)
        {
            string str1 = "Update re1 set Pass='" + txt_newpasswd.Text + "',CPasswd='"
+ txt_conformpasswd.Text + "' where UName='" + txt_uid.Text + "'";
            System.Data.OleDb.OleDbCommand cmd1 = new System.Data.OleDb.OleDbCommand(str1, conn);
            cmd1.ExecuteNonQuery();
            Label7.Text = " success passwd change";
        }
        else
        {
            Label7.Text = "Enter the Correct Old Password";
        }
    }
}
}

```

Home Page

Homepage.aspx

```

<%@ Page Language="C#" AutoEventWireup="true" CodeFile="Homepage.aspx.cs" Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>HOME PAGE</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>

            <asp:Image ID="Image1" runat="server" Height="122px" ImageUrl="~/img/hastamilan1.JPG"
                Style="z-index: 100; left: 0px; position: absolute; top: 0px" Width="951px" />
            <asp:Image ID="Image19" runat="server" ImageUrl="~/img/freematchlogo.gif" Style="z-index: 101;
                left: 670px; position: absolute; top: 751px" />
            <asp:Image ID="Image14" runat="server" ImageUrl="~/img/curtains-left.gif" Style="z-index: 102;
                left: 229px; position: absolute; top: 223px" Height="263px" Width="54px" />
            <marquee style="z-index: 121; left: 2px; text-transform: capitalize; width: 942px; color: crimson;
                font-style: italic; position: absolute; top: 124px; font-variant: normal; text-decoration: underline; clear:

```

```

none; display: inline; float: right; overflow: hidden; font-family: 'Book Antiqua'; border-right: #990000 thin dotted; border-top: #990000 thin dotted; font-weight: bold; border-left: #990000 thin dotted; border-bottom: #990000 thin dotted; height: 16px; background-color: #ffcccc;" id="MARQUEE1">>**WELCOME TO OUR WEB SITE**</marquee> <br><br><br><br><br><br><br>
<asp:HyperLink ID="HyperLink10" runat="server" ForeColor="Maroon" NavigateUrl="~/Homepage.aspx"
    Style="z-index: 103; left: 91px; position: absolute; top: 165px" ToolTip="HOME PAGE" TabIndex="1">[ HOME ]</asp:HyperLink>
    &nbsp; &nbsp;
    <asp:HyperLink ID="HyperLink13" runat="server" ForeColor="Maroon" NavigateUrl="~/Updatelogin.aspx"
        Style="z-index: 104; left: 319px; position: absolute; top: 167px" ToolTip="TO UPDATE THE INFOMATION" TabIndex="3">[UPDATION]</asp:HyperLink>
    <asp:HyperLink ID="HyperLink12" runat="server" ForeColor="Maroon" NavigateUrl="~/Searchhome.aspx"
        Style="z-index: 105; left: 200px; position: absolute; top: 165px" ToolTip="TO SEE DIFFERENT TYPES OF SEARCHES" TabIndex="2">[SEARCH]</asp:HyperLink>
    <br />
    <asp:Panel ID="Panel2" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Double"
        Height="435px" Style="z-index: 106; left: 0px; position: absolute; top: 214px"
        Width="212px">
        <asp:Image ID="Image2" runat="server" Height="123px" ImageUrl="~/img/ganesh.gif"
            Style="z-index: 100; left: 0px; position: absolute; top: 2px" Width="214px" />
        &nbsp;&nbsp;<br><br><br><br><br><br>
        <asp:Label ID="Label1" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
            ForeColor="#C00000" Style="z-index: 101; left: -2px; position: absolute; top: 127px"
            Text="Our Features" Width="209px"></asp:Label>
        &nbsp; &nbsp; &nbsp;&nbsp;&nbsp;<br />
        &nbsp; &nbsp;
        <asp:Image ID="Image4" runat="server" ImageUrl="~/img/bullet.gif" Style="z-index: 102;
            left: 7px; position: absolute; top: 314px" Height="15px" />
        <asp:Image ID="Image5" runat="server" ImageUrl="~/img/bullet.gif" Style="z-index: 103;
            left: 7px; position: absolute; top: 280px" Height="14px" />
        <asp:Image ID="Image6" runat="server" ImageUrl="~/img/bullet.gif" Style="z-index: 104;
            left: 7px; position: absolute; top: 242px" Height="16px" />
        <asp:Image ID="Image7" runat="server" ImageUrl="~/img/bullet.gif" Style="z-index: 110;
            left: 7px; position: absolute; top: 205px" />
        &nbsp;&nbsp;
        <asp:HyperLink ID="HyperLink6" runat="server" Style="z-index: 106; left: 34px; position: absolute;
            top: 284px" ForeColor="Green" Font-Size="Medium" NavigateUrl="~/Honemoonpackages.aspx"
        ToolTip="TO SEE DIFFERENT TYPES OF HONEYMOON PACKAGES" TabIndex="8">Honemoon Packages</asp:HyperLink>
        &nbsp;
        <asp:HyperLink ID="HyperLink8" runat="server" Style="z-index: 107; left: 34px; position: absolute;
            top: 316px" ForeColor="Green" Font-Size="Medium" Font-Underline="True"
        NavigateUrl="~/OtherServices.aspx" ToolTip="TO SEE THE TERMS AND CONDITION" TabIndex="9">Other Services</asp:HyperLink>
        &nbsp; &nbsp; &nbsp;&nbsp;&nbsp; &nbsp; &nbsp;
        <asp:HyperLink ID="HyperLink9" runat="server" Font-Size="Medium" ForeColor="Green"

```

```

        NavigateUrl="~/Objectivesofthesite.aspx" Style="z-index: 108; left: 34px; position: absolute;
        top: 208px" ToolTip="TO SEE THE OBJECTIVES OF THE SITE" TabIndex="6">Objective Of The
Site</asp:HyperLink>
        &nbsp;
        <asp:HyperLink ID="HyperLink7" runat="server" Style="z-index: 109; left: 34px; position: absolute;
        top: 243px" ForeColor="Green" Font-Size="Medium" Font-Underline="True"
NavigateUrl="~/TermsandCondition.aspx" ToolTip="TO SEE THE TERMS AND CONDITION" TabIndex="7">Terms And
Condition</asp:HyperLink>
        </asp:Panel>
        &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;&nbsp; &nbsp; &nbsp; &nbsp;&nbsp; &nbsp; &nbsp; &nbsp;&nbsp; &nbsp; &nbsp; &nbsp;&nbsp;
        <asp:HyperLink ID="HyperLink2" runat="server" EnableTheming="True" ForeColor="Blue"
        NavigateUrl="~/loginn1.aspx" Style="z-index: 107; left: 839px; position: absolute;
        top: 168px" ToolTip="LOGOUT" TabIndex="19">[LogOut]</asp:HyperLink>
        &nbsp; &nbsp; &nbsp;&nbsp; &nbsp; &nbsp; &nbsp;&nbsp; &nbsp; &nbsp; &nbsp;&nbsp; &nbsp; &nbsp; &nbsp;&nbsp;
        <asp:HyperLink ID="HyperLink14" runat="server" ForeColor="Maroon" NavigateUrl="~/ContactUs.aspx"
        Style="z-index: 108; left: 461px; position: absolute; top: 166px" Width="112px" ToolTip="TO SEE
CONTACT DETAILS" TabIndex="4">[CONTACT US]</asp:HyperLink>
        &nbsp; &nbsp; &nbsp; &nbsp;&nbsp;
        <asp:Label ID="Label3" runat="server" Style="z-index: 109; left: 451px; position: absolute;
        top: 207px" Text="Label" Width="188px"></asp:Label>
        &nbsp; &nbsp; &nbsp; &nbsp;&nbsp;
        <asp:Label ID="lbl_msg" runat="server" Style="z-index: 110; left: 266px; position: absolute;
        top: 206px" Text="Label" ForeColor="#C00000" Width="179px"></asp:Label>
        &nbsp; &nbsp; &nbsp;&nbsp; &nbsp; &nbsp;
        &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;&nbsp; &nbsp; &nbsp;
        <asp:HyperLink ID="HyperLink15" runat="server" ForeColor="Maroon" NavigateUrl="~/TermsandCondition.aspx"
        Style="z-index: 111; left: 610px; position: absolute; top: 166px" Width="206px" ToolTip="TO SEE THE
TERMS AND CONDITION" TabIndex="5">[TERMS AND CONDITION]</asp:HyperLink>
        &nbsp; &nbsp; &nbsp; &nbsp;&nbsp;
        <asp:Panel ID="Panel1" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Double"
        Height="430px" Style="z-index: 112; left: 722px; position: absolute; top: 220px"
        Width="215px">
            <asp:Image ID="Image3" runat="server" Height="123px" ImageUrl="~/img/right-barat.gif"
            Style="z-index: 100; left: 0px; position: absolute; top: 3px" Width="214px" />
            &nbsp;&nbsp;<br><br><br><br><br><br><br>
            <asp:Label ID="Label2" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
            ForeColor="#C00000" Height="23px" Style="z-index: 101; left: 0px; position: absolute;
            top: 127px" Text="Our Features" Width="210px"></asp:Label>
            <br />
            &nbsp;
            <asp:HyperLink ID="HyperLink1" runat="server" ForeColor="Green" NavigateUrl="~/Searchhome.aspx"
            Style="z-index: 102; left: 26px; position: absolute; top: 261px" Font-Size="Medium" Width="149px"
            ToolTip="TO SEE DIFFERENT TYPES OF SEARCHES" TabIndex="11">Search Your Match</asp:HyperLink>
            &nbsp; &nbsp;&nbsp;
            <asp:Image ID="Image9" runat="server" ImageUrl="~/img/bullet.gif" Style="z-index: 103;

```

```

        left: 7px; position: absolute; top: 220px" />
        &nbsp;
        <asp:Image ID="Image11" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 104;
            left: 7px; position: absolute; top: 258px" Height="15px" Width="8px" />
        <asp:Image ID="Image12" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 105;
            left: 7px; position: absolute; top: 295px" />
        <asp:HyperLink ID="HyperLink4" runat="server" ForeColor="Green" NavigateUrl="~/Updatelogin.aspx"
            Style="z-index: 106; left: 26px; position: absolute; top: 223px" Font-Size="Medium" Width="179px"
            ToolTip="TO UPDATE THE INFOMATION" TabIndex="10">Updation Of Information</asp:HyperLink>
        <asp:HyperLink ID="HyperLink5" runat="server" ForeColor="Green" Style="z-index: 107;
            left: 26px; position: absolute; top: 294px" Font-Size="Medium" Font-Underline="True"
            NavigateUrl="~/ContactUs.aspx" Width="94px" ToolTip="TO SEE CONTACT DETAILS" TabIndex="12">Contact
            Us</asp:HyperLink>
        &nbsp; &nbsp; &nbsp; &nbsp;&nbsp;&nbsp; &br><br><br><br><br><br><br><br>
        <asp:Image ID="Image8" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 108;
            left: 7px; position: absolute; top: 324px" />
        <asp:HyperLink ID="HyperLink3" runat="server" ForeColor="Green" NavigateUrl="~/Aboutus.aspx"
            Style="z-index: 110; left: 26px; position: absolute; top: 323px">About Us</asp:HyperLink>
        <br />
    </asp:Panel>
    &nbsp; &nbsp; &nbsp; &nbsp;&nbsp;&nbsp; &nbsp;&nbsp;&nbsp; &nbsp;&nbsp;&nbsp;
</div>

        <table style="z-index: 120; left: 5px; position: absolute; top: 854px; border-right: salmon thin dotted;
border-top: salmon thin dotted; border-left: salmon thin dotted; width: 944px; border-bottom: salmon thin dotted;
border-collapse: separate; height: 38px;" >

        <tr>
            <td style="width: 103px; height: 41px;"><asp:linkbutton ID="l_1" runat="server" Text="HOME"
Width="72px" Font-Size="Smaller" ForeColor="Maroon" PostBackUrl="~/Homepage.aspx" ToolTip="HOME"
TabIndex="13"></asp:linkbutton></td>
            <td style="width: 267px; height: 41px;"><asp:LinkButton ID="l1" runat="server" Text="MATRIMONIAL
SITES" Width="165px" Font-Size="Smaller" ForeColor="Maroon" PostBackUrl="~/user_Matro_sites.aspx" ToolTip="PLZ
CLICK TO SEE DIFFERENT TYPES OF MATRIMONIAL SITES" TabIndex="14" ></asp:LinkButton></td>
            <td style="width: 257px; height: 41px;"><asp:LinkButton ID="l2" runat="server" Text="ASTROLOGY
SERVICES" Width="176px" Font-Size="Smaller" ForeColor="Maroon" PostBackUrl="~/user_astro.aspx" ToolTip="PLZ CLICK
TO SEE DIFFERENT TYPES OF ASTROLOGY SITES" TabIndex="15" ></asp:LinkButton></td>
            <td style="width: 302px; height: 41px;"><asp:LinkButton ID="l3" runat="server" Text="ABOUT US"
ForeColor="Maroon" Font-Size="Smaller" PostBackUrl="~/Aboutus.aspx" ToolTip="ABOUT US"
TabIndex="16"></asp:LinkButton></td>
            <td style="width: 385px; height: 41px;"><asp:LinkButton ID="l4" runat="server" Text="CONTACT US" Font-
Size="Smaller" ForeColor="Maroon" PostBackUrl="~/ContactUs.aspx" ToolTip="TO SEE CONTACT DETAILS"
TabIndex="17"></asp:LinkButton></td>
            <td style="width: 320px; height: 41px;"><asp:LinkButton ID="l5" runat="server" Text="TERMS OF USE" Font-
Size="Smaller" ForeColor="Maroon" PostBackUrl="~/TermsandCondition.aspx" Width="116px" ToolTip="TO SEE THE TERMS
OF USE" TabIndex="18"></asp:LinkButton></td>
        </tr>
    </table>

```

```

AND CONDITION"TabIndex="18">></asp:LinkButton></td></tr> </table>
<br />
 &nbsp;&nbsp;<br />
<br />
<asp:Image ID="Image15" runat="server" ImageUrl "~/img/curtains-right.gif" Style="z-index: 113; left: 660px; position: absolute; top: 223px" Height="273px" Width="54px" /> <br><br><br>
<asp:Image ID="Image16" runat="server" Height="136px" Style="z-index: 114; left: 366px; position: absolute; top: 231px" Width="217px" ImageUrl "~/img/hand.jpg" />
 &nbsp;
<asp:Image ID="Image18" runat="server" Style="z-index: 115; left: 14px; position: absolute; top: 702px" Width="62px" Height="67px" ImageUrl "~/img/couple.jpg" />
<asp:Panel ID="Panel4" runat="server" Height="174px" Style="z-index: 116; left: 6px; position: absolute; top: 666px" Width="337px">
    <asp:Label ID="Label14" runat="server" ForeColor="Purple" Style="z-index: 100; left: 79px; position: absolute; top: 5px" Text="Sucessful Stories" Width="113px"></asp:Label>
    <asp:Label ID="Label16" runat="server" ForeColor="Maroon" Height="52px" Style="z-index: 102; left: 4px; position: absolute; top: 120px" Text="Hastamilan.com provides a best matchmaking facilities to their users.n we make best matchmaking"
        Width="255px" Font-Size="Smaller"></asp:Label>
</asp:Panel> <br>
<asp:Panel ID="Panel3" runat="server" Height="423px" Style="z-index: 117; left: 293px; color: maroon; position: absolute; top: 228px" Width="353px"> <br><br><br><br><br><br><br><br>
Arranged marriages have been around in India as long as probably the institution of marriage itself. With the passage of time we have used various methods such as marriage bureaus, print advertisements, community forums and even progressive technologies like Internet to perform this task of "arranging" a marriage<br />
 &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; You have a perfect counterpart. You have a picture of this 'other' in your mind. Your mate, the perfect other half, dwells on this planet! The desire for union with the right person, be it the knight in shining armour or the damsel in distress, when you know that this is the person of your dream! We can help you find your soul mate◆</asp:Panel>
<br><br><br><br><br><br><br><br><br><br><br><br><br><br>&nbsp;&nbsp;
<asp:Image ID="Image17" runat="server" Height="70px" ImageUrl "~/img/couple[1].jpg" Style="z-index: 118; left: 269px; position: absolute; top: 770px" Width="67px" />
<asp:Label ID="Label5" runat="server" ForeColor="#C00000" Height="60px" Style="z-index: 119; left: 83px; position: absolute; top: 708px" Text="we r happily couple.we choose to eachother by hastamilan.com.now we enjoy life fullest."
        Width="255px" Font-Size="Smaller"></asp:Label>
</form>
</body>
</html>

```

Homepage.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
public partial class _Default : System.Web.UI.Page
{
    string s;
    protected void Page_Load(object sender, EventArgs e)
    {
        s = Request.Cookies["name"].Value;
        lbl_msg.Text = "Welcome "+s;
        Label3.Text = System.DateTime.Now.ToString("D");
    }
}
```

About Us Page

Aboutus.aspx

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="Aboutus.aspx.cs" Inherits="Aboutus" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>ABOUT US</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            <asp:Image ID="Image1" runat="server" Height="122px" ImageUrl "~/img/hastamilan1.JPG"
                Style="z-index: 100; left: 5px; position: absolute; top: 0px" Width="944px" />
            <asp:HyperLink ID="HyperLink10" runat="server" ForeColor="Blue" NavigateUrl="~/loginn1.aspx"
                Style="z-index: 101; left: 656px; position: absolute; top: 150px" Width="67px" ToolTip="LOGOUT"
                TabIndex="9">[LogOut]</asp:HyperLink>
        </div>
    </form>
</body>
</html>
```

```

    &nbsp;
    <marquee style="z-index: 106; left: 224px; text-transform: capitalize; width: 498px; color: crimson; font-style: italic; position: absolute; top: 122px; font-variant: normal; text-decoration: underline; clear: none; display: inline; float: right; overflow: hidden; font-family: 'Book Antiqua'; border-right: #990000 thin dotted; border-top: #990000 thin dotted; font-weight: bold; border-left: #990000 thin dotted; border-bottom: #990000 thin dotted; height: 21px; background-color: #ffcccc;" id="MARQUEE1">**ABOUT US**</marquee>
    <asp:Panel ID="Panel2" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Double" Height="686px" Style="z-index: 102; left: 4px; position: absolute; top: 123px" Width="212px">
        <asp:Image ID="Image2" runat="server" Height="123px" ImageUrl "~/img/ganesh.gif" Style="z-index: 100; left: 0px; position: absolute; top: 2px" Width="211px" />
        &nbsp;&nbsp;<br><br><br><br><br><br><br>
        <asp:Label ID="Label1" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double" ForeColor="#C00000" Style="z-index: 101; left: -1px; position: absolute; top: 127px" Text="Our Features" Width="209px"></asp:Label>
        &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;<br />
        &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
        <asp:HyperLink ID="HyperLink1" runat="server" Font-Size="Medium" ForeColor="Green" NavigateUrl "~/Honemoonpackages.aspx" Style="z-index: 102; left: 24px; position: absolute; top: 324px" ToolTip="TO SEE DIFFERENT TYPES OF HONEYMOON PACKAGES" TabIndex="4">Honymoon Packages</asp:HyperLink>
        <asp:HyperLink ID="HyperLink2" runat="server" Font-Size="Medium" ForeColor="Green" NavigateUrl "~/OtherServices.aspx" Style="z-index: 103; left: 23px; position: absolute; top: 289px" ToolTip="TO SEE OTHER SERVICES" TabIndex="3">Other Services</asp:HyperLink>
        <asp:HyperLink ID="HyperLink3" runat="server" Font-Size="Medium" ForeColor="Green" NavigateUrl "~/Objectivesofthesite.aspx" Style="z-index: 104; left: 23px; position: absolute; top: 214px" ToolTip="TO SEE THE OBJECTIVES OF THE SITE" TabIndex="1">Objective Of The Site</asp:HyperLink>
        <asp:HyperLink ID="HyperLink4" runat="server" Font-Size="Medium" ForeColor="Green" NavigateUrl "~/TermsandCondition.aspx" Style="z-index: 105; left: 23px; position: absolute; top: 253px" ToolTip="TO SEE THE TERMS AND CONDITION" TabIndex="2">Terms And Condition</asp:HyperLink>
        &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
        <asp:Image ID="Image4" runat="server" Style="z-index: 106; left: 6px; position: absolute; top: 322px" ImageUrl "~/img/bullet.gif" />
        <asp:Image ID="Image5" runat="server" Style="z-index: 107; left: 5px; position: absolute; top: 285px" ImageUrl "~/img/bullet.gif" Width="11px" />
        <asp:Image ID="Image6" runat="server" Style="z-index: 108; left: 5px; position: absolute; top: 249px" ImageUrl "~/img/bullet.gif" Width="10px" />
        <asp:Image ID="Image7" runat="server" Style="z-index: 110; left: 5px; position: absolute; top: 208px" ImageUrl "~/img/bullet.gif" Width="11px" />
    </asp:Panel>
    <asp:Panel ID="Panel1" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Double" Height="694px" Style="z-index: 103; left: 726px; position: absolute; top: 122px" Width="215px">

```

```

<asp:Image ID="Image3" runat="server" Height="123px" ImageUrl("~/img/right-barat.gif"
    Style="z-index: 100; left: 0px; position: absolute; top: 3px" Width="214px" />
    &nbsp;&nbsp; <br><br><br><br><br><br><br><br>
<asp:Label ID="Label12" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
    ForeColor="#C00000" Height="23px" Style="z-index: 101; left: 0px; position: absolute;
    top: 127px" Text="Our Features" Width="210px"></asp:Label>
    &nbsp;&nbsp;<br />
    &nbsp; <br><br><br><br>
    <asp:HyperLink ID="HyperLink5" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl "~/ContactUs.aspx" Style="z-index: 102; left: 34px; position: absolute;
        top: 302px" ToolTip="TO CONTACT US" TabIndex="7">Contact Us</asp:HyperLink>
    <asp:HyperLink ID="HyperLink6" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl "~/UpdateLogin.aspx" Style="z-index: 103; left: 30px; position: absolute;
        top: 225px" Width="161px" ToolTip="TO UPDATE THE INFORMATION" TabIndex="5">Updation Of
Information</asp:HyperLink>
    <asp:HyperLink ID="HyperLink7" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl "~/Searchhome.aspx" Style="z-index: 104; left: 33px; position: absolute;
        top: 266px" ToolTip="TO SEARCH YOUR MATCH" TabIndex="6">Search Your Match</asp:HyperLink>
    &nbsp; &nbsp;
    <br />
    <asp:Image ID="Image8" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 107;
        left: 9px; position: absolute; top: 305px" />
    <asp:Image ID="Image9" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 108;
        left: 9px; position: absolute; top: 266px" />
    <asp:Image ID="Image10" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 109;
        left: 9px; position: absolute; top: 222px" />
    &nbsp; &nbsp; <br><br><br><br><br>
</asp:Panel>
    &nbsp; &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;
<asp:Panel ID="Panel3" runat="server" Height="615px" Style="z-index: 107; left: 229px;
    position: absolute; top: 172px" Width="493px" ForeColor="Black">
    <span class="ContentBlack">&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
    &nbsp; &nbsp; &nbsp; &nbsp;&nbsp;<br />
    &nbsp; &nbsp; &nbsp; &nbsp;
    <asp:Image ID="Image12" runat="server" Height="266px" ImageUrl "~/img/curtains-left.gif"
        Style="z-index: 100; left: 5px; position: absolute; top: 4px" Width="49px" />
    <asp:Image ID="Image20" runat="server" Height="277px" ImageUrl "~/img/curtains-right.gif"
        Style="z-index: 118; left: 438px; position: absolute; top: 4px" Width="49px" />
    &nbsp; &nbsp;
&nbsp; &nbsp; &nbsp;
    &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;<br />
    <asp:Panel ID="Panel4" runat="server" ForeColor="Maroon" Height="21px" Style="z-index: 102;
        left: 62px; position: absolute; top: 0px" Width="371px">
        &nbsp; &nbsp;

```



```

        Width="436px"></asp:Label>
<asp:Label ID="Label15" runat="server" BackColor="#FFC0C0" Height="22px" Style="z-index: 111;
    left: 43px; position: absolute; top: 478px" Text="Perform Searches- You can specify exactly what
you are looking for"
        Width="437px"></asp:Label>
<asp:Label ID="Label16" runat="server" BackColor="#FFFFFFC0" Height="21px" Style="z-index: 112;
    left: 43px; position: absolute; top: 441px" Text="Contact Other Members- Send as many email as
you like"
        Width="438px"></asp:Label>
<asp:Label ID="Label17" runat="server" BackColor="#FFC0C0" ForeColor="Black" Height="24px"
    Style="z-index: 113; left: 43px; position: absolute; top: 405px" Text="Profile Statistics- You
can track the response to your profile"
        Width="439px"></asp:Label>
<asp:Label ID="Label18" runat="server" BackColor="#FFFFFFC0" ForeColor="Black" Height="24px"
    Style="z-index: 114; left: 43px; position: absolute; top: 369px" Text="Add Your photo- Increases
response 20 times"
        Width="439px"></asp:Label>
<asp:Label ID="Label19" runat="server" BackColor="#FFC0C0" Height="22px" Style="z-index: 115;
    left: 43px; position: absolute; top: 335px" Text="Browse Thousand Of Member Profile- Check out
profiles at your leisure"
        Width="438px"></asp:Label>
<asp:Label ID="Label10" runat="server" BackColor="#FFFFFFC0" Height="23px" Style="z-index: 116;
    left: 43px; position: absolute; top: 302px" Text="Register Yourself- Entire page devoted to you"
        Width="436px"></asp:Label>
&nbsp;&nbsp;&nbsp;<br><br><br><br><br><br><br>
    &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
<asp:Image ID="Image13" runat="server" Style="z-index: 117; left: 7px; position: absolute;
    top: 507px" ImageUrl="~/img/lock-icon.jpg" />
    &nbsp; &nbsp;&nbsp;<br><br><br>
    &nbsp; &nbsp;
    &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;&nbsp;&nbsp;<br><br>
    &nbsp;...and much more keep surfing Hastamilan.Com</asp:Panel>

</div>
</form>
</body>
</html>
```

Aboutus.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;

public partial class Aboutus : System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {
        if (!IsPostBack)
        {
            PopulateAboutUsContent();
        }
    }

    private void PopulateAboutUsContent()
    {
        string aboutUsContent = "Welcome to our About Us page. We are dedicated to providing quality services!";

        lblAboutUs.Text = aboutUsContent;
    }
}
```

Contact Us

ContactUs.aspx

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="ContactUs.aspx.cs" Inherits="ContactUs" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>CONTACT US</title>
```

```

</head>
<body>
    <form id="form1" runat="server">
        <div>
            <asp:Panel ID="Panel1" runat="server" BackColor="#FFFFC0" BorderColor="Red" BorderStyle="Double"
                Height="457px" Style="z-index: 100; left: 286px; position: absolute; top: 167px"
                Width="366px">
                <asp:Label ID="Label1" runat="server" BackColor="#FF8080" BorderColor="Red" BorderStyle="Double"
                    Font-Size="Larger" ForeColor="#C00000" Style="z-index: 100; left: 0px; position: absolute;
                    top: 0px" Text="Contact Us" Width="359px"></asp:Label>
                <asp:HyperLink ID="HyperLink1" runat="server" ForeColor="#004000"
                    NavigateUrl="http://www.yahoomail.com"
                    Style="z-index: 101; left: 130px; position: absolute; top:
                    320px">Khushi_khatri@yahoomail.com</asp:HyperLink>
                <asp:HyperLink ID="HyperLink4" runat="server" ForeColor="#004000" NavigateUrl="http://www.gmail.com"
                    Style="z-index: 102; left: 128px; position: absolute; top: 354px"
                    Width="188px">ckboss@gmail.com</asp:HyperLink>
                <asp:Panel ID="Panel2" runat="server" ForeColor="#004000" Height="50px" Style="z-index: 103;
                    left: 135px; position: absolute; top: 56px" Width="125px">
                    Rekha Narooka<br />
                    HastaMilan.com<br />
                    Mobile:9252567890</asp:Panel>
                &nbsp;
                <asp:HyperLink ID="HyperLink2" runat="server" ForeColor="#004000" NavigateUrl="http://www.gmail.com"
                    Style="z-index: 104; left: 133px; position: absolute; top: 166px"
                    Width="195px">ridhimini@gmail.com</asp:HyperLink>
                <asp:HyperLink ID="HyperLink3" runat="server" ForeColor="#004000"
                    NavigateUrl="http://www.yahoomail.com"
                    Style="z-index: 105; left: 132px; position: absolute; top:
                    138px">narooka_rekha@yahoomail.com</asp:HyperLink>
                <asp:Label ID="Label3" runat="server" Font-Bold="True" Font-Size="12pt" Font-Underline="True"
                    ForeColor="Red" Style="z-index: 106; left: 2px; position: absolute; top: 116px"
                    Text="please e-mail us for following related feature:" Width="350px"></asp:Label>
                <asp:Panel ID="Panel3" runat="server" ForeColor="#004000" Height="50px" Style="z-index: 107;
                    left: 134px; position: absolute; top: 219px" Width="152px">
                    Chandra kanta khatri<br />
                    HastaMilan.com<br />
                    Mobile:9252567890</asp:Panel>
                <br />
                <asp:Label ID="Label2" runat="server" Font-Bold="True" Font-Italic="True" Font-Names="Bookman Old
                    Style"
                    Font-Underline="True" ForeColor="Red" Style="z-index: 108; left: 7px; position: absolute;
                    top: 34px" Text="Contact Us" Width="127px"></asp:Label>
                <asp:Label ID="Label4" runat="server" Font-Bold="True" Font-Italic="True" Font-Names="Bookman Old
                    Style"

```

```

        Font-Underline="True" ForeColor="Red" Style="z-index: 109; left: 2px; position: absolute;
        top: 197px" Text="Contact Us" Width="127px"></asp:Label>
<asp:Label ID="Label5" runat="server" Font-Bold="True" Font-Size="12pt" Font-Underline="True"
        ForeColor="Red" Style="z-index: 110; left: 0px; position: absolute; top: 283px"
        Text="please e-mail us for following related feature:" Width="350px"></asp:Label>
<asp:HyperLink ID="HyperLink5" runat="server" BorderColor="Red" BorderStyle="Double"
        ImageUrl "~/img/home.gif" Style="z-index: 112; left: 264px; position: absolute;
        top: 416px" NavigateUrl "~/Homepage.aspx" ToolTip="GO TO HOME PAGE"
TabIndex="8">HyperLink</asp:HyperLink>
</asp:Panel>
<asp:HyperLink ID="HyperLink15" runat="server" ForeColor="Blue" NavigateUrl("~/loginn1.aspx"
        Style="z-index: 101; left: 660px; position: absolute; top: 151px" Width="57px" ToolTip="LOGOUT"
TabIndex="9">[LogOut]</asp:HyperLink>
<asp:Image ID="Image1" runat="server" Height="122px" ImageUrl "~/img/hastamilan1.JPG"
        Style="z-index: 102; left: 1px; position: absolute; top: 0px" Width="948px" />
<marquee style="z-index: 107; left: 223px; text-transform: capitalize; width: 493px; color: crimson;
font-style: italic; position: absolute; top: 123px; font-variant: normal; text-decoration: underline; clear:
none; display: inline; float: right; overflow: hidden; font-family: 'Book Antiqua'; border-right: #990000 thin
dotted; border-top: #990000 thin dotted; font-weight: bold; border-left: #990000 thin dotted; border-bottom:
#990000 thin dotted; height: 11px; background-color: #ffcccc;" id="MARQUEE1">**CONTACT US**</marquee>
<asp:Panel ID="Panel4" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Double"
        Height="507px" Style="z-index: 103; left: 0px; position: absolute; top: 119px"
        Width="212px">
<asp:Image ID="Image2" runat="server" Height="123px" ImageUrl "~/img/ganesh.gif"
        Style="z-index: 100; left: 0px; position: absolute; top: 2px" Width="214px" />
 &nbsp;&nbsp;
<asp:Label ID="Label6" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
        ForeColor="#C00000" Style="z-index: 101; left: -1px; position: absolute; top: 127px"
        Text="Our Features" Width="209px"></asp:Label>
<asp:Image ID="Image4" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 102;
        left: 6px; position: absolute; top: 203px" Width="10px" Height="19px" />
 &nbsp;
<asp:Image ID="Image6" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 103;
        left: 8px; position: absolute; top: 235px" Height="12px" Width="6px" />
<asp:Image ID="Image7" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 104;
        left: 8px; position: absolute; top: 270px" Height="18px" />
<asp:Image ID="Image8" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 105;
        left: 8px; position: absolute; top: 308px" Height="18px" />
 &nbsp;
<asp:HyperLink ID="HyperLink6" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl "~/Honemoonpackages.aspx" Style="z-index: 106; left: 25px; position: absolute;
        top: 311px" ToolTip="TO SEE DIFFERENT TYPES OF HONEYMOON PACKAGES" TabIndex="4">Honemoon
Packages</asp:HyperLink>
 &nbsp;
<asp:HyperLink ID="HyperLink8" runat="server" Font-Size="Medium" Font-Underline="True"

```

```

        ForeColor="Green" Style="z-index: 107; left: 25px; position: absolute; top: 270px"
NavigateUrl("~/OtherServices.aspx" ToolTip="TO SEE OTHER SERVICES" TabIndex="3">Other Services</asp:HyperLink>
    &nbsp; &nbsp; &nbsp; &nbsp;
    <asp:HyperLink ID="HyperLink9" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl "~/Objectivesofthesite.aspx" Style="z-index: 110; left: 28px; position: absolute;
        top: 203px" ToolTip="TO SEE THE OBJECTIVES OF THE SITE" TabIndex="1">Objective Of The
Site</asp:HyperLink>
    &nbsp;
    <asp:HyperLink ID="HyperLink7" runat="server" Font-Size="Medium" Font-Underline="True"
        ForeColor="Green" NavigateUrl "~/TermsandCondition.aspx" Style="z-index: 109;
        left: 25px; position: absolute; top: 236px" ToolTip="TO SEE THE TERMS AND CONDITION"
TabIndex="2">Terms And Condition</asp:HyperLink>
</asp:Panel>
<asp:Panel ID="Panel5" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Double"
    Height="504px" Style="z-index: 104; left: 723px; position: absolute; top: 122px"
    Width="215px" ToolTip="TO UPDATE THE INFOMATION">
    <asp:Image ID="Image3" runat="server" Height="123px" ImageUrl "~/img/right-barat.gif"
        Style="z-index: 100; left: 0px; position: absolute; top: 3px" Width="214px" />
    <asp:Label ID="Label7" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
        ForeColor="#C00000" Height="23px" Style="z-index: 112; left: 0px; position: absolute;
        top: 127px" Text="Our Features" Width="210px"></asp:Label>
    <br />
    &nbsp;
    <asp:HyperLink ID="HyperLink10" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl "~/Searchhome.aspx" Style="z-index: 102; left: 33px; position: absolute;
        top: 255px" ToolTip="TO SEARCH YOUR MATCH" TabIndex="6">Search Your Match</asp:HyperLink>
    &nbsp; &nbsp;&nbsp;
    <asp:Image ID="Image9" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 106;
        left: 8px; position: absolute; top: 214px" Height="18px" />
    &nbsp;
    <asp:Image ID="Image11" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 108;
        left: 9px; position: absolute; top: 253px" Height="18px" />
    <asp:Image ID="Image12" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 109;
        left: 10px; position: absolute; top: 287px" Height="21px" />
    <asp:HyperLink ID="HyperLink13" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl "~/UpdateLogin.aspx" Style="z-index: 110; left: 28px; position: absolute;
        top: 217px" ToolTip="TO UPDATE THE INFORMATION" TabIndex="5">Updation Of
Information</asp:HyperLink>
    <asp:HyperLink ID="HyperLink14" runat="server" Font-Size="Medium" Font-Underline="True"
        ForeColor="Green" Style="z-index: 111; left: 32px; position: absolute; top: 289px"
NavigateUrl "~/ContactUs.aspx" ToolTip="TO CONTACT US" TabIndex="7">Contact Us</asp:HyperLink>
</asp:Panel>
<asp:Image ID="Image5" runat="server" Height="280px" ImageUrl "~/img/curtains-right.gif"
    Style="z-index: 105; left: 666px; position: absolute; top: 175px" Width="48px" />
<asp:Image ID="Image10" runat="server" Height="277px" ImageUrl "~/img/curtains-left.gif"

```

```

        Style="z-index: 108; left: 227px; position: absolute; top: 171px" Width="54px" />
    </div>
    </form>
</body>
</html>

```

ContactUs.aspx.cs

```

using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;

public partial class ContactUs : System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {
        if (!IsPostBack)
        {
            PopulateContactForm();
        }
    }
    protected void btnSubmit_Click(object sender, EventArgs e)
    {
        string name = txtName.Text;
        string email = txtEmail.Text;
        string message = txtMessage.Text;
        SaveToDatabase(name, email, message);
        lblMessage.Text = "Your message has been sent successfully!";
    }
    private void PopulateContactForm()
    {
        ddlReason.Items.Add(new ListItem("General Inquiry", "General"));
        ddlReason.Items.Add(new ListItem("Technical Support", "Support"));
        ddlReason.Items.Add(new ListItem("Feedback", "Feedback"));
    }
    private void SaveToDatabase(string name, string email, string message)
    {

```

```

        Console.WriteLine($"Name: {name}");
        Console.WriteLine($"Email: {email}");
        Console.WriteLine($"Message: {message}");
    }
}

```

Update Login Form

Updatelogin.aspx

```

<%@ Page Language="C#" AutoEventWireup="true" CodeFile="Updatelogin.aspx.cs" Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>UPDATE LOGIN FORM</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            <asp:Image ID="Image1" runat="server" Height="126px" ImageUrl "~/img/hastamilan1.JPG"
                Style="z-index: 100; left: 0px; position: absolute; top: 0px" />
            <marquee style="z-index: 107; left: 224px; text-transform: capitalize; width: 482px; color: crimson;
font-style: italic; position: absolute; top: 127px; font-variant: normal; text-decoration: underline; clear:
none; display: inline; float: right; overflow: hidden; font-family: 'Book Antiqua'; border-right: #990000 thin
dotted; border-top: #990000 thin dotted; font-weight: bold; border-left: #990000 thin dotted; border-bottom:
#990000 thin dotted; height: 11px; background-color: #ffcccc;" id="MARQUEE1">**UPDATE LOGIN**</marquee>
            <asp:Panel ID="Panel1" runat="server" BackColor="#FFFFC0" BorderColor="#FFC080" BorderStyle="Double"
                Height="46px" Style="z-index: 101; left: 278px; position: absolute; top: 180px"
                Width="367px">
                <asp:Label ID="Label1" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
                    Font-Size="Larger" ForeColor="#C00000" Height="21px" Style="z-index: 100; left: 0px;
                    position: absolute; top: 0px" Text="Login For Updation" Width="359px"></asp:Label>
                <asp:Label ID="Label15" runat="server" Style="z-index: 101; left: 76px; position: absolute;
                    top: 93px" Text="Label" Width="279px" Visible="False" ForeColor="Red"></asp:Label>
                <br />
                &nbsp;&nbsp;
                <asp:Label ID="Label2" runat="server" Style="z-index: 102; left: 15px; position: absolute;
                    top: 56px" Text="UserID :" Width="84px"></asp:Label>
                <asp:TextBox ID="txt_uid" runat="server" Style="z-index: 103; left: 124px; position: absolute;
                    top: 55px" TabIndex="1"></asp:TextBox>
            
```

```

<asp:RequiredFieldValidator ID="RequiredFieldValidator1" runat="server" ControlToValidate="txt_uid"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 104; left: 294px; position: absolute;
    top: 57px">*</asp:RequiredFieldValidator>
<asp:Label ID="Label13" runat="server" Style="z-index: 105; left: 22px; position: absolute;
    top: 137px" Text="Password : " Width="90px"></asp:Label>
<asp:Label ID="Label14" runat="server" Style="z-index: 106; left: 125px; position: absolute;
    top: 178px" Text="Label" Width="170px" Visible="False" ForeColor="Red"></asp:Label>
<asp:TextBox ID="txt_passwd" runat="server" Style="z-index: 107; left: 126px; position: absolute;
    top: 135px" TextMode="Password" TabIndex="2"></asp:TextBox>
<asp:RequiredFieldValidator ID="RequiredFieldValidator2" runat="server"
ControlToValidate="txt_passwd"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 108; left: 296px; position: absolute;
    top: 137px">*</asp:RequiredFieldValidator>
<asp:Button ID="Button1" runat="server" BackColor="#FFC080" BorderColor="#FF8000"
    BorderStyle="Inset" OnClick="Button1_Click" Style="z-index: 109; left: 68px;
    position: absolute; top: 241px" Text="Login" Width="88px" ToolTip="LOGIN" TabIndex="3" />
<asp:Button ID="Button2" runat="server" BackColor="#FFC080" BorderColor="#FF8000"
    BorderStyle="Outset" OnClick="Button2_Click" Style="z-index: 110; left: 216px;
    position: absolute; top: 245px" Text="Reset" Width="78px" TabIndex="4" />
    &nbsp;
<asp:HyperLink ID="HyperLink8" runat="server" BorderColor="Red" BorderStyle="Double"
    ImageUrl "~/img/home.gif" NavigateUrl "~/Homepage.aspx" Style="z-index: 112;
    left: 251px; position: absolute; top: 332px" Width="62px" ToolTip="GO TO HOME PAGE"
TabIndex="13">HyperLink</asp:HyperLink>
</asp:Panel>
    &nbsp;&nbsp;&nbsp;&nbsp;
<asp:Panel ID="Panel3" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Double"
    Height="473px" Style="z-index: 102; left: 710px; position: absolute; top: 126px"
    Width="215px">
    <asp:Image ID="Image3" runat="server" Height="123px" ImageUrl "~/img/right-barat.gif"
        Style="z-index: 100; left: 0px; position: absolute; top: 3px" Width="214px" />
    &nbsp;&nbsp;
    <asp:Label ID="Label17" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
        ForeColor="#C00000" Height="23px" Style="z-index: 101; left: -4px; position: absolute;
        top: 123px" Text="Our Features" Width="210px"></asp:Label>
    &nbsp;&nbsp;<br />
    &nbsp; &nbsp; &nbsp;&nbsp; &nbsp;
    <asp:HyperLink ID="HyperLink5" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl "~/ContactUs.aspx" Style="z-index: 102; left: 27px; position: absolute;
        top: 310px" ToolTip="TO CONTACT US" TabIndex="12">Contact Here</asp:HyperLink>
    <asp:HyperLink ID="HyperLink6" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl "~/UpdateLogin.aspx" Style="z-index: 103; left: 27px; position: absolute;
        top: 232px" ToolTip="TO UPDATE THE INFOMATION" TabIndex="10">Updation Of
    Information</asp:HyperLink>
    <asp:HyperLink ID="HyperLink7" runat="server" Font-Size="Medium" ForeColor="Green"

```

```

        NavigateUrl="~/Searchhome.aspx" Style="z-index: 104; left: 23px; position: absolute;
        top: 271px" TabIndex="11" ToolTip="TO SEARCH YOUR MATCH">Search Your Match</asp:HyperLink>
&nbsp; &nbsp;&nbsp;<br />
&nbsp;
<asp:Image ID="Image10" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 109;
        left: 6px; position: absolute; top: 269px" Width="7px" />
<asp:Image ID="Image11" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 110;
        left: 6px; position: absolute; top: 231px" Width="7px" />
<asp:Image ID="Image12" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 112;
        left: 6px; position: absolute; top: 310px" />
</asp:Panel>
<asp:Panel ID="Panel2" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Double"
        Height="474px" Style="z-index: 103; left: 0px; position: absolute; top: 126px"
        Width="215px">
        <asp:Image ID="Image2" runat="server" Height="123px" ImageUrl "~/img/ganesh.gif"
                Style="z-index: 100; left: 0px; position: absolute; top: 3px" Width="214px" />
&nbsp;&nbsp;
<asp:Label ID="Label6" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
        ForeColor="#C00000" Height="23px" Style="z-index: 101; left: -4px; position: absolute;
        top: 123px" Text="Our Features" Width="210px"></asp:Label>
&nbsp;&nbsp;<br />
&nbsp; &nbsp; &nbsp;&nbsp; &nbsp;
<br />
<asp:Image ID="Image4" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 102;
        left: 11px; position: absolute; top: 338px" />
<asp:Image ID="Image5" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 103;
        left: 11px; position: absolute; top: 299px" />
<asp:Image ID="Image6" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 104;
        left: 11px; position: absolute; top: 255px" />
<asp:Image ID="Image7" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 110;
        left: 11px; position: absolute; top: 217px" />
<asp:HyperLink ID="HyperLink1" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl="~/Honemoonpackages.aspx" Style="z-index: 106; left: 28px; position: absolute;
        top: 298px" ToolTip="TO SEE DIFFERENT TYPES OF HONEYMOON PACKAGES" TabIndex="7">Honemoon
        Packages</asp:HyperLink>
        <asp:HyperLink ID="HyperLink2" runat="server" Font-Size="Medium" ForeColor="Green"
                Style="z-index: 107; left: 31px; position: absolute; top: 341px"
        NavigateUrl="~/OtherServices.aspx" ToolTip="TO SEE OTHER SERVICES" TabIndex="9">Other Services</asp:HyperLink>
        <asp:HyperLink ID="HyperLink3" runat="server" Font-Size="Medium" ForeColor="Green"
                NavigateUrl="~/TermsandCondition.aspx" Style="z-index: 108; left: 28px; position: absolute;
                top: 260px" ToolTip="TO SEE THE TERMS AND CONDITION" TabIndex="6">Terms And
        Condition</asp:HyperLink>
        <asp:HyperLink ID="HyperLink4" runat="server" Font-Size="Medium" ForeColor="Green"
                NavigateUrl="~/Objectivesofthesite.aspx" Style="z-index: 109; left: 28px; position: absolute;
                top: 222px" ToolTip="TO SEE THE OBJECTIVES OF THE SITE" TabIndex="5">Objective Of The

```

```

Site</asp:HyperLink>
    </asp:Panel>
    <asp:HyperLink ID="HyperLink11" runat="server" ForeColor="#0000C0" NavigateUrl "~/loginn1.aspx"
        Style="z-index: 104; left: 634px; position: absolute; top: 157px" Width="70px" ToolTip="LOGOUT"
        TabIndex="14">[LogOut]</asp:HyperLink>
        <asp:Image ID="Image8" runat="server" Height="267px" ImageUrl("~/img/curtains-left.gif"
            Style="z-index: 105; left: 227px; position: absolute; top: 184px" Width="47px" />
        <asp:Image ID="Image9" runat="server" Height="265px" ImageUrl "~/img/curtains-right.gif"
            Style="z-index: 108; left: 657px; position: absolute; top: 184px" Width="48px" />
    </div>
    </form>
</body>
</html>

```

Updatelogin.aspx.cs

```

using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;

public partial class _Default : System.Web.UI.Page
{
    //string strconn = "Provider=Microsoft.Jet.OleDb.4.0;Data Source=g:\\REKHA(PRO)FOLDER\\MATMNGT\\DB\\mm1.mdb";
    string strconn =
System.Configuration.ConfigurationManager.ConnectionStrings["hastamilandatabase"].ConnectionString;

    System.Data.OleDb.OleDbConnection conn;

    protected void Page_Load(object sender, EventArgs e)
    {
        txt_uid.Focus();
        Label5.Visible = false;
    }
    protected void Button1_Click(object sender, EventArgs e)
    {
        string strname = Request.Cookies["name"].Value;
        if (strname == txt_uid.Text)

```

```

{
    conn = new System.Data.OleDb.OleDbConnection(strconn);
    conn.Open();
    String str = "select *from re1";
    System.Data.OleDb.OleDbCommand cmd = new System.Data.OleDb.OleDbCommand(str, conn);
    System.Data.OleDb.OleDbDataReader r;
    r = cmd.ExecuteReader();
    int i = 0;
    if (r.HasRows == true)
    {
        while (r.Read())
        {
            if (r[0].ToString() == txt_uid.Text)
            {
                if (r[1].ToString() == txt_passwd.Text)
                {
                    Label4.Text = "sucess login";
                    Label5.Visible = false;
                    i = 1;
                    Response.Redirect("updatationform.aspx?x=" + txt_uid.Text + "");
                }
            }
        }
        if (i == 0)
        {
            Label4.Visible = false;
            Label5.Visible = true;
            Label5.Text = "PASSWD R NOT MATCH";
        }
    }
    else
    {
        Label5.Visible = true;
        Label5.Text = "Enter Correct User ID";
    }
}
protected void Button2_Click(object sender, EventArgs e)
{
    txt_uid.Text = "";
    txt_passwd.Text = "";
    txt_uid.Focus();
}
}

```

Updation Form

Updationform.aspx

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="Updationform.aspx.cs" Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>UPDATION FORM</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            &nbsp; &nbsp;&nbsp; &nbsp;&nbsp;
            <asp:HiddenField ID="HiddenField1" runat="server" />
            <asp:Image ID="Image1" runat="server" Height="126px" ImageUrl "~/img/hastamilan1.JPG"
                Style="z-index: 100; left: 0px; position: absolute; top: 0px" Width="961px" />
            <asp:HyperLink ID="HyperLink6" runat="server" ForeColor="#0000C0" NavigateUrl "~/loginn1.aspx"
                Style="z-index: 101; left: 686px; position: absolute; top: 154px" Width="71px" ToolTip="LOGOUT"
                TabIndex="42">[LogOut]</asp:HyperLink>
            <marquee style="z-index: 107; left: 190px; text-transform: capitalize; width: 566px; color: crimson;
                font-style: italic; position: absolute; top: 126px; font-variant: normal; text-decoration: underline; clear:
                none; display: inline; float: right; overflow: hidden; font-family: 'Book Antiqua'; border-right: #990000 thin
                dotted; border-top: #990000 thin dotted; font-weight: bold; border-left: #990000 thin dotted; border-bottom:
                #990000 thin dotted; height: 14px; background-color: #ffcccc;" id="MARQUEE1">**UPDATION FORM**</marquee>
            <asp:Panel ID="Panel5" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Solid"
                Height="1375px" Style="z-index: 102; left: 760px; position: absolute; top: 120px"
                Width="197px">
                <asp:Image ID="Image2" runat="server" ImageUrl "~/img/right-barat.gif" Style="z-index: 100;
                    left: 0px; position: absolute; top: 0px" Width="191px" Height="160px" />
                <asp:Label ID="Label28" runat="server" BackColor="#FF8080" BorderColor="#C00000"
                    BorderStyle="Double" ForeColor="#C00000" Height="23px" Style="z-index: 101; left: 0px;
                    position: absolute; top: 163px" Text="Our Features" Width="186px"></asp:Label>
                &nbsp; &nbsp; &nbsp; &nbsp;&nbsp;&nbsp; &nbsp; &nbsp;
                <asp:HyperLink ID="HyperLink2" runat="server" Font-Size="Medium" ForeColor="Green"
                    NavigateUrl "~/ContactUs.aspx" Style="z-index: 102; left: 28px; position: absolute;
                    top: 342px" ToolTip="TO SEE CONTACT DETAILS" TabIndex="40">Contact Us</asp:HyperLink>
                <asp:HyperLink ID="HyperLink3" runat="server" Font-Size="Medium" ForeColor="Green"
                    NavigateUrl "~/UpdateLogin.aspx" Style="z-index: 103; left: 28px; position: absolute;
                    top: 259px" Width="166px" ToolTip="GO TO UPDATION FORM" TabIndex="38">Updation The
                    Information</asp:HyperLink>
                <asp:HyperLink ID="HyperLink9" runat="server" Font-Size="Medium" ForeColor="Green"
                    NavigateUrl "~/UpdationForm.aspx" Style="z-index: 104; left: 28px; position: absolute;
                    top: 386px" Width="166px" ToolTip="GO TO UPDATION FORM" TabIndex="39">Updation Form</asp:HyperLink>
            </asp:Panel>
        </div>
    </form>
</body>
</html>
```

```

        NavigateUrl="~/Searchhome.aspx" Style="z-index: 104; left: 28px; position: absolute;
        top: 302px" ToolTip="TO SEE DIFFERENT TYPES OF SEARCHES" TabIndex="39">>Search Your
Match</asp:HyperLink>
    &nbsp; &nbsp; &nbsp;&nbsp;&nbsp; &nbsp; &nbsp;&nbsp;
    <asp:Image ID="Image9" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 105;
        left: 5px; position: absolute; top: 344px" Width="11px" Height="17px" />
    <asp:Image ID="Image10" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 106;
        left: 6px; position: absolute; top: 299px" Width="11px" Height="17px" />
    <asp:Image ID="Image11" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 108;
        left: 4px; position: absolute; top: 256px" Width="12px" />
</asp:Panel>
<br />
<asp:Panel ID="Panel6" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Solid"
    Height="1372px" Style="z-index: 103; left: 0px; position: absolute; top: 123px"
    Width="184px">
    <asp:Image ID="Image3" runat="server" ImageUrl "~/img/ganesh.gif" Style="z-index: 100;
        left: 0px; position: absolute; top: 0px" Width="182px" Height="157px" />
    <asp:Label ID="Label22" runat="server" BackColor="#FF8080" BorderColor="#C00000"
        BorderStyle="Double" ForeColor="#C00000" Style="z-index: 101; left: 0px; position: absolute;
        top: 161px" Text="Our Features" Width="174px"/></asp:Label>
    &nbsp; &nbsp; &nbsp;&nbsp; &nbsp; &nbsp;
    <asp:Image ID="Image5" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 102;
        left: 5px; position: absolute; top: 370px" />
    <asp:Image ID="Image6" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 103;
        left: 5px; position: absolute; top: 330px" />
    <asp:Image ID="Image7" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 104;
        left: 5px; position: absolute; top: 291px" />
    <asp:Image ID="Image8" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 110;
        left: 5px; position: absolute; top: 252px" />
    <asp:HyperLink ID="HyperLink4" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl="~/Honemoonpackages.aspx" Style="z-index: 106; left: 22px; position: absolute;
        top: 366px" ToolTip="TO SEE DIFFERENT TYPES OF HONEYMOON PACKAGES" TabIndex="37">>Honemoon
Packages</asp:HyperLink>
    <asp:HyperLink ID="HyperLink5" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl="~/TermsandCondition.aspx" Style="z-index: 107; left: 21px; position: absolute;
        top: 294px" Width="135px" ToolTip="TO SEE THE TERMS AND CONDITION" TabIndex="35">>Terms And
Condition</asp:HyperLink>
    <asp:HyperLink ID="HyperLink7" runat="server" Font-Size="Medium" ForeColor="Green"
        NavigateUrl="~/Objectivesofthesite.aspx" Style="z-index: 108; left: 20px; position: absolute;
        top: 252px" Width="136px" ToolTip="TO SEE THE OBJECTIVES OF THE SITE" TabIndex="34">>Objective Of
The Site</asp:HyperLink>
    <asp:HyperLink ID="HyperLink8" runat="server" Font-Size="Medium" ForeColor="Green"
        Style="z-index: 109; left: 23px; position: absolute; top: 332px"
        NavigateUrl="~/OtherServices.aspx" ToolTip="TO SEE THE OTHER SERVICES" TabIndex="36">>Other
Services</asp:HyperLink>

```

```

    &nbsp;
</asp:Panel>
<br />
<asp:Panel ID="Panel1" runat="server" BackColor="#FFFFFF0" BorderColor="#FF8000" BorderStyle="Double"
    Height="1306px" Style="z-index: 104; left: 192px; position: absolute; top: 177px"
    Width="558px">
    <asp:Panel ID="Panel2" runat="server" BackColor="#FFFFFF0" ForeColor="Black" Height="708px"
        Style="z-index: 100; left: 1px; position: absolute; top: 0px" Width="557px">
        <asp:Label ID="Label13" runat="server" BackColor="#FF8080" BorderColor="#C00000"
BorderStyle="Double"
            Font-Overline="False" Font-Size="Larger" Font-Strikeout="False" Font-Underline="True"
            ForeColor="#C00000" Height="26px" Style="z-index: 100; left: -1px; position: absolute;
            top: 1px" Text="Detail Information" Width="555px"></asp:Label>
        &nbsp; &nbsp;
        <asp:TextBox ID="TextBox9" runat="server" Height="13px" Style="z-index: 101; left: 190px;
            position: absolute; top: 112px" Width="146px" TabIndex="3"></asp:TextBox>
        <asp:Label ID="Label14" runat="server" ForeColor="Black" Height="19px" Style="z-index: 102;
            left: 51px; position: absolute; top: 53px" Text="Name :" Width="110px"></asp:Label>
        <asp:TextBox ID="TextBox1" runat="server" Height="14px" Style="z-index: 103; left: 193px;
            position: absolute; top: 54px" ValidationGroup="b" Width="144px" TabIndex="1"
ReadOnly="True"></asp:TextBox>
        <asp:Label ID="Label5" runat="server" ForeColor="Black" Height="19px" Style="z-index: 104;
            left: 51px; position: absolute; top: 80px" Text="Age :" Width="110px"></asp:Label>
        &nbsp;
        <asp:Label ID="Label6" runat="server" ForeColor="Black" Height="19px" Style="z-index: 105;
            left: 51px; position: absolute; top: 165px" Text="Sex :" Width="110px"></asp:Label>
        &nbsp;
        <asp:Label ID="Label7" runat="server" ForeColor="Black" Height="19px" Style="z-index: 106;
            left: 51px; position: absolute; top: 197px" Text="Height :" Width="110px"></asp:Label>
        &nbsp;
        <asp:Label ID="Label8" runat="server" ForeColor="Black" Height="19px" Style="z-index: 107;
            left: 51px; position: absolute; top: 227px" Text="Weight :" Width="110px"></asp:Label>
        <asp:DropDownList ID="DropDownList2" runat="server" Height="22px" Style="z-index: 108;
            left: 193px; position: absolute; top: 224px" Width="151px" TabIndex="9">
            <asp:ListItem>56kg</asp:ListItem>
            <asp:ListItem>57kg</asp:ListItem>
            <asp:ListItem>58kg</asp:ListItem>
            <asp:ListItem>59kg</asp:ListItem>
            <asp:ListItem>60kg</asp:ListItem>
        </asp:DropDownList>
        <asp:Label ID="Label9" runat="server" ForeColor="Black" Height="19px" Style="z-index: 109;
            left: 51px; position: absolute; top: 256px" Text="Religion :" Width="110px"></asp:Label>
        <asp:DropDownList ID="DropDownList3" runat="server" Height="22px" Style="z-index: 110;
            left: 193px; position: absolute; top: 253px" Width="151px" TabIndex="10">
            <asp:ListItem>NA</asp:ListItem>

```

```

<asp:ListItem>Hinduism</asp:ListItem>
<asp:ListItem>Islam</asp:ListItem>
<asp:ListItem>Sikhism</asp:ListItem>
<asp:ListItem>Buddhism</asp:ListItem>
<asp:ListItem>Christainity</asp:ListItem>
<asp:ListItem>Jainism</asp:ListItem>
<asp:ListItem>No Religion</asp:ListItem>
<asp:ListItem>Other</asp:ListItem>
</asp:DropDownList>
<asp:Label ID="Label10" runat="server" ForeColor="Black" Height="19px" Style="z-index: 111;
    left: 51px; position: absolute; top: 287px" Text="Caste :" Width="110px"></asp:Label>
<asp:DropDownList ID="DropDownList4" runat="server" Height="22px" Style="z-index: 112;
    left: 193px; position: absolute; top: 288px" Width="151px" TabIndex="11">
    <asp:ListItem>NA</asp:ListItem>
    <asp:ListItem>Agarwal</asp:ListItem>
    <asp:ListItem>Arora</asp:ListItem>
    <asp:ListItem>Bniya</asp:ListItem>
    <asp:ListItem>Brahmin</asp:ListItem>
    </asp:DropDownList>
<asp:AccessDataSource ID="AccessDataSource1" runat="server" DataFile="~/App_Data/mm1.mdb"
    SelectCommand="SELECT [Caste] FROM [re2]"></asp:AccessDataSource>
<asp:Label ID="Label11" runat="server" ForeColor="Black" Height="19px" Style="z-index: 113;
    left: 51px; position: absolute; top: 319px" Text="Rashi" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label12" runat="server" ForeColor="Black" Height="19px" Style="z-index: 114;
        left: 51px; position: absolute; top: 350px" Text="Nakshatra :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label13" runat="server" ForeColor="Black" Height="19px" Style="z-index: 115;
        left: 51px; position: absolute; top: 381px" Text="Marital Status :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label14" runat="server" ForeColor="Black" Height="19px" Style="z-index: 116;
        left: 51px; position: absolute; top: 413px" Text="Education :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label15" runat="server" ForeColor="Black" Height="19px" Style="z-index: 117;
        left: 51px; position: absolute; top: 443px" Text="Manglik :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label16" runat="server" ForeColor="Black" Height="19px" Style="z-index: 118;
        left: 51px; position: absolute; top: 472px" Text="Profession :" Width="110px"></asp:Label>
<asp:DropDownList ID="DropDownList7" runat="server" Height="22px" Style="z-index: 119;
    left: 193px; position: absolute; top: 472px" Width="151px" TabIndex="18">
    <asp:ListItem>NA</asp:ListItem>
    <asp:ListItem>Architect</asp:ListItem>
    <asp:ListItem>Business Owner</asp:ListItem>
    <asp:ListItem>Banking</asp:ListItem>

```

```

<asp:ListItem>Clerical</asp:ListItem>
<asp:ListItem>Engineer</asp:ListItem>
<asp:ListItem>Executive</asp:ListItem>
</asp:DropDownList>
<asp:Label ID="Label17" runat="server" ForeColor="Black" Height="19px" Style="z-index: 120;
    left: 51px; position: absolute; top: 502px" Text="Annual Income :" Width="110px"></asp:Label>
&nbsp;
<asp:Label ID="Label18" runat="server" ForeColor="Black" Height="19px" Style="z-index: 121;
    left: 51px; position: absolute; top: 531px" Text="Hobbies :" Width="110px"></asp:Label>
&nbsp; &nbsp;
<asp:RadioButton ID="rb_f" runat="server" ForeColor="Black" GroupName="a" Height="22px"
    OnCheckedChanged="Radio1_CheckedChanged" Style="z-index: 122; left: 274px; position:
absolute;
    top: 161px" Text="Female" Width="66px" TabIndex="7" />
<asp:RadioButton ID="rb_m" runat="server" ForeColor="Black" GroupName="a" Height="22px"
    OnCheckedChanged="RadioButton2_CheckedChanged" Style="z-index: 123; left: 196px;
    position: absolute; top: 161px" Text="Male" Width="72px" TabIndex="6" />
<asp:Label ID="Label19" runat="server" ForeColor="Black" Height="19px" Style="z-index: 124;
    left: 51px; position: absolute; top: 576px" Text="Residential Status :"
Width="110px"></asp:Label>
&nbsp;&nbsp;
<asp:DropDownList ID="DropDownList8" runat="server" Height="22px" Style="z-index: 125;
    left: 193px; position: absolute; top: 80px" Width="151px" TabIndex="2">
    <asp:ListItem>24</asp:ListItem>
    <asp:ListItem>25</asp:ListItem>
    <asp:ListItem>26</asp:ListItem>
    <asp:ListItem>27</asp:ListItem>
    <asp:ListItem>28</asp:ListItem>
</asp:DropDownList>
<asp:DropDownList ID="DropDownList1" runat="server" Height="22px" Style="z-index: 126;
    left: 193px; position: absolute; top: 192px" Width="151px" TabIndex="8">
    <asp:ListItem>NA</asp:ListItem>
    <asp:ListItem>4ft 11in</asp:ListItem>
    <asp:ListItem>5ft</asp:ListItem>
    <asp:ListItem>5ft 1in</asp:ListItem>
    <asp:ListItem>5ft 2in</asp:ListItem>
    <asp:ListItem>5ft 3in</asp:ListItem>
    <asp:ListItem>5ft 4in</asp:ListItem>
</asp:DropDownList>
<asp:DropDownList ID="DropDownList9" runat="server" Height="22px" Style="z-index: 127;
    left: 193px; position: absolute; top: 412px" Width="151px" TabIndex="15">
    <asp:ListItem>NA</asp:ListItem>
    <asp:ListItem>CA</asp:ListItem>
    <asp:ListItem>CS</asp:ListItem>
    <asp:ListItem>ICWA</asp:ListItem>

```

```

        <asp:ListItem>Integrated PG</asp:ListItem>
        <asp:ListItem>LLM</asp:ListItem>
    </asp:DropDownList>
    &nbsp;
    <asp:Label ID="Label21" runat="server" ForeColor="Black" Height="19px" Style="z-index: 128; left: 51px; position: absolute; top: 643px" Text="Residing City :" Width="110px"></asp:Label>
    <asp:DropDownList ID="DropDownList11" runat="server" Height="22px" Style="z-index: 129; left: 193px; position: absolute; top: 644px" Width="151px" TabIndex="22">
        <asp:ListItem>NA</asp:ListItem>
        <asp:ListItem>Agra</asp:ListItem>
        <asp:ListItem>Ahmedabad</asp:ListItem>
        <asp:ListItem Value="Ajmer"></asp:ListItem>
        <asp:ListItem>Aligarh</asp:ListItem>
        <asp:ListItem>Kolkata </asp:ListItem>
        <asp:ListItem>Almora</asp:ListItem>
        <asp:ListItem>None Of Above</asp:ListItem>
    </asp:DropDownList>
    &nbsp;&nbsp;
    <asp:DropDownList ID="DropDownList15" runat="server" Height="22px" Style="z-index: 130; left: 193px; position: absolute; top: 378px" Width="151px" TabIndex="14">
        <asp:ListItem>NA</asp:ListItem>
        <asp:ListItem>Unmarried</asp:ListItem>
        <asp:ListItem>Divorcee</asp:ListItem>
        <asp:ListItem>Widow</asp:ListItem>
        <asp:ListItem>Widower</asp:ListItem>
    </asp:DropDownList>
    <asp:RadioButton ID="RadioButton1" runat="server" GroupName="b" Height="22px" OnCheckedChanged="RadioButton1_CheckedChanged" Style="z-index: 131; left: 193px; position: absolute; top: 442px" Text="Yes" Width="76px" TabIndex="16" />
    <asp:RadioButton ID="RadioButton3" runat="server" GroupName="b" Height="22px" Style="z-index: 132; left: 276px; position: absolute; top: 441px" Text="No" Width="67px" TabIndex="17" />
    <asp:DropDownList ID="DropDownList16" runat="server" ForeColor="Black" Height="22px" Style="z-index: 133; left: 193px; position: absolute; top: 499px" Width="151px" TabIndex="19">
        <asp:ListItem>NA</asp:ListItem>
        <asp:ListItem>$100,000 to 149,999</asp:ListItem>
        <asp:ListItem>$150,000+</asp:ListItem>
        <asp:ListItem>Will Tell u Later</asp:ListItem>
    </asp:DropDownList>
    &nbsp;&nbsp;
    <asp:DropDownList ID="DropDownList5" runat="server" ForeColor="Black" Height="22px" Style="z-index: 134; left: 193px; position: absolute; top: 317px" Width="151px" TabIndex="12">

```

```

<asp:ListItem>NA</asp:ListItem>
<asp:ListItem>Aries-mesh</asp:ListItem>
<asp:ListItem>Taurus-vrishabh</asp:ListItem>
<asp:ListItem>Gemini-mithun</asp:ListItem>
<asp:ListItem>Cancer-karka</asp:ListItem>
</asp:DropDownList>
<asp:DropDownList ID="DropDownList6" runat="server" ForeColor="Black" Height="22px"
    Style="z-index: 135; left: 193px; position: absolute; top: 346px" Width="151px"
TabIndex="13">
    <asp:ListItem>NA</asp:ListItem>
    <asp:ListItem>Ashwini</asp:ListItem>
    <asp:ListItem>Bharini</asp:ListItem>
    <asp:ListItem>Krittika</asp:ListItem>
</asp:DropDownList>
<asp:TextBox ID="TextBox4" runat="server" Height="39px" Style="z-index: 136; left: 193px;
    position: absolute; top: 527px" TextMode="MultiLine" ValidationGroup="b" Width="145px"
TabIndex="20">hi</asp:TextBox>
<asp:TextBox ID="TextBox2" runat="server" Height="42px" Style="z-index: 137; left: 194px;
    position: absolute; top: 579px" TextMode="MultiLine" ValidationGroup="b" Width="144px"
TabIndex="21"></asp:TextBox>
    &nbsp;&nbsp;
<asp:Label ID="Label32" runat="server" Style="z-index: 138; left: 384px; position: absolute;
    top: 778px" Text="Label"></asp:Label>
<asp:RequiredFieldValidator ID="RequiredFieldValidator2" runat="server"
ControlToValidate="TextBox1"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 139; left: 349px; position: absolute;
    top: 55px" ValidationGroup="b">*</asp:RequiredFieldValidator>
<asp:RequiredFieldValidator ID="RequiredFieldValidator3" runat="server"
ControlToValidate="TextBox4"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 140; left: 354px; position: absolute;
    top: 532px" ValidationGroup="b">*</asp:RequiredFieldValidator>
<asp:RequiredFieldValidator ID="RequiredFieldValidator4" runat="server"
ControlToValidate="TextBox2"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 141; left: 353px; position: absolute;
    top: 580px" ValidationGroup="b">*</asp:RequiredFieldValidator>
<asp:Label ID="Label1" runat="server" Height="19px" Style="z-index: 142; left: 51px;
    position: absolute; top: 112px" Text="Phonenumber :" Width="108px"></asp:Label>
<asp:RequiredFieldValidator ID="RequiredFieldValidator10" runat="server"
ControlToValidate="TextBox9"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 144; left: 353px; position: absolute;
    top: 112px">*</asp:RequiredFieldValidator>
</asp:Panel>
    &nbsp;<br />
<asp:Panel ID="Panel14" runat="server" Height="354px" Style="z-index: 102; left: 0px;
    position: absolute; top: 960px" Width="564px">

```

```

<asp:Label ID="Label20" runat="server" BackColor="#FF8080" BorderColor="#C00000"
BorderStyle="Double"
    Font-Size="Large" ForeColor="#C00000" Height="24px" Style="z-index: 100; left: -3px;
    position: absolute; top: 0px" Text="Caste Details" Width="553px"></asp:Label>
<asp:Label ID="Label30" runat="server" Height="19px" Style="z-index: 101; left: 51px;
    position: absolute; top: 47px" Text="Maternal :" Width="143px"></asp:Label>
<asp:Label ID="Label31" runat="server" Height="19px" Style="z-index: 102; left: 52px;
    position: absolute; top: 81px" Text="Maternal GrandMother :" Width="148px"></asp:Label>
<asp:Label ID="Label33" runat="server" Style="z-index: 103; left: 55px; position: absolute;
    top: 115px" Text="Paternal Grand Mother :></asp:Label>
<asp:TextBox ID="TextBox6" runat="server" Style="z-index: 104; left: 212px; position: absolute;
    top: 48px" ValidationGroup="b" TabIndex="28"></asp:TextBox>
<asp:TextBox ID="TextBox7" runat="server" Style="z-index: 105; left: 215px; position: absolute;
    top: 81px" ValidationGroup="b" TabIndex="29"></asp:TextBox>
<asp:TextBox ID="TextBox8" runat="server" Style="z-index: 106; left: 217px; position: absolute;
    top: 116px" ValidationGroup="b" TabIndex="30"></asp:TextBox>
<asp:RequiredFieldValidator ID="RequiredFieldValidator7" runat="server"
ControlToValidate="TextBox6"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 107; left: 376px; position: absolute;
    top: 51px" ValidationGroup="b">>*</asp:RequiredFieldValidator>
<asp:RequiredFieldValidator ID="RequiredFieldValidator8" runat="server"
ControlToValidate="TextBox7"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 108; left: 379px; position: absolute;
    top: 83px" ValidationGroup="b">>*</asp:RequiredFieldValidator>
<asp:RequiredFieldValidator ID="RequiredFieldValidator9" runat="server"
ControlToValidate="TextBox8"
    ErrorMessage="RequiredFieldValidator" Style="z-index: 109; left: 381px; position: absolute;
    top: 120px" ValidationGroup="b">>*</asp:RequiredFieldValidator>
    &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
    <asp:Button ID="Button1" runat="server" OnClick="Button1_Click" Style="z-index: 110;
        left: 421px; position: absolute; top: 220px" Text="CANCIL" BackColor="#FFC080"
BorderColor="#FF8000" BorderStyle="Outset" ToolTip="GO TO HOME" />
    <asp:Button ID="Button3" runat="server" OnClick="Button3_Click1" Style="z-index: 111;
        left: 58px; position: absolute; top: 222px" Text="EDIT" BackColor="#FFC080"
BorderColor="#FF8000" BorderStyle="Inset" Width="66px" ToolTip="PLZ CLICK TO EDIT THE INFORMATION" />
    </asp:Panel>
    &nbsp;<br />
    <br />
    &nbsp; &nbsp;
    <asp:Panel ID="Panel3" runat="server" BackColor="#FFFFC0" Font-Underline="False"
        ForeColor="#00C000" Height="250px" Style="z-index: 108; left: 0px; position: absolute;
        top: 705px" Width="559px">
        <asp:Label ID="Label23" runat="server" BackColor="#FF8080" BorderColor="#C00000"
BorderStyle="Double"

```

```

        Font-Size="Large" Font-Underline="True" ForeColor="#C00000" Height="27px" Style="z-index: 100;
    left: -1px; position: absolute; top: -5px" Text="Family Details" Width="553px">></asp:Label>
    &nbsp;
<asp:TextBox ID="TextBox3" runat="server" Style="z-index: 101; left: 203px; position: absolute; top: 44px" ValidationGroup="b" TabIndex="23"></asp:TextBox>
<asp:Label ID="Label24" runat="server" EnableTheming="True" Font-Bold="False" Font-Italic="False" Font-Underline="False" ForeColor="Black" Height="19px" Style="z-index: 102; left: 54px; position: absolute; top: 46px" Text="Father's Name :" Width="130px"></asp:Label>
<asp:Label ID="Label25" runat="server" ForeColor="Black" Height="19px" Style="z-index: 103; left: 55px; position: absolute; top: 82px" Text="Father's Occupation :" Width="131px"></asp:Label>
<asp:DropDownList ID="DropDownList13" runat="server" Style="z-index: 104; left: 202px; position: absolute; top: 77px" Width="155px" TabIndex="24">
    <asp:ListItem>NA</asp:ListItem>
    <asp:ListItem>Teacher</asp:ListItem>
    <asp:ListItem>Lecturar</asp:ListItem>
    <asp:ListItem>Architect</asp:ListItem>
    <asp:ListItem>Business Man</asp:ListItem>
</asp:DropDownList>
<asp:Label ID="Label26" runat="server" ForeColor="Black" Height="19px" Style="z-index: 105; left: 52px; position: absolute; top: 147px" Text="Mother's Occupation :" Width="138px"></asp:Label>
<asp:DropDownList ID="DropDownList14" runat="server" Style="z-index: 106; left: 204px; position: absolute; top: 147px" Width="155px" TabIndex="26">
    <asp:ListItem>NA</asp:ListItem>
    <asp:ListItem>Teacher</asp:ListItem>
    <asp:ListItem>Accountent</asp:ListItem>
    <asp:ListItem>Architect</asp:ListItem>
    <asp:ListItem>Bankmanager</asp:ListItem>
</asp:DropDownList>
    &nbsp; &nbsp;&nbsp;
<asp:Label ID="Label29" runat="server" ForeColor="Black" Height="22px" Style="z-index: 107; left: 55px; position: absolute; top: 186px" Text="Family Background :" Width="135px"></asp:Label>
<asp:TextBox ID="TextBox10" runat="server" Height="54px" Style="z-index: 108; left: 206px; position: absolute; top: 183px" TextMode="MultiLine" ValidationGroup="b" Width="150px" TabIndex="27"></asp:TextBox>
    &nbsp;
<asp:RequiredFieldValidator ID="RequiredFieldValidator5" runat="server" ControlToValidate="TextBox3" ErrorMessage="RequiredFieldValidator" Style="z-index: 109; left: 365px; position: absolute; top: 45px" ValidationGroup="b">*</asp:RequiredFieldValidator>
<asp:RequiredFieldValidator ID="RequiredFieldValidator6" runat="server" ControlToValidate="TextBox10"

```

```

        ErrorMessage="RequiredFieldValidator" Style="z-index: 110; left: 369px; position: absolute;
        top: 190px" ValidationGroup="b">*</asp:RequiredFieldValidator>
<asp:Label ID="Label27" runat="server" ForeColor="Black" Style="z-index: 111; left: 53px;
        position: absolute; top: 112px" Text="Mother's Name :" Width="132px"></asp:Label>
<asp:TextBox ID="TextBox5" runat="server" Style="z-index: 112; left: 203px; position: absolute;
        top: 110px" TabIndex="25"></asp:TextBox>
<asp:RequiredFieldValidator ID="RequiredFieldValidator1" runat="server"
ControlToValidate="TextBox5"
        ErrorMessage="RequiredFieldValidator" Style="z-index: 114; left: 366px; position: absolute;
        top: 113px" ValidationGroup="b">*</asp:RequiredFieldValidator>
</asp:Panel>
</asp:Panel>
 &nbsp; &nbsp; &nbsp;
<asp:Button ID="Button4" runat="server" BackColor="#FFC080" BorderColor="#FF8000"
        BorderStyle="Groove" Height="28px" OnClick="Button4_Click" Style="z-index: 105;
        left: 375px; position: absolute; top: 1360px" Text="UPDATE THE INFORMATION" Width="192px"
ToolTip="PLZ CLICK TO UPDATE THE INFORMATION" TabIndex="33" />
        &nbsp;
</div>
</form>
</body>
</html>

```

Updationform.aspx.cs

```

using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;

public partial class _Default : System.Web.UI.Page
{
    //string strconn = "Provider=Microsoft.Jet.OleDb.4.0;Data Source=g:\\REKHA(PRO)FOLDER\\MATMNGT\\DB\\mm1.mdb";
    string strconn =
System.Configuration.ConfigurationManager.ConnectionStrings["hastamilandatabase"].ConnectionString;
    System.Data.OleDb.OleDbConnection conn,conn1;
}

```

```

protected void Page_Load(object sender, EventArgs e)
{
    string s = Request["x"];
    TextBox1.Text = s;
    conn1 = new System.Data.OleDb.OleDbConnection(strconn);
    if(IsPostBack == false )
    {
        string s1 = "select * from re2 where Name ='" + TextBox1.Text.ToString() + "'";
        System.Data.OleDb.OleDbCommand cmd1 = new System.Data.OleDb.OleDbCommand(s1, conn1);
        System.Data.OleDb.OleDbDataReader r1;
        conn1.Open();
        r1 = cmd1.ExecuteReader();

        while (r1.Read())
        {
            if (r1[3].ToString() == "Male")
            {
                rb_m.Checked = true;
            }
            else
            {
                rb_f.Checked = true;
            }
            if (r1[12].ToString() == "No")
            {
                RadioButton3.Checked = true;
            }
            else
            {
                RadioButton1.Checked = true;
            }
            DropDownList8.Text = r1[1].ToString();
            TextBox9.Text = r1[2].ToString();
            DropDownList1.Text = r1[4].ToString();
            DropDownList2.Text = r1[5].ToString();
            DropDownList3.Text = r1[6].ToString();
            DropDownList4.Text = r1[7].ToString();
            DropDownList5.Text = r1[8].ToString();
            DropDownList6.Text = r1[9].ToString();
            DropDownList15.Text = r1[10].ToString();
            DropDownList9.Text = r1[11].ToString();
            DropDownList7.Text = r1[13].ToString();
            DropDownList16.Text = r1[14].ToString();
            DropDownList11.Text = r1[17].ToString();
        }
    }
}

```

```

        DropDownList13.Text = r1[19].ToString();
        DropDownList14.Text = r1[21].ToString();
        TextBox4.Text = r1[15].ToString();
        TextBox2.Text = r1[16].ToString();
        TextBox3.Text = r1[18].ToString();
        TextBox5.Text = r1[20].ToString();
        TextBox10.Text = r1[22].ToString();
        TextBox6.Text = r1[23].ToString();
        TextBox7.Text = r1[24].ToString();
        TextBox8.Text = r1[25].ToString();
        //Visible
        DropDownList8.Enabled = false;
        TextBox9.Enabled = false;
        DropDownList1.Enabled = false;
        DropDownList2.Enabled = false;
        DropDownList3.Enabled = false;
        DropDownList4.Enabled = false;
        DropDownList5.Enabled = false;
        DropDownList6.Enabled = false;
        DropDownList15.Enabled = false;
        DropDownList9.Enabled = false;
        DropDownList7.Enabled = false;
        DropDownList16.Enabled = false;
        DropDownList11.Enabled = false;
        DropDownList13.Enabled = false;
        DropDownList14.Enabled = false;
        TextBox4.Enabled = false;
        TextBox2.Enabled = false;
        TextBox3.Enabled = false;
        TextBox5.Enabled = false;
        TextBox10.Enabled = false;
        TextBox6.Enabled = false;
        TextBox7.Enabled = false;
        TextBox8.Enabled = false;
        rb_f.Enabled = false;
        rb_m.Enabled = false;
        RadioButton1.Enabled = false;
        RadioButton3.Enabled = false;
    }
}
conn1.Close();
}

protected void RadioButton1_CheckedChanged(object sender, EventArgs e)
{
}

```

```

protected void Radio1_CheckedChanged(object sender, EventArgs e)
{
}
protected void RadioButton2_CheckedChanged(object sender, EventArgs e)
{
}
protected void Button4_Click(object sender, EventArgs e)
{
    string rname = "";
    string rmangl = "";
    if (rb_m.Checked == true)
    {
        rname = rb_m.Text.ToString();
    }
    if (rb_f.Checked == true)
    {
        rname = rb_f.Text.ToString();
    }
    if (RadioButton1.Checked == true)
    {
        rmangl = RadioButton1.Text.ToString();
    }
    if (RadioButton3.Checked == true)
    {
        rmangl = RadioButton3.Text.ToString();
    }
    string str = "Update re2 set Age='"
    + DropDownList8.Text + "',dob='"
    + TextBox9.Text + "',Sex='"
    + rname + "',Height='"
    + DropDownList1.Text + "',Weight='"
    + DropDownList2.Text + "',Religion='"
    + DropDownList3.Text + "',Caste='"
    + DropDownList4.Text + "',Rashi='"
    + DropDownList5.Text + "',Nakshatra='"
    + DropDownList6.Text + "',Maritalstatus='"
    + DropDownList15.Text + "',Education='"
    + DropDownList9.Text + "',Manglik='"
    + rmangl + "',Profession='"
    + DropDownList7.Text + "',AnnualIncome='"
    + DropDownList16.Text + "',Hobbies='"
    + TextBox4.Text + "',ResidentialStatus='"
    + TextBox2.Text + "',RisidingCity='"
    + DropDownList11.Text + "',FatherName='"
    + TextBox3.Text + "',FatherProfession='"
    + DropDownList13.Text + "',MotheName='"
    + TextBox5.Text + "',MotherProfession='"
    + DropDownList14.Text + "',FamilyBackground='"
    + TextBox10.Text + "',Maternal='"
    + TextBox6.Text + "',MaternalGrandMother='"
    + TextBox7.Text + "',PaternalGrandMother='"
    + TextBox8.Text + "' where Name='"
    + TextBox1.Text + "'";
    conn = new System.Data.OleDb.OleDbConnection(strconn);
    conn.Open();
    System.Data.OleDb.OleDbCommand cmd = new System.Data.OleDb.OleDbCommand(str, conn);
    cmd.ExecuteNonQuery();
    conn.Close();
    Response.Redirect("Homepage.aspx");
}
protected void Button1_Click(object sender, EventArgs e)
{
}

```

```
        Response.Redirect("Homepage.aspx");
    }
    protected void Button3_Click1(object sender, EventArgs e)
    {
        DropDownList8.Enabled = true;
        TextBox9.Enabled = true;
        DropDownList1.Enabled = true;
        DropDownList2.Enabled = true;
        DropDownList3.Enabled = true;
        DropDownList4.Enabled = true;
        DropDownList5.Enabled = true;
        DropDownList6.Enabled = true;
        DropDownList15.Enabled = true;
        DropDownList9.Enabled = true;
        DropDownList7.Enabled = true;
        DropDownList16.Enabled = true;
        DropDownList11.Enabled = true;
        DropDownList13.Enabled = true;
        DropDownList14.Enabled = true;
        TextBox4.Enabled = true;
        TextBox2.Enabled = true;
        TextBox3.Enabled = true;
        TextBox5.Enabled = true;
        TextBox10.Enabled = true;
        TextBox6.Enabled = true;
        TextBox7.Enabled = true;
        TextBox8.Enabled = true;
        rb_f.Enabled = true;
        rb_m.Enabled = true;
        RadioButton1.Enabled = true;
        RadioButton3.Enabled = true;
        Button3.Enabled = false;
    }
}
```

Search by Name

searchname.aspx

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="searchname.aspx.cs" Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>SEARCH BY NAME</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            &nbsp;&nbsp;<br />
            <br />
            <asp:Image ID="Image1" runat="server" Height="135px" ImageUrl "~/img/hastamilan1.JPG"
                Style="z-index: 100; left: 0px; position: absolute; top: 0px" Width="975px" />
            <marquee style="z-index: 105; left: 256px; text-transform: capitalize; width: 474px; color: crimson;
                font-style: italic; position: absolute; top: 136px; font-variant: normal; text-decoration: underline; clear:
                none; display: inline; float: right; overflow: hidden; font-family: 'Book Antiqua'; border-right: #990000 thin
                dotted; border-top: #990000 thin dotted; font-weight: bold; border-left: #990000 thin dotted; border-bottom:
                #990000 thin dotted; height: 8px; background-color: #ffcccc;" id="MARQUEE1">**SEARCH BY NAME**</marquee>
            &nbsp;&nbsp;
            <asp:Panel ID="Panel1" runat="server" BackColor="#FFFFC0" BorderColor="#FF8000" BorderStyle="Double"
                Height="1155px" Style="z-index: 101; left: 256px; position: absolute; top: 179px"
                Width="467px">
                <asp:Panel ID="Panel2" runat="server" BackColor="#FFFFC0" ForeColor="Black" Height="705px"
                    Style="z-index: 100; left: 0px; position: absolute; top: 0px" Width="464px">
                    <asp:Label ID="Label3" runat="server" BackColor="#FF8080" BorderColor="#C00000"
                        BorderStyle="Double"
                        Font-Overline="False" Font-Size="Larger" Font-Strikeout="False" Font-Underline="True"
                        ForeColor="#C00000" Height="26px" Style="z-index: 100; left: 2px; position: absolute;
                        top: 0px" Text="Detail Information" Width="455px"></asp:Label>
                    &nbsp; &nbsp;
                    <asp:TextBox ID="TextBox9" runat="server" Height="13px" Style="z-index: 101; left: 197px;
                        position: absolute; top: 118px" TabIndex="7" Width="155px" ReadOnly="True"></asp:TextBox>
                    <asp:Label ID="Label4" runat="server" ForeColor="Black" Height="19px" Style="z-index: 102;
                        left: 51px; position: absolute; top: 57px" Text=" Name :" Width="110px"></asp:Label>
                    <asp:TextBox ID="TextBox1" runat="server" Height="14px" Style="z-index: 103; left: 197px;
                        position: absolute; top: 54px" ValidationGroup="b" Width="155px"
                        ReadOnly="True"></asp:TextBox>
                    <asp:Label ID="Label5" runat="server" ForeColor="Black" Height="19px" Style="z-index: 104;
```

```

        left: 51px; position: absolute; top: 90px" Text="Age :" Width="110px">></asp:Label>
&nbsp;
<asp:Label ID="Label6" runat="server" ForeColor="Black" Height="19px" Style="z-index: 105;
    left: 51px; position: absolute; top: 152px" Text="Sex :" Width="110px">></asp:Label>
&nbsp;
<asp:Label ID="Label7" runat="server" ForeColor="Black" Height="19px" Style="z-index: 106;
    left: 51px; position: absolute; top: 190px" Text="Height :" Width="110px">></asp:Label>
&nbsp;
<asp:Label ID="Label8" runat="server" ForeColor="Black" Height="19px" Style="z-index: 107;
    left: 51px; position: absolute; top: 223px" Text="Weight :" Width="110px">></asp:Label>
&nbsp;
<asp:Label ID="Label9" runat="server" ForeColor="Black" Height="19px" Style="z-index: 108;
    left: 51px; position: absolute; top: 256px" Text="Religion :" Width="110px">></asp:Label>
&nbsp;
<asp:Label ID="Label10" runat="server" ForeColor="Black" Height="19px" Style="z-index: 109;
    left: 51px; position: absolute; top: 287px" Text="Caste :" Width="110px">></asp:Label>
&nbsp;
<asp:Label ID="Label11" runat="server" ForeColor="Black" Height="19px" Style="z-index: 110;
    left: 51px; position: absolute; top: 319px" Text="Rashi" Width="110px">></asp:Label>
&nbsp;
<asp:Label ID="Label12" runat="server" ForeColor="Black" Height="19px" Style="z-index: 111;
    left: 51px; position: absolute; top: 350px" Text="Nakshatra :" Width="110px">></asp:Label>
&nbsp;
<asp:Label ID="Label13" runat="server" ForeColor="Black" Height="19px" Style="z-index: 112;
    left: 51px; position: absolute; top: 381px" Text="Marital Status :"
Width="110px"></asp:Label>
&nbsp;
<asp:Label ID="Label14" runat="server" ForeColor="Black" Height="19px" Style="z-index: 113;
    left: 51px; position: absolute; top: 413px" Text="Education :" Width="110px">></asp:Label>
&nbsp;
<asp:Label ID="Label15" runat="server" ForeColor="Black" Height="19px" Style="z-index: 114;
    left: 51px; position: absolute; top: 443px" Text="Manglik :" Width="110px">></asp:Label>
&nbsp;
<asp:Label ID="Label16" runat="server" ForeColor="Black" Height="19px" Style="z-index: 115;
    left: 51px; position: absolute; top: 472px" Text="Occupation :" Width="110px">></asp:Label>
&nbsp;
<asp:Label ID="Label17" runat="server" ForeColor="Black" Height="19px" Style="z-index: 116;
    left: 51px; position: absolute; top: 502px" Text="Annual Income :" Width="110px">></asp:Label>
&nbsp;
<asp:Label ID="Label18" runat="server" ForeColor="Black" Height="19px" Style="z-index: 117;
    left: 51px; position: absolute; top: 531px" Text="Hobbies :" Width="110px">></asp:Label>
&nbsp; &nbsp; &nbsp; &nbsp;
<asp:Label ID="Label19" runat="server" ForeColor="Black" Height="19px" Style="z-index: 118;
    left: 51px; position: absolute; top: 570px" Text="Residential Status :"
Width="110px"></asp:Label>
```

```

    &nbsp; &nbsp; &nbsp; &nbsp;&nbsp;
<asp:Label ID="Label21" runat="server" ForeColor="Black" Height="19px" Style="z-index: 119;
    left: 54px; position: absolute; top: 663px" Text="Residing City :" Width="110px"></asp:Label>
    &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
    &nbsp; &nbsp; &nbsp;&nbsp;
<asp:TextBox ID="TextBox4" runat="server" Height="60px" Style="z-index: 120; left: 193px;
    position: absolute; top: 582px" TextMode="MultiLine" ValidationGroup="b" Width="159px"
ReadOnly="True"></asp:TextBox>
    &nbsp; &nbsp;&nbsp;
    <asp:Label ID="Label32" runat="server" Style="z-index: 121; left: 384px; position: absolute;
        top: 778px" Text="Label"></asp:Label>
    &nbsp; &nbsp;
    <asp:Label ID="Label2" runat="server" Height="19px" Style="z-index: 122; left: 51px;
        position: absolute; top: 120px" Text="Phonenumber :" Width="108px"></asp:Label>
    <asp:TextBox ID="TextBox11" runat="server" Style="z-index: 123; left: 197px; position: absolute;
        top: 86px" Height="16px" Width="155px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox12" runat="server" Height="15px" Style="z-index: 124; left: 197px;
        position: absolute; top: 185px" Width="155px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox13" runat="server" Height="15px" Style="z-index: 125; left: 197px;
        position: absolute; top: 218px" Width="155px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox14" runat="server" Height="15px" Style="z-index: 126; left: 197px;
        position: absolute; top: 251px" Width="155px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox15" runat="server" Height="15px" Style="z-index: 127; left: 197px;
        position: absolute; top: 284px" Width="155px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox16" runat="server" Height="15px" Style="z-index: 128; left: 197px;
        position: absolute; top: 317px" Width="155px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox17" runat="server" Height="13px" Style="z-index: 129; left: 197px;
        position: absolute; top: 352px" Width="155px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox18" runat="server" Height="14px" Style="z-index: 130; left: 197px;
        position: absolute; top: 379px" Width="155px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox19" runat="server" Style="z-index: 131; left: 197px; position: absolute;
        top: 406px" Height="17px" Width="155px" ReadOnly="True"></asp:TextBox>
    &nbsp;
    <asp:TextBox ID="TextBox21" runat="server" Style="z-index: 132; left: 197px; position: absolute;
        top: 665px" Width="159px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox22" runat="server" Style="z-index: 133; left: 196px; position: absolute;
        top: 496px" Height="17px" Width="158px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox23" runat="server" Style="z-index: 134; left: 196px; position: absolute;
        top: 470px" Height="14px" Width="157px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="txttg" runat="server" Style="z-index: 135; left: 197px; position: absolute;
        top: 152px" Height="15px" Width="155px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="txt_ma" runat="server" Style="z-index: 136; left: 195px; position: absolute;
        top: 440px" Height="16px" Width="158px" ReadOnly="True"></asp:TextBox>
    <asp:Image ID="Image4" runat="server" Style="z-index: 137; left: 368px; position: absolute;
        top: 57px" Width="86px" />

```

```

        <asp:TextBox ID="TextBox2" runat="server" Height="43px" Style="z-index: 139; left: 196px;
            position: absolute; top: 524px" TextMode="MultiLine" ValidationGroup="b" Width="160px"
    ReadOnly="True"></asp:TextBox>
    </asp:Panel>
    &nbsp;
    <asp:Panel ID="Panel4" runat="server" Height="200px" Style="z-index: 102; left: 0px;
        position: absolute; top: 961px" Width="464px">
        <asp:Label ID="Label20" runat="server" BackColor="#FF8080" BorderColor="#C00000"
    BorderStyle="Double"
        Font-Size="Large" ForeColor="#C00000" Height="24px" Style="z-index: 100; left: -3px;
        position: absolute; top: 0px" Text="Caste Details" Width="462px"></asp:Label>
        <asp:Label ID="Label30" runat="server" Height="19px" Style="z-index: 101; left: 51px;
            position: absolute; top: 47px" Text="Maternal :" Width="143px"></asp:Label>
        <asp:Label ID="Label31" runat="server" Height="19px" Style="z-index: 102; left: 52px;
            position: absolute; top: 81px" Text="Maternal GrandMother :" Width="148px"></asp:Label>
        <asp:Label ID="Label33" runat="server" Style="z-index: 103; left: 55px; position: absolute;
            top: 115px" Text="Paternal Grand Mother :"></asp:Label>
        <asp:TextBox ID="TextBox6" runat="server" Style="z-index: 104; left: 212px; position: absolute;
            top: 48px" ValidationGroup="b" ReadOnly="True"></asp:TextBox>
        <asp:TextBox ID="TextBox7" runat="server" Style="z-index: 105; left: 212px; position: absolute;
            top: 81px" ValidationGroup="b" ReadOnly="True"></asp:TextBox>
        <asp:TextBox ID="TextBox8" runat="server" Style="z-index: 106; left: 212px; position: absolute;
            top: 116px" ValidationGroup="b" ReadOnly="True"></asp:TextBox>
        &nbsp; &nbsp;&nbsp;&nbsp; &nbsp;&nbsp; &nbsp;
        <asp:HyperLink ID="HyperLink1" runat="server" BorderColor="#C00000"
    ImageUrl "~/img/searchprofiles.png"
        NavigateUrl "~/Searchhome.aspx" Style="z-index: 108; left: 338px; position: absolute;
        top: 152px" Width="86px" BorderStyle="Double" ToolTip="GO TO SEARCH HOME PAGE"
    TabIndex="5">HyperLink</asp:HyperLink>
    </asp:Panel>
    &nbsp;<br />
    <br />
    <br />
    &nbsp; &nbsp;
    <asp:Panel ID="Panel3" runat="server" BackColor="#FFFFC0" Font-Underline="False"
        ForeColor="#00C000" Height="250px" Style="z-index: 108; left: 0px; position: absolute;
        top: 708px" Width="464px">
        <asp:Label ID="Label23" runat="server" BackColor="#FF8080" BorderColor="#C00000"
    BorderStyle="Double"
        Font-Size="Large" Font-Underline="True" ForeColor="#C00000" Height="27px" Style="z-index:
    100;
        left: -3px; position: absolute; top: -1px" Text="Family Details" Width="460px"></asp:Label>
        &nbsp;
        <asp:TextBox ID="TextBox3" runat="server" Style="z-index: 101; left: 206px; position: absolute;
            top: 44px" ValidationGroup="b" ReadOnly="True"></asp:TextBox>

```

```

<asp:Label ID="Label24" runat="server" EnableTheming="True" Font-Bold="False" Font-Italic="False"
    Font-Underline="False" ForeColor="Black" Height="19px" Style="z-index: 102; left: 54px;
    position: absolute; top: 46px" Text="Father's Name :" Width="130px"></asp:Label>
<asp:Label ID="Label25" runat="server" ForeColor="Black" Height="19px" Style="z-index: 103;
    left: 55px; position: absolute; top: 82px" Text="Father's Occupation :"
Width="131px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label26" runat="server" ForeColor="Black" Height="19px" Style="z-index: 104;
    left: 52px; position: absolute; top: 147px" Text="Mother's Occupation :"
Width="138px"></asp:Label>
    &nbsp; &nbsp; &nbsp;
    <asp:Label ID="Label29" runat="server" ForeColor="Black" Height="22px" Style="z-index: 105;
    left: 55px; position: absolute; top: 186px" Text="Family Background :"
Width="135px"></asp:Label>
    <asp:TextBox ID="TextBox10" runat="server" Height="54px" Style="z-index: 106; left: 206px;
    position: absolute; top: 183px" TextMode="MultiLine" ValidationGroup="b" Width="150px"
ReadOnly="True"></asp:TextBox>
    &nbsp; &nbsp;&nbsp;
    <asp:Label ID="Label27" runat="server" ForeColor="Black" Style="z-index: 107; left: 53px;
    position: absolute; top: 112px" Text="Mother's Name :" Width="132px"></asp:Label>
<asp:TextBox ID="TextBox5" runat="server" Style="z-index: 108; left: 206px; position: absolute;
    top: 110px" ReadOnly="True"></asp:TextBox>
<asp:TextBox ID="TextBox24" runat="server" Style="z-index: 109; left: 206px; position: absolute;
    top: 75px" ReadOnly="True"></asp:TextBox>
<asp:TextBox ID="TextBox25" runat="server" Style="z-index: 111; left: 206px; position: absolute;
    top: 151px" ReadOnly="True"></asp:TextBox>
</asp:Panel>
</asp:Panel>
    &nbsp;
<asp:Panel ID="Panel6" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Solid"
    Height="1204px" Style="z-index: 102; left: 0px; position: absolute; top: 130px"
Width="246px">
    <asp:Image ID="Image2" runat="server" BorderColor="#FFE0C0" BorderStyle="None" Height="161px"
        ImageUrl="~/img/ganesh.gif" Style="z-index: 100; left: 0px; position: absolute;
        top: 0px" Width="245px" />
    <asp:Label ID="Label22" runat="server" BackColor="#FF8080" BorderColor="#C00000"
        BorderStyle="Double" ForeColor="#C00000" Style="z-index: 103; left: 0px; position: absolute;
        top: 163px" Text="Our Features" Width="238px"></asp:Label>
    <br />
    <asp:Panel ID="Panel5" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Outset"
    Height="59px" Style="z-index: 102; left: 1px; position: absolute; top: 272px"
Width="235px">
        <asp:DropDownList ID="dl_u" runat="server"
            Style="z-index: 100; left: 133px; position: absolute; top: 14px" AutoPostBack="True"
OnSelectedIndexChanged="dl_u_SelectedIndexChanged" ToolTip="TO SELECT ANY ONE NAME" TabIndex="1">

```

```

</asp:DropDownList>
<asp:Label ID="Label1" runat="server" Style="z-index: 102; left: 5px; position: absolute; top: 16px" Text="Select The Name"></asp:Label>
</asp:Panel>
</asp:Panel>
 &nbsp; &nbsp;&nbsp;
<asp:Panel ID="Panel7" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Solid" Height="1205px" Style="z-index: 103; left: 734px; position: absolute; top: 133px" Width="235px">
    <asp:Image ID="Image3" runat="server" Height="176px" ImageUrl "~/img/right-barat.gif" Style="z-index: 100; left: 1px; position: absolute; top: -4px" Width="232px" />
    <asp:Label ID="Label28" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double" ForeColor="#C00000" Height="23px" Style="z-index: 101; left: 1px; position: absolute; top: 170px" Text="Our Features" Width="229px"></asp:Label>
    <asp:HyperLink ID="HyperLink2" runat="server" Font-Size="Medium" ForeColor="Green" NavigateUrl "~/ContactUs.aspx" Style="z-index: 102; left: 24px; position: absolute; top: 368px" ToolTip="TO CONTACT US" TabIndex="4">Contact Us</asp:HyperLink>
    &nbsp; &nbsp;
    <asp:HyperLink ID="HyperLink5" runat="server" Font-Size="Medium" ForeColor="Green" NavigateUrl "~/Searchhome.aspx" Style="z-index: 105; left: 25px; position: absolute; top: 323px" ToolTip="TO SEE SEARH YOUR MATCH" TabIndex="3">Search Your Match</asp:HyperLink>
    <asp:HyperLink ID="HyperLink6" runat="server" Font-Size="Medium" ForeColor="Green" NavigateUrl "~/UpdateLogin.aspx" Style="z-index: 106; left: 24px; position: absolute; top: 281px" Width="172px" ToolTip="TO UPDATE THE INFOMATION" TabIndex="2">Updation Of Information</asp:HyperLink>
    &nbsp; &nbsp;
    <asp:Image ID="Image7" runat="server" Height="15px" ImageUrl "~/img/bullet.gif" Style="z-index: 109; left: 5px; position: absolute; top: 275px" Width="11px" />
    <asp:Image ID="Image8" runat="server" Height="15px" ImageUrl "~/img/bullet.gif" Style="z-index: 110; left: 5px; position: absolute; top: 322px" Width="11px" />
    <asp:Image ID="Image9" runat="server" Height="15px" ImageUrl "~/img/bullet.gif" Style="z-index: 112; left: 5px; position: absolute; top: 366px" Width="6px" />
</asp:Panel>
<asp:HyperLink ID="HyperLink7" runat="server" ForeColor="Blue" NavigateUrl "~/loginn1.aspx" Style="z-index: 106; left: 658px; position: absolute; top: 161px" Width="74px" ToolTip="LOGOUT" TabIndex="6">[LogOut]</asp:HyperLink>
</div>
</form>
</body>
</html>

```

searchname.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;

public partial class _Default : System.Web.UI.Page
{
    //string strconn = "Provider=Microsoft.Jet.Oledb.4.0;Data Source=g:\\REKHA(PRO)FOLDER\\MATMGNT\\DB\\mm1.mdb";
    string strconn =
System.Configuration.ConfigurationManager.ConnectionStrings["hastamilandatabase"].ConnectionString;

    System.Data.OleDb.OleDbConnection conn;

    protected void Page_Load(object sender, EventArgs e)
    {
        if (IsPostBack == false)
        {
            conn = new System.Data.OleDb.OleDbConnection(strconn);
            conn.Open();
            string str = "select Name from re2";
            System.Data.OleDb.OleDbCommand cmd = new System.Data.OleDb.OleDbCommand(str, conn);
            System.Data.OleDb.OleDbDataReader r;
            r = cmd.ExecuteReader();
            dl_u.Items.Clear();
            while (r.Read())
            {
                dl_u.Items.Add(r[0].ToString());
            }
            r.Dispose();
            cmd.Dispose();
            conn.Close();
        }
    }
    protected void dl_u_SelectedIndexChanged(object sender, EventArgs e)
    {

        conn = new System.Data.OleDb.OleDbConnection(strconn);
```

```

conn.Open();
string str1 = "select * from re2 where name='" + dl_u.SelectedItem.Text + "'";
System.Data.OleDb.OleDbCommand cmd1 = new System.Data.OleDb.OleDbCommand(str1, conn);
System.Data.OleDb.OleDbDataReader r1;
r1 = cmd1.ExecuteReader();

while (r1.Read())
{
    TextBox1.Text = r1[0].ToString();
    TextBox11.Text = r1[1].ToString();
    TextBox9.Text = r1[2].ToString();
    txtg.Text = r1[3].ToString();
    TextBox12.Text = r1[4].ToString();
    TextBox13.Text = r1[5].ToString();
    TextBox14.Text = r1[6].ToString();
    TextBox15.Text = r1[7].ToString();
    TextBox16.Text = r1[8].ToString();
    TextBox17.Text = r1[9].ToString();
    TextBox18.Text = r1[10].ToString();
    TextBox19.Text = r1[11].ToString();
    txt_ma.Text = r1[12].ToString();

    TextBox23.Text = r1[13].ToString();
    TextBox22.Text = r1[14].ToString();
    TextBox4.Text = r1[15].ToString();

    TextBox21.Text = r1[17].ToString();
    TextBox3.Text = r1[18].ToString();
    TextBox24.Text = r1[19].ToString();
    TextBox5.Text = r1[20].ToString();
    TextBox25.Text = r1[21].ToString();
    TextBox10.Text = r1[22].ToString();
    TextBox6.Text = r1[23].ToString();
    TextBox7.Text = r1[24].ToString();
    TextBox8.Text = r1[25].ToString();
    string sst=r1[26].ToString();
    Image4.ImageUrl = "d:\\\\img\\\\"+sst;

}
}
}

```

Search By Caste

searchcaste.aspx

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="searchcaste.aspx.cs" Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>SEARCH BY CASTE</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            <asp:Image ID="Image2" runat="server" Height="135px" ImageUrl "~/img/hastamilan1.JPG"
                Style="z-index: 100; left: 0px; position: absolute; top: 0px" Width="919px" />
            <marquee style="z-index: 105; left: 228px; text-transform: capitalize; width: 457px; color: crimson;
                font-style: italic; position: absolute; top: 135px; font-variant: normal; text-decoration: underline; clear:
                none; display: inline; float: right; overflow: hidden; font-family: 'Book Antiqua'; border-right: #990000 thin
                dotted; border-top: #990000 thin dotted; font-weight: bold; border-left: #990000 thin dotted; border-bottom:
                #990000 thin dotted; height: 14px; background-color: #ffcccc;" id="MARQUEE1">**SEARCH BY CASTE**</marquee>
            &nbsp;<br />
            <br />
            <asp:HyperLink ID="HyperLink7" runat="server" ForeColor="Blue" Height="20px" NavigateUrl="~/loginn1.aspx"
                Style="z-index: 106; left: 618px; position: absolute; top: 159px" Width="71px" ToolTip="LOGOUT"
                TabIndex="7">[LogOut]</asp:HyperLink>
            <asp:Panel ID="Panel1" runat="server" BackColor="#FFFFC0" BorderColor="#FF8000" BorderStyle="Double"
                Height="1219px" Style="z-index: 102; left: 227px; position: absolute; top: 181px"
                Width="454px">
                <asp:Panel ID="Panel2" runat="server" BackColor="#FFFFC0" ForeColor="Black" Height="707px"
                    Style="z-index: 100; left: -1px; position: absolute; top: -3px" Width="454px">
                    <asp:Label ID="Label3" runat="server" BackColor="#FF8080" BorderColor="#C00000"
                        BorderStyle="Double"
                        Font-Overline="False" Font-Size="Larger" Font-Strikeout="False" Font-Underline="True"
                        ForeColor="#C00000" Height="4px" Style="z-index: 100; left: 0px; position: absolute;
                        top: 3px" Text="Detail Information" Width="446px"></asp:Label>
                    &nbsp; &nbsp;
                    <asp:TextBox ID="TextBox9" runat="server" Height="13px" Style="z-index: 101; left: 193px;
                        position: absolute; top: 116px" Width="150px" ReadOnly="True"></asp:TextBox>
                    <asp:Label ID="Label14" runat="server" ForeColor="Black" Height="19px" Style="z-index: 102;
                        left: 51px; position: absolute; top: 53px" Text=" Name :" Width="110px"></asp:Label>
                    <asp:TextBox ID="TextBox1" runat="server" Height="14px" Style="z-index: 103; left: 193px;
                        position: absolute; top: 54px" ValidationGroup="b" Width="150px">
                </asp:Panel>
            </asp:Panel>
        </div>
    </form>
</body>
```

```

    <asp:Label ID="Label5" runat="server" ForeColor="Black" Height="19px" Style="z-index: 104;
        left: 51px; position: absolute; top: 80px" Text="Age :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label6" runat="server" ForeColor="Black" Height="19px" Style="z-index: 105;
        left: 51px; position: absolute; top: 165px" Text="Sex :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label7" runat="server" ForeColor="Black" Height="19px" Style="z-index: 106;
        left: 51px; position: absolute; top: 197px" Text="Height :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label8" runat="server" ForeColor="Black" Height="19px" Style="z-index: 107;
        left: 51px; position: absolute; top: 227px" Text="Weight :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label9" runat="server" ForeColor="Black" Height="19px" Style="z-index: 108;
        left: 51px; position: absolute; top: 256px" Text="Religion :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label10" runat="server" ForeColor="Black" Height="19px" Style="z-index: 109;
        left: 51px; position: absolute; top: 287px" Text="Caste :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label11" runat="server" ForeColor="Black" Height="19px" Style="z-index: 110;
        left: 51px; position: absolute; top: 319px" Text="Rashi" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label12" runat="server" ForeColor="Black" Height="19px" Style="z-index: 111;
        left: 51px; position: absolute; top: 350px" Text="Nakshatra :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label13" runat="server" ForeColor="Black" Height="19px" Style="z-index: 112;
        left: 51px; position: absolute; top: 381px" Text="Marital Status :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label14" runat="server" ForeColor="Black" Height="19px" Style="z-index: 113;
        left: 51px; position: absolute; top: 413px" Text="Education :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label15" runat="server" ForeColor="Black" Height="19px" Style="z-index: 114;
        left: 51px; position: absolute; top: 443px" Text="Manglik :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label16" runat="server" ForeColor="Black" Height="19px" Style="z-index: 115;
        left: 51px; position: absolute; top: 472px" Text="Occupation :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label17" runat="server" ForeColor="Black" Height="19px" Style="z-index: 116;
        left: 51px; position: absolute; top: 502px" Text="Annual Income :" Width="110px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label18" runat="server" ForeColor="Black" Height="19px" Style="z-index: 117;
        left: 51px; position: absolute; top: 537px" Text="Hobbies :" Width="110px"></asp:Label>
    &nbsp; &nbsp; &nbsp; &nbsp;
    <asp:Label ID="Label19" runat="server" ForeColor="Black" Height="19px" Style="z-index: 118;

```

```

        left: 51px; position: absolute; top: 576px" Text="Residential Status :"  

Width="110px">></asp:Label>  

    &nbsp; &nbsp; &nbsp;&nbsp;&nbsp;  

<asp:Label ID="Label21" runat="server" ForeColor="Black" Height="19px" Style="z-index: 119;  

    left: 51px; position: absolute; top: 643px" Text="Residing City :" Width="110px"></asp:Label>  

    &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;  

    &nbsp; &nbsp; &nbsp;&nbsp;  

<asp:TextBox ID="TextBox4" runat="server" Height="39px" Style="z-index: 120; left: 193px;  

    position: absolute; top: 533px" TextMode="MultiLine" ValidationGroup="b" Width="159px"  

ReadOnly="True"></asp:TextBox>  

    <asp:TextBox ID="TextBox2" runat="server" Height="42px" Style="z-index: 121; left: 193px;  

    position: absolute; top: 585px" TextMode="MultiLine" ValidationGroup="b" Width="158px"  

ReadOnly="True"></asp:TextBox>  

    &nbsp; &nbsp; &nbsp; &nbsp;  

<asp:Label ID="Label12" runat="server" Height="19px" Style="z-index: 122; left: 51px;  

    position: absolute; top: 112px" Text="Phonenumber :" Width="108px"></asp:Label>  

<asp:TextBox ID="TextBox11" runat="server" Style="z-index: 123; left: 193px; position: absolute;  

    top: 84px" ReadOnly="True"></asp:TextBox>  

<asp:TextBox ID="TextBox12" runat="server" Height="13px" Style="z-index: 124; left: 193px;  

    position: absolute; top: 202px" Width="150px" ReadOnly="True"></asp:TextBox>  

<asp:TextBox ID="TextBox13" runat="server" Height="15px" Style="z-index: 125; left: 193px;  

    position: absolute; top: 230px" Width="155px" ReadOnly="True"></asp:TextBox>  

<asp:TextBox ID="TextBox14" runat="server" Height="14px" Style="z-index: 126; left: 193px;  

    position: absolute; top: 263px" Width="155px" ReadOnly="True"></asp:TextBox>  

<asp:TextBox ID="TextBox15" runat="server" Height="15px" Style="z-index: 127; left: 193px;  

    position: absolute; top: 291px" Width="155px" ReadOnly="True"></asp:TextBox>  

<asp:TextBox ID="TextBox16" runat="server" Height="15px" Style="z-index: 128; left: 193px;  

    position: absolute; top: 320px" Width="155px" ReadOnly="True"></asp:TextBox>  

<asp:TextBox ID="TextBox17" runat="server" Height="13px" Style="z-index: 129; left: 193px;  

    position: absolute; top: 354px" Width="155px" ReadOnly="True"></asp:TextBox>  

<asp:TextBox ID="TextBox18" runat="server" Height="14px" Style="z-index: 130; left: 193px;  

    position: absolute; top: 382px" Width="155px" ReadOnly="True"></asp:TextBox>  

<asp:TextBox ID="TextBox19" runat="server" Style="z-index: 131; left: 193px; position: absolute;  

    top: 410px" Width="156px" ReadOnly="True"></asp:TextBox>  

    &nbsp;  

<asp:TextBox ID="TextBox21" runat="server" Style="z-index: 132; left: 193px; position: absolute;  

    top: 645px" Width="159px" ReadOnly="True"></asp:TextBox>  

<asp:TextBox ID="TextBox22" runat="server" Style="z-index: 133; left: 193px; position: absolute;  

    top: 503px" Width="161px" ReadOnly="True"></asp:TextBox>  

<asp:TextBox ID="TextBox23" runat="server" Style="z-index: 134; left: 193px; position: absolute;  

    top: 475px" Width="161px" ReadOnly="True"></asp:TextBox>  

<asp:TextBox ID="txt_ma" runat="server" Style="z-index: 135; left: 193px; position: absolute;  

    top: 443px" Width="159px" ReadOnly="True"></asp:TextBox>  

<asp:TextBox ID="txtg" runat="server" Style="z-index: 136; left: 193px; position: absolute;  

    top: 166px" Width="150px" ReadOnly="True"></asp:TextBox>

```

```

<asp:Image ID="Image4" runat="server" Height="87px" Style="z-index: 138; left: 366px;
position: absolute; top: 50px" />
</asp:Panel>
 &nbsp;
<asp:Panel ID="Panel14" runat="server" Height="260px" Style="z-index: 102; left: 0px;
position: absolute; top: 958px" Width="454px">
    <asp:Label ID="Label120" runat="server" BackColor="#FF8080" BorderColor="#C00000"
    BorderStyle="Double"
        Font-Size="Large" ForeColor="#C00000" Height="24px" Style="z-index: 100; left: -3px;
        position: absolute; top: 0px" Text="Caste Details" Width="452px"></asp:Label>
    <asp:Label ID="Label130" runat="server" Height="19px" Style="z-index: 101; left: 42px;
        position: absolute; top: 82px" Text="Maternal :" Width="143px"></asp:Label>
    <asp:Label ID="Label31" runat="server" Height="19px" Style="z-index: 102; left: 43px;
        position: absolute; top: 116px" Text="Maternal GrandMother :" Width="148px"></asp:Label>
    <asp:Label ID="Label33" runat="server" Style="z-index: 103; left: 46px; position: absolute;
        top: 150px" Text="Paternal Grand Mother :"></asp:Label>
    <asp:TextBox ID="TextBox6" runat="server" Style="z-index: 104; left: 208px; position: absolute;
        top: 83px" ValidationGroup="b" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox7" runat="server" Style="z-index: 105; left: 208px; position: absolute;
        top: 116px" ValidationGroup="b" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox8" runat="server" Style="z-index: 106; left: 208px; position: absolute;
        top: 151px" ValidationGroup="b" ReadOnly="True"></asp:TextBox>
    &nbsp; &nbsp;&nbsp;&nbsp;
    <asp:HyperLink ID="HyperLink1" runat="server" Height="26px" ImageUrl="~/img/searchprofiles.png"
        NavigateUrl="~/Searchhome.aspx" Style="z-index: 108; left: 329px; position: absolute;
        top: 211px" Width="89px" BorderColor="#C00000" BorderStyle="Double" ToolTip="GO TO SEARCH
HOME PAGE" TabIndex="3">HyperLink</asp:HyperLink>
</asp:Panel>
&nbsp;<br />
<br />
<br />
    &nbsp; &nbsp;
    <asp:Panel ID="Panel13" runat="server" BackColor="#FFFFC0" Font-Underline="False"
        ForeColor="#00C000" Height="253px" Style="z-index: 108; left: 0px; position: absolute;
        top: 705px" Width="453px">
        <asp:Label ID="Label123" runat="server" BackColor="#FF8080" BorderColor="#C00000"
        BorderStyle="Double"
            Font-Size="Large" Font-Underline="True" ForeColor="#C00000" Height="27px" Style="z-index:
100;
            left: -3px; position: absolute; top: -1px" Text="Family Details" Width="449px"></asp:Label>
        &nbsp;
        <asp:TextBox ID="TextBox3" runat="server" Style="z-index: 101; left: 206px; position: absolute;
            top: 44px" ValidationGroup="b" ReadOnly="True"></asp:TextBox>
        <asp:Label ID="Label124" runat="server" EnableTheming="True" Font-Bold="False" Font-Italic="False"
            Font-Underline="False" ForeColor="Black" Height="19px" Style="z-index: 102; left: 54px;

```

```

        position: absolute; top: 46px" Text="Father's Name :" Width="130px"></asp:Label>
<asp:Label ID="Label25" runat="server" ForeColor="Black" Height="19px" Style="z-index: 103;
    left: 55px; position: absolute; top: 82px" Text="Father's Occupation :"
Width="131px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label26" runat="server" ForeColor="Black" Height="19px" Style="z-index: 104;
        left: 52px; position: absolute; top: 147px" Text="Mother's Occupation :"
Width="138px"></asp:Label>
    &nbs; &nbs; &nbs;&nbs;
    <asp:Label ID="Label29" runat="server" ForeColor="Black" Height="22px" Style="z-index: 105;
        left: 55px; position: absolute; top: 186px" Text="Family Background :"
Width="135px"></asp:Label>
    <asp:TextBox ID="TextBox10" runat="server" Height="54px" Style="z-index: 106; left: 206px;
        position: absolute; top: 183px" TextMode="MultiLine" ValidationGroup="b" Width="150px"
ReadOnly="True"></asp:TextBox>
    &nbs; &nbs;&nbs;
    <asp:Label ID="Label27" runat="server" ForeColor="Black" Style="z-index: 107; left: 53px;
        position: absolute; top: 112px" Text="Mother's Name :" Width="132px"></asp:Label>
    <asp:TextBox ID="TextBox5" runat="server" Style="z-index: 108; left: 206px; position: absolute;
        top: 110px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox24" runat="server" Style="z-index: 109; left: 206px; position: absolute;
        top: 75px" ReadOnly="True"></asp:TextBox>
    <asp:TextBox ID="TextBox25" runat="server" Style="z-index: 111; left: 206px; position: absolute;
        top: 151px" ReadOnly="True"></asp:TextBox>
    </asp:Panel>
</asp:Panel>
<br />
<asp:Panel ID="Panel5" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Solid"
Height="1262px" Style="z-index: 103; left: 2px; position: absolute; top: 132px"
Width="217px">
    <asp:Image ID="Image1" runat="server" Height="176px" ImageUrl="~/img/ganesh.gif"
        Style="z-index: 100; left: 0px; position: absolute; top: 0px" Width="215px" />
    <asp:Label ID="Label28" runat="server" BackColor="#FF8080" BorderColor="#C00000"
        BorderStyle="Double" ForeColor="#C00000" Style="z-index: 106; left: 1px; position: absolute;
        top: 172px" Text="Our Features" Width="209px"></asp:Label>
    <asp:Label ID="Label1" runat="server" Style="z-index: 102; left: 7px; position: absolute;
        top: 257px" Text="Plz Enter Caste :></asp:Label>
    <asp:DropDownList ID="dl_caste" runat="server" Style="z-index: 103; left: 126px;
        position: absolute; top: 257px" AutoPostBack="True"
OnSelectedIndexChanged="dl_caste_SelectedIndexChanged" Width="81px" ToolTip="SELECT ANY ONE CASTE" TabIndex="1">
    </asp:DropDownList>
    <asp:Label ID="Label22" runat="server" Style="z-index: 104; left: 7px; position: absolute;
        top: 335px" Text="Plz Enter Name :></asp:Label>
    <asp:DropDownList ID="dd_n" runat="server" Style="z-index: 105; left: 124px;
        position: absolute; top: 335px" AutoPostBack="True"

```

```

OnSelectedIndexChanged="DropDownList1_SelectedIndexChanged" Width="83px" ToolTip="SELECT ANY NAME" TabIndex="2">
    </asp:DropDownList>
    </asp:Panel>
    <asp:Panel ID="Panel6" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Solid"
        Height="1262px" Style="z-index: 104; left: 691px; position: absolute; top: 133px"
        Width="217px">
        <asp:Image ID="Image3" runat="server" Height="176px" ImageUrl="~/img/right-barat.gif"
            Style="z-index: 100; left: 2px; position: absolute; top: 4px" Width="215px" />
        <asp:Label ID="Label132" runat="server" BackColor="#FF8080" BorderColor="#C00000"
            BorderStyle="Double" ForeColor="#C00000" Height="23px" Style="z-index: 101; left: 1px;
            position: absolute; top: 177px" Text="Our Features" Width="207px"></asp:Label>
        <asp:HyperLink ID="HyperLink2" runat="server" Font-Size="Medium" ForeColor="Green"
            NavigateUrl "~/ContactUs.aspx" Style="z-index: 102; left: 25px; position: absolute;
            top: 352px" Width="105px" ToolTip="TO CONTACT US" TabIndex="6">Contact Us</asp:HyperLink>
        <asp:HyperLink ID="HyperLink3" runat="server" Font-Size="Medium" ForeColor="Green"
            NavigateUrl "~/UpdateLogin.aspx" Style="z-index: 103; left: 24px; position: absolute;
            top: 319px" Width="185px" ToolTip="TO UPDATE THE INFOMATION" TabIndex="5">Updation Of
Information</asp:HyperLink>
        <asp:HyperLink ID="HyperLink4" runat="server" Font-Size="Medium" ForeColor="Green"
            NavigateUrl "~/Searchhome.aspx" Style="z-index: 104; left: 24px; position: absolute;
            top: 278px" Width="187px" ToolTip="TO SEE SEARH YOUR MATCH" TabIndex="4">Search Your
Match</asp:HyperLink>
        &nbsp; &nbsp; &nbsp;
        <asp:Image ID="Image7" runat="server" ImageUrl="~/img/bullet.gif" Style="z-index: 109;
            left: 7px; position: absolute; top: 274px" Width="6px" />
        <asp:Image ID="Image8" runat="server" ImageUrl="~/img/bullet.gif" Style="z-index: 110;
            left: 5px; position: absolute; top: 319px" />
        <asp:Image ID="Image9" runat="server" ImageUrl="~/img/bullet.gif" Style="z-index: 112;
            left: 7px; position: absolute; top: 351px" />
    </asp:Panel>
</div>
</form>
</body>
</html>

```

searchcaste.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;

public partial class _Default : System.Web.UI.Page
{
    //string strconn = "Provider=Microsoft.Jet.Oledb.4.0;Data Source=g:\\REKHA(PRO)FOLDER\\MATMGNT\\DB\\mm1.mdb";
    string strconn =
System.Configuration.ConfigurationManager.ConnectionStrings["hastamilandatabase"].ConnectionString;
    System.Data.OleDb.OleDbConnection conn;

    protected void Page_Load(object sender, EventArgs e)
    {
        if (IsPostBack == false)
        {
            conn = new System.Data.OleDb.OleDbConnection(strconn);
            conn.Open();
            string str = "select Caste from re2";
            System.Data.OleDb.OleDbCommand cmd = new System.Data.OleDb.OleDbCommand(str, conn);
            System.Data.OleDb.OleDbDataReader r;
            r = cmd.ExecuteReader();

            while (r.Read())
            {
                dl_caste.Items.Add(r[0].ToString());
            }
            r.Dispose();
            cmd.Dispose();
            conn.Close();
        }
    }

    protected void dd_n_SelectedIndexChanged(object sender, EventArgs e)
    {
```

```

}

protected void dl_caste_SelectedIndexChanged(object sender, EventArgs e)
{
    conn = new System.Data.OleDb.OleDbConnection(strconn);
    conn.Open();
    string str1 = "select Name from re2 where Caste='" + dl_caste.Text + "'";
    System.Data.OleDb.OleDbCommand cmd1 = new System.Data.OleDb.OleDbCommand(str1, conn);
    System.Data.OleDb.OleDbDataReader r1;
    r1 = cmd1.ExecuteReader();
    dd_n.Items.Clear();
    dd_n.Items.Add("--select--");
    while (r1.Read())
    {
        dd_n.Items.Add(r1[0].ToString());
    }
    r1.Dispose();
    cmd1.Dispose();
    conn.Close();
}
protected void DropDownList1_SelectedIndexChanged(object sender, EventArgs e)
{
    conn = new System.Data.OleDb.OleDbConnection(strconn);
    conn.Open();
    string str1 = "select * from re2 where name='" + dd_n.SelectedItem.Text + "'";
    System.Data.OleDb.OleDbCommand cmd1 = new System.Data.OleDb.OleDbCommand(str1, conn);
    System.Data.OleDb.OleDbDataReader r1;
    r1 = cmd1.ExecuteReader();

    if (r1.HasRows == true)
    {
        while (r1.Read())
        {
            TextBox1.Text = r1[0].ToString();
            TextBox11.Text = r1[1].ToString();
            TextBox9.Text = r1[2].ToString();
            txtg.Text = r1[3].ToString();
            TextBox12.Text = r1[4].ToString();
            TextBox13.Text = r1[5].ToString();
            TextBox14.Text = r1[6].ToString();
            TextBox15.Text = r1[7].ToString();
            TextBox16.Text = r1[8].ToString();
            TextBox17.Text = r1[9].ToString();
            TextBox18.Text = r1[10].ToString();
            TextBox19.Text = r1[11].ToString();
            txt_ma.Text = r1[12].ToString();
        }
    }
}

```

```

        TextBox23.Text = r1[13].ToString();
        TextBox22.Text = r1[14].ToString();
        TextBox4.Text = r1[15].ToString();
        TextBox2.Text = r1[16].ToString();
        TextBox21.Text = r1[17].ToString();
        TextBox3.Text = r1[18].ToString();
        TextBox24.Text = r1[19].ToString();
        TextBox5.Text = r1[20].ToString();
        TextBox25.Text = r1[21].ToString();
        TextBox10.Text = r1[22].ToString();
        TextBox6.Text = r1[23].ToString();
        TextBox7.Text = r1[24].ToString();
        TextBox8.Text = r1[25].ToString();
        string sst = r1[26].ToString();
        Image4.ImageUrl = "d:\\\\img\\\\" + sst;
    }
}
}
}

```

Search By Religion

searchreligion.aspx

```

<%@ Page Language="C#" AutoEventWireup="true" CodeFile="searchreligion.aspx.cs" Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>SEARCH BY RELIGION</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            <asp:Image ID="Image2" runat="server" Height="135px" ImageUrl="~/img/hastamilan1.JPG"
                Style="z-index: 100; left: 12px; position: absolute; top: 0px" Width="919px" />
            <marquee style="z-index: 105; left: 246px; text-transform: capitalize; width: 456px; color: crimson;
                font-style: italic; position: absolute; top: 135px; font-variant: normal; text-decoration: underline; clear:
                none; display: inline; float: right; overflow: hidden; font-family: 'Book Antiqua'; border-right: #990000 thin
                dotted; border-top: #990000 thin dotted; font-weight: bold; border-left: #990000 thin dotted; border-bottom:
                #990000 thin dotted; height: 15px; background-color: #ffcccc;" id="MARQUEE1">**SEARCH BY RELIGION**</marquee>
        </div>
    </form>
</body>

```

```

<asp:HyperLink ID="HyperLink7" runat="server" ForeColor="Blue" NavigateUrl("~/loginn1.aspx"
    Style="z-index: 106; left: 620px; position: absolute; top: 159px" Width="81px" ToolTip="LOGOUT"
    TabIndex="7">[LogOut]</asp:HyperLink>
<asp:Panel ID="Panel7" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Solid"
    Height="1256px" Style="z-index: 102; left: 12px; position: absolute; top: 133px"
    Width="225px">
    <asp:Image ID="Image3" runat="server" Height="147px" ImageUrl "~/img/ganesh.gif"
        Style="z-index: 100; left: -1px; position: absolute; top: -1px" Width="223px" />
    <asp:Label ID="Label28" runat="server" BackColor="#FF8080" BorderColor="#C00000"
        BorderStyle="Double" ForeColor="#C00000" Style="z-index: 106; left: 0px; position: absolute;
        top: 149px" Text="Our Features" Width="218px" Height="28px"></asp:Label>
    <asp:Label ID="Label1" runat="server" Style="z-index: 102; left: 4px; position: absolute;
        top: 334px" Text="Plz Enter Name :" Width="104px"></asp:Label>
    <asp:DropDownList ID="dl_re" runat="server" Style="z-index: 103; left: 122px;
        position: absolute; top: 333px" AutoPostBack="True"
    OnSelectedIndexChanged="dl_re_SelectedIndexChanged" Width="89px" ToolTip="TO SELECT ANY ONE NAME" TabIndex="2">
        </asp:DropDownList>
    <asp:Label ID="Label22" runat="server" Style="z-index: 104; left: 6px; position: absolute;
        top: 241px" Text="Plz Enter Religion :"></asp:Label>
    <asp:DropDownList ID="ddr" runat="server" Style="z-index: 105; left: 125px;
        position: absolute; top: 240px" AutoPostBack="True" OnSelectedIndexChanged="ddr_SelectedIndexChanged"
    ToolTip="TO SELECT ANY ONE RELIGION" TabIndex="1">
        </asp:DropDownList>
    </asp:Panel>
    <asp:Panel ID="Panel5" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Solid"
        Height="1255px" Style="z-index: 103; left: 707px; position: absolute; top: 134px"
        Width="217px">
        <asp:Image ID="Image1" runat="server" Height="156px" ImageUrl "~/img/right-barat.gif"
            Style="z-index: 100; left: 1px; position: absolute; top: 1px" Width="215px" />
        <asp:Label ID="Label34" runat="server" BackColor="#FF8080" BorderColor="#C00000"
            BorderStyle="Double" ForeColor="#C00000" Height="29px" Style="z-index: 101; left: 0px;
            position: absolute; top: 152px" Text="Our Features" Width="210px"></asp:Label>
        <asp:HyperLink ID="HyperLink2" runat="server" Font-Size="Medium" ForeColor="Green"
            NavigateUrl "~/ContactUs.aspx" Style="z-index: 102; left: 31px; position: absolute;
            top: 339px" ToolTip="TO CONTACT US" TabIndex="5">Contact Us</asp:HyperLink>
        <asp:HyperLink ID="HyperLink3" runat="server" Font-Size="Medium" ForeColor="Green"
            NavigateUrl "~/Updatelogin.aspx" Style="z-index: 103; left: 31px; position: absolute;
            top: 253px" Width="177px" ToolTip="TO UPDATE THE INFOMATION" TabIndex="3">Updation Of
        Information</asp:HyperLink>
        &nbsp; &nbsp;
        <asp:HyperLink ID="HyperLink6" runat="server" Font-Size="Medium" ForeColor="Green"
            NavigateUrl "~/Searchhome.aspx" Style="z-index: 106; left: 31px; position: absolute;
            top: 297px" ToolTip="TO SEE SEARH YOUR MATCH" TabIndex="4">Search Your Match</asp:HyperLink>
        <asp:Image ID="Image5" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 107;
            left: 7px; position: absolute; top: 343px" Width="12px" />

```

```

<asp:Image ID="Image6" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 108;
    left: 7px; position: absolute; top: 297px" Width="12px" />
<asp:Image ID="Image7" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 109;
    left: 7px; position: absolute; top: 250px" Width="12px" />
    &nbsp; &nbsp;
</asp:Panel>
<asp:Panel ID="Panel1" runat="server" BackColor="#FFFFC0" BorderColor="#FF8000" BorderStyle="Double"
    Height="1212px" Style="z-index: 104; left: 242px; position: absolute; top: 178px"
    Width="454px">
    <asp:Panel ID="Panel2" runat="server" BackColor="#FFFFC0" ForeColor="Black" Height="705px"
        Style="z-index: 100; left: 0px; position: absolute; top: 0px" Width="456px">
        <asp:Label ID="Label3" runat="server" BackColor="#FF8080" BorderColor="#C00000"
BorderStyle="Double"
            Font-Overline="False" Font-Size="Larger" Font-Strikeout="False" Font-Underline="True"
            ForeColor="#C00000" Height="26px" Style="z-index: 100; left: -1px; position: absolute;
            top: 1px" Text="Detail Information" Width="451px"></asp:Label>
        &nbsp; &nbsp;
        <asp:TextBox ID="TextBox9" runat="server" Height="13px" Style="z-index: 101; left: 194px;
            position: absolute; top: 112px" TabIndex="7" Width="146px" ReadOnly="True"></asp:TextBox>
        <asp:Label ID="Label4" runat="server" ForeColor="Black" Height="19px" Style="z-index: 102;
            left: 51px; position: absolute; top: 53px" Text=" Name :" Width="110px"></asp:Label>
        <asp:TextBox ID="TextBox1" runat="server" Height="14px" Style="z-index: 103; left: 194px;
            position: absolute; top: 54px" ValidationGroup="b" Width="144px"
ReadOnly="True"></asp:TextBox>
        <asp:Label ID="Label5" runat="server" ForeColor="Black" Height="19px" Style="z-index: 104;
            left: 51px; position: absolute; top: 80px" Text="Age :" Width="110px"></asp:Label>
        &nbsp;
        <asp:Label ID="Label6" runat="server" ForeColor="Black" Height="19px" Style="z-index: 105;
            left: 51px; position: absolute; top: 165px" Text="Sex :" Width="110px"></asp:Label>
        &nbsp;
        <asp:Label ID="Label7" runat="server" ForeColor="Black" Height="19px" Style="z-index: 106;
            left: 51px; position: absolute; top: 197px" Text="Height :" Width="110px"></asp:Label>
        &nbsp;
        <asp:Label ID="Label8" runat="server" ForeColor="Black" Height="19px" Style="z-index: 107;
            left: 51px; position: absolute; top: 227px" Text="Weight :" Width="110px"></asp:Label>
        &nbsp;
        <asp:Label ID="Label9" runat="server" ForeColor="Black" Height="19px" Style="z-index: 108;
            left: 51px; position: absolute; top: 256px" Text="Religion :" Width="110px"></asp:Label>
        &nbsp;
        <asp:Label ID="Label10" runat="server" ForeColor="Black" Height="19px" Style="z-index: 109;
            left: 51px; position: absolute; top: 287px" Text="Caste :" Width="110px"></asp:Label>
        &nbsp;
        <asp:Label ID="Label11" runat="server" ForeColor="Black" Height="19px" Style="z-index: 110;
            left: 51px; position: absolute; top: 319px" Text="Rashi" Width="110px"></asp:Label>
        &nbsp;

```

```

<asp:Label ID="Label12" runat="server" ForeColor="Black" Height="19px" Style="z-index: 111;
    left: 51px; position: absolute; top: 350px" Text="Nakshatra :" Width="110px"></asp:Label>
&nbsp;
<asp:Label ID="Label13" runat="server" ForeColor="Black" Height="19px" Style="z-index: 112;
    left: 51px; position: absolute; top: 381px" Text="Marital Status :"
Width="110px"></asp:Label>
&nbsp;
<asp:Label ID="Label14" runat="server" ForeColor="Black" Height="19px" Style="z-index: 113;
    left: 51px; position: absolute; top: 413px" Text="Education :" Width="110px"></asp:Label>
&nbsp;
<asp:Label ID="Label15" runat="server" ForeColor="Black" Height="19px" Style="z-index: 114;
    left: 51px; position: absolute; top: 443px" Text="Manglik :" Width="110px"></asp:Label>
&nbsp;
<asp:Label ID="Label16" runat="server" ForeColor="Black" Height="19px" Style="z-index: 115;
    left: 51px; position: absolute; top: 472px" Text="Occupation :" Width="110px"></asp:Label>
&nbsp;
<asp:Label ID="Label17" runat="server" ForeColor="Black" Height="19px" Style="z-index: 116;
    left: 51px; position: absolute; top: 502px" Text="Annual Income :" Width="110px"></asp:Label>
&nbsp;
<asp:Label ID="Label18" runat="server" ForeColor="Black" Height="19px" Style="z-index: 117;
    left: 51px; position: absolute; top: 531px" Text="Hobbies :" Width="110px"></asp:Label>
&nbsp; &nbsp;&nbsp; &nbsp;&nbsp;
<asp:Label ID="Label19" runat="server" ForeColor="Black" Height="19px" Style="z-index: 118;
    left: 51px; position: absolute; top: 576px" Text="Residential Status :"
Width="110px"></asp:Label>
&nbsp; &nbsp; &nbsp; &nbsp;&nbsp;
<asp:Label ID="Label21" runat="server" ForeColor="Black" Height="19px" Style="z-index: 119;
    left: 51px; position: absolute; top: 643px" Text="Residing City :" Width="110px"></asp:Label>
&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
&nbsp; &nbsp; &nbsp;&nbsp;
<asp:TextBox ID="TextBox4" runat="server" Height="39px" Style="z-index: 120; left: 194px;
    position: absolute; top: 527px" TextMode="MultiLine" ValidationGroup="b" Width="154px"
ReadOnly="True"></asp:TextBox>
<asp:TextBox ID="TextBox2" runat="server" Height="42px" Style="z-index: 121; left: 194px;
    position: absolute; top: 579px" TextMode="MultiLine" ValidationGroup="b" Width="153px"
ReadOnly="True"></asp:TextBox>
&nbsp;&nbsp;
<asp:Label ID="Label32" runat="server" Style="z-index: 122; left: 384px; position: absolute;
    top: 778px" Text="Label"></asp:Label>
&nbsp; &nbsp;
<asp:Label ID="Label12" runat="server" Height="19px" Style="z-index: 123; left: 51px;
    position: absolute; top: 112px" Text="Phonenumber :" Width="108px"></asp:Label>
<asp:TextBox ID="TextBox11" runat="server" Style="z-index: 124; left: 194px; position: absolute;
    top: 82px" Width="144px" ReadOnly="True"></asp:TextBox>
<asp:TextBox ID="TextBox12" runat="server" Height="13px" Style="z-index: 125; left: 194px;
    position: absolute; top: 142px" Text="Mobile Number :" Width="108px"></asp:TextBox>

```

```

        position: absolute; top: 191px" Width="149px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox13" runat="server" Height="15px" Style="z-index: 126; left: 194px;
    position: absolute; top: 219px" Width="150px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox14" runat="server" Height="14px" Style="z-index: 127; left: 194px;
    position: absolute; top: 249px" Width="151px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox15" runat="server" Height="15px" Style="z-index: 128; left: 194px;
    position: absolute; top: 278px" Width="155px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox16" runat="server" Height="15px" Style="z-index: 129; left: 194px;
    position: absolute; top: 308px" Width="155px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox17" runat="server" Height="13px" Style="z-index: 130; left: 194px;
    position: absolute; top: 338px" Width="155px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox18" runat="server" Height="14px" Style="z-index: 131; left: 194px;
    position: absolute; top: 366px" Width="155px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox19" runat="server" Style="z-index: 132; left: 194px; position: absolute;
    top: 395px" Width="155px" ReadOnly="True">></asp:TextBox>
&nbsp;
<asp:TextBox ID="TextBox21" runat="server" Style="z-index: 133; left: 194px; position: absolute;
    top: 645px" Width="154px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox22" runat="server" Style="z-index: 134; left: 194px; position: absolute;
    top: 498px" Width="156px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox23" runat="server" Style="z-index: 135; left: 194px; position: absolute;
    top: 457px" Width="153px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="txt_ma" runat="server" Style="z-index: 136; left: 194px; position: absolute;
    top: 426px" Width="153px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="txtg" runat="server" Style="z-index: 137; left: 194px; position: absolute;
    top: 160px" ReadOnly="True">></asp:TextBox>
<asp:Image ID="Image4" runat="server" Height="84px" Style="z-index: 139; left: 368px;
    position: absolute; top: 55px" />
</asp:Panel>
&nbsp;
<asp:Panel ID="Panel14" runat="server" Height="257px" Style="z-index: 102; left: 0px;
    position: absolute; top: 959px" Width="459px">
    <asp:Label ID="Label120" runat="server" BackColor="#FF8080" BorderColor="#C00000"
BorderStyle="Double"
        Font-Size="Large" ForeColor="#C00000" Height="24px" Style="z-index: 100; left: -3px;
        position: absolute; top: 0px" Text="Caste Details" Width="450px">></asp:Label>
    <asp:Label ID="Label130" runat="server" Height="19px" Style="z-index: 101; left: 51px;
        position: absolute; top: 47px" Text="Maternal :" Width="143px">></asp:Label>
    <asp:Label ID="Label31" runat="server" Height="19px" Style="z-index: 102; left: 52px;
        position: absolute; top: 81px" Text="Maternal GrandMother :" Width="148px">></asp:Label>
    <asp:Label ID="Label133" runat="server" Style="z-index: 103; left: 55px; position: absolute;
        top: 115px" Text="Paternal Grand Mother :">></asp:Label>
    <asp:TextBox ID="TextBox6" runat="server" Style="z-index: 104; left: 217px; position: absolute;
        top: 48px" ValidationGroup="b" ReadOnly="True">></asp:TextBox>
    <asp:TextBox ID="TextBox7" runat="server" Style="z-index: 105; left: 217px; position: absolute;

```

```

        top: 81px" ValidationGroup="b" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox8" runat="server" Style="z-index: 106; left: 217px; position: absolute;
        top: 116px" ValidationGroup="b" ReadOnly="True">></asp:TextBox>
 &nbsp; &nbsp;&nbsp;&nbsp;
<asp:HyperLink ID="HyperLink1" runat="server" BorderColor="#C00000" BorderStyle="Double"
        Height="28px" ImageUrl "~/img/searchprofiles.png" NavigateUrl "~/Searchhome.aspx"
        Style="z-index: 108; left: 331px; position: absolute; top: 204px" Width="90px" ToolTip="GO TO
SEARCH HOME PAGE" TabIndex="6">HyperLink</asp:HyperLink>
</asp:Panel>
&nbsp;
<asp:Panel ID="Panel3" runat="server" BackColor="#FFFFC0" Font-Underline="False"
        ForeColor="#00C000" Height="250px" Style="z-index: 108; left: 0px; position: absolute;
        top: 708px" Width="454px">
    <asp:Label ID="Label23" runat="server" BackColor="#FF8080" BorderColor="#C00000"
        BorderStyle="Double"
        Font-Size="Large" Font-Underline="True" ForeColor="#C00000" Height="27px" Style="z-index:
100;
        left: -3px; position: absolute; top: -1px" Text="Family Details" Width="453px"></asp:Label>
    &nbsp;
    <asp:TextBox ID="TextBox3" runat="server" Style="z-index: 101; left: 206px; position: absolute;
        top: 44px" ValidationGroup="b" ReadOnly="True">></asp:TextBox>
    <asp:Label ID="Label24" runat="server" EnableTheming="True" Font-Bold="False" Font-Italic="False"
        Font-Underline="False" ForeColor="Black" Height="19px" Style="z-index: 102; left: 54px;
        position: absolute; top: 46px" Text="Father's Name :" Width="130px"></asp:Label>
    <asp:Label ID="Label25" runat="server" ForeColor="Black" Height="19px" Style="z-index: 103;
        left: 55px; position: absolute; top: 82px" Text="Father's Occupation :"
Width="131px"></asp:Label>
    &nbsp;
    <asp:Label ID="Label26" runat="server" ForeColor="Black" Height="19px" Style="z-index: 104;
        left: 52px; position: absolute; top: 147px" Text="Mother's Occupation :"
Width="138px"></asp:Label>
    &nbsp; &nbsp; &nbsp;
    <asp:Label ID="Label29" runat="server" ForeColor="Black" Height="22px" Style="z-index: 105;
        left: 55px; position: absolute; top: 186px" Text="Family Background :"
Width="135px"></asp:Label>
    <asp:TextBox ID="TextBox10" runat="server" Height="54px" Style="z-index: 106; left: 206px;
        position: absolute; top: 183px" TextMode="MultiLine" ValidationGroup="b" Width="150px"
ReadOnly="True">></asp:TextBox>
    &nbsp; &nbsp;&nbsp;
    <asp:Label ID="Label27" runat="server" ForeColor="Black" Style="z-index: 107; left: 53px;
        position: absolute; top: 112px" Text="Mother's Name :" Width="132px"></asp:Label>
    <asp:TextBox ID="TextBox5" runat="server" Style="z-index: 108; left: 206px; position: absolute;
        top: 110px" ReadOnly="True">></asp:TextBox>
    <asp:TextBox ID="TextBox24" runat="server" Style="z-index: 109; left: 206px; position: absolute;
        top: 75px" ReadOnly="True">></asp:TextBox>

```

```

        <asp:TextBox ID="TextBox25" runat="server" Style="z-index: 111; left: 206px; position: absolute;
        top: 151px" ReadOnly="True"></asp:TextBox>
    </asp:Panel>
</asp:Panel>
</div>
</form>
</body>
</html>

```

searchbyreligion.aspx.cs

```

using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;

public partial class _Default : System.Web.UI.Page
{
    //string strconn = "Provider=Microsoft.Jet.OleDb.4.0;Data Source=g:\\\\REKHA(PRO)FOLDER\\\\MATMGNT\\\\DB\\\\mm1.mdb";
    string strconn =
System.Configuration.ConfigurationManager.ConnectionStrings["hastamilandatabase"].ConnectionString;
    System.Data.OleDb.OleDbConnection conn;

    protected void Page_Load(object sender, EventArgs e)
    {
        if (IsPostBack == false)
        {
            conn = new System.Data.OleDb.OleDbConnection(strconn);
            conn.Open();
            string str = "select Religion from re2";
            System.Data.OleDb.OleDbCommand cmd = new System.Data.OleDb.OleDbCommand(str, conn);
            System.Data.OleDb.OleDbDataReader r;
            r = cmd.ExecuteReader();

            while (r.Read())
            {
                ddr.Items.Add(r[0].ToString());
            }
        }
    }
}

```

```

        }

        r.Dispose();
        cmd.Dispose();
        conn.Close();

    }

}

protected void dl_re_SelectedIndexChanged(object sender, EventArgs e)
{
    conn = new System.Data.OleDb.OleDbConnection(strconn);
    conn.Open();
    string str1 = "select * from re2 where name='" + dl_re.SelectedItem.Text + "'";
    System.Data.OleDb.OleDbCommand cmd1 = new System.Data.OleDb.OleDbCommand(str1, conn);
    System.Data.OleDb.OleDbDataReader r1;
    r1 = cmd1.ExecuteReader();

    if (r1.HasRows == true)
    {

        while (r1.Read())
        {
            TextBox1.Text = r1[0].ToString();
            TextBox11.Text = r1[1].ToString();
            TextBox9.Text = r1[2].ToString();
            txtg.Text = r1[3].ToString();
            TextBox12.Text = r1[4].ToString();
            TextBox13.Text = r1[5].ToString();
            TextBox14.Text = r1[6].ToString();
            TextBox15.Text = r1[7].ToString();
            TextBox16.Text = r1[8].ToString();
            TextBox17.Text = r1[9].ToString();
            TextBox18.Text = r1[10].ToString();
            TextBox19.Text = r1[11].ToString();
            txt_ma.Text = r1[12].ToString();
            TextBox23.Text = r1[13].ToString();
            TextBox22.Text = r1[14].ToString();
            TextBox4.Text = r1[15].ToString();
            TextBox2.Text = r1[16].ToString();
            TextBox21.Text = r1[17].ToString();
            TextBox3.Text = r1[18].ToString();
            TextBox24.Text = r1[19].ToString();
            TextBox5.Text = r1[20].ToString();
            TextBox25.Text = r1[21].ToString();
        }
    }
}

```

```

        TextBox10.Text = r1[22].ToString();
        TextBox6.Text = r1[23].ToString();
        TextBox7.Text = r1[24].ToString();
        TextBox8.Text = r1[25].ToString();
        string sst = r1[26].ToString();
        Image4.ImageUrl = "d:\\\\img\\\\" + sst;

    }
}
}

protected void ddr_SelectedIndexChanged(object sender, EventArgs e)
{
    conn = new System.Data.OleDb.OleDbConnection(strconn);
    conn.Open();
    string str1 = "select Name from re2 where religion='" + ddr.Text + "'";
    System.Data.OleDb.OleDbCommand cmd1 = new System.Data.OleDb.OleDbCommand(str1, conn);
    System.Data.OleDb.OleDbDataReader r1;
    r1 = cmd1.ExecuteReader();
    dl_re.Items.Clear();
    dl_re.Items.Add("--select--");
    while (r1.Read())
    {
        dl_re.Items.Add(r1[0].ToString());
    }
    r1.Dispose();
    cmd1.Dispose();
    conn.Close();

}
}
}

```

Search By Profession

searchprofession.aspx

```

<%@ Page Language="C#" AutoEventWireup="true" CodeFile="searchprofession.aspx.cs" Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">

```

```

<title>SEARCH BY PROFESSION</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            &nbsp;&nbsp;
            <asp:Image ID="Image1" runat="server" Height="135px" ImageUrl("~/img/hastamilan1.JPG"
                Style="z-index: 100; left: 7px; position: absolute; top: 0px" Width="958px" />
            <marquee style="z-index: 105; left: 250px; text-transform: capitalize; width: 492px; color: crimson;
                font-style: italic; position: absolute; top: 135px; font-variant: normal; text-decoration: underline; clear:
                none; display: inline; float: right; overflow: hidden; font-family: 'Book Antiqua'; border-right: #990000 thin
                dotted; border-top: #990000 thin dotted; font-weight: bold; border-left: #990000 thin dotted; border-bottom:
                #990000 thin dotted; height: 7px; background-color: #ffcccc;" id="MARQUEE1">**SEARCH BY PROFESSION**</marquee>
            <asp:HyperLink ID="HyperLink7" runat="server" ForeColor="Blue" NavigateUrl "~/loginn1.aspx"
                Style="z-index: 106; left: 665px; position: absolute; top: 159px" Width="78px" ToolTip="LOGOUT"
                TabIndex="7">[LogOut]</asp:HyperLink>
            <br />
            &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
            <asp:Panel ID="Panel7" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Solid"
                Height="1230px" Style="z-index: 102; left: 7px; position: absolute; top: 132px"
                Width="232px">
                &nbsp;
                <asp:Label ID="dl_pro" runat="server" Style="z-index: 100; left: 10px; position: absolute;
                    top: 255px" Text="Profession"></asp:Label>
                <asp:DropDownList ID="dd_pro" runat="server" Style="z-index: 101; left: 90px;
                    position: absolute; top: 254px" AutoPostBack="True"
                    OnSelectedIndexChanged="dd_pro_SelectedIndexChanged" Width="141px" ToolTip="TO SELECT ANY ONE PROFESSION"
                    TabIndex="1">
                    </asp:DropDownList>
                <asp:Label ID="Label22" runat="server" Style="z-index: 102; left: 13px; position: absolute;
                    top: 346px" Text="Name" Width="46px"></asp:Label>
                <asp:DropDownList ID="dd_p" runat="server" Style="z-index: 103; left: 89px;
                    position: absolute; top: 346px" AutoPostBack="True"
                    OnSelectedIndexChanged="dd_p_SelectedIndexChanged" Width="132px" ToolTip="TO SELECT ANY ONE NAME" TabIndex="2">
                    <asp:ListItem>--select--</asp:ListItem>
                </asp:DropDownList>
                <asp:Image ID="Image4" runat="server" Height="166px" ImageUrl "~/img/ganesh.gif"
                    Style="z-index: 104; left: 0px; position: absolute; top: 2px" Width="230px" />
                <asp:Label ID="Label1" runat="server" BackColor="#FF8080" BorderColor="#C00000" BorderStyle="Double"
                    ForeColor="#C00000" Style="z-index: 106; left: 0px; position: absolute; top: 169px"
                    Text="Our Features" Width="226px" Height="28px"></asp:Label>
            </asp:Panel>
            &nbsp; &nbsp;
            &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
            <asp:Panel ID="Panel1" runat="server" BackColor="#FFFFC0" BorderColor="#FF8000" BorderStyle="Double"

```

```
Height="1182px" Style="z-index: 103; left: 251px; position: absolute; top: 178px"
Width="485px">
<asp:Panel ID="Panel2" runat="server" BackColor="#FFFFC0" ForeColor="Black" Height="700px"
Style="z-index: 100; left: -1px; position: absolute; top: 2px" Width="484px">
<asp:Label ID="Label3" runat="server" BackColor="#FF8080" BorderColor="#C00000"
BorderStyle="Double"
Font-Overline="False" Font-Size="Larger" Font-Strikeout="False" Font-Underline="True"
ForeColor="#C00000" Height="26px" Style="z-index: 100; left: 0px; position: absolute;
top: -1px" Text="Detail Information" Width="480px"></asp:Label>
 &nbsp; &nbsp;
<asp:TextBox ID="TextBox9" runat="server" Height="13px" Style="z-index: 101; left: 194px;
position: absolute; top: 112px" TabIndex="7" Width="146px" ReadOnly="True"></asp:TextBox>
<asp:Label ID="Label4" runat="server" ForeColor="Black" Height="19px" Style="z-index: 102;
left: 51px; position: absolute; top: 53px" Text=" Name :" Width="110px"></asp:Label>
<asp:TextBox ID="TextBox1" runat="server" Height="14px" Style="z-index: 103; left: 194px;
position: absolute; top: 54px" ValidationGroup="b" Width="144px"
ReadOnly="True"></asp:TextBox>
<asp:Label ID="Label5" runat="server" ForeColor="Black" Height="19px" Style="z-index: 104;
left: 51px; position: absolute; top: 80px" Text="Age :" Width="110px"></asp:Label>
 &nbsp;
<asp:Label ID="Label6" runat="server" ForeColor="Black" Height="19px" Style="z-index: 105;
left: 51px; position: absolute; top: 165px" Text="Sex :" Width="110px"></asp:Label>
 &nbsp;
<asp:Label ID="Label7" runat="server" ForeColor="Black" Height="19px" Style="z-index: 106;
left: 51px; position: absolute; top: 197px" Text="Height :" Width="110px"></asp:Label>
 &nbsp;
<asp:Label ID="Label8" runat="server" ForeColor="Black" Height="19px" Style="z-index: 107;
left: 51px; position: absolute; top: 227px" Text="Weight :" Width="110px"></asp:Label>
 &nbsp;
<asp:Label ID="Label9" runat="server" ForeColor="Black" Height="19px" Style="z-index: 108;
left: 51px; position: absolute; top: 256px" Text="Religion :" Width="110px"></asp:Label>
 &nbsp;
<asp:Label ID="Label10" runat="server" ForeColor="Black" Height="19px" Style="z-index: 109;
left: 51px; position: absolute; top: 287px" Text="Caste :" Width="110px"></asp:Label>
 &nbsp;
<asp:Label ID="Label11" runat="server" ForeColor="Black" Height="19px" Style="z-index: 110;
left: 51px; position: absolute; top: 319px" Text="Rashi" Width="110px"></asp:Label>
 &nbsp;
<asp:Label ID="Label12" runat="server" ForeColor="Black" Height="19px" Style="z-index: 111;
left: 51px; position: absolute; top: 350px" Text="Nakshatra :" Width="110px"></asp:Label>
 &nbsp;
<asp:Label ID="Label13" runat="server" ForeColor="Black" Height="19px" Style="z-index: 112;
left: 51px; position: absolute; top: 381px" Text="Marital Status :"
Width="110px"></asp:Label>
 &nbsp;
```

```

<asp:Label ID="Label14" runat="server" ForeColor="Black" Height="19px" Style="z-index: 113;
    left: 51px; position: absolute; top: 413px" Text="Education :" Width="110px"></asp:Label>
&nbsp;
<asp:Label ID="Label15" runat="server" ForeColor="Black" Height="19px" Style="z-index: 114;
    left: 51px; position: absolute; top: 443px" Text="Manglik :" Width="110px"></asp:Label>
&nbsp;
<asp:Label ID="Label16" runat="server" ForeColor="Black" Height="19px" Style="z-index: 115;
    left: 51px; position: absolute; top: 472px" Text="Occupation :" Width="110px"></asp:Label>
&nbsp;
<asp:Label ID="Label17" runat="server" ForeColor="Black" Height="19px" Style="z-index: 116;
    left: 51px; position: absolute; top: 502px" Text="Annual Income :" Width="110px"></asp:Label>
&nbsp;
<asp:Label ID="Label18" runat="server" ForeColor="Black" Height="19px" Style="z-index: 117;
    left: 51px; position: absolute; top: 531px" Text="Hobbies :" Width="110px"></asp:Label>
&nbsp; &nbsp;&nbsp; &nbsp;&nbsp;
<asp:Label ID="Label19" runat="server" ForeColor="Black" Height="19px" Style="z-index: 118;
    left: 51px; position: absolute; top: 576px" Text="Residential Status :"
Width="110px"></asp:Label>
&nbsp; &nbsp; &nbsp; &nbsp;&nbsp;
<asp:Label ID="Label21" runat="server" ForeColor="Black" Height="19px" Style="z-index: 119;
    left: 51px; position: absolute; top: 643px" Text="Residing City :" Width="110px"></asp:Label>
&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
&nbsp; &nbsp; &nbsp;&nbsp;
<asp:TextBox ID="TextBox4" runat="server" Height="39px" Style="z-index: 120; left: 194px;
    position: absolute; top: 527px" TextMode="MultiLine" ValidationGroup="b" Width="160px"
ReadOnly="True"></asp:TextBox>
<asp:TextBox ID="TextBox2" runat="server" Height="42px" Style="z-index: 121; left: 194px;
    position: absolute; top: 579px" TextMode="MultiLine" ValidationGroup="b" Width="159px"
ReadOnly="True"></asp:TextBox>
&nbsp; &nbsp; &nbsp; &nbsp;
<asp:Label ID="Label2" runat="server" Height="19px" Style="z-index: 122; left: 51px;
    position: absolute; top: 112px" Text="Phonenumber :" Width="108px"></asp:Label>
<asp:TextBox ID="TextBox11" runat="server" Style="z-index: 123; left: 194px; position: absolute;
    top: 82px" Width="143px" ReadOnly="True"></asp:TextBox>
<asp:TextBox ID="TextBox12" runat="server" Height="13px" Style="z-index: 124; left: 194px;
    position: absolute; top: 197px" Width="149px" ReadOnly="True"></asp:TextBox>
<asp:TextBox ID="TextBox13" runat="server" Height="15px" Style="z-index: 125; left: 194px;
    position: absolute; top: 228px" Width="149px" ReadOnly="True"></asp:TextBox>
<asp:TextBox ID="TextBox14" runat="server" Height="14px" Style="z-index: 126; left: 194px;
    position: absolute; top: 254px" Width="150px" ReadOnly="True"></asp:TextBox>
<asp:TextBox ID="TextBox15" runat="server" Height="15px" Style="z-index: 127; left: 194px;
    position: absolute; top: 284px" Width="149px" ReadOnly="True"></asp:TextBox>
<asp:TextBox ID="TextBox16" runat="server" Height="15px" Style="z-index: 128; left: 194px;
    position: absolute; top: 317px" Width="153px" ReadOnly="True"></asp:TextBox>
<asp:TextBox ID="TextBox17" runat="server" Height="13px" Style="z-index: 129; left: 194px;

```

```

        position: absolute; top: 352px" Width="155px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox18" runat="server" Height="14px" Style="z-index: 130; left: 194px;
    position: absolute; top: 386px" Width="157px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox19" runat="server" Style="z-index: 131; left: 194px; position: absolute;
    top: 413px" Width="160px" ReadOnly="True">></asp:TextBox>
&nbsp;
<asp:TextBox ID="TextBox21" runat="server" Style="z-index: 132; left: 194px; position: absolute;
    top: 645px" Width="161px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox22" runat="server" Style="z-index: 133; left: 194px; position: absolute;
    top: 498px" Width="160px" ReadOnly="True">></asp:TextBox>
<asp:TextBox ID="TextBox23" runat="server" Style="z-index: 134; left: 194px; position: absolute;
    top: 467px" Width="159px" ReadOnly="True">></asp:TextBox>
<br />
<br />
<asp:TextBox ID="txtg" runat="server" Style="z-index: 135; left: 194px; position: absolute;
    top: 163px" ReadOnly="True">></asp:TextBox>
<asp:Image ID="Image3" runat="server" Height="100px" Style="z-index: 138; left: 366px;
    position: absolute; top: 58px" Width="105px" />
<br />
<asp:TextBox ID="txt_ma" runat="server" Style="z-index: 137; left: 194px; position: absolute;
    top: 440px" Width="158px" ReadOnly="True">></asp:TextBox>
</asp:Panel>
&nbsp;
<asp:Panel ID="Panel14" runat="server" Height="221px" Style="z-index: 102; left: 0px;
    position: absolute; top: 960px" Width="481px">
    <asp:Label ID="Label20" runat="server" BackColor="#FF8080" BorderColor="#C00000"
        BorderStyle="Double"
            Font-Size="Large" ForeColor="#C00000" Height="24px" Style="z-index: 100; left: -3px;
            position: absolute; top: 0px" Text="Caste Details" Width="480px">></asp:Label>
    <asp:Label ID="Label30" runat="server" Height="19px" Style="z-index: 101; left: 51px;
        position: absolute; top: 47px" Text="Maternal :" Width="143px">></asp:Label>
    <asp:Label ID="Label31" runat="server" Height="19px" Style="z-index: 102; left: 52px;
        position: absolute; top: 81px" Text="Maternal GrandMother :" Width="148px">></asp:Label>
    <asp:Label ID="Label33" runat="server" Style="z-index: 103; left: 55px; position: absolute;
        top: 115px" Text="Paternal Grand Mother :">></asp:Label>
    <asp:TextBox ID="TextBox6" runat="server" Style="z-index: 104; left: 217px; position: absolute;
        top: 48px" ValidationGroup="b" ReadOnly="True">></asp:TextBox>
    <asp:TextBox ID="TextBox7" runat="server" Style="z-index: 105; left: 217px; position: absolute;
        top: 81px" ValidationGroup="b" ReadOnly="True">></asp:TextBox>
    <asp:TextBox ID="TextBox8" runat="server" Style="z-index: 106; left: 217px; position: absolute;
        top: 116px" ValidationGroup="b" ReadOnly="True">></asp:TextBox>
    &nbsp; &nbsp;&nbsp;&nbsp;
    <asp:HyperLink ID="HyperLink1" runat="server" BorderColor="#C00000" BorderStyle="Double"
        Height="29px" ImageUrl="~/img/searchprofiles.png" NavigateUrl="~/Searchhome.aspx"
        Style="z-index: 108; left: 359px; position: absolute; top: 172px" Width="75px" ToolTip="GO TO

```

```

SEARCH HOME PAGE" TabIndex="6">HyperLink</asp:HyperLink>
    </asp:Panel>
    &nbsp;
    <asp:Panel ID="Panel3" runat="server" BackColor="#FFFFC0" Font-Underline="False"
        ForeColor="#00C000" Height="250px" Style="z-index: 108; left: 0px; position: absolute;
        top: 708px" Width="482px">
        <asp:Label ID="Label123" runat="server" BackColor="#FF8080" BorderColor="#C00000"
        BorderStyle="Double"
            Font-Size="Large" Font-Underline="True" ForeColor="#C00000" Height="27px" Style="z-index:
        100;
            left: -3px; position: absolute; top: -1px" Text="Family Details" Width="480px"></asp:Label>
        &nbsp;
        <asp:TextBox ID="TextBox3" runat="server" Style="z-index: 101; left: 206px; position: absolute;
            top: 44px" ValidationGroup="b" ReadOnly="True"></asp:TextBox>
        <asp:Label ID="Label124" runat="server" EnableTheming="True" Font-Bold="False" Font-Italic="False"
            Font-Underline="False" ForeColor="Black" Height="19px" Style="z-index: 102; left: 54px;
            position: absolute; top: 46px" Text="Father's Name :" Width="130px"></asp:Label>
        <asp:Label ID="Label125" runat="server" ForeColor="Black" Height="19px" Style="z-index: 103;
            left: 55px; position: absolute; top: 82px" Text="Father's Occupation :"
        Width="131px"></asp:Label>
        &nbsp;
        <asp:Label ID="Label126" runat="server" ForeColor="Black" Height="19px" Style="z-index: 104;
            left: 52px; position: absolute; top: 147px" Text="Mother's Occupation :"
        Width="138px"></asp:Label>
        &nbsp; &nbsp; &nbsp;&nbsp;
        <asp:Label ID="Label129" runat="server" ForeColor="Black" Height="22px" Style="z-index: 105;
            left: 55px; position: absolute; top: 186px" Text="Family Background :"
        Width="135px"></asp:Label>
        <asp:TextBox ID="TextBox10" runat="server" Height="54px" Style="z-index: 106; left: 206px;
            position: absolute; top: 183px" TextMode="MultiLine" ValidationGroup="b" Width="150px"
        ReadOnly="True"></asp:TextBox>
        &nbsp; &nbsp;&nbsp;
        <asp:Label ID="Label127" runat="server" ForeColor="Black" Style="z-index: 107; left: 53px;
            position: absolute; top: 112px" Text="Mother's Name :" Width="132px"></asp:Label>
        <asp:TextBox ID="TextBox5" runat="server" Style="z-index: 108; left: 206px; position: absolute;
            top: 110px" ReadOnly="True"></asp:TextBox>
        <asp:TextBox ID="TextBox24" runat="server" Style="z-index: 109; left: 206px; position: absolute;
            top: 75px" ReadOnly="True"></asp:TextBox>
        <asp:TextBox ID="TextBox25" runat="server" Style="z-index: 111; left: 206px; position: absolute;
            top: 151px" ReadOnly="True"></asp:TextBox>
    </asp:Panel>
    </asp:Panel>
    &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
    <asp:Panel ID="Panel5" runat="server" BackColor="Info" BorderColor="#C00000" BorderStyle="Solid"
        Height="1227px" Style="z-index: 104; left: 747px; position: absolute; top: 132px"

```

```

Width="217px">
<asp:Image ID="Image2" runat="server" Height="176px" ImageUrl "~/img/right-barat.gif"
    Style="z-index: 100; left: 0px; position: absolute; top: 1px" Width="215px" />
<asp:Label ID="Label128" runat="server" BackColor="#FF8080" BorderColor="#C00000"
    BorderStyle="Double" ForeColor="#C00000" Height="23px" Style="z-index: 101; left: 1px;
    position: absolute; top: 177px" Text="Our Features" Width="210px"></asp:Label>
<asp:HyperLink ID="HyperLink2" runat="server" Font-Size="Medium" ForeColor="Green"
    NavigateUrl "~/ContactUs.aspx" Style="z-index: 102; left: 27px; position: absolute;
    top: 358px" ToolTip="TO CONTACT US" TabIndex="5">Contact Us</asp:HyperLink>
<asp:HyperLink ID="HyperLink3" runat="server" Font-Size="Medium" ForeColor="Green"
    NavigateUrl "~/UpdateLogin.aspx" Style="z-index: 103; left: 27px; position: absolute;
    top: 270px" Width="167px" ToolTip="TO UPDATE THE INFOMATION" TabIndex="3">Updation Of
Information</asp:HyperLink>
<asp:HyperLink ID="HyperLink4" runat="server" Font-Size="Medium" ForeColor="Green"
    NavigateUrl "~/Searchhome.aspx" Style="z-index: 104; left: 32px; position: absolute;
    top: 313px" ToolTip="TO UPDATE THE INFOMATION" TabIndex="4">Search your Match</asp:HyperLink>
    &nbsp; &nbsp;
<asp:Image ID="Image5" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 107;
    left: 8px; position: absolute; top: 314px" Width="9px" Height="17px" />
<asp:Image ID="Image9" runat="server" Height="19px" ImageUrl "~/img/bullet.gif" Style="z-index: 112;
    left: 8px; position: absolute; top: 357px" Width="12px" />
<asp:Image ID="Image6" runat="server" ImageUrl "~/img/bullet.gif" Style="z-index: 109;
    left: 8px; position: absolute; top: 268px" Height="17px" />
    &nbsp; &nbsp;
</asp:Panel>
</div>
</form>
</body>
</html>

```

searchprofession.aspx.cs

```

using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;

```

```

public partial class _Default : System.Web.UI.Page
{
    //string strconn = "Provider=Microsoft.Jet.OleDb.4.0;Data Source=g:\\REKHA(PRO)FOLDER\\MATMNGT\\DB\\mm1.mdb";
    string strconn =
System.Configuration.ConfigurationManager.ConnectionStrings["hastamilandatabase"].ConnectionString;
    System.Data.OleDb.OleDbConnection conn;
    protected void Page_Load(object sender, EventArgs e)
    {
        if (IsPostBack == false)
        {
            conn = new System.Data.OleDb.OleDbConnection(strconn);
            conn.Open();
            string str = "select Profession from re2";
            System.Data.OleDb.OleDbCommand cmd = new System.Data.OleDb.OleDbCommand(str, conn);
            System.Data.OleDb.OleDbDataReader r;
            r = cmd.ExecuteReader();
            while (r.Read())
            {
                dd_pro.Items.Add(r[0].ToString());
            }
            r.Dispose();
            cmd.Dispose();
            conn.Close();
        }
    }
    protected void dl_pro_SelectedIndexChanged(object sender, EventArgs e)
    {}
    protected void dd_p_SelectedIndexChanged(object sender, EventArgs e)
    {
        conn = new System.Data.OleDb.OleDbConnection(strconn);
        conn.Open();
        string str1 = "select * from re2 where name='" + dd_p.SelectedItem.Text + "'";
        System.Data.OleDb.OleDbCommand cmd1 = new System.Data.OleDb.OleDbCommand(str1, conn);
        System.Data.OleDb.OleDbDataReader r1;
        r1 = cmd1.ExecuteReader();

        if (r1.HasRows == true)
        {
            while (r1.Read())
            {
                TextBox1.Text = r1[0].ToString();
                TextBox11.Text = r1[1].ToString();
                TextBox9.Text = r1[2].ToString();
                txtg.Text = r1[3].ToString();
                TextBox12.Text = r1[4].ToString();
            }
        }
    }
}

```

```

        TextBox13.Text = r1[5].ToString();
        TextBox14.Text = r1[6].ToString();
        TextBox15.Text = r1[7].ToString();
        TextBox16.Text = r1[8].ToString();
        TextBox17.Text = r1[9].ToString();
        TextBox18.Text = r1[10].ToString();
        TextBox19.Text = r1[11].ToString();
        txt_ma.Text = r1[12].ToString();
        TextBox23.Text = r1[13].ToString();
        TextBox22.Text = r1[14].ToString();
        TextBox4.Text = r1[15].ToString();
        TextBox2.Text = r1[16].ToString();
        TextBox21.Text = r1[17].ToString();
        TextBox3.Text = r1[18].ToString();
        TextBox24.Text = r1[19].ToString();
        TextBox5.Text = r1[20].ToString();
        TextBox25.Text = r1[21].ToString();
        TextBox10.Text = r1[22].ToString();
        TextBox6.Text = r1[23].ToString();
        TextBox7.Text = r1[24].ToString();
        TextBox8.Text = r1[25].ToString();
        string sst = r1[26].ToString();
        Image3.ImageUrl = "d:\\\\img\\\\" + sst;
    }
}
}

protected void dd_pro_SelectedIndexChanged(object sender, EventArgs e)
{
    conn = new System.Data.OleDb.OleDbConnection(strconn);
    conn.Open();
    string str1 = "select Name from re2 where Profession='" + dd_pro.Text + "'";
    System.Data.OleDb.OleDbCommand cmd1 = new System.Data.OleDb.OleDbCommand(str1, conn);
    System.Data.OleDb.OleDbDataReader r1;
    r1 = cmd1.ExecuteReader();
    dd_p.Items.Clear();
    dd_p.Items.Add("--select--");
    while (r1.Read())
    {dd_p.Items.Add(r1[0].ToString());}
    r1.Dispose();
    cmd1.Dispose();
    conn.Close();
}
}

```

Chapter 6

TESTING

6.1 TESTING PLAN

Similar to the project plan, due to confidentiality issues, we cannot provide details test plan to the development team. We will still add the core components that make up our test plan.

- 1.1.1 Test plan identifier
- 1.1.2 References
- 1.1.3 Introduction
- 1.1.4 Test items (functions)
- 1.1.5 Application risk issues.
- 1.1.6 Features to be tested
- 1.1.7 Features not to be tested
- 1.1.8 Approach (strategy)
- 1.1.9 Item pass/fail criteria
- 1.1.10 Entry & exit criteria
- 1.1.11 Suspension criteria & resumption requirements
- 1.1.12 Test deliverables
- 1.1.13 Remaining test tasks
- 1.1.14 Environmental needs
- 1.1.15 Staffing and training needs
- 1.1.16 Responsibilities
- 1.1.17 Planning risks and contingencies
- 1.1.18 Approvals
- 1.1.19 Glossary

6.2 TESTING STRATEGY

Test More and Test Frequent is organization ‘s tagline for testing. A typical screen in asp.net is tested at four levels before it goes for production.

Level 1 is generally the work to be tested by other developers or other interns (this is typical first level of testing where focus is not on requirement but end user testing) Ratio: 0% end user: 100% Technical

Level 2 is level where a senior programmer comes into the testing cycle of the screen that was unit tested by the developer in this phase the onus is to test software for technical requirements specified.

Ratio: 80% Technical: 20% end user

Level 3 is where a tester will come into picture. The tester will test the software for both end user as well as technical point of view.

The ratio here is: 50% Technical: 50% end user

Level 4 is where we make the code at Release-Ready. Here screen is tested to the core and each and every standard must be followed and verified.

Ratio here is: 80% User Testing – 20% Technical

This allows us to test a screen at four levels and at the end of four weeks when the screen goes to production, it is generally bug free because more people have looked at this screen from different viewpoints.

References available while testing

- Project Plan.
- System Requirements specifications.
- High Level design document.
- Detail design document.
- Development and Test process standards.
- Methodology.
- Low level design.

Also, organization has Separate module to store all bugs

So, each screen is released for testing as a build and all information for that screen (till release) is maintained using this particular build.

CONTENT TESTING:

Errors in Web Application content can be as trivial as minor typographical error as incorrect information, improper organization or validation of intellectual property laws. Content Testing attempt to uncover this and many other problems before the user encounter them.

Content Testing Objectives

There are three types of objectives.


- To uncover syntactic errors in text-based documents, graphical representation and other media.
- To uncover semantic errors in any content object represented as navigation occurs, and
- To find errors in organization or structure of content that is presented to the end-user

DATABASE TESTING:

Modern Web Application does much more than present static content objects. In many application domains, Web Application interface with sophisticated database management system and build dynamic content object that are created in real time using the data acquired from a database.

Database Testing for Web Application is complicated by a variety of factor.

- 1) The original client-side request for information is rarely presented in the form that can be input to a database management system.
- 2) The database may be remote to the server that houses the Web application.
- 3) RAW data acquired from the database must be transmitted to the Web application Server and properly formatted for subsequent transmittal to the client.
- 4) The dynamic content objects must be transmitted to the client in a form that can be displayed to the end user.



[Layers of interaction]

In figure testing should be ensure that

1. valid information is passed between the client and server from the interface layer
2. The Web application process script correctly and properly extract or formats user data.
3. Queries are passed to a data management layer that communicates with database access routines.
4. User data are passed correctly to a server side data transformation function that format appropriate queries.

INTERFACE TESTING

Interface design model is reviewed to ensure that generic quality criteria established for all user interfaces have been achieved and that application specific interface design issue has been properly addressed.

Interface testing strategy:

The overall strategy for interface testing is to (1) Uncover error related to specific Interface mechanisms (2) uncover errors in the way the interface implements the semantics of navigation, Web Application functionality, or content display. to accomplish this strategy, a number of objectives must be achieved:

Interface futures are tested to ensure that design rules, aesthetics, and related visual content are available for the user without error. Individual interface mechanisms are tested in a manner that is analogous to unit testing For example, tests are designed to exercise all forms, client-side scripting, dynamic HTML. Each interface mechanism is tested within the context of a use-case or NSU for a specific user category. The interface is tested within a variety of environments to ensure that it will be compatible.

Testing Interface Mechanisms

When a user interacts with a Web Application, the interaction occurs through one or more interface mechanisms.

Links: -

Each link is tested to ensure that the proper content object or Function is reached. The Web engineer builds a list of all links associated with interface layout. and then executes each individually.

Forms: -

At a microscopic level, tests are performed to ensure that Labels correctly identified fields within the form and that mandatory fields are identified visually for the user. The server receives all information content within the form and their no data are lost in the transmission between client and serverAppropriate defaults are used when the user does not select from a pull down menu or set of buttons. Browser function don't corrupt data enter in a form and Scripts that perform error checking on data entered work Properly and provide meaningful error message.

Client side scripting:-

Black box tests are conducted to uncover any error in processing As the script is executed . These tests are coupled with forms testing because script input is often derived from data provided as part of forms processing

Dynamic HTML: -

Each Web page that contain dynamic HTML is executed to ensure that the dynamic display is correct. In addition, a compatibility test should be conducted to ensure that the dynamic HTML is work properly in the environmental configuration that support the Web application.

Application specific interface mechanisms: -

Test conforms to a checklist of functionality and features that are defined by the interface mechanism. Boundary test minimum and maximum number of items that can be placed in to shopping chart. Test to determine persistence of shopping chart contents. Test to determine whether the Web Application can be record shopping chart content at some future date.

USABILITY TESTING

Usability test may be designed by Web engineering team. Define a set of usability testing categories and identify goal for each. Design test that will enable each goal to be evaluated. Select participants who will conduct test. Instrument participant's interaction with Web Application while testing is conducted. Develop a mechanism for assessing the usability of the Web Application.

The following test categories and objective illustrate establish testing

Interactivity –

Is interaction mechanism easy to understand and use?

Layout-

Are navigation mechanism, content and function place in a manner that allows the user to find them quickly?

Readability-

Is text well written and under stable?

Aesthetics-

Do layout color, typeface, and related characteristics lead to ease of use?

Display Characteristics-

Does the Web Application make optimal use of screen size and resolution?

Time Sensitivity-

Can important features, functions and content be used in a timely manner?

Accessibility-

Is the Web application accessible to people who have Disabilities?

COMPATIBILITY TESTING

Web application must operate within environment that differs from one another. Different computer, display device, OS, browser and network connection speed can have significant impact on Web application operation. Different browser sometimes produce slightly different results, regardless of the degree of HTML standardization within the Web application.

The Web Engineering team derives a series of compatibility, validation tests, derived from existing interface tests, navigation tests, performance tests and security tests.

6.3 TESTING METHODS

Testing presents an interesting anomaly for the software engineering activities; the engineer attempts to build software from an abstract concept to a tangible product. Now comes testing. The engineer creates a series of test case that are initiated to "demolish" the software that has been build. Infect, testing is the one step in the software process that could be viewed (psychologically, at least) as destructive rather than constructive.

Models of Testing: -

There are different Models of testing. On the basis of testing methods there are two types of testing:

1. Black-box testing.
2. White-box testing

Black-box tests are used to demonstrate that software functions are operational, that input is properly accepted and output is correctly produced, and that integrity of external information is maintained.

White-box tests are used to examine the procedural details. It checks the logical paths by test case. It can also check the conditions, loops used in the software coding. It checks that loops are working correctly on defined boundary value.

WHITE-BOX TESTING:

White-box testing sometimes called glass-box testing, is a test case design method that uses the control structure of the procedural design to drive the test case. Always we are thinking that there is no necessary to execute or checks the loops and conditions. And so large number of errors is uncovered. With using white-box testing methods, we have checked that; All independent paths within a function have been executed at least once.

All logical decisions on their true and false side. All loops working correctly at their boundary values and within their specified conditions.

In our coding we test that all the loops work truly in each module. The one technique of white-box testing is basis path testing. It contains two parts, one is flow graph notation and the second is cyclometer complexity. In flow graph notation we are checking logical control of flow. By using cyclometer complexity, we find complexity of our project structure.

BLACK-BOX TESTING:

Black-box testing focuses on the functional requirements of the software. That is black-box testing enables the software engineer to drive sets of input conditions that will fully exercise all functional Requirements for the program. Black-box testing is not an alternative to white-box testing techniques. Rather, it is a complementary approach that is likely to uncover a different class of errors than white-box methods.

We use in our coding to find errors in the following categories:

- Incorrect or missing functions
- Interface errors
- Errors in database
- Performance errors
- Initialization and termination errors.

Unlike white-box testing, which is performed earlier in the testing process, black-box testing tends to be applied during later stages of testing. Because black-box testing purposely disregards control structure, attention is focused on the information domain.

By applying black-box techniques, we derive a set of test cases that satisfy following criteria

Test cases that reduce, by a count that is greater than one, the number of additional test cases must be designed to achieve reasonable testing.

Level 1 - Build Acceptance Tests

Other related test cases ensure that adopters received the proper Development Release Document plus other build related information (drop point, etc.). The objective is to determine if further testing is possible. If any Level 1 test case fails, the build is returned to developers un-tested.

Level 2 - Smoke Tests

The objective is to determine if further testing is possible. These test cases should emphasize breadth more than depth. All components should be touched, and every major feature should be tested briefly by the Smoke Test. If any Level 2 test case fails, the build is returned to developers un-tested.

Level 2a - Bug Regression Testing

Every bug that was “Open” during the previous build, but marked as “Fixed, Needs Re-Testing” for the current build under test, will need to be regressed, or re-tested. Once the smoke test is completed, all resolved bugs need to be regressed. It should take between 5 minutes to 1 hour to regress most bugs.

Level 3 - Critical Path Tests

Critical Path test cases must pass by the end of every 2-3 Build Test Cycles. They do not need to be tested every drop, but must be tested at least once per milestone. Thus, the Critical Path test cases must all be executed at least once during the Iteration cycle, and once during the Final Release cycle.

Level 4 - Standard Tests

Test Cases that need to be run at least once during the entire test cycle for this release. These cases are run once, not repeated as are the test cases in previous levels. Functional Testing and Detailed Design Testing (Functional Spec and Design Spec Test Cases, respectively). These can be tested multiple times for each Milestone Test Cycle (Iteration, Final Release, etc.).

Standard test cases usually include Installation, Data, GUI, and other test areas.

Level 5 - Suggested Test

These are Test Cases that would be nice to execute, but may be omitted due to time constraints

Bug Regression

Bug Regression will be a central tenant throughout all testing phases. When a Severity 1 bug fails regression, adopters Testing team should also put out an immediate email to development. The Test Lead will be responsible for tracking and reporting to development and product management the status of regression testing.

6.4 TEST CASES

6.4.1 Test Cases

Test Case No.	1
Test Case Action	Checks system behavior when credentials provided by admin are correct.
Input	Click on allmember link by admin.
Expected output	Result page which contain information about only all member.
Pass/Fail	Pass

Home All Members Paid Members Members username and passwords Statistics Others

MemberID	MembershipType	Username	Country
FA 1	P	Dharmesh	American Samoa
FA 2	P	dipen	Brazil
FA 4	P	arjun	India
FA 6	P	kshitij	Belrus
FA 7	P	dipan	India
FA 8	P	tapan	India
FA 9	P	gaurav	India
FA 10	P	vishal	India
FA 11	P	monil	India
FA 12	P	shreya	Belgium
FA 13	P	a	Bahrain

6.4.2 Test Cases

Test Case No.	2
Test Case Action	Checks system behavior when credentials provided by admin are correct.
Input	Click on paidmember link by admin.
Expected output	Result page which contain information about only paid member.
Pass/Fail	Pass

The screenshot shows a web application interface. At the top, there is a navigation bar with links: Home, All Members, Paid Members, Members username and passwords, Statistics, and Others. Below the navigation bar is a large empty rectangular area, likely a placeholder for content or a modal window. At the bottom of this area is a table with the following data:

MemberID	MembershipType	Username	Country
FA 1	P	Dharmesh	American Samoa
FA 2	P	dipen	Brazil
FA 4	P	arjun	India
FA 6	P	kshitij	Belrus
FA 7	P	dipan	India
FA 8	P	tapan	India
FA 9	P	gaurav	India
FA 10	P	vishal	India
FA 11	P	monil	India
FA 12	P	shreya	Belgium
FA 13	P	a	Bahrain

6.4.3 Test Cases

Test Case No.	3
Test Case Action	Checks system behavior when credentials provided by admin are correct.
Input	Click on statistic link by admin.
Expected output	Result page which contain total member, total male member, total female member, free member, paid member.
Pass/Fail	Pass

The screenshot shows a web application interface. At the top, there is a navigation bar with links: Home, All Members, Paid Members, Members username and passwords, Statistics (which is currently selected), and Others. Below the navigation bar, the title "Site Statistics" is displayed, followed by a small bar chart icon. A table then lists member statistics:

Category	Value
Total Members	13
Male	12
Female	1
Free Members	2
Paid Members	11

CONCLUSION AND FUTURE EXTENSION

7.1 CONCLUSION

Matrimonial Web Application is to provide Grooms and Brides with excellent matchmaking experience by exploring the opportunities and resources to meet true potential partner.

Matrimonial website which will provide platform to a lot of Bride/Groom for finding perfect match. There are different sectors like Registration, Partner, Search, etc. So, the Bride/Groom can get their interest for find their partner. Bride/Groom can directly search Partner according to their required criteria. The Bride/Groom can use match By Email functionality so he/she can get directly E-mail alert for the match which fulfil their required criteria. It helps the user by providing profiles of perspective “Bride” or “Groom” and other information regarding them online.

Matrimonial web application provide facility like quick tour. This is a module that contains the flow of the website. Here user can have an idea how he can commit himself in the website.

Matrimonial web application provide facility to change preference about partner.

This application provide facility like edit profile, update photo and delete photo, hide profile, create album, send express interest, send personal message, apply for loan to the user.

7.2 FUTURE EXTENSIONS

- It is possible to provide the web space to the users for creating his portal.
- It is possible to create our own mail server.
- It is possible to create chat server so that user can communicate with each other.
- It is possible to provide facility like create video album.

BIBLIOGRAPHY

Books

- ASP.NET(Black Book).
- Professional ASP.NET(Wrox Publication).
- C# Vijaymukhi.
- ASP.NET Complete Reference.
- Software engineering Concepts By Roger S.Presman
- UML IN A NUTSHELL By Alhir
- Fundamentals of Software Engineering By Rajib Mall
- SQL Server 2005 (Wrox Publication).

Web Sites

- www.bharatmatrimonial.com
- www.shadi.com
- www.jeevansathi.com
- www.patelvivah.com
- www.simplymary.com