

1.

Info: A dictionary is used to store values with their *keys* and *popitem()* method is used to retrieve values from a list

What is printed with the below code? `dictionary1 = {'age1': 15, 'age2': 25, 'age3': 35}`

`print( dictionary.popitem() )print( dictionary.popitem() )print('Perfect.')` Hint: You can run it on a python IDE

- A. ('age3', 35)Done.
- B. ('age2', 25)(('age3', 35)
- C. Error
- D. Perfect

2. What remains in the dictionary after below code? `dictionary1 = {'age1': 15, 'age2': 25, 'age3': 35}`

`print( dictionary1.popitem() )print( dictionary1.popitem() )print('Perfect.')`

- A. {'age1': 15 }{'age2': 25 }{'age3': 35 }
- B. Error
- C. {'age3': 35 }
- D. {'age1': 15 }

3. `dictionary1 = {'age1': 15, 'age2': 25, 'age3': 35}`while `dictionary1:` `print(dictionary1.popitem())`

- A. ('age3', 35)(('age2', 25)(('age1', 15)
- B. ('age1', 15)(('age3', 35)
- C. ('age1', 15)(('age2', 25)(('age3', 35)
- D. ('age2', 25)

4. What will be the output when 'hasan' is the input `list1 = ['wxyz', 'zorro', 'pythonx']`

`max_of_the_list = max(list1)`

`if( len(max_of_the_list) == input() ): print("aynı")else: print("değil")`

- A. 3, 4
- B. error
- C. değil
- D. aynı

5. `aList = [5, 10, 15, 25]``print(aList[5:10])`

- A. [10, 5]
- B. [25, 10]
- C. [15, 10, 5]
- D. []