

sTMS Interface Functional Specification

Ngee Ann Polytechnic – Common App

Version 1.0

Document Version

Version	Effective Date	Summary of Changes	Created/ Updated By
0.1	27/08/2022	The initial version of sTMS – Ngee Ann Polytechnic Common App(NPalCS) interface functional specification.	AvePoint
1.0	06/09/2022	Finalized Version by NP and AvePoint	AvePoint

Document Acceptance Form

Prepared By:

Martin Hong

Business Analyst, AvePoint

Signature:

DocuSigned by:
Martin Hong
254C335124C5452...

Date:

Review By:

Mint Lang

Solution Architect, AvePoint

Signature:

DocuSigned by:
Mint Lang
C7CEC25CE540453...

Date:

Murray Qiao

Technical Manager, AvePoint

Signature:

DocuSigned by:
Murray Qiao
10D34FF1345C49F...

Date:

Approved By:

Andrew Tan

Assistant Director, Academic Quality
& Shared Services, CET Academy,
Ngee Ann Polytechnic (NP)

Signature:

DocuSigned by:
Andrew Tan
49AC223AE41948C...

Date:

Contents

Document Version	1
Document Acceptance Form	2
1. Introduction	2
1.1 Purpose of this document	2
1.2 Intended Audience	2
2. Interface with NP ARMS	3
2.1 Technical Overview	3
2.1.1 System Flow	3
2.1.2 Interface Design Summary	4
2.2 Business Rules	6
2.2.1 Manually Promote Alumni to NP ARMS.....	6
2.2.2 Automatically Promote Alumni to NP ARMS.....	6
2.3 Interface Fields	8
2.3.1 CET Alumni Information Interface Fields.....	8
2.3.2 PET Alumni Information Interface Fields	11
2.3.3 Sample File	11
3. Interface for NP Graduated Student Ceremony	12
3.1 Interface Overview	12
3.1.1 Interface Design Summary	12
3.1.2 Business Rules.....	13
3.2 Interface Fields	13
4. Interface with NP CET DataMart.....	15
4.1 Interface Overview	15
4.2 Interface Design Summary	15
5. Internal Suspend List Interface	17
5.1 Interface Overview	17
5.1.1 system flow.....	17
5.1.2 Interface Design Summary	18
5.2 Business Rules	19
5.3 Interface Fields	19

1. Introduction

1.1 Purpose of this document

This Interface Functional Specification (IFS) is to provide the agreed baseline of communication requirements and detailed technical specification between the SaaS shared Training Management System (sTMS) and Ngee Ann Polytechnic Alumni Common App - NPAlCS. The NP Common App includes the following interfaces for data syncing between two system.

1. Interface with NP ARMS
2. Interface for NP Graduand Student Ceremony
3. Interface with NP CET DataMart – Data Warehouse
4. Interface for NP Suspend list

1.2 Intended Audience

This Interface functional specification document is used for system-to-system communication. Therefore, the intended audiences are the stakeholders of sTMS and NP Common App.

2. Interface with NP ARMS


2.1 Technical Overview

2.1.1 System Flow

There are 3 roles involved in the interface diagram.


- **sTMS:** shared Training Management System.
- **sTMS SFTP Server:** A SFTP server hosted in Azure that stores encrypted files used for data exchange.
- **NP ARMS:** A NP internal system that contains NP alumni details.

2.1.1.1 From sTMS to NP ARMS



SN	Description
1	sTMS generates CSV file of NP CET alumni info triggered by CET users (File generation rule please refer to 2.2 Business Rule).
2	sTMS configures timer job to push CSV file into sTMS SFTP server after encryption with PGP protocol.
3	sTMS sends a job finish email notification to NP CET users.
4	NP ARMS pulls the NP CET alumni information from sTMS SFTP server on demand.

2.1.1.2 From NP ARMS to sTMS



SN	Description
1	NP ARMS generates CSV file of NP PET alumni info on a pre-defined schedule.
2	NP ARMS push CSV file into sTMS SFTP server after encryption with PGP protocol.
3	sTMS pulls the CSV file from sTMS SFTP server and stores the info as NP PET alumni.

2.1.2 Interface Design Summary

Output Interface File

Interface File Name	NP_CET_ALUMNI_{ddMMyyyy}.csv.gpg
Data Source System	shared Training Management System
Data Destination System	Ngee Ann Polytechnic Alumni Relationship Management System
Method	SFTP
File Path	/{ENV}/NP/OUT/ALUMNI ENV: UAT, PROD
Encryption Method	PGP
Frequency	On-demand
Timing	Ad-hoc trigger in sTMS CET portal.
Folder Retention Policy	Files under the /{ENV}/NP/OUT/ALUMNI are retained for a maximum of 30 days in the sTMS SFTP server, after this period the files will be automatically deleted. NP also can delete these files after pulling out

File Transfer Policy	sTMS shall transfer files if there are new records added/updated, otherwise no file will be generated and transferred
Possible Exception and Exception Handling	File loss or transfer failure due to sTMS internal exception. E.g., Timer service down, etc. Exception handling steps: • sTMS support team shall be informed by email of the transfer failure. • sTMS support team checks the relevant logs to troubleshoot the cause of the failure. • If the issue is due to the transfer file could not be found in sTMS SFTP server: ○ sTMS support team redeposits the file to sTMS SFTP server.

Input Interface File

Interface File Name	NP_PET_ALUMNI_{ddMMyyyy}.csv.gpg
Data Source System	Ngee Ann Polytechnic Alumni Relationship Management System
Data Destination System	shared Training Management System
Method	SFTP
File Path	/{ENV}/NP/IN/ALUMNI ENV: UAT, PROD
Encryption Method	PGP
Frequency	One time per year.
Timing	sTMS pull the feed file from SFTP on 15 June every year. Configurable by sTMS support team.
Folder Retention Policy	Files under the /{ENV}/NP/IN/ALUMNI are retained for a maximum of 30 days in the sTMS SFTP server, after this period the files will be automatically deleted.
File Transfer Policy	NP shall transfer files if there are new records added/updated, otherwise no file will be generated and transferred
Possible Exception and Exception Handling	Data error. Exception handling steps: • sTMS support team shall be informed by email of the transfer failure. • sTMS support team checks the relevant logs and files to troubleshoot the cause of the failure (data error types are listed below). ○ Field exceeds max length allowed ○ Field is mandatory but missing • sTMS support team send email to NP team, NP redeposits the correct file in sTMS SFTP server.


2.2 Business Rules

sTMS has automatic and manual configuration methods to send NP alumni info to NP ARMS. If one method is successful, sTMS will not send repeated alumni info to NP again.

2.2.1 Manually Promote Alumni to NP ARMS

The build-in configuration is set as a 'manual' action named **"Recommend to alumni"** to disseminate course completion details to NP ARMS. By performing this action, it will trigger the system flow to send the graduated list information from sTMS to NP ARMS. For graduation list details please refer to sTMS stage 3 functional specification: 9.4.6 Graduation List.

Refer to the clickable prototype here: [Graduation List](#)



Course / Academic list / Graduation list

Nanyang Polytechnic

e-Business Management

Ready to graduate **Graduated**

Course intake No. All ☒ Merit: All ☒ Semester: All ☒ BOE date: All ☒ Synced to alumni: All ☒

Recommend to alumni Generate report

Search by student name...

Student name	Student ID	Course intake No.	Certificate	Merit	Module completed
VC Valentin Connolly	S1234628	NYP-0427-22004	Cert 1	Awarded	10
DL Declan Lehner	S1234726	NYP-0427-22004	Cert 1		10
EG Eulah Glover	S1234847	NYP-0427-22004	Cert 1	Awarded	10
DF Devin Fisher	S1234725	NYP-0427-22004	Cert 1	Awarded	10
AL Ashley Lim	S1234617	NYP-0427-22004	Cert 1		10
DH Dan Hellson	S1234759	NYP-0427-22004	Cert 1	Awarded	10

Total items: 6

Show rows: 10 < 1 > 1 Go

2.2.2 Automatically Promote Alumni to NP ARMS

The system also allows NP to configure automated flows on top of the build-in manual mode, the configuration is also flexible down to the specific course level if such a configuration is required. For alumni configuration details please refer to sTMS stage 3 functional specification: 11. Alumni Management Interface.

Refer to the clickable prototype here: [Alumni Setting](#)



Dashb...

Course

Student finance

Admin

Student record

Company record

Report

Admin / Service management / Alumni setting

Role management

Account management

Master data

Form bank

Rule management

Service management

Email notification

Template

Document template

Digital certificate template

Certificate template

Transcript template

Signatures

Certificate image library

Admin settings

Announcement management

Student resource

Alumni management

Finance settings

Odd-cents write-off setting

Refund priority setting

Bank file setting

Student virtual card

User activity report

Status: All

Create

Edit

Activate

Name

Alumni Setting of Course type

Total items: 1

Create alumni setting

Name *

Description

Scope configuration

Select the scope to apply

☒ A combination of factors ☐ Specific courses

☒ Course category

Part-time Diploma (PTD)

Certificate course

☒ Course type

Academic Full Qualification (FQ)

SkillFuture Series

☒ Branch

SIRS

☒ School

School of business

Details

Choose a condition *

☐ On course completion date

☒ 10 Weeks after course completion date

☐ Finish % modules and are competent

☐ on result release date

☐ 10 Weeks after result release date

Cancel

Save

2.3 Interface Fields

2.3.1 CET Alumni Information Interface Fields

NP Field Name	sTMS Field Name	Description	Data Type	Remark
Salutation	Gender	Salutation of alumni	String(\$nvarchar(20))	Value list: Male - Mr. Female - Miss.
First Name	NIL	NIL	-	Default to Null
Middle Name	NIL	NIL	-	Default to Null
Last Name	Name	Name of alumni	String(\$nvarchar(100))	
NRIC/Passport/FIN	NRIC, FIN or PassportNo	NRIC/FIN/Passport number of alumni	String(\$nvarchar(50))	
Company Name	NameofEmployer	Name of employer of alumni	String(\$nvarchar(50))	
Telephone	NIL	NIL	-	Default to Null
Home Phone	NIL	NIL	-	Default to Null
Mobile Phone	MobileNumber	Mobile number of alumni	String(\$nvarchar(20))	
Fax	NIL	NIL	-	Default to Null
Personal Email	Email	Email of alumni	String(\$nvarchar(20))	
Race	Race	Race of alumni	String(\$nvarchar(50))	Value list: Chinese Malay Indian/Pakistani/Sri Lankan Eurasian OTHERS Indian/Pak/S Lankan(Non-Tamil) Caucasian Indonesian Extraction
Admission Year	Semester	Year of first Semester	Int	Sample value: 2022
Acad Org	School	School of alumni, if multiple school is involved, combine all school with "," as the delimiter	String(\$nvarchar(50))	Sample value: FMS, ICT
Address 1: Street 2	NIL	NIL	-	Default to Null
Address 1: Street 3	NIL	NIL	-	Default to Null

Prog Description	CourseName	Course name	String(\$nvar char(50))	Sample value: DC IN DIGITAL MEDIA DESIGN
Address 1: State/Province	NIL	NIL	-	Default to Null
ZIP/Postal Code	PostalCode	Postal code of alumni residential address	String(\$nvar char(20))	Sample value: 309901
Qualification	CertificateName	Certificate name of course of alumni	String(\$nvar char(max))	Sample value: DIPLOMA (CONVERSION) IN DIGITAL MEDIA DESIGN
Graduation Year	GraduationDate	Year of graduation date	Int	Sample value: 2022
Carrer	CourseCategory	Course category	String(\$nvar char(50))	Value list: FT OC PTD - Part-time Diploma (PTD) PDP FTE ADSD - Specialist Diploma (SD) / Advanced Diploma (AD)
Address 1: Shipping Method	NIL	NIL	-	Default to Null
Address	MailingAddress	Mailing address of alumni	String(\$nvar char(max))	
Department	NIL	NIL	-	Default to Null
Manager	NIL	NIL	-	Default to Null
Manager Phone	NIL	NIL	-	Default to Null
Role	NIL	NIL	-	Default to Null
Acad Prog	CourseCode	Course code	String(\$nvar char(50))	
Assistant Phone	NIL	NIL	-	Default to Null
Gender	Gender	Gender of alumni	String(\$nvar char(20))	Value list: Male Female
Marital Status	NIL	NIL	-	Default to Null
Spouse/Partner Name	NIL	NIL	-	Default to Null
Birthday	DateofBirth	Date of birth of alumni	String(\$DD/ MM/YYYY)	
Anniversary	NIL	NIL	-	Default to Null
Owner	NIL	NIL	-	Default to Null


Currency	NIL	NIL	-	Default to Null
Credit Limit	NIL	NIL	-	Default to Null
Credit Hold	NIL	NIL	-	Default to Null
Payment Terms	NIL	NIL	-	Default to Null
Price List	NIL	NIL	-	Default to Null
Preferred Method of Contact	NIL	NIL	-	Default to Null
Do not allow Emails	NIL	NIL	-	Default to Null
Do not allow Phone Calls	NIL	NIL	-	Default to Null
Do not allow Mails	NIL	NIL	-	Default to Null
Do not allow Bulk Emails	NIL	NIL	-	Default to Null
Do not allow Faxes	NIL	NIL	-	Default to Null
Originating Lead	NIL	NIL	-	Default to Null
Send Marketing Materials	NIL	NIL	-	Default to Null
Preferred Day	NIL	NIL	-	Default to Null
Preferred Time	NIL	NIL	-	Default to Null
Preferred Service	NIL	NIL	-	Default to Null
Preferred Facility/Equipment	NIL	NIL	-	Default to Null
Preferred User	NIL	NIL	-	Default to Null
Citizenship	CitizenshipType	Citizenship type of alumni	String(\$nvar char(50))	Value list: Singapore citizen Singapore PR Foreigner
Country	Nationality	Nationality of alumni	String(\$nvar char(50))	
Graduate StudentID	StudentId	UAM Common Id of alumni	String(\$nvar char(20))	
NP Email	NIL	NIL	-	Default to Null
Admission Term	SemesterTerm	First Semester/term when alumni admit	String(\$nvar char(50))	

Graduation Term	SemesterTerm	Last Semester/term when alumni graduate	String(\$nvarchar(50))	
Follow Email Activity	NIL	NIL	-	Default to Null
Graduation Year(Integer)	GraduationDate	Year of graduation date	Int	Sample value: 2022

2.3.2 PET Alumni Information Interface Fields

Name	Description	Data Type	Remark
NRIC/FIN	NRIC/FIN number of alumni	String(\$nvarchar(20))	Sample Value: G1234567P
Name	Name of alumni	String(\$nvarchar(max))	Sample Value: Jesse Tan
CourseCode	Refers to PET course code the NP alumni graduated from	String(\$nvarchar(50))	
GraduationYear	Refers to the graduation year related to the course	String(\$nvarchar(4))	Sample Value: 2020
StudentType	Store if this student is a PET or CET alumni.	String(\$nvarchar(10))	Default to PET
Status	Stores the status of the alumni	String(\$nvarchar(10))	Value list: Active, Inactive


2.3.3 Sample File



3. Interface for NP Graduand Student Ceremony

3.1 Interface Overview

According to the business requirements, sTMS allows auto-generate NP CET graduand student ceremony list on predefine trigger time once a year. Upon receiving service request from NP for latest ceremony student list due to student list changed, sTMS support team will trigger Ad-hoc interface job to send the latest list to NP CET user via email.



The screenshot displays the '2022 Ceremony' interface. The sidebar on the left contains navigation links: Dashboard, Course, Student finance, Admin, Student record, Company record, and Report. The main content area shows a table of ceremony sessions. The table has the following columns: Session number, Date, Start time, Facility, Course, Modified, and Modified by. The data rows are as follows:

Session number	Date	Start time	Facility	Course	Modified	Modified by
1	01/07/2022	9:00 AM	Diploma in Interior Design	+2	01/11/2021 12:00	Ashley Lim
2	01/07/2022	2:00 PM	Diploma in Architecture	2	01/11/2021 12:00	Ashley Lim
3	02/07/2022	9:00 AM		+2	01/11/2021 12:00	Ashley Lim
4	02/07/2022	2:00 PM		+2	01/11/2021 12:00	Ashley Lim

Below the table, it shows 'Total items: 4' and a pagination control with 'Show rows: 50' and a 'Go' button.

3.1.1 Interface Design Summary

Interface File Name	NP_CET_GRADUAND_DETAIL.zip
Data Source System	shared Training Management System
Method	Email
Frequency	Once a year or Ad-hoc trigger
Timing	Configurable by sTMS support team.
Possible Exception and Exception Handling	Interface job failure due to sTMS internal exception. E.g., Timer service down, etc. Exception handling steps: sTMS support team shall be informed by email of the transfer failure.

	- sTMS support team checks the relevant logs to troubleshoot the cause of the failure. - sTMS support team re-run the interface job and send the latest ceremony file to NP CET user
--	---

3.1.2 Business Rules

sTMS shall be able to generate separate txt files for each session when the interface job triggered. The naming format of the file is GRADUAND_DETAIL_<Session number>.txt. E.g. GRADUAND_DETAIL_1.txt for the students to attend the 1st graduation ceremony session.

All the txt files shall be compressed to ZIP files and then send to NP CET users via email. The fields in the generated file shall be separated by "|". Refer to the sample file below.



3.2 Interface Fields

Name	Description	Data Type	Remarks
StudentID	Student UAM common Id	String(\$nvarchar(20))	
Name	Student name	String(\$nvarchar(255))	
Diploma Name	Course/ Program certificate name	String(\$nvarchar(255))	Sample value: Diploma in Engineering (Electrical)
ReservedSpace	Nil	Nil	
Course	Course/ Program certificate code	String(\$nvarchar(10))	Sample value: DEE
Award	Display if the student is awarded with merit	String(\$nvarchar(255))	Default value: Diploma with Merit\n
ReservedSpace	Nil	Nil	
ReservedSpace	Nil	Nil	
ReservedSpace	Nil	Nil	
ReservedSpace	Nil	Nil	
SerialNo	Open cert serial number	String(\$nvarchar(20))	Sample Value: DEE21M0001

NRIC	NRIC or FIN number	String(\$nvar char(10))	Sample Value: F68xxxxxA
------	--------------------	----------------------------	-------------------------

Refer to the diploma description and code mapping:



Diploma Name.xlsx


4. Interface with NP CET DataMart

4.1 Interface Overview

sTMS shall backup all NP data (excluding student photos or supporting documents) and encrypted by PGP protocol before pushing to sTMS SFTP once per week. NP data warehouse downloads the file and restoring to Azure SQL managed instance accordingly when needed.

There are 3 roles involved in the interface diagram.

- **NP Data Warehouse:** Ngee Ann Polytechnic data warehouse.
- **sTMS SFTP Server:** A SFTP server hosted in Azure that stores encrypted files used for data exchange.
- **sTMS:** shared Training Management System.



4.2 Interface Design Summary

Interface File Name	{Filename}_ddMMyyyy).bacpac.gpg
Data Source System	shared Training Management System
Data Destination System	Ngee Ann Polytechnic Data Warehouse
Method	SFTP
File Path	/ {ENV} / NP / OUT / WAREHOUSE
Encryption Method	PGP
Frequency	Weekly Sync
Data syncing mode	sTMS NP Full backup data. The backup file type is bacpac.

Timing	The timer job trigger timing is configurable and can be determined before system goes live.
Folder Retention Policy	Files under the /{ENV}/NP/OUT/WAREHOUSE are retained for a maximum of 30 days in the sTMS SFTP server, after this period the files will be automatically deleted. NP also can delete these files after pulling out
Possible Exception and Exception Handling	File loss or transfer failure due to sTMS internal exception. E.g., Timer service down, etc. Exception handling steps: • sTMS support team shall be informed by email of the transfer failure. • AP team checks the relevant logs to troubleshoot the cause of the failure. • If the issue is due to the transfer files could not being found in the SFTP folder. ○ AP redeposits the files in the SFTP server.

5. Internal Suspend List Interface

5.1 Interface Overview


NP Common App shall generate a TXT file containing suspended list details, and the TXT file shall be encrypted by the PGP protocol and pushed to the sTMS SFTP server accordingly. The suspended list shall include the NP full-time student with outstanding fees.

sTMS shall identify applicant that is inside Ngee Ann Polytechnic internal suspended list for sTMS to block application upon applicant applying for NP courses.

5.1.1 system flow

There are 3 roles involved in the interface diagram.

- **NP Common App:** Ngee Ann Polytechnic Common App
- **sTMS SFTP Server:** A SFTP server hosted in sTMS that stores encrypted TXT file used for data exchange.
- **sTMS:** shared Training Management System.



SN	Description
1	NP Common App generates the internal suspended list detail based on the modified time on a pre-defined schedule.
2	NP Common App pushes the TXT file into sTMS SFTP server after encryption with PGP protocol.
3	sTMS pull the TXT file on a pre-defined schedule and retrieve the records after decryption.

5.1.2 Interface Design Summary

Input Interface File

Interface File Name	SUSPENDEDLIST_{ddMMyyyy}.txt.gpg
Data Source System	Ngee Ann Polytechnic Common App (NPAlCS)
Data Destination System	shared Training Management System
Mode of Interface	TXT file
Method	SFTP
File Path	/{ENV}/NP/IN/SUSPENDEDLIST ENV: UAT, PROD
Encryption Method	PGP
Data Syncing Mode	Full data will be migrated before the start of NP common APP and sTMS interface. The interface will conduct delta synchronization after sTMS go-live. For Subsequent data sync, it will be filter by the modified time later than last job time.
Frequency	Twice a year (the date will be specified by users)
File Retention Policy	Files are retained for a maximum of 30 days in the sTMS SFTP server, after this period the files will be automatically deleted.
File Transfer Policy	NP common APP shall send an empty TXT file with head info if there are no suspended list details updated in NP common APP.
Possible Exception and Exception Handling	1. File does not exist in the SFTP folder. Exception handling steps: - sTMS and NP support team shall be informed by email of the file read failure. - NP redeposits the file in SFTP. 2. Data verification failed. Exception handling steps: - sTMS support team shall be informed by email of the transfer failure.

	- AP team checks the relevant logs and files to troubleshoot the cause of the failure (data error types are listed below). ❖ Field exceeds max length allowed. ❖ Field is mandatory but missing. - NP needs to fix the issue and redeposits the correct file in SFTP.
--	--

5.2 Business Rules

TXT File Generation Rule

- For Subsequent data sync, NP shall identify suspended list based on the record modified time(including status change, from active to inactive). It will be filtered by the modified time later than last job time.
- Process should generate .txt file format with "|" as delimiter. File should be sent through SFTP to sTMS (NP needs to generate and push the file to sTMS SFTP server).

5.3 Interface Fields

The asterisk * represents the field required.

Name	Description	Data Type	Remarks
Status*	Suspend list status	String(\$nvarchar(1))	Value List: A – Active; I - Inactive
DebtorType*	Debtor type of suspend list	String(\$nvarchar(20))	Default to Individual
NRICFIN*	NRIC or FIN number	String(\$nvarchar(10))	
DebtorName	Name of student	String(\$nvarchar(255))	
SuspendedReason*	Suspended reason	String(\$nvarchar(20))	Default to Finance related reason
EffectiveFrom*	Effective start date of suspend list	String(\$DD/MM/YYYY)	Sample Value: 01/01/2022
EffectiveTo	Effective end date of suspend list	String(\$DD/MM/YYYY)	Default to Null
Remarks	Remarks	String(\$nvarchar(255))	



Admin / Master data / Internal suspended list

Home
Course
Student finance
Admin
Student Record

Role management
→ IHL role
→ Branch role
→ School role
→ Item-level role
Master data
→ Branch
→ School
→ Tag
→ Module component
→ Semester/Term
→ Assessment type
→ Application reason

Debtor type: All
Suspended reason: All

Create Export Import

☐ ID Debtor type
☒ IS00001 Individual
☐ IS00002 Individual
☐ IS00003 Company

Total items: 3

Create internal suspended record

Debtor type *
Individual

NRIC/FIN *
S1234567G

Effective from *
01/01/2022

Effective to
01/04/2022

Suspended reason *
Disciplinary reasons

Debtor name
AG Alex Gomez

Remarks

Select a supporting document

 Drag and drop, [browse](#) or [select from system](#)
up to 10MB (DOC, DOCX, more)



Admin / Master data / Internal suspended list

Home
Course
Student finance
Admin
Student Record

Role management
→ IHL role
→ Branch role
→ School role
→ Item-level role
Master data
→ Branch
→ School
→ Tag
→ Module component
→ Semester/Term
→ Assessment type
→ Application reason

Debtor type: All
Suspended reason: All
Effective from: All
Effective to: All
Status: All

Create Export Import Edit Deactivate

Search...

ID	Debtor type	Debtor name	NRIC/FIN	Student ID	UEN	Suspended reason	Bad debt write-off amount	Source	Effective from	Effective to	Status
☒ IS00001	Individual	AG Alex Gomez	S1234567G	STU1134655		Disciplinary reasons		Manual	01/01/2022	01/04/2022	Active
☐ IS00002	Individual	AG Tom Clark	S1234567G	STU1134657		Others		Manual	01/12/2021	01/01/2022	Inactive
☐ IS00003	Company	AG AvePoint SG	N/A	N/A	187965432	Finance related reason	S\$30,000.00	Auto	02/10/2021	02/10/2022	Active

Total items: 3

Show rows: 10 < 1 > Go

Refer to the sample file:


SUSPENDEDLIST_060
62022.txt