Hyper-linked Communications: WebRTC enabled asynchronous collaboration

Henrique Rocha

Instituto Superior Tcnico
Universidade de Lisboa

henrique.rocha@tecnico.ulisboa.pt

June 9, 2015

TÉCNICO LISBOA

Overview I

1. Introduction
   - Context
   - Problem Statement
   - Thesis Goals
2. Related Work
   - Early days of the Internet and its remaining flaws
   - Real-Time communications
   - Signaling: meet and get to know
   - Hypermedia: more than words, more than images
   - Extending collaboration tools with time manipulation

TÉCNICO LISBOA

Overview II

3. Proposed Architecture
   - Modules
   - Implementation Proposal
4. Methodology
   - Planned Schedule
5. Conclusions

TÉCNICO LISBOA

Related Work

1 Introduction
- Context
- Problem Statement
- Thesis Goals

2 Related Work

3 Proposed Architecture

4 Methodology

5 Conclusions

TÉCNICO LISBOA

Context

Written communication could never replace face to face communication.

> "No computer in our lifetimes will ever rival a human voice's capacity to conveying rich and complex social and emotional meaning"
>
> — Geddes, Martin

Today, we can achieve more.

TÉCNICO LISBOA

Problem Statement

Real-time communication applications can make a difference on business, education and health sectors.

An application that provides a way to remember our past communications would be a strong tool.

TÉCNICO LISBOA

Thesis Goals

Development of an application that applies the hypermedia concepts.

Use only standard technologies like JavaScript, WebRTC, HTML5 and CSS3.

Test the application with real users, unitary tests and benchmarks

TÉCNICO LISBOA

Related Work

1 Introduction

2 Related Work
- Early days of the Internet and its remaining flaws
- Real-Time communications
- Signaling: meet and get to know
- Hypermedia: more than words, more than images
- Extending collaboration tools with time manipulation

3 Proposed Architecture

4 Methodology

5 Conclusions

TÉCNICO LISBOA

Early days of the Internet and its remaining flaws

- IPv4 Address Exhaustion
- Network Address Translation
- Client-Server model
- STUN + TURN = ICE

TÉCNICO LISBOA

Real-Time communications

Real-Time communications

WebRTC (Web Real-Time Communications)



Figure: WebRTC protocol Stack

Signaling: meet and get to know

- Own Implementation
- SIP
- XMPP
- SigOFly

TÉCNICO LISBOA

Hypermedia: more than words, more than images

- **Concepts:** HyperText & HyperMedia & HyperCommunications
- **Implementations:** HyperCafe & HyperHitchcock
- **WebBrowser:** Ambulant & SmillingWeb & SVG

TÉCNICO LISBOA

Web-Browser plug-ins

TÉCNICO LISBOA

Signaling: meet and get to know

- Streaming and Recording
- Media Types
- Recording and Streaming Interactive Media
- Collaborative Environment

TÉCNICO LISBOA

Related Work

1 Introduction

2 Related Work

3 Proposed Architecture
- Modules
- Implementation Proposal

4 Methodology

5 Conclusions

TÉCNICO LISBOA

Modules



Figure: System Modules

Implementation Proposal



Figure: System Infrastructure

- **ICE Server**: restund
- **Signaling Server**: Prosody
- **Web Server**: Play Framework
- **Stream Server**: Jitsi VideoBridge



Figure: App Architecture

Wireframe



Figure: Application wireframe

Methodology

Qualitative and quantitative evaluation.

- Unit tests.
- Tests with users.
- Benchmarks.

Planned Schedule



TÉCNICO LISBOA

Conclusions

WebRTC is enabling new usage scenarios for communication and collaboration applications.

Theses communications will be enriched using hypermedia concepts.

A prototype will be implemented in order to validate these concepts.

TÉCNICO LISBOA

Questions?

TÉCNICO LISBOA