corePackages

Hilary Dugan

08 June, 2023

sessionInfo()

```
## R version 4.2.1 (2022-06-23)
## Platform: x86_64-apple-darwin17.0 (64-bit)
## Running under: macOS Big Sur ... 10.16
## Matrix products: default
           /Library/Frameworks/R.framework/Versions/4.2/Resources/lib/libRblas.0.dylib
## LAPACK: /Library/Frameworks/R.framework/Versions/4.2/Resources/lib/libRlapack.dylib
##
## locale:
## [1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8
## attached base packages:
## [1] stats
                 graphics grDevices utils
                                                datasets
                                                          methods
                                                                    base
## other attached packages:
  [1] formatR_1.14
                        forcats_0.5.2
                                         dplyr_1.1.2
                                                         purrr_1.0.1
   [5] readr_2.1.3
                        tidyr_1.3.0
                                         tibble_3.2.1
                                                         ggplot2_3.4.2
##
  [9] tidyverse_1.3.2 stringr_1.5.0
                                         rvest_1.0.3
                                                         xm12_1.3.3
## loaded via a namespace (and not attached):
## [1] tidyselect 1.2.0
                            xfun 0.35
                                                 haven_2.5.1
## [4] gargle_1.2.1
                            colorspace_2.1-0
                                                 vctrs_0.6.2
## [7] generics_0.1.3
                            htmltools_0.5.4
                                                 yaml_2.3.6
## [10] utf8_1.2.3
                            rlang_1.1.1
                                                 pillar_1.9.0
## [13] withr_2.5.0
                            glue_1.6.2
                                                 DBI_1.1.3
## [16] dbplyr_2.2.1
                            readxl_1.4.1
                                                 modelr_0.1.9
## [19] lifecycle_1.0.3
                            munsell_0.5.0
                                                 gtable_0.3.3
## [22] cellranger 1.1.0
                            evaluate 0.19
                                                 knitr 1.41
## [25] tzdb_0.3.0
                            fastmap_1.1.0
                                                 fansi_1.0.4
## [28] broom_1.0.1
                            backports_1.4.1
                                                 scales_1.2.1
## [31] googlesheets4_1.0.1 jsonlite_1.8.4
                                                 fs_1.5.2
## [34] hms_1.1.2
                            digest_0.6.31
                                                 stringi_1.7.12
## [37] grid_4.2.1
                            cli_3.6.1
                                                 tools_4.2.1
## [40] magrittr_2.0.3
                                                 pkgconfig_2.0.3
                            crayon_1.5.2
## [43] ellipsis_0.3.2
                            reprex_2.0.2
                                                 googledrive_2.0.0
## [46] lubridate_1.9.2
                            timechange_0.2.0
                                                 assertthat_0.2.1
## [49] rmarkdown_2.19
                            httr_1.4.6
                                                 rstudioapi_0.14
## [52] R6 2.5.1
                            compiler_4.2.1
```

This document contains metadata for the core NTL-LTER datasets

Madison Wisconsin Daily Meteorological Data 1869 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.20. 36

 $. \textbf{csv} \quad \textbf{download} \quad \textbf{link}: \quad \text{https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.} \\ 20.36 \& \quad \text{entityid} = 3c7 \text{ddd} 692 \text{d3} \\ \text{ac8e90bf2954a16b39e89}$

Variables include: year4, sampledate, max_air_temp_adjusted, max_air_temp_raw, min_air_temp_adjusted, min_air_temp_raw, ave_air_temp_adjusted, ave_air_temp_raw, range_air_temp_adjusted, precip raw mm, snow raw cm, snow depth cm, data status

Date Range: 1869-01-01 - 2022-12-31

North Temperate Lakes LTER: Meteorological Data - Woodruff Airport 1989 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.17. 37

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.17.37& entityid=9e39437554e8ebb54843b18e0ad27110

Variables include: year4, sampledate, daynum, avg_air_temp, flag_avg_air_temp, max_air_temp, flag_max_air_temp, min_air_temp, flag_min_air_temp, avg_dewpoint_temp, flag_avg_dewpoint_temp, max_dewpoint_temp, flag_max_dewpoint_temp, min_dewpoint_temp, flag_min_dewpoint_temp, avg_rel_hum, flag_avg_rel_hum, max_rel_hum, flag_max_rel_hum, min_rel_hum, flag_min_rel_hum, avg_barom_pres_mbar, flag_avg_barom_pres_mbar, avg_wind_speed, flag_avg_wind_speed, max_wind_speed_1min, flag_max_wind_speed_1min, direction_peak_wind, flag_direction_peak_wind, avg_par, flag_avg_par, avg_shortwave_rad, flag_avg_shortwave_rad, avg_slorad, flag_avg_sol_rad, avg_longwave_rad, flag_avg_longwave_rad, tot_precip, flag_tot_precip

Date Range: 1989-01-01 - 2022-12-31

North Temperate Lakes LTER Soil Temperature - Woodruff Airport 2006 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.133. 32

 $. csv \quad download \quad link: \quad https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl. 133.32\&entityid=441c6bdb67d0d5ec0cb28dc32bbdb667$

Variables include: year4, sampledate, daynum, depth, avg soiltemp, flag avg soiltemp

Date Range: 2006-08-18 - 2022-12-31

Minocqua Dam Daily Meteorological Data at North Temperate Lakes LTER 1978 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.18. 34

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.18.34& entityid=34ec9386a894ba332529349d24154333

Variables include: year4, sampledate, min_air_temp, max_air_temp, precip, snow, snow_depth, data status

Date Range: 1978-01-01 - 2022-12-31

Minocqua Dam Monthly Meteorological Data at North Temperate Lakes LTER 1905 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.19. 32

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.19.32& entityid=439164dca34df606494a0912157e0c6a

Variables include: year, month, mean_air_temp, mean_min_air_temp, mean_max_air_temp, precip, snow, data_status

North Temperate Lakes LTER: Physical Limnology of Primary Study Lakes 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.29. 35

 $. \textbf{csv} \quad \textbf{download} \quad \textbf{link}: \quad \text{https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.} \\ 29.35\& \quad \text{entityid} = 03e232a1b362900e0f059859abe8eb97$

Variables include: lakeid, year4, sampledate, depth, rep, sta, event, wtemp, o2, o2sat, deck, light, frlight, flagdepth, flagwtemp, flago2, flago2sat, flagdeck, flaglight, flagfrlight

Date Range: 1981-04-22 - 2022-11-18

Lakes included:

AL, depths include: 0, 0.5, 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7

BM, depths include: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19

CB, depths include: 0, 0.25, 0.5, 0.75, 1, 1.25, 1.5, 1.75, 2

CR, depths include: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19

FI, depths include: 0, 1, 2, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 12, 13, 14, 15, 16, 17, 18, 19

ME, depths include: 0, 1, 2, 3, 4, 5, 6, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 24.5

MO, depths include: 0, 1, 2, 3, 4, 5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22

SP, depths include: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18

TB, depths include: 0, 0.25, 0.5, 0.75, 1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 4, 5, 6, 7

TR, depths include: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32

WI, depths include: 0, 1, 2, 3, 3.5, 3.6

North Temperate Lakes LTER: Physical Limnology of Lake Kegonsa and Lake Waubesa 1995 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.264. 23

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.264.23& entityid=1213ed3937c845d5bece3a69e8246e75

Variables include: lakeid, year4, sampledate, depth, sta, wtemp, o2, o2sat

Date Range: 1994-07-05 - 2020-03-06

Lakes included:

KE, depths include: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 9.5

WA, depths include: 0, 1, 2, 3, 4, 5, 6, 6.5, 7, 7.5, 8, 9, 10, 10.5, 11

North Temperate Lakes LTER: Snow and Ice Depth 1982 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.34. 34

 $. \textbf{csv} \quad \textbf{download} \quad \textbf{link}: \quad \text{https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.} \\ 34.34 \& \\ \text{entityid=9be297624fc843fbd41f29b161150946}$

Variables include: lakeid, year4, daynum, sampledate, sta, nsnow, avsnow, sdsnow, wlevel, totice, nice, whiteice, blueice

Date Range: 1982-01-18 - 2023-03-21

Lakes included: AL, BM, CB, CR, FI, ME, MO, SP, TB, TR, WI

North Temperate Lakes LTER: Ice Duration - Trout Lake Area 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.32.

 $. \textbf{csv} \quad \textbf{download} \quad \textbf{link}: \quad \text{https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.} \\ 22.30 \& \\ \text{entitvid} = 22 \\ \text{dfd43d5e56e7d828c13317c7c7a9d1}$

Variables include: lakeid, sta, year, lastice, datelastice, firstopen, datefirstopen, lastopen, datelastopen, firstice, datefirstice

Lakes included: AL, BM, CB, CR, LR, SP, TB, TR

North Temperate Lakes LTER: Ice Duration - Madison Lakes Area 1853 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.33. 37

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.33.37& entityid=933b6eb9b31cc1e41c6a02ee40a91877

Variables include: lakeid, season, iceon, ice on, iceoff, ice off, ice duration, year4

Lakes included: ME, MO, WI

North Temperate Lakes LTER: Lake Levels 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.30. 27

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.30.27&entityid=5f324be2082168798e8c83d693147fe0

Variables include: lakeid, year4, daynum, sampledate, sta, llevel_elevation

Date Range: 1981-04-23 - 2020-10-16

Lakes included: AL, BM, CB, CR, SP, TB, TR

North Temperate Lakes LTER: Light Extinction 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.259.

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.259.18& entityid=6e9645b25882672e7316357890553e19

Variables include: lakeid, sampledate, extcoef, lightext_flag, comments

Date Range: 1981-04-22 - 2022-11-18

Lakes included: AL, BM, CB, CR, FI, KE, ME, MO, SP, TB, TR, WA, WI

North Temperate Lakes LTER: Secchi Disk Depth; Other Auxiliary Base Crew Sample Data 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.31. 32

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.31.32& entityid=d01c782e0601d2217b94dd614444bd33

Variables include: lakeid, year4, daynum, sampledate, sta, secview, secnview, timeon, timeoff, airtemp, windir, windspd, waveht, cloud, ice

Date Range: 1981-04-22 - 2022-11-23

Lakes included: AL, BM, CB, CR, FI, ME, MO, SP, TB, TR, WI

North Temperate Lakes LTER: Color - Trout Lake Area 1989 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.87.

 $. csv \quad download \quad link: \quad https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.87.33\&entityid=80ec90db84b05ecd45580177133815dd$

Variables include: lakeid, year4, sampledate, cuvette, wavelength, value, color flag

Date Range: 1989-11-07 - 2021-11-24

Lakes included: AL, al, BM, bm, CB, cb, CR, cr, SP, sp, TB, tb, TR, tr

North Temperate Lakes LTER: Sediment Deposition - Trout Lake Area 1986 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.40. 26

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.40.26& entityid=ffc5ceb7ec4c54f62a5c110fb64bb6dc

Variables include: lakeid, year4, year_fraction, start_daynum, end_daynum, duration, med_daynum, med_date, trap, size_fraction, mass_flux, particle_mass_mg, particle_mass_conc_mg_per_l, volume_l, ratio_n, ratio_c, ratio_p, flux_n, flux_c, flux_p, flag, comments

Lakes included: SP, TR, CR, NA

Lake Mendota Multiparameter Sonde Profiles: 2017 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.400.

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.400.4& entityid=8fd57df54b19ddd592dbb45321bbd548

Variables include: lakeid, sampledate, sampletime, depth, wtemp, do_raw, do_sat, ph, spec_cond, chlor_rfu, phyco_rfu, turbidity, fdom, flag_wtemp, flag_do_raw, flag_do_sat, flag_ph, flag_spec_cond, flag_chlor_rfu, flag_phyco_rfu, flag_turbidity, flag_fdom

Date Range: 2017-09-29 - 2022-10-28

Lakes included:

ME, depths include: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20

North Temperate Lakes LTER: Groundwater Chemistry 1984 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.10.

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.10.24& entityid=c1fa477218ba3543642bbfb79ef53690

Variables include: wellid, year, sampledate, daynum, ph, ph_bubbled, cond, alk, dic, doc, no3no2, nh4n, totn, totp, drsi, brsi, cl, so4, ca, mg, na, k, fe, mn, flagph, flagph_bubbled, flagalk, flagdic, flagdoc, flagno3no2, flagnh4n, flagtotn, flagtotp, flagdrsi, flagbrsi, flagcl, flagso4, flagca, flagmg, flagna, flagk, flagfe, flagmn

Date Range: 1984-11-07 - 2018-10-22

North Temperate Lakes LTER: Groundwater Levels 1984 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.9.23

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.9.23& entityid=14ace49dc3939cb736c90c8ae08593ce

Variables include: year4, sampledate, wellid, well_level, flag

Date Range: 1984-04-23 - 2018-11-27

North Temperate Lakes LTER: Chemical Limnology of Primary Study Lakes: Major Ions 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.2.37

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.2.37 & entityid=0701a84081989bb1ff37d621a6c4560a

Variables include: lakeid, year4, daynum, sampledate, depth, rep, sta, event, cl, so4, ca, mg, na, k, fe, mn, cond, flagcl, flagso4, flagca, flagmg, flagna, flagk, flagfe, flagmn, flagcond

Date Range: 1981-04-22 - 2019-11-18

Lakes included:

AL, depths include: 0, 2, 4, 6, 7

BM, depths include: 0, 5, 8, 10, 12, 16, 18, 19

CB, depths include: 0, 2

CR, depths include: 0, 5, 8, 10, 12, 15, 18, 19

FI, depths include: 0, 4, 8, 12, 16, 18

ME, depths include: 0, 8, 20 **MO**, depths include: 0, 8, 20

SP, depths include: 0, 5, 8, 10, 12, 15, 18

TB, depths include: 0, 2, 3, 5, 7

TR, depths include: 0, 8, 10, 15, 20, 27, 31, 32

WI, depths include: 0

North Temperate Lakes LTER: Chemical Limnology of Primary Study Lakes: Nutrients, pH and Carbon 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.1.59

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.1.59& entityid=0ff1fd13116d6097376e3745194cdc5f

Variables include: lakeid, year4, daynum, sampledate, depth, rep, sta, event, ph, phair, alk, dic, tic, doc, toc, no3no2, no2, nh4, totnf, totnuf, totpf, totpuf, drsif, brsif, brsiuf, tpm, totnuf_sloh, no3no2_sloh, nh4_sloh, kjdl_n_sloh, totpuf_sloh, drp_sloh, drsif_sloh, flagdepth, flagph, flagphair, flagalk, flagdic, flagtic, flagdoc, flagno3no2, flagno2, flagnh4, flagtotnuf, flagtotnuf, flagtotpuf, flagtotpuf, flagtotpuf, flagtotpuf, flagtotpuf, flagtotpuf_sloh, flagdrsif, flagbrsiuf, flagtospif_sloh, flagtospif_sloh, flagdrsif_sloh

Date Range: 1981-04-22 - 2021-11-24

Lakes included:

AL, depths include: 0, 2, 4, 6, 7

BM, depths include: 0, 5, 8, 10, 12, 16, 18, 19

CB, depths include: 0, 2

CR, depths include: 0, 3, 5, 8, 10, 12, 15, 18, 19 **FI**, depths include: 0, 4, 8, 10, 12, 14, 16, 18

ME, depths include: 0, 4, 8, 10, 12, 14, 16, 18, 20, 22

MO, depths include: 0, 4, 8, 10, 12, 14, 16, 18, 20

SP, depths include: 0, 3, 5, 8, 10, 12, 15, 17, 18

TB, depths include: 0, 2, 3, 5, 7

TR, depths include: 0, 5, 8, 10, 15, 20, 27, 31, 32

WI, depths include: 0

North Temperate Lakes LTER: Physical and Chemical Limnology of Lake Kegonsa and Lake Waubesa 1994 - current

EDI Archive + **Metadata**: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.401.

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.401.2& entityid=4fc546aa77e98d52535f99835b030cb2

Variables include: lakeid, year4, daynum, sampledate, depth, rep, sta, wtemp, o2, o2sat, ph, phair, alk, totnuf_sloh, no3no2_sloh, nh4_sloh, kjdl_n_sloh, totpuf_sloh, drp_sloh, drsif_sloh, cl, so4, flagdepth, flagwtemp, flago2, flago2sat, flagph, flagphair, flagalk, flagtotnuf_sloh, flagno3no2_sloh, flagnh4_sloh, flagkjdl_n_sloh, flagtotpuf_sloh, flagdrp_sloh, flagdrsif_sloh, flagcl, flagso4

Date Range: 1994-07-05 - 2020-03-06

Lakes included:

KE, depths include: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 9.5

WA, depths include: 0, 1, 2, 3, 4, 5, 6, 6.5, 7, 7.5, 8, 9, 10, 10.5, 11

North Temperate Lakes LTER: Chlorophyll - Madison Lakes Area 1995 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.38.

 $. csv \quad download \quad link: \quad https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl. 38.28 \& entityid=66796c3bc77617e7cc95c4b09d4995c5$

Variables include: lakeid, year4, sampledate, depth_range_m, rep, tri_chl_spec, mono_chl_spec, phaeo_spec, uncorrect_chl_fluor, correct_chl_fluor, phaeo_fluor, flag_spec, flag_fluor

Date Range: 1995-01-24 - 2018-11-30 Lakes included: ME, MO, FI, WI

North Temperate Lakes LTER: Chlorophyll - Trout Lake Area 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.35. 32

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.35.32& entityid=50f9b5f93d0a0d47008147698fb413f3

Variables include: lakeid, year4, daynum, sampledate, rep, sta, depth, chlor, phaeo, flagchlor, flagphaeo

Date Range: 1981-06-30 - 2021-11-24

Lakes included:

AL, depths include: 0, 2, 4, 6, 7

BM, depths include: 0, 3, 5, 8, 10, 12, 16, 18, 19

 \mathbf{CB} , depths include: 0, 1, 2

CR, depths include: 0, 3, 5, 8, 10, 12, 15, 18, 19 **SP**, depths include: 0, 3, 5, 8, 10, 12, 15, 17, 18

TB, depths include: 0, 2, 3, 5, 6, 7

TR, depths include: 0, 3, 5, 8, 10, 15, 20, 27, 31, 32

North Temperate Lakes LTER: Phytoplankton - Madison Lakes Area 1995 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.88. 31

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.88.31& entityid=f2de15b2fff6ae962a04c150c0a1c510

Variables include: lakeid, year4, sampledate, sta, depth_range, division, taxa_name, gald, cells_per_nu, nu_per_ml, cells_per_ml, biovolume_conc, biomass_conc, relative_total_biovolume, genus

Date Range: 1995-01-24 - 2020-12-10 Lakes included: MO, ME, FI, WI

North Temperate Lakes LTER: Phytoplankton - Trout Lake Area 1984 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.238.

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.238.5& entityid=8226b22d4c64913303212efc5b7d3d65

Variables include: lakeid, year4, sampledate, sta, depth_range, division, taxa_name, gald, cells_per_nu, nu_per_ml, cells_per_ml, biovolume_conc, biomass_conc, relative_total_biovolume, genus

Date Range: 1984-04-26 - 2006-11-03

Lakes included: CR, AL, BM, SP, TB, TR, CB

North Temperate Lakes LTER: Zooplankton - Trout Lake Area 1982 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.37.37

 $. csv \quad download \quad link: \quad https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl. 37.37 \& entityid=c4b652eea76cd431ac5fd3562b1837ee$

Variables include: lakeid, year4, sample_date, station, species_code, species_name, density, individuals_measured, avg_length

Date Range: 1981-04-22 - 2019-11-18

Lakes included: AL, BM, CB, CR, SP, TB, TR, Tr

North Temperate Lakes LTER: Zooplankton - Madison Lakes Area 1997 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.90.

 $. csv \quad download \quad link: \quad https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.90.33\&entityid=5880c7ba184589e239aec9c55f9d313b$

Variables include: lakeid, year4, sample_date, station, towdepth, species_code, species_name, density, individuals measured, avg length

Date Range: 1995-01-24 - 2018-11-14 Lakes included: FI, ME, MO, WI

North Temperate Lakes LTER: Benthic Macroinvertebrates 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.11. 36

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.11.36& entityid=64a3def6d4f03ea0ac3e8630b75df453

Variables include: lakeid, year4, site, rep, taxon_code, description, number_indiv, flag

Lakes included: CR, SP, sp, TR

North Temperate Lakes LTER: Crayfish Abundance 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.3.34 .csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.3.34& entityid=88c98b71ee78638c6d78f2eda60c70b2

Variables include: lakeid, year4, gearid, effort, spname, total caught

Lakes included: AL, BM, FI, ME, MO, SP, TR, WI

North Temperate Lakes LTER Pelagic Macroinvertebrate Abundance 1983 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.13. 34

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.13.34& entityid=35a501a8e187da22f6cfc07015fca911

Variables include: lakeid, year4, sta, depth, taxon, rep, number_indiv

Lakes included:

 $\mathbf{BM},$ depths include: 17, 18, 19

CB, depths include: 1.75, 2, 2.5

 $\mathbf{CR},$ depths include: 17, 18, 19

AL, depths include: 6, 6.5, 7

 $\mathbf{TB},$ depths include: 6, 6.5, 7

TR, depths include: 9, 10, 15, 20, 25, 30, 31, 32

SP, depths include: 16, 17, 18

North Temperate Lakes LTER: Pelagic Macroinvertebrate Summary 1983 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.14. 34

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.14.34& entityid=3b341aed8577f3817de95a5458222594

Variables include: lakeid, year4, sta, depth, taxon, nreps, avg_ind, stdev_ind, avg_ind_per_m2, stdev_ind_per_m2, avg_ind_per_m3, stdev_ind_per_m3

Lakes included:

AL, depths include: 7

BM, depths include:

CB, depths include: 2

CR, depths include: 19

 \mathbf{SP} , depths include: 17

 \mathbf{TB} , depths include: 7

TR, depths include: 10, 15, 20, 25, 32

North Temperate Lakes LTER: Macrophyte Transects - Trout Lake 1982 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.22.

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.22.49& entityid=18acc428713fac38f596d90d84447335

Variables include: lakeid, year, site, min_depth, max_depth, species_name, total_quadrats_sampled, quadrats_species_absent, quadrats_species_present, total_quadrats_species_present

Lakes included: TR

North Temperate Lakes LTER: Macrophyte Biomass - Trout Lake 1983 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.21. 27

 $. csv \quad download \quad link: \quad https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl. 21.27 \& entityid=dfbf 70811ec 24b 55d 67de 2a52d 6f00c 5$

Variables include: lakeid, year4, site, depth, species name, rep, dryweight g

Lakes included:

TR, depths include: 1.5, 2.5, 4

North Temperate Lakes LTER: Macrophyte Richness - Trout Lake 1993 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.28. 25

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.28.25& entityid=beddad01372a8b45924c2f9594f47c4a

Variables include: lakeid, year4, site, sampledate, min_depth, max_depth, quadrat, richness

Date Range: 1993-08-19 - 2019-08-14

Lakes included: TR

North Temperate Lakes LTER: Macrophyte Biomass in Trout Lake Summary 1983 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.25. 26

 $. \textbf{csv} \quad \textbf{download} \quad \textbf{link}: \quad \text{https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.} \\ 25.26 \& \\ \text{entityid} = \\ a984d0bfc36497b8cc1b3f4692412b5d$

Variables include: lakeid, year4, site, depth, species_name, nreps, avg_dryweight_g, stdev_dryweight_g

Lakes included:

TR, depths include: 1.5, 2.5, 4

North Temperate Lakes LTER: Macrophyte Species at Quadrat Level - Trout Lake 1993 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.26. 25

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.26.25& entityid=2cf8a0faff212a7b773d7f9e2df82414

Variables include: lakeid, year4, site, sampledate, min_depth, max_depth, species_name, quadrat

Date Range: 1993-08-19 - 2019-08-14

Lakes included: TR

North Temperate Lakes LTER: Macrophyte Rating - Madison Lakes Area 1995 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.23. 30

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.23.30& entityid=aa5720aec0e577431faeee352b91a937

Variables include: lakeid, year4, sampledate, transect, depth, rep, spname, rake_rating, flag

Date Range: 1995-06-27 - 2018-07-27

Lakes included:

MO, depths include: 1, 1.5, 2, 2.5, 3, 3.5, 4

WI, depths include: 1, 1.5, 2, 2.5, 3, 3.5

FI, depths include: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5 **ME**, depths include: 1, 1.5, 2, 2.5, 3, 3.5, 4

North Temperate Lakes LTER: Macrophyte Biomass - Madison Lakes Area 1995 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.24. 29

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.24.29& entityid=a03d18be68db4cf2280846afe2643d5e

Variables include: lakeid, year4, sampledate, transect, depth, rep, rake_rating, fil_algae_wt, plant_wt_hand, flag

Date Range: 1995-06-27 - 2018-07-27

Lakes included:

MO, depths include: 1, 1.5, 2, 2.5, 3, 3.5, 4
WI, depths include: 1, 1.5, 2, 2.5, 3, 3.5
FI, depths include: 1, 1.5, 2, 2.5, 3, 3.5, 4
ME, depths include: 1, 1.5, 2, 2.5, 3, 3.5, 4

North Temperate Lakes LTER: Fish Abundance 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.7.44.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.7.44&entityid=6796e863c371817e3ecad736e3c2dd71

Variables include: lakeid, year4, gearid, effort, spname, total_caught Lakes included: AL, BM, CB, CR, FI, ME, MO, SP, TB, TR, WI

Lake Wingra: Fish Abundance 1995 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.182. 21

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.182.21& entityid=075018c60525517cf55bc11c7a9d342c

Variables include: lakeid, year4, gearid, effort, spname, total caught

Lakes included: WI

Lake Wingra: Fish Lengths and Weights 1995 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.181. 22

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.181.22& entityid=8b668ac1a068eb9387aafd779a3f3a9c

Variables include: lakeid, year4, sampledate, gearid, spname, depth, rep, length, weight, sex, fishpart

Date Range: 1995-08-21 - 2022-08-22

Lakes included:

WI, depths include: -2, -1, 0, 1, 2, 3, 4

North Temperate Lakes LTER: Fish Species Richness 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.245.

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.245.27& entitvid=635de04f92c4f64aaa9f75594427fb61

Variables include: lakeid, year4, richness

Lakes included: AL, BM, CB, CR, FI, ME, MO, SP, TB, TR, WI

North Temperate Lakes LTER: Fish Length Frequency 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.8.35 .csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.8.35& entityid=18cdcc4b34b87a171e7c8a965e39eeb8

Variables include: lakeid, year4, bin_midpoint, bandedkillifish, bgpumphybrid, bigmouthbuffalo, black-bullhead, blackchinshiner, blackcrappie, blacknoseshiner, blackstrptopminnow, bluegill, bluntnoseminnow, bowfin, brassyminnow, brooksilverside, brookstickleback, brownbullhead, burbot, channelcatfish, cisco, commoncarp, commonshiner, crappie, creekchub, darter, emeraldshiner, fantaildarter, fathead, finescaledace, freshwaterdrum, goldenredhorse, goldenshiner, grasspickerel, greaterredhorse, greenbghybrid, greenpumphybrid, greensunfish, guppy, hornyheadchub, iowadarter, johnnydarter, laketrout, lakewhitefish, largemouthbass, larvalfish, larvalsunfish, logperch, longearsunfish, longnosegar, mimicshiner, mottled-sculpin, mudminnow, muskellunge, muskypikehybrid, ninespstickleback, northernhogsucker, northernpike, nredbellydace, propinquus, pumpkinseed, quillback, rainbowsmelt, rockbass, rosyfaceshiner, rusticus, shortheadredhors, shovelnosesturgeon, silverpike, silverredhorse, slimysculpin, smallmouthbass, smallmouthbuffalo, splake, spotfinshiner, spottailemeraldh, spottailshiner, sunfish, troutperch, unidchub, uniddarter, unidentified, unidminnow, unidredhorse, unidshiner, virilis, walleye, warmouth, whitebass, whitecrappie, whitesucker, yellowbass, yellowbullhead, yellowperch

Lakes included: AL, BM, CB, CR, FI, ME, MO, SP, TB, TR, WI

North Temperate Lakes LTER: Fish Lengths and Weights 1981 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.6.34

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.6.34& entityid=7dddb5e70250d2e24537e34272316220

Variables include: lakeid, year4, sampledate, gearid, spname, sampletype, depth, rep, indid, length, weight, sex, fishpart, spseq, flag

Date Range: 1981-07-28 - 2022-08-31

Lakes included:

AL, depths include: -2, -1, 0, 1, 2, 3, 4, 5, 6

BM, depths include: -2, -1, 1, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14

CB, depths include: -2, -1, 1, 1.5, 2

 \mathbf{CR} , depths include: -2, -1, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22

 \mathbf{FI} , depths include: -2, -1

ME, depths include: -2, -1, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 21

MO, depths include: -2, -1, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10

SP, depths include: -2, -1, 1, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17

TB, depths include: -2, -1, 0.5, 0.8, 1, 1.5

TR, depths include: -2, -1, 1, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32

WI, depths include: -2, -1, 0, 1, 2, 3, 4

North Temperate Lakes LTER: Pelagic Prey - Sonar Data 2001 - current

EDI Archive + Metadata: https://portal.edirepository.org/nis/mapbrowse?packageid=knb-lter-ntl.115. 33

.csv download link: https://portal.edirepository.org/nis/dataviewer?packageid=knb-lter-ntl.115.33& entityid=cea5c1f7ece33118b99fa6a981749730

Variables include: lakeid, year4, sampledate, mid_sample_time, mid_latitude, mid_longitude, sv_mean, nasc, mean_height, mean_depth, number_pings, species, species_ts, density

Date Range: 2001-08-26 - 2020-07-23 Lakes included: ME, SP, CR, TR