

ACCOUNT AUDIT

Account Audit

Prepared for

Don White

Generated: March 31, 2026

Local Account Audit Report

Client: Don White
ACCOUNT AUDIT
Domain: ahts4me.com
Report Generated: 2026-03-31 01:07 UTC
Total Endpoints Audited: 4

Account Audit

Executive Summary

Don White

This audit identifies significant security concerns within the local account structure across all endpoints. Critical findings include:

- 1 endpoint with non-standard local administrator accounts (BasementPC1)
- 4 non-standard local admin accounts discovered across the environment
- Inconsistent local Administrator account status (disabled on 3 endpoints, enabled on 1)
- 3 accounts with password-never-expires policy in Active Directory
- Shared/generic accounts detected in Domain Admins group (AD Security Flag)

Risk Level: HIGH - Multiple non-standard local administrator accounts and inconsistent security posture across endpoints.

Local Account Inventory by Endpoint

Summary Table

Endpoint	Total Local Users	Local Admins	Disabled Accounts	Non-Standard Admins	Risk Level
DESKTOP-AHJ0FL9	4	0	4	0	Low
AHTSDC1	9	0	2	0	Medium
DESKTOP-JOGTI06	4	0	4	Low	
BasementPC1	9	4	4	3	Critical

Detailed Endpoint Analysis

DESKTOP-AHJ0FL9

Status: Secured

Local Users: 4

Local Administrators: 0

Account Name	Status	Type
Administrator	Disabled	Built-in
DefaultAccount	Disabled	Built-in
Guest	Disabled	Built-in
WDAGUtilityAccount	Disabled	Built-in

Powered by
Opsis Intelligence
March 31, 2026

Assessment: Standard Windows configuration with all default accounts properly disabled. No local administrators configured.

ACCOUNT AUDIT

AHTSDC1 (Domain Controller)

Status: Requires Review

Local Users: 9

Local Administrators: 0

Account Audit

Account Name	Status	Type	Notes
Administrator	Enabled	Built-in	Domain Admin account
Guest	Disabled	Built-in	
krbtgt	Disabled	Service	Kerberos service account
donald7862003	Enabled	Domain User	Active domain user
MSOL_f98e1e074e60	Enabled	Service	Azure AD Connect sync account
testuser1	Enabled	Domain User	Test account - should be reviewed
AHTSDC1\$	Enabled	Computer	Domain controller machine account
AHTSPC1\$	Enabled	Computer	Domain member machine account
AHTSAPPSERV1\$	Enabled	Computer	Domain member machine account

Security Concerns:

- Built-in Administrator account is enabled (standard for DCs but should use renamed account)
- testuser1 appears to be a test account that should not exist in production
- MSOL_f98e1e074e60 is the Azure AD Connect service account with elevated permissions

DESKTOP-JOGTI06

Status: Secured

Local Users: 4

Local Administrators: 0

Account Name	Status	Type
Administrator	Disabled	Built-in
DefaultAccount	Disabled	Built-in
Guest	Disabled	Built-in
WDAGUtilityAccount	Disabled	Built-in

Local Administrators: 4

Account Name	Admin Status	Enabled/Disabled	Type	Security Concern
Administrator	Local Admin	Enabled	Built-in	■■ Built-in admin enabled
donald7862003	Local Admin	Enabled	User	■■ Named user with local admin
SoftwareAdmin	Local Admin	Enabled	User	■■ Shared/service account with admin
TestAdmin	Local Admin	Enabled	User	■■ Test account with admin rights
DefaultAccount	No	Disabled	Built-in	Standard
defaultuser0	No	Enabled	User	Non-admin user (acceptable)
Guest	No	Disabled	Built-in	Standard
Irkin	No	Disabled	User	Disabled user account
WDAGUtilityAccount	No	Disabled	Built-in	Standard

Critical Security Concerns:

- 1. Built-in Administrator account is enabled - Should be disabled or renamed
- 2. SoftwareAdmin - Generic/shared account with local admin rights (violates best practice)
- 3. TestAdmin - Test account with administrative privileges should not exist in production
- 4. donald7862003 - Individual user account with local admin rights (should use LAPS or centralized admin)

Active Directory Account Security Analysis

User Account Summary

Metric	Count
Total AD Users	6
Enabled Users	4
Disabled Users	2
Accounts with Password Never Expires	3
Inactive Accounts (90+ days)	1

Privileged Group Membership

Group

Member Count

Security Status

Domain Admins

2

Contains shared/generic accounts

Enterprise Admins

2

Review membership

Powered by

OPSIS Environment Intelligence

March 31, 2026

Critical Finding: Active Directory security flags indicate that shared or generic accounts have been detected in the Domain Admins group. This is a severe security risk as it:

Prevents proper accountability and auditing

Increases risk of credential sharing

Violates compliance requirements (PCI-DSS, HIPAA, SOC 2)

ACCOUNT AUDIT

Account Audit

3 accounts configured with 'Password Never Expires'

This setting bypasses domain password policy

Creates long-term credential exposure risk

Likely includes service accounts that should use managed service accounts (MSA/gMSA) instead

Prepared for

1 user account inactive for 90+ days:

Represents potential security risk if compromised

Should be disabled or removed

Don White

Generated: March 31, 2026

Non-Standard Local Administrator Accounts

Summary of Non-Standard Admin Accounts

Account Name	Endpoint	Type	Recommendation
donald7862003	BasementPC1	Named User	Remove local admin; use LAPS or JIT access
SoftwareAdmin	BasementPC1	Shared Account	REMOVE IMMEDIATELY - Replace with LAPS
TestAdmin	BasementPC1	Test Account	REMOVE IMMEDIATELY - Should not exist in production

Security Impact

HIGH RISK: BasementPC1 has 3 non-standard administrator accounts, creating:

Credential sprawl: Multiple admin credentials to manage and secure

Shared credential risk: SoftwareAdmin suggests password sharing between users

Audit trail gaps: Shared accounts prevent accurate activity attribution

Compliance violations: Most frameworks prohibit shared administrative credentials

Disabled Account Analysis

Inconsistencies Detected

Issue	Affected Endpoints	Count
Built-in Administrator disabled	DESKTOP-AHJ0FL9, DESKTOP-JOGT106	2

OPSIS

Issue

Built-in Administrator **enabled**

Built-in Administrator **enabled** (DC)

Affected Endpoints

BasementPC1

AHTSDC1

Count

1

1

Powered by

OPSIS Environment Intelligence

March 31, 2026

Finding:

Inconsistent security posture across workstations. Best practice requires either:

1. Disable built-in Administrator on all workstations (recommended), OR

2. Rename built-in Administrator and use LAPS for unique passwords

Disabled User Accounts Requiring Cleanup

ACCOUNT AUDIT

Account

Endpoint

Recommendation

lrkin

BasementPC1

Review and remove if no longer needed

Prepared for

Director of Security

Don White

Generated: March 31, 2026

Based on the provided AD security flags, the following issues require immediate attention:

Critical Findings

1. Shared/Generic Accounts in Domain Admins Group

Risk Level: CRITICAL

Impact: Credential sharing at highest privilege level

Action Required: Identify and remove shared accounts; implement named admin accounts

2. 3 Accounts with Password Never Expires

Risk Level: HIGH

Impact: Credentials never rotate, increasing breach window

Action Required: Identify accounts; implement gMSA for service accounts; enforce password rotation

3. Stale Computer Accounts (3 of 4 computers)

Risk Level: MEDIUM

Impact: 75% of computer accounts haven't authenticated in 90+ days

Action Required: Identify and disable/remove stale accounts

4. 1 User Inactive 90+ Days

Risk Level: MEDIUM

Impact: Dormant account vulnerable to compromise

Action Required: Disable account; investigate if still required

5. No Group Policy Enforcement

BitLocker not enforced

Windows Defender not enforced

Windows Update policy not enforced

Impact: Inconsistent security posture across endpoints

Recommendations

Immediate Actions (0-7 Days)

1. BasementPC1 - Remove Non-Standard Admin Accounts

Confidential - Prepared by Hues Technology LLC opsisan.com

OPSIS

- Remove TestAdmin account immediately
- Remove SoftwareAdmin account immediately
- Remove local admin rights from donald7862003

2. Active Directory - Domain Admins Group

- Audit Domain Admins group membership
- Remove any shared or generic accounts
- Document all privileged accounts

3. Password Never Expires Accounts

- Identify all 3 accounts with this setting
- For service accounts: migrate to gMSA
- For user accounts: remove setting and enforce policy

4. Implement Microsoft LAPS (Local Administrator Password Solution)

- Deploy LAPS to all workstations and member servers
- Disable or rename built-in Administrator accounts
- Centralize local Administrator password management

5. Standardize Built-in Administrator Status

- Disable built-in Administrator on all workstations
- Use LAPS for emergency local admin access
- Document exception for AHTSDC1 (domain controller)

6. Inactive Account Cleanup

- Disable the 1 user inactive 90+ days
- Remove 1rkin disabled account from BasementPC1
- Establish 90-day inactive account policy

7. Clean Up Stale Computer Accounts

- Investigate 3 stale computer accounts in AD
- Disable accounts not in use
- Remove accounts confirmed decommissioned

Long-Term Actions (30-90 Days)

8. Implement Privileged Access Workstation (PAW) Strategy

- Create dedicated admin workstations
- Implement tiered administration model
- Separate admin and standard user accounts

9. Deploy Group Policy Security Baselines

- Implement BitLocker enforcement GPO
- Configure Windows Defender enforcement GPO
- Deploy Windows Update management GPO

10. Enable DNS Scavenging

- Configure DNS scavenging on AHTSDC1
- Clean up stale DNS records
- Prevent DNS record accumulation

11. Establish Privileged Account Management Process

- Document all privileged accounts
- Implement regular access reviews (quarterly)

- Enable auditing for privileged account usage

- Consider Privileged Access Management (PAM) solution

Don White

Powered by
OPSIS Environment Intelligence

March 31, 2026

ACCOUNT AUDIT

Account Audit

Don White

Generated: March 31, 2026

Framework	Violated Controls	Impact
PCI-DSS	8.1, 8.2, 8.5	Shared accounts, weak password policy
HIPAA	164.308(a)(5)(ii)(C)	Access review requirements
SOC 2	CC6.1, CC6.2	Logical access controls
NIST 800-53	AC-2, IA-5	Account management, authenticator management
CIS Controls	5.3, 6.1, 6.2	Secure configurations, access control

Prepared for

Don White

Appendix: Account Naming Standards

For future account creation, implement these standards:

User Accounts

- Format: `firstname.lastname` or `f.lastname`
- No generic names (admin, test, software, etc.)

Service Accounts

- Format: `svc-applicationname`
- Use gMSA where possible
- Document purpose and owner

Administrative Accounts

- Format: `firstname.lastname-admin` or `a-f.lastname`
- Separate from standard user accounts
- Requires MFA for authentication

Document Classification: Internal Use - MSP Documentation

Next Review Date: 2026-04-30