

ACCOUNT AUDIT

Account Audit

Prepared for

Don White

Generated: March 31, 2026

Local Account Audit Report

Client: Don White

ACCOUNT AUDIT

Domain: ahts4me.com

Report Generated: 2026-03-31 02:45 UTC

Total Endpoints Audited: 4

Account Audit

Executive Summary

Don White

This audit identifies local account configurations across 4 domain endpoints. Multiple security concerns were identified including non-standard local administrator accounts, potential shared credentials, and inconsistent account management practices. Critical findings include 3 non-standard local admin accounts on BasementPC1 and evidence of service/test accounts in privileged domain groups.

Critical Findings:

- 1 endpoint (BasementPC1) has 4 local administrator accounts including non-standard accounts
- 3 accounts domain-wide have password-never-expires enabled
- 2 accounts identified in Domain Admins group (potential shared/generic accounts flagged)
- 3 of 4 computer accounts in AD are stale (90+ days inactive)

Local Administrator Account Analysis

Summary by Endpoint

Hostname	Local Admin Count	Non-Standard Admins	Security Status
DESKTOP-AHJ0FL9	0	0	PASS - No local admins configured
AHTSDC1	0	0	PASS - Domain Controller standard config
DESKTOP-JOGTI06	0	0	PASS - No local admins configured
BasementPC1	4	3	CRITICAL - Multiple non-standard admin accounts

Detailed Findings: BasementPC1

Local Administrator Accounts Identified:

- Administrator (standard Windows built-in)
- donald7862003 (non-standard user account)
- SoftwareAdmin (non-standard service/administrative account)
- TestAdmin (non-standard test account)

Security Concerns:

1. **TestAdmin account** - Test accounts should not exist in production with administrative privileges
2. **SoftwareAdmin account** - Generic/shared credential risk; no individual accountability
3. **donald7862003** - User account with local admin rights; potential privilege escalation target
4. **Multiple admin accounts** - Increases attack surface and credential management complexity

Don White

Recommendation: Remove TestAdmin and SoftwareAdmin accounts. Implement least-privilege access model using domain groups for administrative delegation. Audit necessity of donald7862003 local admin rights.

March 31, 2026

Local User Account Inventory

DESKTOP-AHJ0FL9

Total Local Accounts: 4

All Accounts Disabled: YES

Account Audit

Account Name	Type	Status	Notes
Administrator	Built-in	Disabled	Standard configuration
DefaultAccount	Built-in	Disabled	Standard configuration
Guest	Built-in	Disabled	Standard configuration
WDAGUtilityAccount	Built-in	Disabled	Windows Defender Application Guard utility

Status: PASS - Proper account hygiene

AHTSDC1 (Domain Controller)

Total Local Accounts: 9

Disabled Accounts: 2

Security Role: Domain Controller

Account Name	Type	Status	Notes
Administrator	Built-in	Enabled	Domain admin - standard for DC
Guest	Built-in	Disabled	Standard configuration
krbtgt	Service	Disabled	Kerberos service account - standard
donald7862003	User	Enabled	Domain user account
MSOL_f98e1e074e60	Service	Enabled	Microsoft Online sync service account
testuser1	User	Enabled	WARNING: Test account in production
AHTSDC1\$	Computer	Enabled	Domain controller computer account
AHTSPC1\$	Computer	Enabled	Computer account
AHTSAPPSERV1\$	Computer	Enabled	Computer account

Security Concerns:

Confidential · Prepared by Hues Technology LLC · opsisapp.com

- **testuser1** - Test account should not exist in production domain environment

Don White

Powered by
OPSIS Environment Intelligence
March 31, 2026

Total Local Accounts: 4

All Accounts Disabled: YES

Account Name	Type	Status	Notes
Administrator	Built-in	Disabled	Standard configuration
DefaultAccount	Built-in	Disabled	Standard configuration
Guest	Built-in	Disabled	Standard configuration
WDAGUtilityAccount	Built-in	Disabled	Windows Defender Application Guard utility

Status: PASS - Proper account hygiene

Reported for
Don White

Generated: March 31, 2026

BasementPC1

Total Local Accounts: 9

Local Administrators: 4

Disabled Accounts: 4

Account Name	Admin Rights	Status	Notes
Administrator	YES	Enabled	Built-in admin account
donald7862003	YES	Enabled	User account with admin rights
SoftwareAdmin	YES	Enabled	CRITICAL: Generic shared admin account
TestAdmin	YES	Enabled	CRITICAL: Test account with admin rights
DefaultAccount	NO	Disabled	Standard configuration
defaultuser0	NO	Enabled	Non-admin user account
Guest	NO	Disabled	Standard configuration
Irkin	NO	Disabled	User account (disabled)
WDAGUtilityAccount	NO	Disabled	Windows Defender Application Guard utility

Security Concerns:

- **Highest risk endpoint** - 4 local admin accounts including 3 non-standard
- **SoftwareAdmin** - Shared credential violates individual accountability principle
- **TestAdmin** - Test credentials in production environment
- **defaultuser0** - Non-disabled default user account (low risk but non-standard)
- **Irkin** - Disabled user account should be removed if no longer needed

Metric	Count	Status
Total Users	6	-
Enabled Users	4	-
Disabled Users	2	-
Password Never Expires	3	CRITICAL
Inactive 90+ Days	1	WARNING

Powered by
Opsis Intelligence
March 31, 2026

Privileged Group Membership Account Audit

Group	Member Count	Security Status
Domain Admins	2	WARNING - Shared/generic accounts flagged
Enterprise Admins	2	WARNING - Review membership necessity

Generated: March 31, 2026

Security Flags Identified:

- Shared or generic accounts detected in Domain Admins group - violates principle of individual accountability
- 3 accounts configured with password-never-expires - creates password rotation compliance gap
- 1 account inactive for 90+ days - potential orphaned credential

Recommendation: Audit Domain Admins membership to identify shared/generic accounts. Remove TestAdmin if present in privileged groups. Implement password expiration policies for all accounts. Disable or remove inactive accounts.

Active Directory Computer Account Status

Total Computer Accounts: 4

Stale Computer Accounts (90+ days): 3

Stale Percentage: 75%

Security Concern: 75% of computer accounts are stale, indicating inactive or decommissioned systems still present in Active Directory. Stale accounts create security risks including:

- Potential credential reuse attacks
- Inaccurate asset inventory
- Compliance reporting issues

Recommendation: Audit and remove stale computer accounts. Implement automated stale account cleanup policy.

Endpoint Account Configuration Comparison

Administrator Account Status by Endpoint

Endpoint	Built-in Admin Status	Non-Standard Admins	Risk Level
DESKTOP-AHJ0FL9	Disabled	0	LOW
DESKTOP-JOGTI06	Disabled	0	LOW

Endpoint	Built-in Admin Status	Non-Standard Admins	Risk Level
AHTSDC1	Enabled	0	ACCEPTABLE (DC role)
BasementPC1	Enabled	3	CRITICAL

Powered by
OPSIS Environment Intelligence
March 31, 2026

Inconsistency Identified: BasementPC1 deviates significantly from security baseline established by other workstations. This endpoint requires immediate remediation.

ACCOUNT AUDIT

Disabled Account Analysis

Account Audit

Properly Disabled Accounts

All endpoints have properly disabled standard Windows built-in accounts:

- Guest account (disabled on all 4 endpoints)
- DefaultAccount (disabled on 3 workstations)
- WDAGUtilityAccount (disabled on 3 workstations)

- Don White
Generated: March 31, 2026
Prepared for
- **AHTSDC1:** Administrator account enabled (expected for DC role)
 - **BasementPC1:** Built-in Administrator enabled (non-standard for workstation)
 - **BasementPC1:** User account "Irkin" is disabled but not removed - account lifecycle management issue

Security Recommendations

Critical Priority

- 1. BasementPC1 Remediation:**
 - Remove TestAdmin account immediately
 - Remove or convert SoftwareAdmin to service account with limited scope
 - Remove local admin rights from donald7862003 or document business justification
 - Disable built-in Administrator account per workstation security baseline
- 2. Domain Admins Audit:**
 - Identify and document all members of Domain Admins group
 - Remove shared/generic accounts from privileged groups
 - Implement named individual accounts with MFA for administrative access
- 3. Password Policy Enforcement:**
 - Identify 3 accounts with password-never-expires enabled
 - Implement maximum password age policy (60■90 days recommended)
 - Force password reset on remediation

High Priority

- 4. Test Account Removal:**
 - Remove testuser1 from domain (AHTSDC1)
 - Remove TestAdmin from BasementPC1
 - Implement policy prohibiting test accounts in production
- 5. Stale Account Cleanup:**
 - Identify and disable inactive 90+ day user account
 - Remove 3 stale computer accounts from Active Directory
 - Implement automated cleanup for 120+ day stale accounts

6. Group Policy Hardening:
- Implement BitLocker enforcement via GPO
 - Configure Windows Defender enforcement via GPO
 - Configure Windows Update policy via GPO
 - Enable DNS scavenging to prevent stale record accumulation

Don White

7. Account Lifecycle Management:

- Remove disabled account "Irkin" from BasementPC1
- Document and implement account offboarding procedures
- Regular audit schedule for disabled accounts (quarterly recommended)

8. Shared Credential Elimination:

- Replace Software Admin with service principal or managed service account
- Implement privileged access management (PAM) solution
- Enforce individual accountability for all administrative actions

Prepared for

Don White

Compliance Considerations

Current State Gaps:

- Shared administrative credentials present (violates SOX, HIPAA, PCI-DSS individual accountability requirements)
- Password expiration policy not enforced on 50% of accounts (3 of 6 users)
- Test accounts in production environment (violates change management and separation of duties requirements)
- Stale account retention (75% computer accounts, unknown user account percentage)

Regulatory Impact: Current configuration may fail audits under frameworks requiring individual user accountability, password rotation, and least-privilege access models.

Appendix: Account Discovery Limitations

Discovery Method: Local account enumeration via remote management protocols

Limitations Noted:

- Local admin group membership not populated for DESKTOP-AHJ0FL9, AHTSDC1, DESKTOP-JOGTI06 (shows empty arrays)
- Only BasementPC1 returned complete local admin group membership
- Possible causes: WMI/PowerShell remoting permissions, local firewall rules, or discovery tool limitations

Recommendation: Verify discovery tool has proper administrative access to all endpoints. Re-scan with elevated credentials to ensure complete local administrator group enumeration on all systems.

Document Classification: Internal Use - Client Confidential

Next Review Date: 2026-04-30

Audit Performed By: IT Documentation Specialist