

Don White

Generated March 17, 2026 at 12:25 UTC

40.3%

HIGH RISK

Unified Compliance Score

Cloud × 30% + Endpoint × 35% + User × 35%

36.1%

M365 Cloud
Weight: 30%

27.8%

Endpoint
Weight: 35%

56.5%

User
Weight: 35%

Report Summary

Framework	pci-dss-endpoint
Endpoints Evaluated	1 device
Users Evaluated	23 users
Report Date	March 17, 2026
Cloud Score	36.1%
Endpoint Score	27.8%
User Score	56.5%

Executive Summary

HIGH RISK

Overall Compliance Score: **40.3%**
This organization is below the minimum compliance threshold. Immediate remediation is required.

Top Remediation Priorities

#	Check	Area	Framework Ref	Remediate By
1	PCI-USR-01 — MFA for All Cardholder Data Access	User	PCI DSS v4.0 Req 8.4.2	Apr 16, 2026
2	PCI-USR-02 — Unique User IDs — No Shared Accounts	User	PCI DSS v4.0 Req 8.2.1	Apr 16, 2026

Score Breakdown by Dimension

Dimension	Score	Detail	Weight
M365 Cloud Security	36.1%	Microsoft Secure Score + Threat Detections	30%
Endpoint Compliance	27.8%	2/8 checks passed	35%
User Compliance	56.5%	0/23 users compliant	35%

M365 Cloud Compliance

36.1%

Microsoft Secure Score: 99 / 273 points

Last evaluated: March 15, 2026 17:26 UTC

Source: Microsoft Graph API — /security/secureScores

Active Security Detections

Title	Category	Severity	Status	Detected
Service Health Issues: 8 services affected	Suspicious Activity	MEDIUM	Investigating	Mar 09, 2026
Anonymous IP address	Suspicious Activity	MEDIUM	Investigating	Mar 09, 2026
Risky User Detected: Hugh White	Account Compromise	MEDIUM	Investigating	Mar 09, 2026
Service Health Issues: 10 services affected	Suspicious Activity	MEDIUM	Investigating	Feb 08, 2026
Service Health Issues: 7 services affected	Suspicious Activity	MEDIUM	Remediated	Feb 06, 2026
Stale Accounts Detected: 1 users	Insider Threat	MEDIUM	Remediated	Feb 06, 2026
Anomalous Token	Suspicious Activity	MEDIUM	False Positive	Feb 06, 2026
Risk Detection: Hugh White	Risky Signin	MEDIUM	Remediated	Feb 06, 2026
Risk Detection: Don White	Risky Signin	MEDIUM	Remediated	Feb 06, 2026
Risky User Detected: Hugh White	Account Compromise	MEDIUM	Investigating	Feb 06, 2026
Risky User Detected: Hugh White	Account Compromise	MEDIUM	Investigating	Feb 06, 2026
Email messages removed after delivery	Suspicious Activity	LOW	Investigating	Mar 14, 2026
Low Microsoft Secure Score: 36.1%	Security Score	HIGH	Investigating	Mar 09, 2026
Multiple Failed Sign-ins: hdwhite@4prebuild.com	Risky Signin	HIGH	False Positive	Feb 06, 2026
Low Microsoft Secure Score: 33.1%	Security Score	HIGH	Investigating	Feb 06, 2026
Risk Detection: Hugh White	Risky Signin	HIGH	False Positive	Feb 06, 2026
No Conditional Access Policies Configured	Conditional Access Violation	CRITICAL	Remediated	Feb 06, 2026

9 Investigating	5 Remediated	3 False Positive	4 High Severity
--------------------	-----------------	---------------------	--------------------

Endpoint Compliance

27.8%

Template: pci-dss-endpoint
Total Checks: 8 | Passed: 2 | Failed: 5
Evaluated: March 16, 2026 19:47 UTC

Check	Name / Framework Reference / Why It Matters / Data Source	Result	Priority	Actual Value
PCI-EP-01 PCI-EP-01		FAIL		Off
	WHY: BitLocker encrypts stored data at rest on the endpoint. Required by PCI DSS Req 3.5 to protect cardholder data wherever it is stored.			
	SOURCE: Windows BitLocker via PowerShell (Get-BitLockerVolume)			
PCI-EP-02 PCI-EP-02		FAIL		RTEnabled TamperProtected Enabled T
	WHY: Tamper-resistant antivirus prevents malware from disabling security defenses. PCI DSS Req 5.2 requires AV that cannot be disabled by users.			
	SOURCE: Windows Defender via WMI SecurityCenter2 + PowerShell			
PCI-EP-03 PCI-EP-03		PASS		
	WHY: Windows Firewall restricts unauthorized network access to cardholder data environment systems. Required by PCI DSS Req 1.3.			
	SOURCE: Windows Firewall profiles via Get-NetFirewallProfile			
PCI-EP-04 PCI-EP-04		FAIL		TLS10Disabled TLS11Disabled True
	WHY: TLS 1.0 and 1.1 contain known cryptographic vulnerabilities. PCI DSS Req 4.2 mandates strong cryptography (TLS 1.2+) for all data in transit.			
	SOURCE: SCHANNEL registry keys via PowerShell			

PCI-EP-05 PCI-EP-05 WHY: Password complexity and lockout policies prevent brute-force attacks on cardholder system accounts. Required by PCI DSS Req 8.3. SOURCE: Entra ID Conditional Access policies via Microsoft Graph API + local net accounts	FAIL	domain_name=None, local_policy=None, entra_te
PCI-EP-06 PCI-EP-06 WHY: Unpatched systems expose known CVEs that attackers actively exploit. PCI DSS Req 6.3 requires critical patches within 30 days of release. SOURCE: Windows Update COM API (Microsoft.Update.Session) via PowerShell	FAIL	CriticalPending TotalPending
PCI-EP-07 PCI-EP-07 WHY: Removable media (USB drives) can be used to exfiltrate cardholder data. PCI DSS Req 9.4 restricts physical access to media. SOURCE: USBSTOR service Start registry value via PowerShell	PASS	4
PCI-EP-08 PCI-EP-08 WHY: Audit logs provide the forensic trail required for incident investigations. PCI DSS Req 10.2 mandates logging of logon success and failure events. SOURCE: Windows audit policy via auditpol /get command	FAIL	LogonSuccess LogonFailure True

User Compliance

56.5%

Users Evaluated: 23
Compliant: 0 | Non-Compliant: 23

User Principal Name	Score	Status	Passed	Failed	N/A
testsharedmailbox10@huestechnology.com	38.5%	FAIL	2	3	3
testsharedmailbox109@huestechnology.com	38.5%	FAIL	2	3	3
testopsis@huestechnology.com	61.5%	FAIL	3	2	3
testingtesting@huestechnology.com	61.5%	FAIL	3	2	3
testingsharedagain@huestechnology.com	38.5%	FAIL	2	3	3
testingsharedafter@huestechnology.com	38.5%	FAIL	2	3	3
testingjohns@huestechnology.com	61.5%	FAIL	3	2	3
testing2@huestechnology.com	61.5%	FAIL	3	2	3
testing.finance2@4prebuild.com	61.5%	FAIL	3	2	3
test.opsis2@huestechnology.com	61.5%	FAIL	3	2	3
test.newopsis@huestechnology.com	61.5%	FAIL	3	2	3
test.4@4prebuild.com	61.5%	FAIL	3	2	3
salesteam@4prebuild.com	61.5%	FAIL	3	2	3
opsisinfo@4prebuild.com	61.5%	FAIL	3	2	3
legal@4prebuild.com	61.5%	FAIL	3	2	3
jameswhite@huestechnology.com	61.5%	FAIL	3	2	3
itsupport@4prebuild.com	61.5%	FAIL	3	2	3
info@opsisit.com	61.5%	FAIL	3	2	3
hdwhite@huestechnology.com	61.5%	FAIL	3	2	3
hdwhite@4prebuild.com	61.5%	FAIL	3	2	3
estopsisshared100@huestechnology.com	38.5%	FAIL	2	3	3
donald7862003@r7d1.onmicrosoft.com	61.5%	FAIL	3	2	3
DonWhite@4prebuild.com	61.5%	FAIL	3	2	3

User Compliance — Failed Check Detail

The following users have failed compliance checks. Each entry includes the specific regulatory requirement, why it matters, the data source used to evaluate it, and the remediation deadline based on priority.

testsharedmailbox10@huestechnology.com		38.5% — NON-COMPLIANT
PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)		FAIL critical
PCI-USR-02 — Unique User IDs — No Shared Accounts PCI DSS v4.0 Req 8.2.1 Actual: Possible shared account: testsharedmailbox10@huestechnology.com WHY IT MATTERS: Shared accounts cannot be attributed to a specific individual, making audit trails useless. PCI DSS Req 8.2.1 requires every user to have a unique ID. DATA SOURCE: Microsoft Graph API — user directory and display name analysis Remediate by: April 16, 2026 (30-day critical SLA)		FAIL critical
PCI-USR-07 — Audit Logging — User Activity PCI DSS v4.0 Req 10.2.1 Actual: mailbox auditing disabled WHY IT MATTERS: Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components. DATA SOURCE: Microsoft Graph API — mailbox audit log configuration Remediate by: May 16, 2026 (60-day recommended SLA)		FAIL recommended
testsharedmailbox109@huestechnology.com		38.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)	FAIL critical
PCI-USR-02 — Unique User IDs — No Shared Accounts PCI DSS v4.0 Req 8.2.1 Actual: Possible shared account: testsharedmailbox109@huestechnology.com WHY IT MATTERS: Shared accounts cannot be attributed to a specific individual, making audit trails useless. PCI DSS Req 8.2.1 requires every user to have a unique ID. DATA SOURCE: Microsoft Graph API — user directory and display name analysis Remediate by: April 16, 2026 (30-day critical SLA)	FAIL critical
PCI-USR-07 — Audit Logging — User Activity PCI DSS v4.0 Req 10.2.1 Actual: mailbox auditing disabled WHY IT MATTERS: Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components. DATA SOURCE: Microsoft Graph API — mailbox audit log configuration Remediate by: May 16, 2026 (60-day recommended SLA)	FAIL recommended
testopsis@huestechnology.com 61.5% — NON-COMPLIANT	
PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)	FAIL critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL
recommended

testingtesting@huestechnology.com

61.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access

PCI DSS v4.0 Req 8.4.2

Actual: mfa_registered=False

WHY IT MATTERS:

MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.

DATA SOURCE:

Microsoft Graph API — MFA registration details endpoint

Remediate by: April 16, 2026 (30-day critical SLA)

FAIL
critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL
recommended

testingsharedagain@huestechnology.com

38.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)	FAIL critical
PCI-USR-02 — Unique User IDs — No Shared Accounts PCI DSS v4.0 Req 8.2.1 Actual: Possible shared account: testingsharedagain@huestechnology.com WHY IT MATTERS: Shared accounts cannot be attributed to a specific individual, making audit trails useless. PCI DSS Req 8.2.1 requires every user to have a unique ID. DATA SOURCE: Microsoft Graph API — user directory and display name analysis Remediate by: April 16, 2026 (30-day critical SLA)	FAIL critical
PCI-USR-07 — Audit Logging — User Activity PCI DSS v4.0 Req 10.2.1 Actual: mailbox auditing disabled WHY IT MATTERS: Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components. DATA SOURCE: Microsoft Graph API — mailbox audit log configuration Remediate by: May 16, 2026 (60-day recommended SLA)	FAIL recommended
testingsharedafter@huestechnology.com38.5% — NON-COMPLIANT	
PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)	FAIL critical

PCI-USR-02 — Unique User IDs — No Shared Accounts PCI DSS v4.0 Req 8.2.1 Actual: Possible shared account: testingsharedafter@huestechnology.com WHY IT MATTERS: Shared accounts cannot be attributed to a specific individual, making audit trails useless. PCI DSS Req 8.2.1 requires every user to have a unique ID. DATA SOURCE: Microsoft Graph API — user directory and display name analysis Remediate by: April 16, 2026 (30-day critical SLA)		FAIL critical
PCI-USR-07 — Audit Logging — User Activity PCI DSS v4.0 Req 10.2.1 Actual: mailbox auditing disabled WHY IT MATTERS: Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components. DATA SOURCE: Microsoft Graph API — mailbox audit log configuration Remediate by: May 16, 2026 (60-day recommended SLA)		FAIL recommended
testingjohns@huestechnology.com		61.5% — NON-COMPLIANT
PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)		FAIL critical
PCI-USR-07 — Audit Logging — User Activity PCI DSS v4.0 Req 10.2.1 Actual: mailbox auditing disabled WHY IT MATTERS: Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components. DATA SOURCE: Microsoft Graph API — mailbox audit log configuration Remediate by: May 16, 2026 (60-day recommended SLA)		FAIL recommended

testing2@huestechnology.com		61.5% — NON-COMPLIANT
PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)		FAIL critical
PCI-USR-07 — Audit Logging — User Activity PCI DSS v4.0 Req 10.2.1 Actual: mailbox auditing disabled WHY IT MATTERS: Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components. DATA SOURCE: Microsoft Graph API — mailbox audit log configuration Remediate by: May 16, 2026 (60-day recommended SLA)		FAIL recommended

testing.finance2@4prebuild.com		61.5% — NON-COMPLIANT
PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)		FAIL critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL
recommended

test.opsis2@huestechnology.com

61.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access

PCI DSS v4.0 Req 8.4.2

Actual: mfa_registered=False

WHY IT MATTERS:

MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.

DATA SOURCE:

Microsoft Graph API — MFA registration details endpoint

Remediate by: April 16, 2026 (30-day critical SLA)

FAIL
critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL
recommended

test.newopsis@huestechnology.com

61.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)	FAIL critical
PCI-USR-07 — Audit Logging — User Activity PCI DSS v4.0 Req 10.2.1 Actual: mailbox auditing disabled WHY IT MATTERS: Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components. DATA SOURCE: Microsoft Graph API — mailbox audit log configuration Remediate by: May 16, 2026 (60-day recommended SLA)	FAIL recommended

test.4@4prebuild.com 61.5% — NON-COMPLIANT	
PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)	FAIL critical
PCI-USR-07 — Audit Logging — User Activity PCI DSS v4.0 Req 10.2.1 Actual: mailbox auditing disabled WHY IT MATTERS: Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components. DATA SOURCE: Microsoft Graph API — mailbox audit log configuration Remediate by: May 16, 2026 (60-day recommended SLA)	FAIL recommended

salesteam@4prebuild.com		61.5% — NON-COMPLIANT
PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)		FAIL critical
PCI-USR-07 — Audit Logging — User Activity PCI DSS v4.0 Req 10.2.1 Actual: mailbox auditing disabled WHY IT MATTERS: Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components. DATA SOURCE: Microsoft Graph API — mailbox audit log configuration Remediate by: May 16, 2026 (60-day recommended SLA)		FAIL recommended

opsisinfo@4prebuild.com		61.5% — NON-COMPLIANT
PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)		FAIL critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL
recommended

legal@4prebuild.com

61.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access

PCI DSS v4.0 Req 8.4.2

Actual: mfa_registered=False

WHY IT MATTERS:

MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.

DATA SOURCE:

Microsoft Graph API — MFA registration details endpoint

Remediate by: April 16, 2026 (30-day critical SLA)

FAIL
critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL
recommended

jameswhite@huestechnology.com

61.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)	FAIL critical
PCI-USR-07 — Audit Logging — User Activity PCI DSS v4.0 Req 10.2.1 Actual: mailbox auditing disabled WHY IT MATTERS: Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components. DATA SOURCE: Microsoft Graph API — mailbox audit log configuration Remediate by: May 16, 2026 (60-day recommended SLA)	FAIL recommended

itsupport@4prebuild.com61.5% — NON-COMPLIANT	
PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)	FAIL critical
PCI-USR-07 — Audit Logging — User Activity PCI DSS v4.0 Req 10.2.1 Actual: mailbox auditing disabled WHY IT MATTERS: Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components. DATA SOURCE: Microsoft Graph API — mailbox audit log configuration Remediate by: May 16, 2026 (60-day recommended SLA)	FAIL recommended

info@opsisit.com		61.5% — NON-COMPLIANT
PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)		FAIL critical
PCI-USR-07 — Audit Logging — User Activity PCI DSS v4.0 Req 10.2.1 Actual: mailbox auditing disabled WHY IT MATTERS: Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components. DATA SOURCE: Microsoft Graph API — mailbox audit log configuration Remediate by: May 16, 2026 (60-day recommended SLA)		FAIL recommended

hdwhite@huestechnology.com		61.5% — NON-COMPLIANT
PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)		FAIL critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL
recommended

hdwhite@4prebuild.com

61.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access

PCI DSS v4.0 Req 8.4.2

Actual: mfa_registered=False

WHY IT MATTERS:

MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.

DATA SOURCE:

Microsoft Graph API — MFA registration details endpoint

Remediate by: April 16, 2026 (30-day critical SLA)

FAIL
critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL
recommended

estopsisshared100@huestechnology.com

38.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)	FAIL critical
PCI-USR-02 — Unique User IDs — No Shared Accounts PCI DSS v4.0 Req 8.2.1 Actual: Possible shared account: estopsisshared100@huestechnology.com WHY IT MATTERS: Shared accounts cannot be attributed to a specific individual, making audit trails useless. PCI DSS Req 8.2.1 requires every user to have a unique ID. DATA SOURCE: Microsoft Graph API — user directory and display name analysis Remediate by: April 16, 2026 (30-day critical SLA)	FAIL critical
PCI-USR-07 — Audit Logging — User Activity PCI DSS v4.0 Req 10.2.1 Actual: mailbox auditing disabled WHY IT MATTERS: Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components. DATA SOURCE: Microsoft Graph API — mailbox audit log configuration Remediate by: May 16, 2026 (60-day recommended SLA)	FAIL recommended
donald7862003@r7d1.onmicrosoft.com 61.5% — NON-COMPLIANT	
PCI-USR-01 — MFA for All Cardholder Data Access PCI DSS v4.0 Req 8.4.2 Actual: mfa_registered=False WHY IT MATTERS: MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment. DATA SOURCE: Microsoft Graph API — MFA registration details endpoint Remediate by: April 16, 2026 (30-day critical SLA)	FAIL critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL
recommended

DonWhite@4prebuild.com

61.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access

PCI DSS v4.0 Req 8.4.2

Actual: mfa_registered=False

WHY IT MATTERS:

MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.

DATA SOURCE:

Microsoft Graph API — MFA registration details endpoint

Remediate by: April 16, 2026 (30-day critical SLA)

FAIL
critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL
recommended

Attestation & Sign-Off

This compliance report was generated by OPSIS — Autonomous IT Remediation Platform — on **March 17, 2026 at 12:25 UTC** for **Don White**. All findings are based on automated checks performed against live system data. Evidence for each finding is collected from authoritative sources as noted in the Data Source field of each check.

The scores and findings in this report reflect the state of the environment at the time of evaluation. Compliance status may change as remediation actions are completed or new issues are detected. This report should be reviewed by a qualified IT security professional before submission to auditors.

Evidence References

Evidence Type	Result	Source	Date Collected
Microsoft Secure Score	99/273 pts	Microsoft Graph API /security/secureScores	March 15, 2026
Endpoint Compliance Scan	2/8 checks passed	OP SIS Windows Agent — PowerShell + WMI	March 16, 2026
User Compliance Evaluation	23 users evaluated	Microsoft Graph API — Users, MFA, Groups, Mailbox	March 17, 2026
Security Threat Detections	17 detections	Microsoft Graph API /security/alerts_v2	March 17, 2026
Entra ID CA Policy Check	Password complexity verified	Microsoft Graph API /identity/conditionalAccess/policies	March 17, 2026

Authorization & Sign-Off

Role	Name / Signature	Date
Prepared by (OP SIS Platform)	OP SIS Automated Compliance Engine	March 17, 2026
Reviewed by (MSP Technician)	_____	_____
Approved by (Client Representative)	_____	_____
Auditor Acknowledgment	_____	_____

Report ID: OPSIS-7-202603171225 | Generated by OPSIS v1.0 | opsisapp.com | Confidential — intended solely for Don White and their designated auditors.