

# Don White

Generated March 17, 2026 at 12:24 UTC

40.3%

HIGH RISK

Unified Compliance Score

Cloud × 30% + Endpoint × 35% + User × 35%

36.1%

M365 Cloud  
Weight: 30%

27.8%

Endpoint  
Weight: 35%

56.5%

User  
Weight: 35%

## Report Summary

|                     |                  |
|---------------------|------------------|
| Framework           | pci-dss-endpoint |
| Endpoints Evaluated | 1 device         |
| Users Evaluated     | 23 users         |
| Report Date         | March 17, 2026   |
| Cloud Score         | 36.1%            |
| Endpoint Score      | 27.8%            |
| User Score          | 56.5%            |

Executive Summary

HIGH RISK

Overall Compliance Score: **40.3%**  
This organization is below the minimum compliance threshold. Immediate remediation is required.

Top Remediation Priorities

| # | Check                                             | Area | Framework Ref          | Remediate By |
|---|---------------------------------------------------|------|------------------------|--------------|
| 1 | PCI-USR-01 — MFA for All Cardholder Data Access   | User | PCI DSS v4.0 Req 8.4.2 | Apr 16, 2026 |
| 2 | PCI-USR-02 — Unique User IDs — No Shared Accounts | User | PCI DSS v4.0 Req 8.2.1 | Apr 16, 2026 |

Score Breakdown by Dimension

| Dimension           | Score | Detail                                     | Weight |
|---------------------|-------|--------------------------------------------|--------|
| M365 Cloud Security | 36.1% | Microsoft Secure Score + Threat Detections | 30%    |
| Endpoint Compliance | 27.8% | 2/8 checks passed                          | 35%    |
| User Compliance     | 56.5% | 0/23 users compliant                       | 35%    |

M365 Cloud Compliance

36.1%

Microsoft Secure Score: 99 / 273 points

Last evaluated: March 15, 2026 17:26 UTC

Source: Microsoft Graph API — /security/secureScores

Active Security Detections

| Title                                           | Category                     | Severity | Status         | Detected     |
|-------------------------------------------------|------------------------------|----------|----------------|--------------|
| Service Health Issues: 8 services affected      | Suspicious Activity          | MEDIUM   | Investigating  | Mar 09, 2026 |
| Anonymous IP address                            | Suspicious Activity          | MEDIUM   | Investigating  | Mar 09, 2026 |
| Risky User Detected: Hugh White                 | Account Compromise           | MEDIUM   | Investigating  | Mar 09, 2026 |
| Service Health Issues: 10 services affected     | Suspicious Activity          | MEDIUM   | Investigating  | Feb 08, 2026 |
| Service Health Issues: 7 services affected      | Suspicious Activity          | MEDIUM   | Remediated     | Feb 06, 2026 |
| Stale Accounts Detected: 1 users                | Insider Threat               | MEDIUM   | Remediated     | Feb 06, 2026 |
| Anomalous Token                                 | Suspicious Activity          | MEDIUM   | False Positive | Feb 06, 2026 |
| Risk Detection: Hugh White                      | Risky Signin                 | MEDIUM   | Remediated     | Feb 06, 2026 |
| Risk Detection: Don White                       | Risky Signin                 | MEDIUM   | Remediated     | Feb 06, 2026 |
| Risky User Detected: Hugh White                 | Account Compromise           | MEDIUM   | Investigating  | Feb 06, 2026 |
| Risky User Detected: Hugh White                 | Account Compromise           | MEDIUM   | Investigating  | Feb 06, 2026 |
| Email messages removed after delivery           | Suspicious Activity          | LOW      | Investigating  | Mar 14, 2026 |
| Low Microsoft Secure Score: 36.1%               | Security Score               | HIGH     | Investigating  | Mar 09, 2026 |
| Multiple Failed Sign-ins: hdwhite@4prebuild.com | Risky Signin                 | HIGH     | False Positive | Feb 06, 2026 |
| Low Microsoft Secure Score: 33.1%               | Security Score               | HIGH     | Investigating  | Feb 06, 2026 |
| Risk Detection: Hugh White                      | Risky Signin                 | HIGH     | False Positive | Feb 06, 2026 |
| No Conditional Access Policies Configured       | Conditional Access Violation | CRITICAL | Remediated     | Feb 06, 2026 |

|                    |                 |                     |                    |
|--------------------|-----------------|---------------------|--------------------|
| 9<br>Investigating | 5<br>Remediated | 3<br>False Positive | 4<br>High Severity |
|--------------------|-----------------|---------------------|--------------------|

Endpoint Compliance

27.8%

Template: pci-dss-endpoint  
Total Checks: 8 | Passed: 2 | Failed: 5  
Evaluated: March 16, 2026 19:47 UTC

| Check                  | Name / Framework Reference / Why It Matters / Data Source                                                                                                 | Result | Priority | Actual Value                              |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|-------------------------------------------|
| PCI-EP-01<br>PCI-EP-01 | <b>WHY:</b> BitLocker encrypts stored data at rest on the endpoint. Required by PCI DSS Req 3.5 to protect cardholder data wherever it is stored.         | FAIL   |          | Off                                       |
|                        | <b>SOURCE:</b> Windows BitLocker via PowerShell (Get-BitLockerVolume)                                                                                     |        |          |                                           |
|                        |                                                                                                                                                           |        |          |                                           |
| PCI-EP-02<br>PCI-EP-02 | <b>WHY:</b> Tamper-resistant antivirus prevents malware from disabling security defenses. PCI DSS Req 5.2 requires AV that cannot be disabled by users.   | FAIL   |          | RTEnabled<br>TamperProtected<br>Enabled T |
|                        | <b>SOURCE:</b> Windows Defender via WMI SecurityCenter2 + PowerShell                                                                                      |        |          |                                           |
|                        |                                                                                                                                                           |        |          |                                           |
| PCI-EP-03<br>PCI-EP-03 | <b>WHY:</b> Windows Firewall restricts unauthorized network access to cardholder data environment systems. Required by PCI DSS Req 1.3.                   | PASS   |          |                                           |
|                        | <b>SOURCE:</b> Windows Firewall profiles via Get-NetFirewallProfile                                                                                       |        |          |                                           |
|                        |                                                                                                                                                           |        |          |                                           |
| PCI-EP-04<br>PCI-EP-04 | <b>WHY:</b> TLS 1.0 and 1.1 contain known cryptographic vulnerabilities. PCI DSS Req 4.2 mandates strong cryptography (TLS 1.2+) for all data in transit. | FAIL   |          | TLS10Disabled<br>TLS11Disabled True       |
|                        | <b>SOURCE:</b> SCHANNEL registry keys via PowerShell                                                                                                      |        |          |                                           |
|                        |                                                                                                                                                           |        |          |                                           |

|                                                                                                                                                                                                                                                                                                                                           |      |                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------------------------------------------------|
| <div>PCI-EP-05</div> <div>PCI-EP-05</div> <div><div>WHY:</div><div>Password complexity and lockout policies prevent brute-force attacks on cardholder system accounts. Required by PCI DSS Req 8.3.</div></div> <div><div>SOURCE:</div><div>Entra ID Conditional Access policies via Microsoft Graph API + local net accounts</div></div> | FAIL | domain_name=None,<br>local_policy=None,<br>entra_te |
| <div>PCI-EP-06</div> <div>PCI-EP-06</div> <div><div>WHY:</div><div>Unpatched systems expose known CVEs that attackers actively exploit. PCI DSS Req 6.3 requires critical patches within 30 days of release.</div></div> <div><div>SOURCE:</div><div>Windows Update COM API<br/>(Microsoft.Update.Session) via PowerShell</div></div>     | FAIL | CriticalPending<br>TotalPending                     |
| <div>PCI-EP-07</div> <div>PCI-EP-07</div> <div><div>WHY:</div><div>Removable media (USB drives) can be used to exfiltrate cardholder data. PCI DSS Req 9.4 restricts physical access to media.</div></div> <div><div>SOURCE:</div><div>USBSTOR service Start registry value via PowerShell</div></div>                                    | PASS | 4                                                   |
| <div>PCI-EP-08</div> <div>PCI-EP-08</div> <div><div>WHY:</div><div>Audit logs provide the forensic trail required for incident investigations. PCI DSS Req 10.2 mandates logging of logon success and failure events.</div></div> <div><div>SOURCE:</div><div>Windows audit policy via auditpol /get command</div></div>                  | FAIL | LogonSuccess<br>LogonFailure True                   |

User Compliance

56.5%

Users Evaluated: 23  
Compliant: 0 | Non-Compliant: 23

| User Principal Name                     | Score | Status | Passed | Failed | N/A |
|-----------------------------------------|-------|--------|--------|--------|-----|
| testsharedmailbox10@huestechnology.com  | 38.5% | FAIL   | 2      | 3      | 3   |
| testsharedmailbox109@huestechnology.com | 38.5% | FAIL   | 2      | 3      | 3   |
| testopsis@huestechnology.com            | 61.5% | FAIL   | 3      | 2      | 3   |
| testingtesting@huestechnology.com       | 61.5% | FAIL   | 3      | 2      | 3   |
| testingsharedagain@huestechnology.com   | 38.5% | FAIL   | 2      | 3      | 3   |
| testingsharedafter@huestechnology.com   | 38.5% | FAIL   | 2      | 3      | 3   |
| testingjohns@huestechnology.com         | 61.5% | FAIL   | 3      | 2      | 3   |
| testing2@huestechnology.com             | 61.5% | FAIL   | 3      | 2      | 3   |
| testing.finance2@4prebuild.com          | 61.5% | FAIL   | 3      | 2      | 3   |
| test.opsis2@huestechnology.com          | 61.5% | FAIL   | 3      | 2      | 3   |
| test.newopsis@huestechnology.com        | 61.5% | FAIL   | 3      | 2      | 3   |
| test.4@4prebuild.com                    | 61.5% | FAIL   | 3      | 2      | 3   |
| salesteam@4prebuild.com                 | 61.5% | FAIL   | 3      | 2      | 3   |
| opsisinfo@4prebuild.com                 | 61.5% | FAIL   | 3      | 2      | 3   |
| legal@4prebuild.com                     | 61.5% | FAIL   | 3      | 2      | 3   |
| jameswhite@huestechnology.com           | 61.5% | FAIL   | 3      | 2      | 3   |
| itsupport@4prebuild.com                 | 61.5% | FAIL   | 3      | 2      | 3   |
| info@opsisit.com                        | 61.5% | FAIL   | 3      | 2      | 3   |
| hdwhite@huestechnology.com              | 61.5% | FAIL   | 3      | 2      | 3   |
| hdwhite@4prebuild.com                   | 61.5% | FAIL   | 3      | 2      | 3   |
| estopsisshared100@huestechnology.com    | 38.5% | FAIL   | 2      | 3      | 3   |
| donald7862003@r7d1.onmicrosoft.com      | 61.5% | FAIL   | 3      | 2      | 3   |
| DonWhite@4prebuild.com                  | 61.5% | FAIL   | 3      | 2      | 3   |

User Compliance — Failed Check Detail

The following users have failed compliance checks. Each entry includes the specific regulatory requirement, why it matters, the data source used to evaluate it, and the remediation deadline based on priority.

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                                                  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------|--|
| testsharedmailbox10@huestechnology.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | 38.5% — NON-COMPLIANT                            |  |
| <div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div>                                            |  | <div><div>FAIL</div><div>critical</div></div>    |  |
| <div><div>PCI-USR-02 — Unique User IDs — No Shared Accounts</div><div>PCI DSS v4.0 Req 8.2.1</div><div>Actual: Possible shared account: testsharedmailbox10@huestechnology.com</div><div><div>WHY IT MATTERS:</div><div>Shared accounts cannot be attributed to a specific individual, making audit trails useless. PCI DSS Req 8.2.1 requires every user to have a unique ID.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — user directory and display name analysis</div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div> |  | <div><div>FAIL</div><div>critical</div></div>    |  |
| <div><div>PCI-USR-07 — Audit Logging — User Activity</div><div>PCI DSS v4.0 Req 10.2.1</div><div>Actual: mailbox auditing disabled</div><div><div>WHY IT MATTERS:</div><div>Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — mailbox audit log configuration</div></div><div>Remediate by: May 16, 2026 (60-day recommended SLA)</div></div>                                                            |  | <div><div>FAIL</div><div>recommended</div></div> |  |
| testsharedmailbox109@huestechnology.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | 38.5% — NON-COMPLIANT                            |  |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| <div><div><div><div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div></div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div></div>                                             | <div><div>FAIL</div><div>critical</div></div>    |
| <div><div><div><div><div>PCI-USR-02 — Unique User IDs — No Shared Accounts</div><div>PCI DSS v4.0 Req 8.2.1</div><div>Actual: Possible shared account: testsharedmailbox109@huestechnology.com</div></div><div><div>WHY IT MATTERS:</div><div>Shared accounts cannot be attributed to a specific individual, making audit trails useless. PCI DSS Req 8.2.1 requires every user to have a unique ID.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — user directory and display name analysis</div></div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div></div> | <div><div>FAIL</div><div>critical</div></div>    |
| <div><div><div><div><div>PCI-USR-07 — Audit Logging — User Activity</div><div>PCI DSS v4.0 Req 10.2.1</div><div>Actual: mailbox auditing disabled</div></div><div><div>WHY IT MATTERS:</div><div>Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — mailbox audit log configuration</div></div></div><div>Remediate by: May 16, 2026 (60-day recommended SLA)</div></div></div>                                                             | <div><div>FAIL</div><div>recommended</div></div> |
| <div><div>testopsis@huestechnology.com</div><div>61.5% — NON-COMPLIANT</div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                  |
| <div><div><div><div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div></div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div></div>                                             | <div><div>FAIL</div><div>critical</div></div>    |



PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL  
recommended

testingtesting@huestechnology.com

61.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access

PCI DSS v4.0 Req 8.4.2

Actual: mfa\_registered=False

WHY IT MATTERS:

MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.

DATA SOURCE:

Microsoft Graph API — MFA registration details endpoint

Remediate by: April 16, 2026 (30-day critical SLA)

FAIL  
critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL  
recommended

testingsharedagain@huestechnology.com

38.5% — NON-COMPLIANT

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| <div><div><div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div></div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div>                                           | <div>FAIL</div> <div>critical</div>    |
| <div><div><div><div>PCI-USR-02 — Unique User IDs — No Shared Accounts</div><div>PCI DSS v4.0 Req 8.2.1</div><div>Actual: Possible shared account: testingsharedagain@huestechnology.com</div></div><div><div>WHY IT MATTERS:</div><div>Shared accounts cannot be attributed to a specific individual, making audit trails useless. PCI DSS Req 8.2.1 requires every user to have a unique ID.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — user directory and display name analysis</div></div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div> | <div>FAIL</div> <div>critical</div>    |
| <div><div><div><div>PCI-USR-07 — Audit Logging — User Activity</div><div>PCI DSS v4.0 Req 10.2.1</div><div>Actual: mailbox auditing disabled</div></div><div><div>WHY IT MATTERS:</div><div>Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — mailbox audit log configuration</div></div></div><div>Remediate by: May 16, 2026 (60-day recommended SLA)</div></div>                                                           | <div>FAIL</div> <div>recommended</div> |
| <div>testingsharedafter@huestechnology.com38.5% — NON-COMPLIANT</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                        |
| <div><div><div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div></div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div>                                           | <div>FAIL</div> <div>critical</div>    |

PCI-USR-02 — Unique User IDs — No Shared Accounts

PCI DSS v4.0 Req 8.2.1

Actual: Possible shared account: testingsharedafter@huestechnology.com

WHY IT MATTERS:

Shared accounts cannot be attributed to a specific individual, making audit trails useless. PCI DSS Req 8.2.1 requires every user to have a unique ID.

DATA SOURCE:

Microsoft Graph API — user directory and display name analysis

Remediate by: April 16, 2026 (30-day critical SLA)

FAIL  
critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL  
recommended

testingjohns@huestechnology.com

61.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access

PCI DSS v4.0 Req 8.4.2

Actual: mfa\_registered=False

WHY IT MATTERS:

MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.

DATA SOURCE:

Microsoft Graph API — MFA registration details endpoint

Remediate by: April 16, 2026 (30-day critical SLA)

FAIL  
critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL  
recommended

| testing2@huestechnology.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | 61.5% — NON-COMPLIANT                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------|
| <div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div> |  | <div>FAIL</div> <div>critical</div>    |
| <div><div>PCI-USR-07 — Audit Logging — User Activity</div><div>PCI DSS v4.0 Req 10.2.1</div><div>Actual: mailbox auditing disabled</div><div><div>WHY IT MATTERS:</div><div>Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — mailbox audit log configuration</div></div><div>Remediate by: May 16, 2026 (60-day recommended SLA)</div></div>                 |  | <div>FAIL</div> <div>recommended</div> |

| testing.finance2@4prebuild.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | 61.5% — NON-COMPLIANT               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------|
| <div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div> |  | <div>FAIL</div> <div>critical</div> |

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL  
recommended

test.opsis2@huestechnology.com

61.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access

PCI DSS v4.0 Req 8.4.2

Actual: mfa\_registered=False

WHY IT MATTERS:

MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.

DATA SOURCE:

Microsoft Graph API — MFA registration details endpoint

Remediate by: April 16, 2026 (30-day critical SLA)

FAIL  
critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL  
recommended

test.newopsis@huestechnology.com

61.5% — NON-COMPLIANT

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| <div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div> <td><div>FAIL</div><div>critical</div></td> | <div>FAIL</div> <div>critical</div>    |
| <div><div>PCI-USR-07 — Audit Logging — User Activity</div><div>PCI DSS v4.0 Req 10.2.1</div><div>Actual: mailbox auditing disabled</div><div><div>WHY IT MATTERS:</div><div>Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — mailbox audit log configuration</div></div><div>Remediate by: May 16, 2026 (60-day recommended SLA)</div></div> <td><div>FAIL</div><div>recommended</div></td>              | <div>FAIL</div> <div>recommended</div> |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------|
| test.4@4prebuild.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | 61.5% — NON-COMPLIANT                  |
| <div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div> <td><div>FAIL</div><div>critical</div></td> |  | <div>FAIL</div> <div>critical</div>    |
| <div><div>PCI-USR-07 — Audit Logging — User Activity</div><div>PCI DSS v4.0 Req 10.2.1</div><div>Actual: mailbox auditing disabled</div><div><div>WHY IT MATTERS:</div><div>Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — mailbox audit log configuration</div></div><div>Remediate by: May 16, 2026 (60-day recommended SLA)</div></div> <td><div>FAIL</div><div>recommended</div></td>              |  | <div>FAIL</div> <div>recommended</div> |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |                                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------|
| salesteam@4prebuild.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  | 61.5% — NON-COMPLIANT                  |
| <div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div> |  | <div>FAIL</div> <div>critical</div>    |
| <div><div>PCI-USR-07 — Audit Logging — User Activity</div><div>PCI DSS v4.0 Req 10.2.1</div><div>Actual: mailbox auditing disabled</div><div><div>WHY IT MATTERS:</div><div>Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — mailbox audit log configuration</div></div><div>Remediate by: May 16, 2026 (60-day recommended SLA)</div></div>                 |  | <div>FAIL</div> <div>recommended</div> |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------|
| opsisinfo@4prebuild.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  | 61.5% — NON-COMPLIANT               |
| <div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div> |  | <div>FAIL</div> <div>critical</div> |

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL  
recommended

legal@4prebuild.com

61.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access

PCI DSS v4.0 Req 8.4.2

Actual: mfa\_registered=False

WHY IT MATTERS:

MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.

DATA SOURCE:

Microsoft Graph API — MFA registration details endpoint

Remediate by: April 16, 2026 (30-day critical SLA)

FAIL  
critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL  
recommended

jameswhite@huestechnology.com

61.5% — NON-COMPLIANT



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| <div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div> <td><div>FAIL</div><div>critical</div></td> | <div>FAIL</div> <div>critical</div>    |
| <div><div>PCI-USR-07 — Audit Logging — User Activity</div><div>PCI DSS v4.0 Req 10.2.1</div><div>Actual: mailbox auditing disabled</div><div><div>WHY IT MATTERS:</div><div>Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — mailbox audit log configuration</div></div><div>Remediate by: May 16, 2026 (60-day recommended SLA)</div></div> <td><div>FAIL</div><div>recommended</div></td>              | <div>FAIL</div> <div>recommended</div> |

itsupport@4prebuild.com

61.5% — NON-COMPLIANT

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| <div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div> | <div>FAIL</div> <div>critical</div>    |
| <div><div>PCI-USR-07 — Audit Logging — User Activity</div><div>PCI DSS v4.0 Req 10.2.1</div><div>Actual: mailbox auditing disabled</div><div><div>WHY IT MATTERS:</div><div>Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — mailbox audit log configuration</div></div><div>Remediate by: May 16, 2026 (60-day recommended SLA)</div></div>                 | <div>FAIL</div> <div>recommended</div> |

| info@opsisit.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | 61.5% — NON-COMPLIANT                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------|
| <div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div> |  | <div>FAIL</div> <div>critical</div>    |
| <div><div>PCI-USR-07 — Audit Logging — User Activity</div><div>PCI DSS v4.0 Req 10.2.1</div><div>Actual: mailbox auditing disabled</div><div><div>WHY IT MATTERS:</div><div>Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — mailbox audit log configuration</div></div><div>Remediate by: May 16, 2026 (60-day recommended SLA)</div></div>                 |  | <div>FAIL</div> <div>recommended</div> |

| hdwhite@huestechnology.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | 61.5% — NON-COMPLIANT               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------|
| <div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div> |  | <div>FAIL</div> <div>critical</div> |

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL  
recommended

hdwhite@4prebuild.com

61.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access

PCI DSS v4.0 Req 8.4.2

Actual: mfa\_registered=False

WHY IT MATTERS:

MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.

DATA SOURCE:

Microsoft Graph API — MFA registration details endpoint

Remediate by: April 16, 2026 (30-day critical SLA)

FAIL  
critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL  
recommended

estopsisshared100@huestechnology.com

38.5% — NON-COMPLIANT

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| <div><div><div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div></div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div>                                          | <div><div>FAIL</div><div>critical</div></div>    |
| <div><div><div><div>PCI-USR-02 — Unique User IDs — No Shared Accounts</div><div>PCI DSS v4.0 Req 8.2.1</div><div>Actual: Possible shared account: estopsisshared100@huestechnology.com</div></div><div><div>WHY IT MATTERS:</div><div>Shared accounts cannot be attributed to a specific individual, making audit trails useless. PCI DSS Req 8.2.1 requires every user to have a unique ID.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — user directory and display name analysis</div></div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div> | <div><div>FAIL</div><div>critical</div></div>    |
| <div><div><div><div>PCI-USR-07 — Audit Logging — User Activity</div><div>PCI DSS v4.0 Req 10.2.1</div><div>Actual: mailbox auditing disabled</div></div><div><div>WHY IT MATTERS:</div><div>Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — mailbox audit log configuration</div></div></div><div>Remediate by: May 16, 2026 (60-day recommended SLA)</div></div>                                                          | <div><div>FAIL</div><div>recommended</div></div> |
| <div><div>donald7862003@r7d1.onmicrosoft.com</div><div>61.5% — NON-COMPLIANT</div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                  |
| <div><div><div><div>PCI-USR-01 — MFA for All Cardholder Data Access</div><div>PCI DSS v4.0 Req 8.4.2</div><div>Actual: mfa_registered=False</div></div><div><div>WHY IT MATTERS:</div><div>MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.</div></div><div><div>DATA SOURCE:</div><div>Microsoft Graph API — MFA registration details endpoint</div></div></div><div>Remediate by: April 16, 2026 (30-day critical SLA)</div></div>                                          | <div><div>FAIL</div><div>critical</div></div>    |

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL  
recommended

DonWhite@4prebuild.com

61.5% — NON-COMPLIANT

PCI-USR-01 — MFA for All Cardholder Data Access

PCI DSS v4.0 Req 8.4.2

Actual: mfa\_registered=False

WHY IT MATTERS:

MFA prevents account takeover even when passwords are compromised. PCI DSS v4.0 Req 8.4.2 mandates MFA for all users accessing the cardholder data environment.

DATA SOURCE:

Microsoft Graph API — MFA registration details endpoint

Remediate by: April 16, 2026 (30-day critical SLA)

FAIL  
critical

PCI-USR-07 — Audit Logging — User Activity

PCI DSS v4.0 Req 10.2.1

Actual: mailbox auditing disabled

WHY IT MATTERS:

Audit logs provide evidence of who accessed cardholder data and when. PCI DSS Req 10.2.1 requires logging all user access to system components.

DATA SOURCE:

Microsoft Graph API — mailbox audit log configuration

Remediate by: May 16, 2026 (60-day recommended SLA)

FAIL  
recommended

## Attestation & Sign-Off

This compliance report was generated by OPSIS — Autonomous IT Remediation Platform — on **March 17, 2026 at 12:24 UTC** for **Don White**. All findings are based on automated checks performed against live system data. Evidence for each finding is collected from authoritative sources as noted in the Data Source field of each check.

The scores and findings in this report reflect the state of the environment at the time of evaluation. Compliance status may change as remediation actions are completed or new issues are detected. This report should be reviewed by a qualified IT security professional before submission to auditors.

### Evidence References

| Evidence Type              | Result                       | Source                                                   | Date Collected |
|----------------------------|------------------------------|----------------------------------------------------------|----------------|
| Microsoft Secure Score     | 99/273 pts                   | Microsoft Graph API /security/secureScores               | March 15, 2026 |
| Endpoint Compliance Scan   | 2/8 checks passed            | OP SIS Windows Agent — PowerShell + WMI                  | March 16, 2026 |
| User Compliance Evaluation | 23 users evaluated           | Microsoft Graph API — Users, MFA, Groups, Mailbox        | March 17, 2026 |
| Security Threat Detections | 17 detections                | Microsoft Graph API /security/alerts_v2                  | March 17, 2026 |
| Entra ID CA Policy Check   | Password complexity verified | Microsoft Graph API /identity/conditionalAccess/policies | March 17, 2026 |

### Authorization & Sign-Off

| Role                                | Name / Signature                   | Date           |
|-------------------------------------|------------------------------------|----------------|
| Prepared by (OP SIS Platform)       | OP SIS Automated Compliance Engine | March 17, 2026 |
| Reviewed by (MSP Technician)        |                                    |                |
| Approved by (Client Representative) |                                    |                |
| Auditor Acknowledgment              |                                    |                |

Report ID: OPSIS-7-202603171224 | Generated by OPSIS v1.0 | opsisapp.com | Confidential — intended solely for Don White and their designated auditors.