

ACCOUNT AUDIT

# Account Audit

Prepared for

**Don White**

Generated: March 31, 2026

Local Account Audit Report

Client: Don White

ACCOUNT AUDIT

Domain: ahts4me.com

Report Generated: 2026-03-31 01:07 UTC

Total Endpoints Audited: 10

Account Audit

Executive Summary

Don White

This audit identifies significant security concerns within the local account structure across all endpoints. Critical findings include:

- 1 endpoint with non-standard local administrator accounts (BasementPC1)
- 4 non-standard local admin accounts discovered across the environment
- Inconsistent local Administrator account status (disabled on 3 endpoints, enabled on 1)
- 3 accounts with password-never-expires policy in Active Directory
- Shared/generic accounts detected in Domain Admins group (AD Security Flag)

Risk Level: HIGH - Multiple non-standard local administrator accounts and inconsistent security posture across endpoints.

Local Account Inventory by Endpoint

Summary Table

| Endpoint        | Total Local Users | Local Admins | Disabled Accounts | Non-Standard Admins | Risk Level |
|-----------------|-------------------|--------------|-------------------|---------------------|------------|
| DESKTOP-AHJ0FL9 | 4                 | 0            | 4                 | 0                   | Low        |
| AHTSDC1         | 9                 | 0            | 2                 | 0                   | Medium     |
| DESKTOP-JOGTI06 | 4                 | 0            | 4                 | Low                 |            |
| BasementPC1     | 9                 | 4            | 4                 | 3                   | Critical   |

Detailed Endpoint Analysis

DESKTOP-AHJ0FL9

Status: Secured

Local Users: 4

Local Administrators: 0

| Account Name       | Status   | Type     |
|--------------------|----------|----------|
| Administrator      | Disabled | Built-in |
| DefaultAccount     | Disabled | Built-in |
| Guest              | Disabled | Built-in |
| WDAGUtilityAccount | Disabled | Built-in |

**Assessment:** Standard Windows configuration with all default accounts properly disabled. No local administrators configured.

ACCOUNT AUDIT

AHTSDC1 (Domain Controller)

Status: Requires Review

Local Users: 9

Local Administrators: 0

# Account Audit

| Account Name      | Status   | Type        | Notes                             |
|-------------------|----------|-------------|-----------------------------------|
| Administrator     | Enabled  | Built-in    | Domain Admin account              |
| Guest             | Disabled | Built-in    |                                   |
| krbtgt            | Disabled | Service     | Kerberos service account          |
| donald7862003     | Enabled  | Domain User | Active domain user                |
| MSOL_f98e1e074e60 | Enabled  | Service     | Azure AD Connect sync account     |
| testuser1         | Enabled  | Domain User | Test account - should be reviewed |
| AHTSDC1\$         | Enabled  | Computer    | Domain controller machine account |
| AHTSPC1\$         | Enabled  | Computer    | Domain member machine account     |
| AHTSAPPSERV1\$    | Enabled  | Computer    | Domain member machine account     |

Security Concerns:

- Built-in Administrator account is enabled (standard for DCs but should use renamed account)
- testuser1 appears to be a test account that should not exist in production
- MSOL\_f98e1e074e60 is the Azure AD Connect service account with elevated permissions

DESKTOP-JOGTI06

Status: Secured

Local Users: 4

Local Administrators: 0

| Account Name       | Status   | Type     |
|--------------------|----------|----------|
| Administrator      | Disabled | Built-in |
| DefaultAccount     | Disabled | Built-in |
| Guest              | Disabled | Built-in |
| WDAGUtilityAccount | Disabled | Built-in |

Don White

Status: CRITICAL - Multiple Security Issues

Powered by  
OPSIS Environment Intelligence

March 31, 2026

Local Users: 9

Local Administrators: 4

| Account Name       | Admin Status | Enabled/Disabled | Type     | Security Concern                     |
|--------------------|--------------|------------------|----------|--------------------------------------|
| Administrator      | Local Admin  | Enabled          | Built-in | ■■ Built-in admin enabled            |
| donald7862003      | Local Admin  | Enabled          | User     | ■■ Named user with local admin       |
| SoftwareAdmin      | Local Admin  | Enabled          | User     | ■■ Shared/service account with admin |
| TestAdmin          | Local Admin  | Enabled          | User     | ■■ Test account with admin rights    |
| DefaultAccount     | No           | Disabled         | Built-in | Standard                             |
| defaultuser0       | No           | Enabled          | User     | Non-admin user (acceptable)          |
| Guest              | No           | Disabled         | Built-in | Standard                             |
| Irkin              | No           | Disabled         | User     | Disabled user account                |
| WDAGUtilityAccount | No           | Disabled         | Built-in | Standard                             |

#### Critical Security Concerns:

1. **Built-in Administrator account is enabled** - Should be disabled or renamed
2. **SoftwareAdmin** - Generic/shared account with local admin rights (violates best practice)
3. **TestAdmin** - Test account with administrative privileges should not exist in production
4. **donald7862003** - Individual user account with local admin rights (should use LAPS or centralized admin)

## Active Directory Account Security Analysis

### User Account Summary

| Metric                               | Count |
|--------------------------------------|-------|
| Total AD Users                       | 6     |
| Enabled Users                        | 4     |
| Disabled Users                       | 2     |
| Accounts with Password Never Expires | 3     |
| Inactive Accounts (90+ days)         | 1     |

### Privileged Group Membership

| Group         | Member Count | Security Status                     |
|---------------|--------------|-------------------------------------|
| Domain Admins | 2            | ■■ Contains shared/generic accounts |

Group

Enterprise Admins

Member Count

2

Security Status

Review membership

Don White

Critical Finding: Active Directory security flags indicate that shared or generic accounts have been detected in the Domain Admins group. This is a severe security risk as it:

Powered by OPSIS Environment Intelligence

March 31, 2026

ACCOUNT AUDIT

Password Policy Violations

3 accounts configured with "Password Never Expires":

Prepared for Don White

Generated: March 31, 2026

- This setting bypasses domain password policy
- Creates long-term credential exposure risk
- Likely includes service accounts that should use managed service accounts (MSA/gMSA) instead

1 user account inactive for 90+ days:

Prepared for Don White

Generated: March 31, 2026

- Represents potential security risk if compromised
- Should be disabled or removed

Non-Standard Local Administrator Accounts

Summary of Non-Standard Admin Accounts

| Account Name  | Endpoint    | Type           | Recommendation                                      |
|---------------|-------------|----------------|-----------------------------------------------------|
| donald7862003 | BasementPC1 | Named User     | Remove local admin; use LAPS or JIT access          |
| SoftwareAdmin | BasementPC1 | Shared Account | REMOVE IMMEDIATELY - Replace with LAPS              |
| TestAdmin     | BasementPC1 | Test Account   | REMOVE IMMEDIATELY - Should not exist in production |

Security Impact

HIGH RISK: BasementPC1 has 3 non-standard administrator accounts, creating:

- **Credential sprawl:** Multiple admin credentials to manage and secure
- **Shared credential risk:** SoftwareAdmin suggests password sharing between users
- **Audit trail gaps:** Shared accounts prevent accurate activity attribution
- **Compliance violations:** Most frameworks prohibit shared administrative credentials

Disabled Account Analysis

Inconsistencies Detected

| Issue                                      | Affected Endpoints               | Count |
|--------------------------------------------|----------------------------------|-------|
| Built-in Administrator <b>disabled</b>     | DESKTOP-AHJ0FL9, DESKTOP-JOGTI06 | 2     |
| Built-in Administrator <b>enabled</b>      | BasementPC1                      | 1     |
| Built-in Administrator <b>enabled</b> (DC) | AHTSDC1                          | 1     |

OPSIS

**Finding:** Inconsistent security posture across workstations. Best practice requires either:

- 1. Disable built-in Administrator on all workstations (recommended), OR
- 2. Rename built-in Administrator and use LAPS for unique passwords

Don White

Powered by  
OPSIS Environment Intelligence

March 31, 2026

| Account | Endpoint    | Recommendation                        |
|---------|-------------|---------------------------------------|
| Irkin   | BasementPC1 | Review and remove if no longer needed |

ACCOUNT AUDIT

Active Directory Security Concerns

# Account Audit

Based on the provided AD security flags, the following issues require immediate attention:

Critical Findings

Prepared for

Don White  
General Accounts in Domain Admins Group

Generated: March 31, 2026

- **Risk Level:** CRITICAL
- **Impact:** Credential sharing at highest privilege level
- **Action Required:** Identify and remove shared accounts; implement named admin accounts

2. 3 Accounts with Password Never Expires

- **Risk Level:** HIGH
- **Impact:** Credentials never rotate, increasing breach window
- **Action Required:** Identify accounts; implement gMSA for service accounts; enforce password rotation

3. Stale Computer Accounts (3 of 4 computers)

- **Risk Level:** MEDIUM
- **Impact:** 75% of computer accounts haven't authenticated in 90+ days
- **Action Required:** Identify and disable/remove stale accounts

4. 1 User Inactive 90+ Days

- **Risk Level:** MEDIUM
- **Impact:** Dormant account vulnerable to compromise
- **Action Required:** Disable account; investigate if still required

5. No Group Policy Enforcement

- BitLocker not enforced
- Windows Defender not enforced
- Windows Update policy not enforced
- **Impact:** Inconsistent security posture across endpoints

Recommendations

Immediate Actions (0-7 Days)

1. BasementPC1 - Remove Non-Standard Admin Accounts

- Remove TestAdmin account immediately
- Remove SoftwareAdmin account immediately
- Remove local admin rights from donald7862003

2. Active Directory - Domain Admins Group

- Audit Domain Admins group membership

Confidential · Prepared by Hues Technology LLC · opsisapp.com

OPSIS

- Remove any shared or generic accounts
- Document all privileged accounts

### 3. Password Never Expires Accounts

- Identify all 3 accounts with this setting
- For service accounts: migrate to gMSA
- For user accounts: remove setting and enforce policy

## Short-Term Actions (7-30 Days)

### 4. Implement Microsoft LAPS (Local Administrator Password Solution)

- Deploy LAPS to all workstations and member servers
- Disable or rename built-in Administrator accounts
- Centralize local admin password management

### 5. Standardize Built-in Administrator Status

- Disable built-in Administrator on all workstations
- Use LAPS for emergency local admin access
- Document exception for AHTSDC1 (domain controller)

### 6. Inactive Account Cleanup

- Disable the 1 user inactive 90+ days
- Remove larkin disabled account from BasementPC1
- Establish 90-day inactive account policy

### 7. Clean Up Stale Computer Accounts

- Investigate 3 stale computer accounts in AD
- Disable accounts not in use
- Remove accounts confirmed decommissioned

## Long-Term Actions (30-90 Days)

### 8. Implement Privileged Access Workstation (PAW) Strategy

- Create dedicated admin workstations
- Implement tiered administration model
- Separate admin and standard user accounts

### 9. Deploy Group Policy Security Baselines

- Implement BitLocker enforcement GPO
- Configure Windows Defender enforcement GPO
- Deploy Windows Update management GPO

### 10. Enable DNS Scavenging

- Configure DNS scavenging on AHTSDC1
- Clean up stale DNS records
- Prevent DNS record accumulation

### 11. Establish Privileged Account Management Process

- Document all privileged accounts
- Implement regular access reviews (quarterly)
- Enable auditing for privileged account usage
- Consider Privileged Access Management (PAM) solution

## Compliance Impact

| Framework    | Violated Controls    | Impact                                       |
|--------------|----------------------|----------------------------------------------|
| PCI-DSS      | 8.1, 8.2, 8.5        | Shared accounts, weak password policy        |
| HIPAA        | 164.308(a)(5)(ii)(C) | Access review requirements                   |
| SOC 2        | CC6.1, CC6.2         | Logical access controls                      |
| NIST 800-53  | AC-2, IA-5           | Account management, authenticator management |
| CIS Controls | 5.3, 6.1, 6.2        | Secure configurations, access control        |

ACCOUNT AUDIT

Powered by  
Opsis Intelligence  
March 31, 2026

Appendix A: Account Naming Standards

# Account Audit

For future account creation, implement these standards:

User Accounts

Prepared for  
**Don White**

- Format: `firstname.lastname` or `lastname`
- No generic names (`admin`, `test`, `software`, etc.)

Service Accounts

- Format: `svc-applicationname`
- Use gMSA where possible
- Document purpose and owner

Administrative Accounts

- Format: `firstname.lastname-admin` or `a-f.lastname`
- Separate from standard user accounts
- Requires MFA for authentication

**Document Classification:** Internal Use - MSP Documentation

**Next Review Date:** 2026-04-30

Confidential · Prepared by Hues Technology LLC · opsisapp.com

OPSIS