



# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest/Lot ID:** 8846691613406381  
**Batch #:** TEH1006202502  
**Harvest Date:** 10/06/25  
**Production Method:** Other - Not Listed  
**Total Amount:** 1214 units  
**Cultivation Facility:** Mt. Dora Cultivation  
**Processing Facility:** Homestead Processing  
**Retail Product Size:** 0.5 gram  
**Retail Serving Size:** 0.5 gram  
**Servings:** 1  
**Seed To Sale #:** 3706903075775273

**Lab ID:** DA51107019-007  
**Sampled:** 11/07/25  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 31 units  
**Completed:** 11/11/25  
**Manifest #:** 1188431583287548

### CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF

License # : M00001CULPROMiami002



### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filtration/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**NOT TESTED**



Terpenes  
**TESTED**



### Cannabinoid

### TESTED



**Total THC**  
**92.8%**  
Total THC : 464 mg



**Total CBD**  
**0.200%**  
Total CBD : 1.00 mg



**Total Cannabinoids**  
**95.5%**  
Total Cannabinoids/Container : 478 mg

|         | D9-THC  | THCA    | CBD     | CBDA    | D8-THC  | CBG     | CBGA    | CBN     | THCV    | CBDV    | CBC     | THCVA   |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| %       | 92.6    | 0.269   | 0.200   | ND      | ND      | ND      | ND      | 0.601   | 0.580   | ND      | 1.10    | 0.179   |
| mg/unit | 463     | 1.35    | 1.00    | ND      | ND      | ND      | ND      | 3.01    | 2.90    | ND      | 5.49    | 0.895   |
| LOD     | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 |
| LOQ     | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  |
| %       | %       | %       | %       | %       | %       | %       | %       | %       | %       | %       | %       | %       |

Qualifier

Analyzed by:  
4640, 1665, 585, 1440

Weight:  
0.1094g

Extraction date:  
11/10/25 08:39:43

Extracted by:  
4640

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA092720POT

Instrument Used : DA-LC-003

Analyzed Date : 11/11/25 11:00:16

Batch Date : 11/08/25 13:05:16

Dilution : 400

Reagent : 110425.R04; 101725.01; 110425.R02

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164



Signature  
11/11/25  
Laboratory License #:  
900002



# Certificate of Analysis

Pages 2 of 7

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

**Sample: DA51107019-007**

**Batch #:** TEH1006202502  
**Harvest/Lot ID:** 8846691613406381  
**Seed to sale:** 3706903075775273

**Ordered:** 11/07/25  
**Sampled:** 11/07/25  
**Completed:** 11/11/25

**PASSED**



## Label Claim Verification

**PASSED**

| ANALYTES                          | UNIT    | LOD              | LOQ | LIMIT | PASS/FAIL        | RESULT        | QUALIFIER |
|-----------------------------------|---------|------------------|-----|-------|------------------|---------------|-----------|
| Analyzed by:                      | Weight: | Extraction date: |     |       |                  | Extracted by: |           |
| Analysis Method : N/A             |         |                  |     |       |                  |               |           |
| Analytical Batch : N/A            |         |                  |     |       |                  |               |           |
| Instrument Used : N/A             |         |                  |     |       | Batch Date : N/A |               |           |
| Analyzed Date : 11/11/25 11:00:23 |         |                  |     |       |                  |               |           |



## Terpenes

**TESTED**

| ANALYTES            | LOD     | LOQ     | LIMIT | PASS/FAIL | RESULT (%) | (MG/UNIT) | QUALIFIER |
|---------------------|---------|---------|-------|-----------|------------|-----------|-----------|
| TOTAL TERPENES      | 0.00700 | 0.0200  |       | TESTED    | 4.33       | 21.6      |           |
| ALPHA-TERPINOLENE   | 0.00700 | 0.0200  |       | TESTED    | 0.827      | 4.14      |           |
| BETA-MYRCENE        | 0.00700 | 0.0200  |       | TESTED    | 0.525      | 2.63      |           |
| BETA-CARYOPHYLLENE  | 0.00700 | 0.0200  |       | TESTED    | 0.462      | 2.31      |           |
| LIMONENE            | 0.00700 | 0.0200  |       | TESTED    | 0.422      | 2.11      |           |
| ALPHA-PINENE        | 0.00700 | 0.0200  |       | TESTED    | 0.300      | 1.50      |           |
| BETA-PINENE         | 0.00700 | 0.0200  |       | TESTED    | 0.234      | 1.17      |           |
| LINALOOL            | 0.00700 | 0.0200  |       | TESTED    | 0.216      | 1.08      |           |
| OCIMENE             | 0.00700 | 0.0200  |       | TESTED    | 0.193      | 0.967     |           |
| ALPHA-HUMULENE      | 0.00700 | 0.0200  |       | TESTED    | 0.191      | 0.953     |           |
| ALPHA-BISABOLOL     | 0.00700 | 0.0200  |       | TESTED    | 0.177      | 0.887     |           |
| GUAIOL              | 0.00700 | 0.0200  |       | TESTED    | 0.163      | 0.814     |           |
| FENCHYL ALCOHOL     | 0.00700 | 0.0200  |       | TESTED    | 0.0967     | 0.484     |           |
| ALPHA-TERPINEOL     | 0.00700 | 0.0200  |       | TESTED    | 0.0942     | 0.471     |           |
| CARYOPHYLLENE OXIDE | 0.00700 | 0.0200  |       | TESTED    | 0.0726     | 0.363     |           |
| FARNESENE           | 0.00700 | 0.0200  |       | TESTED    | 0.0690     | 0.345     |           |
| ALPHA-PHELLANDRENE  | 0.00700 | 0.0200  |       | TESTED    | 0.0664     | 0.332     |           |
| 3-CARENE            | 0.00700 | 0.0200  |       | TESTED    | 0.0656     | 0.328     |           |
| ALPHA-TERPINENE     | 0.00700 | 0.0200  |       | TESTED    | 0.0584     | 0.292     |           |
| GAMMA-TERPINENE     | 0.00700 | 0.0200  |       | TESTED    | 0.0517     | 0.259     |           |
| CAMPHENE            | 0.00700 | 0.0200  |       | TESTED    | 0.0412     | 0.206     |           |
| BORNEOL             | 0.0130  | 0.0400  |       | TESTED    | ND         | ND        |           |
| CAMPOR              | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| CEDROL              | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| EUCALYPTOL          | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| FENCHONE            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| GERANIOL            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| GERANYL ACETATE     | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| HEXAHYDROTHYMOL     | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| ISOBORNEOL          | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| ISOPULEGOL          | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| NEROL               | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| PULEGONE            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| SABINENE            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| SABINENE HYDRATE    | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| VALENCENE           | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| ALPHA-CEDRENE       | 0.00500 | 0.0160  |       | TESTED    | ND         | ND        |           |
| CIS-NEROLIDOL       | 0.00300 | 0.00800 |       | TESTED    | ND         | ND        |           |
| TRANS-NEROLIDOL     | 0.00500 | 0.0160  |       | TESTED    | ND         | ND        |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164



Signature  
11/11/25  
Laboratory License #:  
900002



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
CUR, Dis. Syringe, OCF, 0.5mL  
Strain: (S) Ocifer  
Matrix: Derivative  
Classification: High THC  
Type: Full Extract Cannabis Oil



# Certificate of Analysis

Pages 3 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

Sample: DA51107019-007

Batch #: TEH1006202502  
Harvest/Lot ID: 8846691613406381  
Seed to sale: 370690307575273

Ordered: 11/07/25  
Sampled: 11/07/25  
Completed: 11/11/25

PASSED



## Terpenes

TESTED

### ANALYTES

LOD LOQ LIMIT PASS/FAIL RESULT (%) (MG/UNIT) QUALIFIER

|                                                      |                   |                                       |                       |
|------------------------------------------------------|-------------------|---------------------------------------|-----------------------|
| Analyzed by:<br>4451, 585, 1440                      | Weight:<br>0.203g | Extraction date:<br>11/10/25 09:37:38 | Extracted by:<br>4451 |
| Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL |                   |                                       |                       |
| Analytical Batch : DA092733TER                       |                   |                                       |                       |
| Instrument Used : DA-GCMS-008                        |                   |                                       |                       |
| Analyzed Date : 11/11/25 11:00:27                    |                   |                                       |                       |
| Batch Date : 11/10/25 07:41:01                       |                   |                                       |                       |
| Dilution : 10                                        |                   |                                       |                       |
| Reagent : 081925.04                                  |                   |                                       |                       |
| Consumables : 947.110; 04312111; 2240626; 0000355309 |                   |                                       |                       |
| Pipette : DA-065                                     |                   |                                       |                       |

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



## Pesticide

PASSED

### ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

|                                     |     |        |        |     |      |         |  |
|-------------------------------------|-----|--------|--------|-----|------|---------|--|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | ppm | 0.0100 | 0.0500 | 5   | PASS | <0.0500 |  |
| TOTAL DIMETHOMORPH                  | ppm | 0.0100 | 0.0500 | 0.2 | PASS | ND      |  |
| TOTAL PERMETHRIN                    | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| TOTAL PYRETHRINS                    | ppm | 0.0100 | 0.0500 | 0.5 | PASS | ND      |  |
| TOTAL SPINETORAM                    | ppm | 0.0100 | 0.0500 | 0.2 | PASS | ND      |  |
| TOTAL SPINOSAD                      | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| ABAMECTIN B1A                       | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| ACEPHATE                            | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| ACEQUINOCYL                         | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| ACETAMIPRID                         | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| ALDICARB                            | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| AZOXYSTROBIN                        | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| BIFENAZATE                          | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| CHLORPYRIFOS                        | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| BIFENTHRIN                          | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| BOSCALID                            | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| CARBARYL                            | ppm | 0.0100 | 0.0500 | 0.5 | PASS | ND      |  |
| CLOFENTEZINE                        | ppm | 0.0100 | 0.0500 | 0.2 | PASS | ND      |  |
| CARBOFURAN                          | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| COUMAPHOS                           | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| CHLORANTRANILIPROLE                 | ppm | 0.0100 | 0.0500 | 1   | PASS | ND      |  |
| DAMINOZIDE                          | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| CHLORMEQUAT CHLORIDE                | ppm | 0.0100 | 0.0500 | 1   | PASS | ND      |  |
| DIAZINON                            | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| DICHLORVOS                          | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| DIMETHOATE                          | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| ETHOPROPHOS                         | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| ETOFENPROX                          | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| ETOXAZOLE                           | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| FENHEXAMID                          | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| FENOXYCARB                          | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| FENPYROXIMATE                       | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| FIPRONIL                            | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| FLONICAMID                          | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| FLUDIOXONIL                         | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| HEXYTHIAZOX                         | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |
| IMAZALIL                            | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND      |  |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164



Signature  
11/11/25  
Laboratory License #:  
900002



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

.....  
CUR,Dis. Syringe,OCF,,0.5mL  
Strain: (S) Ocifer  
Matrix: Derivative  
Classification: High THC  
Type: Full Extract Cannabis Oil



# Certificate of Analysis

Pages 4 of 7

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License # : M00001CULPROMiami002

**Sample: DA51107019-007**

**Batch #:** TEH1006202502  
**Harvest/Lot ID:** 8846691613406381  
**Seed to sale:** 3706903075775273

**Ordered:** 11/07/25  
**Sampled:** 11/07/25  
**Completed:** 11/11/25

**PASSED**



## Pesticide

**PASSED**

| ANALYTES                       | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|--------------------------------|------|--------|--------|-------|-----------|---------|-----------|
| IMIDACLOPRID                   | ppm  | 0.0100 | 0.0500 | 0.4   | PASS      | ND      |           |
| KRESOXIM-METHYL                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| MALATHION                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND      |           |
| METALAXYL                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| METHIOCARB                     | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| METHOMYL                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| MEVINPHOS                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| MYCLOBUTANIL                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| NALED                          | ppm  | 0.0100 | 0.0500 | 0.25  | PASS      | ND      |           |
| OXAMYL                         | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND      |           |
| PACLOBUTRAZOL                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| PHOSMET                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| PIPERONYL BUTOXIDE             | ppm  | 0.0100 | 0.0500 | 3     | PASS      | <0.0500 |           |
| PRALLETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| PROPICONAZOLE                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| PROPOXUR                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| PYRIDABEN                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND      |           |
| SPIROMESIFEN                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| SPIROTETRAMAT                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| SPIROXAMINE                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| TEBUCONAZOLE                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| THIACLOPRID                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| THIAMETHOXAM                   | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND      |           |
| TRIFLOXYSTROBIN                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| PENTACHLORONITROBENZENE (PCNB) | ppm  | 0.0100 | 0.0500 | 0.15  | PASS      | ND      |           |
| PARATHION-METHYL               | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| CAPTAN                         | ppm  | 0.0700 | 0.350  | 0.7   | PASS      | ND      |           |
| CHLORDANE                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| CHLORFENAPYR                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND      |           |
| CYFLUTHRIN                     | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | ND      |           |
| CYPERMETHRIN                   | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | ND      |           |

**Analyzed by:**  
3379, 585, 1440

**Weight:**  
0.2084g

**Extraction date:**  
11/10/25 14:13:22

**Extracted by:**  
4640

**Analysis Method :** SOP.T.30.102.FL, SOP.T.40.102.FL

**Analytical Batch :** DA092742PES

**Instrument Used :** DA-LCMS-004 (PES)

**Analyzed Date :** 11/11/25 21:22:12

**Batch Date :** 11/10/25 09:24:22

**Dilution :** 250

**Reagent :** 110525.R03; 110425.R35; 110525.R29; 110425.R34; 102025.R21; 110525.R01; 043025.28

**Consumables :** 927.100; 030125CH01; 6698360-03

**Pipette :** DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
11/11/25  
**Laboratory License #:**  
900002



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
CUR, Dis. Syringe, OCF, 0.5mL  
Strain: (S) Ocifer  
Matrix: Derivative  
Classification: High THC  
Type: Full Extract Cannabis Oil



# Certificate of Analysis

Pages 5 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

Sample: DA51107019-007

Batch #: TEH1006202502  
Harvest/Lot ID: 8846691613406381  
Seed to sale: 3706903075775273

Ordered: 11/07/25  
Sampled: 11/07/25  
Completed: 11/11/25

PASSED

|  |           |        |
|--|-----------|--------|
|  | Pesticide | PASSED |
|--|-----------|--------|

| ANALYTES                                                 |  | UNIT               | LOD                                   | LOQ                            | LIMIT | PASS/FAIL | RESULT                | QUALIFIER |
|----------------------------------------------------------|--|--------------------|---------------------------------------|--------------------------------|-------|-----------|-----------------------|-----------|
| Analyzed by:<br>450, 585, 1440                           |  | Weight:<br>0.2084g | Extraction date:<br>11/10/25 14:13:22 |                                |       |           | Extracted by:<br>4640 |           |
| Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL      |  |                    |                                       |                                |       |           |                       |           |
| Analytical Batch : DA092744VOL                           |  |                    |                                       |                                |       |           |                       |           |
| Instrument Used : DA-GCMS-001                            |  |                    |                                       | Batch Date : 11/10/25 09:25:28 |       |           |                       |           |
| Analyzed Date : 11/11/25 17:35:51                        |  |                    |                                       |                                |       |           |                       |           |
| Dilution : 250                                           |  |                    |                                       |                                |       |           |                       |           |
| Reagent : 110425.R35; 043025.28; 110525.R38; 110525.R39  |  |                    |                                       |                                |       |           |                       |           |
| Consumables : 927.100; 030125.CH01; 6698360-03; 17473601 |  |                    |                                       |                                |       |           |                       |           |
| Pipette : DA-080; DA-146; DA-218                         |  |                    |                                       |                                |       |           |                       |           |

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

|  |                   |        |
|--|-------------------|--------|
|  | Residual Solvents | PASSED |
|--|-------------------|--------|

| ANALYTES                                                               | UNIT               | LOD                                   | LOQ   | LIMIT                          | PASS/FAIL                  | RESULT | QUALIFIER |
|------------------------------------------------------------------------|--------------------|---------------------------------------|-------|--------------------------------|----------------------------|--------|-----------|
| 1,1-DICHLOROETHENE                                                     | ppm                | 0.800                                 | 4.00  | 8                              | PASS                       | ND     |           |
| 1,2-DICHLOROETHANE                                                     | ppm                | 0.200                                 | 1.00  | 2                              | PASS                       | ND     |           |
| 2-PROPANOL                                                             | ppm                | 50.0                                  | 250   | 500                            | PASS                       | ND     |           |
| ACETONE                                                                | ppm                | 75.0                                  | 375   | 750                            | PASS                       | ND     |           |
| ACETONITRILE                                                           | ppm                | 6.00                                  | 30.0  | 60                             | PASS                       | ND     |           |
| BENZENE                                                                | ppm                | 0.100                                 | 0.500 | 1                              | PASS                       | ND     |           |
| BUTANES (N-BUTANE)                                                     | ppm                | 500                                   | 2500  | 5000                           | PASS                       | ND     |           |
| CHLOROFORM                                                             | ppm                | 0.200                                 | 1.00  | 2                              | PASS                       | ND     |           |
| DICHLOROMETHANE                                                        | ppm                | 12.5                                  | 62.5  | 125                            | PASS                       | ND     |           |
| ETHANOL                                                                | ppm                | 500                                   | 2500  | 5000                           | PASS                       | ND     |           |
| ETHYL ACETATE                                                          | ppm                | 40.0                                  | 200   | 400                            | PASS                       | ND     |           |
| ETHYL ETHER                                                            | ppm                | 50.0                                  | 250   | 500                            | PASS                       | ND     |           |
| ETHYLENE OXIDE                                                         | ppm                | 0.500                                 | 2.50  | 5                              | PASS                       | ND     |           |
| HEPTANE                                                                | ppm                | 500                                   | 2500  | 5000                           | PASS                       | ND     |           |
| METHANOL                                                               | ppm                | 25.0                                  | 125   | 250                            | PASS                       | ND     |           |
| N-HEXANE                                                               | ppm                | 25.0                                  | 125   | 250                            | PASS                       | ND     |           |
| PENTANES (N-PENTANE)                                                   | ppm                | 75.0                                  | 375   | 750                            | PASS                       | ND     |           |
| PROPANE                                                                | ppm                | 500                                   | 2500  | 5000                           | PASS                       | ND     |           |
| TOLUENE                                                                | ppm                | 15.0                                  | 75.0  | 150                            | PASS                       | ND     |           |
| TOTAL XYLENES                                                          | ppm                | 15.0                                  | 75.0  | 150                            | PASS                       | ND     |           |
| TRICHLOROETHYLENE                                                      | ppm                | 2.50                                  | 12.5  | 25                             | PASS                       | ND     |           |
| Analyzed by:<br>4451, 585, 1440                                        | Weight:<br>0.0206g | Extraction date:<br>11/09/25 14:24:59 |       |                                | Extracted by:<br>4571,4451 |        |           |
| Analysis Method : SOP.T.40.041.FL                                      |                    |                                       |       |                                |                            |        |           |
| Analytical Batch : DA092730SOL                                         |                    |                                       |       |                                |                            |        |           |
| Instrument Used : DA-GCMS-003                                          |                    |                                       |       | Batch Date : 11/09/25 14:14:43 |                            |        |           |
| Analyzed Date : 11/10/25 12:55:55                                      |                    |                                       |       |                                |                            |        |           |
| Dilution : 1                                                           |                    |                                       |       |                                |                            |        |           |
| Reagent : 030420.09                                                    |                    |                                       |       |                                |                            |        |           |
| Consumables : 431526; 325202                                           |                    |                                       |       |                                |                            |        |           |
| Pipette : DA-416 (25uL Syringe - 44286); DA-418 (25uL Syringe - 44288) |                    |                                       |       |                                |                            |        |           |

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
11/11/25  
Laboratory License #:  
900002



# Certificate of Analysis

Pages 6 of 7

## CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

## Sample: DA51107019-007

Batch #: TEH1006202502  
Harvest/Lot ID: 8846691613406381  
Seed to sale: 370690307575273

Ordered: 11/07/25  
Sampled: 11/07/25  
Completed: 11/11/25

**PASSED**

|                                                                                   |                  |               |
|-----------------------------------------------------------------------------------|------------------|---------------|
|  | <b>Microbial</b> | <b>PASSED</b> |
|-----------------------------------------------------------------------------------|------------------|---------------|

| ANALYTES                 | UNIT  | LOD  | LOQ  | LIMIT  | PASS/FAIL | RESULT      | QUALIFIER |
|--------------------------|-------|------|------|--------|-----------|-------------|-----------|
| ASPERGILLUS FLAVUS       |       |      |      |        | PASS      | Not Present |           |
| SALMONELLA SPECIFIC GENE |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS FUMIGATUS    |       |      |      |        | PASS      | Not Present |           |
| ECOLI - SHIGELLA         |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS TERREUS      |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS NIGER        |       |      |      |        | PASS      | Not Present |           |
| TOTAL YEAST AND MOLD     | CFU/g | 10.0 | 10.0 | 100000 | PASS      | <10.0       |           |

|                                       |                    |                                       |                            |
|---------------------------------------|--------------------|---------------------------------------|----------------------------|
| Analyzed by:<br>5008, 4520, 585, 1440 | Weight:<br>0.8922g | Extraction date:<br>11/08/25 10:56:03 | Extracted by:<br>4892,5008 |
|---------------------------------------|--------------------|---------------------------------------|----------------------------|

Analysis Method : SOP.T.40.056C  
Analytical Batch : DA092699MIC  
Instrument Used : DA-111 (PathogenDx Scanner), DA-188 (36.5°C Incubator), DA-049 (95°C Heat Block), DA-402 (55°C Heat Block)  
Analyzed Date : 11/11/25 11:07:40  
Batch Date : 11/08/25 08:39:16

Dilution : 10  
Reagent : 100325.07; 100325.55; 012125.21; 102125.R35  
Consumables : 7585003030  
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

|                                       |                    |                                       |                            |
|---------------------------------------|--------------------|---------------------------------------|----------------------------|
| Analyzed by:<br>4571, 4520, 585, 1440 | Weight:<br>0.8153g | Extraction date:<br>11/08/25 11:06:33 | Extracted by:<br>4892,5008 |
|---------------------------------------|--------------------|---------------------------------------|----------------------------|

Analysis Method : SOP.T.40.209.FL  
Analytical Batch : DA092700TYM  
Instrument Used : DA-328 (25°C Incubator)  
Analyzed Date : 11/10/25 12:56:39  
Batch Date : 11/08/25 08:39:23

Dilution : 10  
Reagent : 110525.11; 102025.R24  
Consumables : N/A  
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

|                                                                                     |                   |               |
|-------------------------------------------------------------------------------------|-------------------|---------------|
|  | <b>Mycotoxins</b> | <b>PASSED</b> |
|-------------------------------------------------------------------------------------|-------------------|---------------|

| ANALYTES     | UNIT | LOD     | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------|------|---------|--------|-------|-----------|--------|-----------|
| AFLATOXIN B2 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | ND     |           |
| AFLATOXIN B1 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | ND     |           |
| OCHRATOXIN A | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | ND     |           |
| AFLATOXIN G1 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | ND     |           |
| AFLATOXIN G2 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | ND     |           |

|                                 |                    |                                       |                       |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by:<br>3379, 585, 1440 | Weight:<br>0.2084g | Extraction date:<br>11/10/25 14:13:22 | Extracted by:<br>4640 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL  
Analytical Batch : DA092743MYC  
Instrument Used : DA-LCMS-004 (MYC)  
Analyzed Date : 11/11/25 21:22:49  
Batch Date : 11/10/25 09:25:26

Dilution : 250  
Reagent : 110525.R03; 110425.R35; 110525.R29; 110425.R34; 102025.R21; 110525.R01; 043025.28  
Consumables : 927.100; 030125CH01; 6698360-03  
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164



Signature  
11/11/25  
Laboratory License #:  
900002



# Certificate of Analysis

Pages 7 of 7

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

**Sample: DA51107019-007**

**Batch #:** TEH1006202502  
**Harvest/Lot ID:** 8846691613406381  
**Seed to sale:** 3706903075775273

**Ordered:** 11/07/25  
**Sampled:** 11/07/25  
**Completed:** 11/11/25

**PASSED**



## Water Activity

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | UNIT | LOD   | LOQ  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|------|-------|-----------|--------|-----------|
| WATER ACTIVITY                                                                                                                                                                                                                                                                                                                                                                                                                                                              | aw   | 0.010 | 0.10 | 0.85  | PASS      | 0.47   |           |
| <b>Analyzed by:</b> 4797, 585, 1440 <b>Weight:</b> 0.2755g <b>Extraction date:</b> 11/08/25 15:12:24 <b>Extracted by:</b> 4444, 4797<br><b>Analysis Method :</b> SOP.T.40.019<br><b>Analytical Batch :</b> DA092717WAT<br><b>Instrument Used :</b> DA-028 Rotronic Hygropalm <b>Batch Date :</b> 11/08/25 12:28:15<br><b>Analyzed Date :</b> 11/10/25 08:32:58<br><b>Dilution :</b> N/A<br><b>Reagent :</b> 101724.36<br><b>Consumables :</b> PS-14<br><b>Pipette :</b> N/A |      |       |      |       |           |        |           |



## Heavy Metals

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | UNIT | LOD    | LOQ   | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|-------|-------|-----------|--------|-----------|
| TOTAL CONTAMINANT LOAD METALS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | ppm  | 0.0800 | 0.400 | 1.1   | PASS      | ND     |           |
| ARSENIC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ppm  | 0.0200 | 0.100 | 0.2   | PASS      | ND     |           |
| CADMIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ppm  | 0.0200 | 0.100 | 0.2   | PASS      | ND     |           |
| MERCURY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ppm  | 0.0200 | 0.100 | 0.2   | PASS      | ND     |           |
| LEAD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ppm  | 0.0200 | 0.100 | 0.5   | PASS      | ND     |           |
| <b>Analyzed by:</b> 4531, 585, 1440 <b>Weight:</b> 0.2422g <b>Extraction date:</b> 11/08/25 14:10:06 <b>Extracted by:</b> 4531, 5122<br><b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL<br><b>Analytical Batch :</b> DA092711HEA<br><b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 11/08/25 11:49:15<br><b>Analyzed Date :</b> 11/11/25 08:55:03<br><b>Dilution :</b> 50<br><b>Reagent :</b> 102425.R04; 110425.R16; 110425.R13; 110425.R11; 110425.R14; 110425.R12; 100725.02; 110425.R15<br><b>Consumables :</b> 030125CH01; J609879-0193; 179436<br><b>Pipette :</b> DA-061; DA-191; DA-215 |      |        |       |       |           |        |           |

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Filtration/Foreign Material

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                         | UNIT | LOD   | LOQ   | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|-------|-------|-----------|--------|-----------|
| FILTH AND FOREIGN MATERIAL                                                                                                                                                                                                                                                                                                                                                                                                                                       | %    | 0.100 | 0.500 | 1     | PASS      | ND     |           |
| <b>Analyzed by:</b> 4797, 585, 1440 <b>Weight:</b> 1g <b>Extraction date:</b> 11/08/25 16:04:21 <b>Extracted by:</b> 4797<br><b>Analysis Method :</b> SOP.T.40.090<br><b>Analytical Batch :</b> DA092725FIL<br><b>Instrument Used :</b> Filth/Foreign Material Microscope <b>Batch Date :</b> 11/08/25 16:00:55<br><b>Analyzed Date :</b> 11/09/25 22:39:05<br><b>Dilution :</b> N/A<br><b>Reagent :</b> N/A<br><b>Consumables :</b> N/A<br><b>Pipette :</b> N/A |      |       |       |       |           |        |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164



Signature  
11/11/25  
Laboratory License #:  
900002