

Implementation Spec — La Cuisine de Bernard Blog

Context

Two blog features to implement:

A. Video courses display: The `lcdb-video-courses-api` plugin is installed and functional on WordPress. It returns Fluent Community courses enriched with WooCommerce prices/images. The blog must display these courses on a dedicated page and on the homepage. Known issue: Cloudflare blocks requests without a browser User-Agent (HTTP 403).

B. Ad-free navigation for Club members: Members who pay for Club access via Fluent Cart must browse without Mediavine ads. The `lcdb-blog-auth` plugin is created and ready to deploy. The blog must implement the JWT + cookie flow.

Stack: Astro 5 SSG (`output: 'static'`), Tailwind CSS, TypeScript. No SSR, no blog server.

Part 1 — Video Courses

Status

Item	Status
WordPress plugin <code>lcdb-video-courses-api</code>	Installed & verified, returns 10 courses
<code>src/lib/videoCourses.ts</code>	Exists, works, but missing User-Agent + <code>lessonCount/duration</code> fields
<code>FeaturedMasterclass.astro</code>	Exists, displays first course on homepage
<code>VideoCourseCard.astro</code> , <code>VideoCoursesSection.astro</code> , <code>cours-video.astro</code>	Do not exist yet

Files to modify

1. `src/lib/videoCourses.ts`

Absolute path: `Front-End-main/src/lib/videoCourses.ts`

Change 1 — Add User-Agent to fetch (lines 98–102) to bypass Cloudflare:

```
ts
headers: {
  Accept: 'application/json',
  'User-Agent': 'Mozilla/5.0 (compatible; LCDBBlog/1.0)',
},
```

Change 2 — Extend the `VideoCourse` interface (after `publishedAt`):

```
ts
lessonCount?: number;
duration?: string;
```

Change 3 — Map the new fields in `mapVideoCourse`:

```
ts
lessonCount: typeof item.lessonCount === 'number' ? item.lessonCount : undefined,
duration: typeof item.duration === 'string' && item.duration.trim() ? item.duration.trim() :
undefined,
```

Files to create

2. `src/components/organisms/VideoCourseCard.astro`

Absolute path:

`Front-End-main/src/components/organisms/VideoCourseCard.astro`

Card for a single video course. Props: `course: VideoCourse`. Modeled after `WorkshopCard.astro` (same folder).

Structure:

- Image (with `<img loading="lazy">`) or grey placeholder
- Price badge (`FREE / XX€`)
- Title (`<h3>`)
- Short description (max 2 lines via `line-clamp-2`)
- Optional info: lesson count, duration
- CTA link to `course.courseUrl`

Design:

- Premium color `#bba86b` for paid price badge
 - White background, light shadow, hover: elevation
 - `rounded-sm` border radius (consistent with `WorkshopCard`)
-

3. `src/components/organisms/VideoCoursesSection.astro`

Absolute path:

`Front-End-main/src/components/organisms/VideoCoursesSection.astro`

Props: `courses: VideoCourse[]`, `maxVisible?: number` (default: all).

Structure:

- Section header: title "My video courses" + decorative line (same pattern as `FeaturedMasterclass.astro` lines 34–37)
 - Responsive grid: 1 col mobile, 2 col md, 3 col lg
 - If `maxVisible` is defined: show only the first N cards + "See all courses" button → `/cours-video`
 - "See all video courses →" link if the dedicated page exists
-

4. `src/pages/cours-video.astro`

Absolute path: `Front-End-main/src/pages/cours-video.astro`

SSG page. Imports: `MainLayout`, `VideoCoursesSection`, `loadVideoCourses`.

`astro`

`export const prerender = true;`

`const courses = await loadVideoCourses();`

- Renders `<VideoCoursesSection courses={courses} />` (no `maxVisible`)
 - Page title: "Video Courses"
 - SEO description
-

Files to modify (continued)

5. `src/pages/index.astro` (line 762)

Replace `<FeaturedMasterclass embedded />` with `<VideoCoursesSection courses={videoCourses} maxVisible={3} />`.

Add the import at the top:

```
astro
import VideoCoursesSection from '../components/organisms/VideoCoursesSection.astro';
...
```

Remove the ``FeaturedMasterclass`` import if unused elsewhere.

> **Note:** ``videoCourses`` is already available (line 22: ``const videoCourses = await loadVideoCourses()``).

6. ``.env.example``

Add:

...

`VIDEO_COURSES_API_URL=https://atelier-lacuisinedebernard.com/api/video-courses`

Part 2 — Ad-Free Navigation for Club Members

Status

Item	Status
Plugin <code>lcdb-blog-auth</code>	Created locally, ready to deploy to WordPress
<code>BaseLayout.astro</code> , <code>Header.astro</code>	To modify
<code>ClubLoginModal.astro</code> , <code>src/scripts/clubAuth.ts</code>	To create

Architecture: JWT Cookie + Inline Blocking Script

A synchronous script in `<head>` reads the `lcdb_club` cookie **before** Mediavine loads. Zero flicker.

Files to modify

7. `src/layouts/BaseLayout.astro` (lines 62–64)

Absolute path: `Front-End-main/src/layouts/BaseLayout.astro`

Replace `<script async src={mediavineScriptSrc}></script>` with two inline scripts:

```
astro
{loadAds && mediavineScriptSrc && (
  <>
    <script is:inline>
      window.__lcdbClubMember = (function () {
        try {
          var raw = document.cookie.split('; ').find(function (r) {
            return r.startsWith('lcdb_club=');
          });
          if (!raw) return false;
          var token = raw.split('=').slice(1).join('=');
          var parts = token.split('.');
          if (parts.length !== 3) return false;
          var payload = JSON.parse(atob(parts[1].replace(/-/g, '+').replace(/_/g, '/')));
          if (!payload || !payload.exp || payload.exp < Math.floor(Date.now() / 1000)) return false;
          if (payload.iss !== 'atelier-lacuisinedebernard.com') return false;
          document.documentElement.setAttribute('data-club-member', 'true');
          return true;
        } catch (e) { return false; }
      })();
    </script>
    <script is:inline define:vars={{ mediavineScriptSrc }}>
      if (!window.__lcdbClubMember) {
        var s = document.createElement('script');
        s.async = true;
        s.src = mediavineScriptSrc;
        document.head.appendChild(s);
      }
    </script>
  </>
)}
```

At the end of `<body>`: add `<ClubLoginModal />` (import in frontmatter).

8. `src/components/organisms/Header.astro` (lines 68–91)

Absolute path: `Front-End-main/src/components/organisms/Header.astro`

In the `<!-- Right Actions -->` block, add between the FR button and the user icon:

Logged-out state (server-rendered, hidden by JS when logged in):

```
html
<button
  class="hidden lg:flex items-center gap-1.5 text-white/80 hover:text-white text-[14px] font-body
  transition-colors"
  aria-label="Club Login"
  data-club-login-btn
>
  <Icon name="user" size="sm" />
  <span>Club</span>
</button>
```

Logged-in state (hidden initially, shown by JS):

```
html
<div class="hidden items-center gap-2" data-club-member-ui>
  <span class="text-[#bba86b] text-[13px] font-body" data-club-member-name></span>
  <button class="text-white/60 hover:text-white text-[12px]" data-club-logout-btn>Log
out</button>
</div>
```

Mobile: add a `data-club-login-btn-mobile` button in the drawer menu.

9. `src/styles/global.css` (end of file)

Absolute path: `Front-End-main/src/styles/global.css`

Append at the end:

```
css
/* Club members: hide Mediavine ad slots */
html[data-club-member="true"] .mv-ad-slot {
  display: none !important;
  min-height: 0 !important;
}
...
```

10. `.env.example`

Add (in addition to `VIDEO\_COURSES\_API\_URL`):

...

PUBLIC_CLUB_AUTH_API=<https://atelier-lacuisinedebernard.com/wp-json/lcdb/v1/blog-auth>

Files to create

11. `src/components/ClubLoginModal.astro`

Absolute path: `Front-End-main/src/components/ClubLoginModal.astro`

Pattern: `NewsletterModal.astro` (native `<dialog>`, `showModal()/close()`, backdrop click, escape key, focus trap).

Content:

- `<dialog data-club-modal>` with semi-transparent backdrop
 - Centered card: logo/title "Club Area", email + password inputs, submit button `#bba86b`
 - Error zone `data-club-error` (hidden by default)
 - "Not a member yet? Join the Club →" link to <https://atelier-lacuisinedebernard.com>
 - Top-right close button
-

12. `src/scripts/clubAuth.ts`

Absolute path: `Front-End-main/src/scripts/clubAuth.ts`

Imported in `ClubLoginModal.astro` via `<script>` (not `is:inline`).

Responsibilities:

- Read `PUBLIC_CLUB_AUTH_API` env var (`import.meta.env`)
- On `DOMContentLoaded`: detect valid `lcdb_club` cookie → show `data-club-member-ui` + name in `data-club-member-name`
- `data-club-login-btn` click → `dialog.showModal()`

- Form submit → `fetch(PUBLIC_CLUB_AUTH_API, { method: 'POST', body: JSON.stringify({ email, password }), headers: { 'Content-Type': 'application/json' } })`
- Success: write cookie `lcdb_club=<token>; path=/; max-age=604800; secure; samesite=lax`, then `location.reload()`
- Failure: display message in `data-club-error`
- `data-club-logout-btn` click → delete cookie (`max-age=0`), `location.reload()`
- **Background refresh:** if `exp - now < 86400` (24h), silently call `/refresh` and rewrite the cookie

Files NOT Modified

File	Reason
<code>astro.config.mjs</code>	Stays on output: <code>'static'</code>
<code>MediavineSlot.astro</code>	Inert divs without the SDK
<code>FeaturedMasterclass.astro</code>	Kept intact (no longer used from index after migration)
<code>package.json</code>	No new dependencies
<code>tailwind.config.js</code>	<code>premium: '#bba86b'</code> already defined

Cookie & Security

Property	Value	Reason
Name	<code>lcdb_club</code>	Clear namespace
Value	JWT string	Self-contained, no server session
<code>path</code>	<code>/</code>	Available site-wide
<code>max-age</code>	<code>604800</code> (7 days)	Aligned with JWT expiration
<code>secure</code>	<code>true</code>	HTTPS only

`samesite lax` CSRF protection
`e`

`httpOnly false` **Required:** inline script must read the cookie
`y`

Recommended Implementation Order

1. `videoCourses.ts` — fix User-Agent + `lessonCount/duration` fields
 2. `VideoCourseCard.astro` — new component
 3. `VideoCoursesSection.astro` — new component
 4. `cours-video.astro` — new page
 5. `index.astro` — replace `FeaturedMasterclass` with `VideoCoursesSection`
 6. `BaseLayout.astro` — replace Mediavine script
 7. `Header.astro` — Club button
 8. `global.css` — Club member CSS rule
 9. `ClubLoginModal.astro` — new component
 10. `clubAuth.ts` — new script
 11. `.env.example` — add both variables
-

Verification Checklist

Video Courses

- SSG build completes without Cloudflare 403 (User-Agent header added)
- `GET /api/video-courses` accessible from browser → correct JSON
- Homepage displays grid of 3 courses with images and prices
- `/cours-video` lists all courses
- Cards are clickable, links point to `atelier-lacuisinedebernard.com/club/course/...`

Ad-Free Navigation

- Without cookie → Mediavine ads load normally (Network tab)
- Valid Club login → cookie set, reload, no Mediavine script loaded
- Invalid login → error message shown, no cookie set
- Expired subscription → `/refresh` returns 403, cookie deleted, ads reappear

- Logout → cookie deleted, reload, ads reappear
- Mobile → Club button accessible, modal is responsive