

# 20104028

## Heamnath N

### Importing Libraries

In [1]:

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

### Importing Datasets

In [2]:

```
df=pd.read_csv("rainfall_east uttar pradesh.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
<b>0</b>	1012	EAST UTTAR PRADESH	1901	62.6	31.3	8.2	1.1	13.6	21.8	226.5	285.6	215.4	4.9	0.1
<b>1</b>	1013	EAST UTTAR PRADESH	1902	6.1	2.3	2.4	2.0	21.4	32.5	411.5	155.4	257.2	13.2	1.2
<b>2</b>	1014	EAST UTTAR PRADESH	1903	8.2	0.4	1.3	0.7	15.3	71.6	115.3	420.2	258.7	324.7	0.0
<b>3</b>	1015	EAST UTTAR PRADESH	1904	7.3	1.5	8.3	0.4	28.7	148.0	359.4	328.8	95.0	50.6	17.0
<b>4</b>	1016	EAST UTTAR PRADESH	1905	16.8	23.6	20.0	5.4	15.4	17.3	302.4	316.2	169.5	3.3	0.0
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
<b>110</b>	1122	EAST UTTAR PRADESH	2011	1.0	2.7	1.6	2.9	32.2	163.8	197.9	232.1	146.4	0.6	0.0
<b>111</b>	1123	EAST UTTAR PRADESH	2012	20.3	1.2	3.4	2.8	0.2	18.5	234.2	156.0	164.4	0.7	0.3
<b>112</b>	1124	EAST UTTAR PRADESH	2013	6.1	59.6	2.7	8.7	1.1	309.7	230.0	246.1	78.2	97.4	0.5
<b>113</b>	1125	EAST UTTAR PRADESH	2014	47.4	25.8	15.4	1.7	10.7	47.8	224.5	138.1	106.7	74.7	0.0
<b>114</b>	1126	EAST UTTAR PRADESH	2015	30.0	4.1	48.2	23.2	8.6	95.3	179.0	175.8	21.9	11.8	0.5

115 rows × 20 columns

# Data Cleaning and Data Preprocessing

```
In [3]: df=df.dropna()
```

```
In [4]: df.columns
```

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```


```
In [5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
---  --          -----          ----- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

## Line chart

```
In [6]: df.plot.line(subplots=True)
```


```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



## Line chart

```
In [7]: df.plot.line()
```


```
Out[7]: <AxesSubplot:>
```



## Bar chart

```
In [8]: df.plot.bar()
```


```
Out[8]: <AxesSubplot:>
```



## Histogram

```
In [9]: df.plot.hist()
```


```
Out[9]: <AxesSubplot:ylabel='Frequency'>
```



## Area chart

```
In [10]: df.plot.area()
```


```
Out[10]: <AxesSubplot:>
```



## Box chart

```
In [11]: df.plot.box()
```


```
Out[11]: <AxesSubplot:>
```




## Pie chart

```
In [12]: df.plot.pie(y='ANNUAL')
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```






## Scatter chart

```
In [13]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
```

```
Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



In [14]:

`df.info()`

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

In [15]:

`df.describe()`

Out[15]:


	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
<b>count</b>	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000
<b>mean</b>	1069.000000	1958.000000	16.012174	15.873913	8.907826	6.430435	17.211304	110.712174
<b>std</b>	33.341666	33.341666	14.659481	17.263607	11.906840	9.082731	14.095232	64.460799
<b>min</b>	1012.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.200000	17.300000
<b>25%</b>	1040.500000	1929.500000	3.450000	3.200000	0.700000	1.150000	6.550000	61.000000

	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
<b>50%</b>	1069.000000	1958.000000	12.500000	8.800000	3.400000	3.800000	14.000000	99.600000
<b>75%</b>	1097.500000	1986.500000	24.400000	24.150000	12.050000	8.550000	25.900000	146.950000
<b>max</b>	1126.000000	2015.000000	62.600000	84.300000	63.700000	66.600000	68.700000	309.700000

## EDA AND VISUALIZATION

In [16]: `sns.pairplot(df)`


Out[16]: <seaborn.axisgrid.PairGrid at 0x23b556bda60>



In [17]: `sns.distplot(df['ANNUAL'])`

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning:  
`distplot` is a deprecated function and will be removed in a future version. Please adapt  
your code to use either `displot` (a figure-level function with similar flexibility) o  
r `histplot` (an axes-level function for histograms).  
warnings.warn(msg, FutureWarning)
```

```
Out[17]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>
```



```
In [18]: sns.heatmap(df.corr())
```

```
Out[18]: <AxesSubplot:>
```

