

# 20104028

## Heamnath N

### Importing Libraries

In [1]:

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

### Importing Datasets

In [2]:

```
df=pd.read_csv("rainfall_matathwada.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
<b>0</b>	2737	MATATHWADA	1901	15.8	3.3	32.1	48.5	26.5	193.1	184.1	249.8	74.0	81.6	0.0
<b>1</b>	2738	MATATHWADA	1902	1.3	0.0	0.4	7.2	0.8	52.4	120.9	85.2	273.3	61.3	84.4
<b>2</b>	2739	MATATHWADA	1903	2.6	0.8	0.0	1.7	58.3	104.4	264.2	281.9	173.3	139.9	0.3
<b>3</b>	2740	MATATHWADA	1904	0.0	0.9	12.1	0.3	7.2	79.2	118.4	57.3	339.0	76.2	0.0
<b>4</b>	2741	MATATHWADA	1905	1.3	2.0	0.0	6.6	4.8	84.6	94.8	137.6	157.8	15.4	0.9
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
<b>110</b>	2847	MATATHWADA	2011	0.0	3.8	0.7	3.5	3.1	79.2	230.1	228.5	90.0	24.8	0.0
<b>111</b>	2848	MATATHWADA	2012	0.0	0.0	0.0	0.6	2.3	72.2	161.1	101.4	120.0	68.8	0.3
<b>112</b>	2849	MATATHWADA	2013	1.5	9.4	2.6	7.9	6.4	160.9	293.4	136.9	154.1	94.3	7.4
<b>113</b>	2850	MATATHWADA	2014	1.4	13.4	79.0	11.9	7.0	30.4	105.0	178.9	84.5	14.2	19.9
<b>114</b>	2851	MATATHWADA	2015	10.1	1.6	32.0	39.6	12.3	118.3	27.4	112.2	154.3	19.5	4.8

115 rows × 20 columns

### Data Cleaning and Data Preprocessing

In [3]:

```
df=df.dropna()
```

```
In [4]: df.columns
```

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```


```
In [5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
 ---  --          --          --      
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object 
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

## Line chart

```
In [6]: df.plot.line(subplots=True)
```


```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



## Line chart

In [7]: `df.plot.line()`


Out[7]: <AxesSubplot:>



## Bar chart

In [8]: `df.plot.bar()`


Out[8]: <AxesSubplot:>



## Histogram

In [9]: `df.plot.hist()`


Out[9]: <AxesSubplot:ylabel='Frequency'>



## Area chart

In [10]: `df.plot.area()`


Out[10]: <AxesSubplot:>



## Box chart

```
In [11]: df.plot.box()
```


```
Out[11]: <AxesSubplot:>
```




## Pie chart

```
In [12]: df.plot.pie(y='ANNUAL')
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```






## Scatter chart

In [13]: `df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')`

Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>



In [14]:

`df.info()`

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

In [15]:

`df.describe()`

Out[15]:


	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
<b>count</b>	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000
<b>mean</b>	2794.000000	1958.000000	5.000870	4.443478	7.105217	7.594783	15.646957	136.957391
<b>std</b>	33.341666	33.341666	10.644795	8.726690	12.542271	10.028581	21.826779	57.440296
<b>min</b>	2737.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	20.500000
<b>25%</b>	2765.500000	1929.500000	0.000000	0.000000	0.200000	1.500000	2.200000	92.150000

	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
<b>50%</b>	2794.000000	1958.000000	0.900000	0.700000	2.600000	4.600000	8.000000	130.300000
<b>75%</b>	2822.500000	1986.500000	5.600000	4.550000	8.050000	10.500000	19.200000	179.100000
<b>max</b>	2851.000000	2015.000000	70.400000	63.500000	79.000000	61.300000	142.100000	297.000000

## EDA AND VISUALIZATION

In [16]: `sns.pairplot(df)`


Out[16]: <seaborn.axisgrid.PairGrid at 0x228544a7f10>



In [17]: `sns.distplot(df['ANNUAL'])`

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning:  
`distplot` is a deprecated function and will be removed in a future version. Please adapt  
your code to use either `displot` (a figure-level function with similar flexibility) o  
r `histplot` (an axes-level function for histograms).  
warnings.warn(msg, FutureWarning)
```

```
Out[17]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>
```



```
In [18]: sns.heatmap(df.corr())
```

```
Out[18]: <AxesSubplot:>
```

