

DESCRIPTION

ATF SYN MULTITRANS is a new generation multipurpose, full synthetic Automatic Transmission Fluid developed to cover virtually all ATF specifications. With the exception of CVT, DCT transmissions and Ford "Type F" transmissions, ATF SYN MULTITRANS is truly a one stop Automatic Transmission Fluid. Designed to meet Japanese, American and European transmissions, ATF SYN MULTITRANS is the perfect choice for the consumer who does not want to carry multiple drums of product.

SUMMARY OF BENEFITS

ATF SYN MULTITRANS is a very versatile fluid and can be used in almost all Japanese and many European and American vehicles as a service fill and may also be used as a power steering fluid and in hydraulic systems particularly where high temperatures are encountered.

SPECIFICATIONS

- ALLISON C-4, TES 668, 389(B), TES 295
- AISIN WARNER AW-1 / JWS 3309
- AUDI G 052 162, G 052 990, G 055 025
- BMW 7045E, LA2634, LT71141
- CHRYSLER ATFs, MOPAR AS68RC
- DEX -II, IID, IIE,
- DEX -111H, IIIF, IIIG,
- FORD FNR5, MERCON, MERCON V, XL-12 (TRANSFER CASE), FORD M
- HONDA ATF-Z1
- HYUNDAI/KIA SP-II, SP-III, JWS 3314, JWS 3317
- IDEMITSU K-17 (JATCO)
- JASO 1-A, JWS 3309 (Aisin Warner)
- KIA RED1, VOITH H55.6335
- MAN 339F, 339 V1, 339 Z1
- MAZDA ATF-M III, ATF-MV
- MB 236.1, 236.2, 236.3, 236.5, 236.6, 236.7, MB236.9, 236.10, 236.11, 236.81, 236.91
- MAZDA ATF-M III, ATF-MV
- MB 236.1, 236.2, 236.3, 236.5, 236.6, 236.7, MB236.9, 236.10, 236.11, 236.81, 236.91
- MITSUBISHI SP-II, SP-111
- NISSAN 402, MATIC C, D, J, K
- PSA AL-4
- RENAULT DP-0
- SHELL 3403, LA2634, M-1375.4, M-1375.5, M-1375.6, M-12108
- SUBARU ATF, ATF-HP
- SUZUKI 3314, 3317
- TEXACO N402, 7045E, 8072B (BMW)
- TOYOTA T, T-II, T-III, T-IV
- VOLVO 4 SPEED, PN1161540 / 1161640, 97340, 97341
- VW G 052 162, G 052 990, G 055 025
- ZF TE-ML 03D, 04D, 05L, 09, 11B, 14A, 16L, 17C

TECHNICAL DATA

More specifications overleaf....

CHARACTERISTICS	ATF SYN MULTITRANS
Specific gravity at 15 C	0.8499
Kinematic viscosity at 40 C, mm ² /s (cSt)	37.9
Kinematic viscosity at 100 C, mm ² /s (cSt)	7.2
Viscosity index	157

- Safety Data Sheet for this product can be obtained by visiting TriTech Lubricants Website www.tritechlubricants.com
- All Packages should be stored under cover to avoid water contamination and fading. Products should not be stored over 60°C

Complete specifications:

Acura ATF-Z1	Hino Blue Ribbon ATF	Porsche T-IV (JWS 3309)
Aisin Warner JWS 3309 (T-IV) & JWS 3324 (WS), AW-1	Honda ATF-Z1 (except in CVTs)	Porsche 000 043 205 09
Allison C-3 & C-4	Honda ATF Ultra II	Porsche 999 917 547 00 (A2)
Allison TES-295	Honda DW-1	Porsche 000 043 205 28
Allison TES-389	Hyundai/Kia SP-III	Porsche Z 000169756
Allison TES-468	Hyundai/Kia Dex-II/ SP-II	PSA B71 2340
American Motors ATF +3 (MS7176-E)	Hyundai/Kia JWS 3314	Renault DPO/AL4
ATF RED 1, RED 1K	Hyundai/Kia NUMM040 CH20 Red-1	Renault Matic D2
Audi 5 HP LT71141 (ZF 5 HP 18FL/19FL/24A)	Idemitsu K17 3100 PL085	Renault Samsung SATF-D
Audi/VW G 052 025 A2	ISUZU BESCO ATF-II	Saab T-IV (JWS 3309)
Audi/VW G 053 025 A2	ISUZU BESCO ATF-III	Saab 93 160 393
Audi/VW G 052 162 A1/A2	ISUZU BESCO ATF SP	Saturn T-IV (JWS 3309)
Audi/VW G 055 025 A2 (JWS 3309)	ISUZU SCS Fluid	Scion (all vehicles)
Audi/VW G 052 162 (ZF Lifeguard Fluid 5) (ZF No. S671 090 170)	ISUZU 08200-9001	Shell 3403, M115, LA 2634
Audi/VW G 052 990	Jaguar ATF 3403 M115, ATF 3403-M115,	Ssang yong DSIH 5M-66
Audi/VW 052 055	Jaguar ATF LT71141, ZF 5HP24	Subaru ATF, ATF HP
BMW JWS 3309 (T-IV)	Jaguar JLM20238	Subaru K0140Y0700
BMW LA2634	Jaguar ATF 3403 JLM20238,	Subaru ATF 5AT
BMW LT71141 (ZF 5 HP 18FL/19FL/24A)	Jaguar K17	Subaru Dexron SP-II
BMW ZF 5HP18FL, 5HP24, 5HP30	Jaguar JLM 20292	Subaru ATF, ATF HP
BMW 7045E	Jaguar WSS-M2C922A1	Suzuki Original Fluid 16/1316/39
BMW ETL 8072B	JASO M315-2015 1A	Suzuki Oil 5D06
Bosch TE-ML 09	JASO M315-2015 2A	Suzuki ATF 2326
CAT TO-2	JEEP ATF+3	Suzuki ATF 2384K
Chrysler ATF+, +2, +3 (MS7176E)	KIA ATF SP-II, SP-III, SP-IV, SP-IVM, Red 1	Suzuki JWS 3309
Chrysler/Dodge MOPAR AS 68 RC and AS 69 RC (T-IV), JWS 3309	Lexus JWS 3309	Suzuki ATF 3314
Chrysler/Dodge/Jeep 05127382AA	MAN 339A, F, L-1, L-2, Z-1	Suzuki ATF 3317
Chrysler/Dodge/Jeep Borg Warner 68049954AA	Mazda ATF D-II	Texaco 7045-E
Daewoo LT 71141	Mazda ATF M-III	Texaco 8072B

Daihatsu AMMIX ATF D-II	Mazda ATF F-1	
Daihatsu AMMIX ATF D-III SP	Mazda ATF S-1	Toyota ATF D-II
DANA OHTM ATF	Mazda ATF N-1	Toyota ATF D-III
Esso LT 71141	MAZDA ATF 3317	Toyota ATF T-III
FIAT T-IV type, JWS 3309	MB ZF 4HP20	Toyota ATF T-IV
Ford MERCON®	MINI COOPER T-IV	Vickers M2950-S, I-286-S
Ford FNR5 (Mazda M5, XT-9-QMM5)	Mitsubishi Diaqueen SK	Voith 55.6335.xx (G607)
Ford WSS M2C 138CJ, 166H	Mitsubishi Diaqueen SP-II	Volvo 97325
Ford WSS M2C 922A1, 924A (XT-8-QAW) JWS 3309	Mitsubishi Diaqueen SP-III	Volvo 97335
Ford/Lincoln/Mercury XT-2-QDX (M)	Mitsubishi Diaqueen SP-IV	Volvo CE 97340
Ford/Lincoln/Mercury XT-2-QSM (Syn)	Mitsubishi Diaqueen AW	Volvo PN 1161521
Ford ESP-M2C166H, XL-12	Mitsubishi Diaqueen J2	Volvo PN 1161540/1161640
Fuso ATF-II	NAG 1 (Chrysler, Jeep, Cherokee)	Volvo PN 1161621
Fuso ATF-SPIII	Nissan Matic Fluid C	VW 5 HP (ZF 5 HP 30)
Fuso ATF-A4	Nissan Matic Fluid D	VW 5HP (18FL, 30)
GM9986195 (Aisin AW-1, JWS 3309)	Nissan Matic Fluid J	VW 5HP (19FL, 24A)
GM TASA	Nissan Matic Fluid K	VW G-055-025 A2 (JWS 3309)
GM DEXRON®-II	Opel/GM 19 40 700	VW G 052 162 (ZF LifeguardFluid 5)
GM DEXRON®-IID	Opel/GM 19 40 767	VW TL 52540-A
GM DEXRON®-IIE	Opel/GM 21005966 Transaxle	VW TL 521 62
GM DEXRON®-IIIG	Opel/GM 22 17466	ZF all 3, 4 & 5 speed transmissions
GM DEXRON®-IIIH	Opel/GM 88900925	ZF TE-ML 05L
GM 1940700	Opel/GM 9986195	ZF TE-ML 09
GM 21005966	Peugeot ZF 4HP20	ZF TE-ML 11A, 11B
GM 22717466	Peugeot/Citroen Z 000169756	ZF TE-ML 21L
GM 88900925	Peugeot/Citroen (PSA) AL4 Automatic gearbox oil (#9730.AE)	Honda iMMD
GM 9986195	Porsche ZF 5HP19FL, ZF 5HP20, LT71141	
GM 93160393	Porsche ATF 3403-M115,	