

MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

INDEX PATIENT/ FAMILIAR INFORMATION (obligatory field, delete as applicable)


Name:		; Date of birth	очно чество пество пест	Identification Label / Barcode
_	☐ F Ethnicity and geographical c			Place here the identification label
father	Consultancy Refer	ral Number:		
	ARAKA BERBARAN BARBARAN BERBARAR BERBARAR BERBARAR BERBARAR BERBARARA BERBARAR BARBARARAR BARBARARAR BARBARARA	ER LEGGEGGEGGEGGER ER EGGEGGER ER EGGEGGEGGER ER EGGEGGGGGER ER EGGEGGEGGER ER EGGEGGEGGER ER EGGEGGGGGER ER E		
SPECIMEN	SOURCE (obligatory field)			
	☐ Whole blood ☐ DNA	∆ ☐ Saliva		URGENT
PHYSICIAN	I INFORMATION (obligatory field)			
Physician		t est enten en en en transcolent en ten ten ten ten ten ten ten ten t		
Institution:		Departament:		
Telephone:	Fax: _	E	-mail:	
A CONTRACTOR OF THE PARTY OF TH	R TEST REQUESTED (obligatory f			
Evaluation of genetic variants in 56 genes that can be considered molecular risk markers predisposing for arterial hypertension, in particular genetic variants that are related with the regulation and / or dysfunction of the 1) renin-angiotensin-aldosterone system, 2) vascular endothelium 3) renal tubule, 4) signal transduction system, 5) sodium channels, 6) autonomous nervous system and 7) mendelian diseases associated with arterial hypertension				
- Full pane	: evaluation of 56 genes assoc	ciated with all the syste	ems	
- Phase 1 p	anel: evaluation of 35 genes a	associated with the sys	tems 1, 2, 3,	4, 5, 6 🛚
- Phase 2 բ	anel: evaluation of 33 genes a	associated with the sys	tems 1, 2, 3,	4, 7
PREVIOUS	GENETIC CONSULTANCY: D	ate/;	AGE OF DIA	GNOSTIC:

FAMILIAR INFORMATION



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

ĺ	Name:	
	Consultancy Referral Number:	
8		



Position in the tree	Name / Consultancy Referral Number	Clinical information and data of diagnostic

age (A) arterial hypertension (AHTN), AHTN in pregnancy, acute myocardial infarction (AMI), congestive heart failure (CHF), stroke (S), acute pulmonary edema (APE), peripheral artery disease (PAD), retinopathy (R), sudden death (SD)

Clinical information	Data
AHTN diagnostic date	(day) /(month) /(year), years
Age of AHTN diagnostic	
AP (previous to therapeutics)	(systolic)(diastolic) mmHg
Cardiac frequency (bpm)	
Physical activity (hours / week)	
AP (subsequent to therapeutics)	(systolic)(diastolic) mmHg
Antihypertensive therapeutics	
(dose frequency)	
Secondary AHTN - disease	renal \Box , endocrinology \Box , conjunctive tissue \Box , arterial vessels \Box
associated	



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

Name:	
Consultancy Referral Number:	

Associated risk factors poor diet with high sodium intake \Box , fast food \Box , lack of physical activity \Box ,		
	smoking \Box , n^o cigarrets /day, n^o packs /day, stop smoking at	
	years, ethanolism □, stress □, anxiety □	
Associated diseases	metabolic syndrome \Box , diabetes mellitus \Box , dyslipidemia \Box , renal artery disease \Box ,	
	aortic diseases □	
T	ischemic stroke \square $^{(A)}$, hemorrhagic stroke \square $^{(A)}$; AMI \square $^{(A)}$, APE \square $^{(A)}$,	
Target organs (age in years)	angina \square $^{(A)}$, CHF \square $^{(A)}$, renal disease \square $^{(A)}$, , PAD \square $^{(A)}$, AHTN crisis \square $^{(A)}$	
AH pregnancy preeclampsia ¬, eclampsia ¬, fetal losses ¬		
Chronic diseases		
Long life therapeutics		
Diagnostic Exams		
- HgB, MCV, glycemia, urea, creatinine, uric acid, Na, K, Cl, Ca, P, Mg, CHOL, TRIG, HDL, LDL, APOB, VLDL, protein /albumin, vit. D, ACTH, TSH, T3, T4, PTH, renin, angiotensin, aldoesterone		



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

	Name:
	Consultancy Referral Number:
ANNEX	
☐ Sample tubes labeled with index	case / patient / familiar information
$\hfill \square$ Whole blood (preferable) (Date	obtained: /), Conditions: 4mL or 2 X 3mL in K_2EDTA or K_3ED^{-1}
collection tube	
☐ DNA (Date obtained: /	/); VolumeµL; Concentration µg/mL; Purification Metho
; Conditions: minimum	
Saliva, Conditions: Ex: Oragene DNA	
Sanva, Conditions. Ex. oragene DNA	Collection at Genotes
or the genetic test specified in this r	ny/ my child's [name] biological sample request. I declare that I have been informed about genetic testing features and that I s of the cardiovascular genetic test regarding genetic analysis of molecular risk markers m giving permission.
give permission for the processing of	f the obtained digital data: yes \square no \square
give permission for the biological spe	ecimen and clinical information to be used in genetic research studies: yes $\ \square$ no $\ \square$
Place and Date	_;// 20 Signature
Place and Date	;// 20 Signature

Physician signature _____



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

INDEX PATIENT/ FAMILIAR INFORMATION (obligatory field, delete as applicable)


Name:		; Date of birth	очно чество пество пест	Identification Label / Barcode
_	☐ F Ethnicity and geographical c			Place here the identification label
father	Consultancy Refer	ral Number:		
	ARAKA BERBARAN BARBARAN BERBARAR BERBARAR BERBARAR BERBARAR BERBARARA BERBARAR BARBARARAR BARBARARAR BARBARARA	ER LEGGEGGEGGEGGER ER EGGEGGER ER EGGEGGEGGER ER EGGEGGGGGER ER EGGEGGEGGER ER EGGEGGEGGER ER EGGEGGGGGER ER E		
SPECIMEN	SOURCE (obligatory field)			
	☐ Whole blood ☐ DNA	∆ ☐ Saliva		URGENT
PHYSICIAN	I INFORMATION (obligatory field)			
Physician		t est enten en en en transcolent en ten ten ten ten ten ten ten ten t		
Institution:		Departament:		
Telephone:	Fax: _	E	-mail:	
A CONTRACTOR OF THE PARTY OF TH	R TEST REQUESTED (obligatory f			
Evaluation of genetic variants in 56 genes that can be considered molecular risk markers predisposing for arterial hypertension, in particular genetic variants that are related with the regulation and / or dysfunction of the 1) renin-angiotensin-aldosterone system, 2) vascular endothelium 3) renal tubule, 4) signal transduction system, 5) sodium channels, 6) autonomous nervous system and 7) mendelian diseases associated with arterial hypertension				
- Full pane	: evaluation of 56 genes assoc	ciated with all the syste	ems	
- Phase 1 p	anel: evaluation of 35 genes a	associated with the sys	tems 1, 2, 3,	4, 5, 6 🛚
- Phase 2 բ	anel: evaluation of 33 genes a	associated with the sys	tems 1, 2, 3,	4, 7
PREVIOUS	GENETIC CONSULTANCY: D	ate/;	AGE OF DIA	GNOSTIC:

FAMILIAR INFORMATION



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

ĺ	Name:	
	Consultancy Referral Number:	
8		



Position in the tree	Name / Consultancy Referral Number	Clinical information and data of diagnostic

age (A) arterial hypertension (AHTN), AHTN in pregnancy, acute myocardial infarction (AMI), congestive heart failure (CHF), stroke (S), acute pulmonary edema (APE), peripheral artery disease (PAD), retinopathy (R), sudden death (SD)

Clinical information	Data
AHTN diagnostic date	(day) /(month) /(year), years
Age of AHTN diagnostic	
AP (previous to therapeutics)	(systolic)(diastolic) mmHg
Cardiac frequency (bpm)	
Physical activity (hours / week)	
AP (subsequent to therapeutics)	(systolic)(diastolic) mmHg
Antihypertensive therapeutics	
(dose frequency)	
Secondary AHTN - disease	renal \Box , endocrinology \Box , conjunctive tissue \Box , arterial vessels \Box
associated	



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

Name:	
Consultancy Referral Number:	

Associated risk factors	poor diet with high sodium intake \Box , fast food \Box , lack of physical activity \Box ,	
	smoking \Box , n^o cigarrets /day, n^o packs /day, stop smoking at	
	years, ethanolism □, stress □, anxiety □	
Associated diseases	metabolic syndrome \Box , diabetes mellitus \Box , dyslipidemia \Box , renal artery disease \Box ,	
	aortic diseases □	
T	ischemic stroke \square $^{(A)}$, hemorrhagic stroke \square $^{(A)}$; AMI \square $^{(A)}$, APE \square $^{(A)}$,	
Target organs (age in years)	angina \square $^{(A)}$, CHF \square $^{(A)}$, renal disease \square $^{(A)}$, , PAD \square $^{(A)}$, AHTN crisis \square $^{(A)}$	
AH pregnancy	preeclampsia □, eclampsia □, fetal losses □	
Chronic diseases		
Long life therapeutics		
Diagnostic Exams		
HgB, MCV, glycemia, urea, creatinine, uric acid, Na, K, Cl, Ca, P, Mg, CHOL, TRIG, HDL, LDL, APOB, VLDL, protein /albumin, vit.D, ACTH, TSH, T3, T4, PTH, renin, angiotensin, aldoesterone, cortisol, autoantibodies, autoantibodies, autoantibodies, autoantibodies, autoantibodies, creatinin, uric acid, urine II, Na, K, Cl, Ca, P (urinary), protein /albumin, urine metanephrines 24h		



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

	Name:
	Consultancy Referral Number:
ANNEX	
☐ Sample tubes labeled with index	case / patient / familiar information
$\hfill \square$ Whole blood (preferable) (Date	obtained: /), Conditions: 4mL or 2 X 3mL in K_2EDTA or K_3ED^{-1}
collection tube	
☐ DNA (Date obtained: /	/); VolumeµL; Concentration µg/mL; Purification Metho
; Conditions: minimum	
Saliva, Conditions: Ex: Oragene DNA	
Sanva, Conditions. Ex. oragene DNA	Collection at Genotes
or the genetic test specified in this r	ny/ my child's [name] biological sample request. I declare that I have been informed about genetic testing features and that I s of the cardiovascular genetic test regarding genetic analysis of molecular risk markers m giving permission.
give permission for the processing of	f the obtained digital data: yes \square no \square
give permission for the biological spe	ecimen and clinical information to be used in genetic research studies: yes $\ \square$ no $\ \square$
Place and Date	_;// 20 Signature
Place and Date	;// 20 Signature

Physician signature _____



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

INDEX PATIENT/ FAMILIAR INFORMATION (obligatory field, delete as applicable)


Name:		; Date of birth	очно чество пество пест	Identification Label / Barcode
_	☐ F Ethnicity and geographical c			Place here the identification label
father	Consultancy Refer	ral Number:		
	ARAKA BERBARAN BARBARAN BERBARAR BERBARAR BERBARAR BERBARAR BERBARARA BERBARAR BARBARARAR BARBARARAR BARBARARA	ER LEGGEGGEGGEGGER ER EGGEGGER ER EGGEGGEGGER ER EGGEGGGGGER ER EGGEGGEGGER ER EGGEGGEGGER ER EGGEGGGGGER ER E		
SPECIMEN	SOURCE (obligatory field)			
	☐ Whole blood ☐ DNA	∆ ☐ Saliva		URGENT
PHYSICIAN	I INFORMATION (obligatory field)			
Physician		t est enten en en en transcolent en ten ten ten ten ten ten ten ten t		
Institution:		Departament:		
Telephone:	Fax: _	E	-mail:	
A CONTRACTOR OF THE PARTY OF TH	R TEST REQUESTED (obligatory f			
in particular system, 2) v	genetic variants that are related	with the regulation and pule, 4) signal transduct	/ or dysfunction ion system, 5) s	ers predisposing for arterial hypertension, n of the 1) renin-angiotensin-aldosterone sodium channels, 6) autonomous nervous
- Full pane	: evaluation of 56 genes assoc	ciated with all the syste	ems	
- Phase 1 p	anel: evaluation of 35 genes a	associated with the sys	tems 1, 2, 3,	4, 5, 6 🛚
- Phase 2 բ	anel: evaluation of 33 genes a	associated with the sys	tems 1, 2, 3,	4, 7
PREVIOUS	GENETIC CONSULTANCY: D	ate/;	AGE OF DIA	GNOSTIC:

FAMILIAR INFORMATION



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

ĺ	Name:	
	Consultancy Referral Number:	
8		



Position in the tree	Name / Consultancy Referral Number	Clinical information and data of diagnostic

age (A) arterial hypertension (AHTN), AHTN in pregnancy, acute myocardial infarction (AMI), congestive heart failure (CHF), stroke (S), acute pulmonary edema (APE), peripheral artery disease (PAD), retinopathy (R), sudden death (SD)

Clinical information	Data
AHTN diagnostic date	(day) /(month) /(year), years
Age of AHTN diagnostic	
AP (previous to therapeutics)	(systolic)(diastolic) mmHg
Cardiac frequency (bpm)	
Physical activity (hours / week)	
AP (subsequent to therapeutics)	(systolic)(diastolic) mmHg
Antihypertensive therapeutics	
(dose frequency)	
Secondary AHTN - disease	renal \Box , endocrinology \Box , conjunctive tissue \Box , arterial vessels \Box
associated	



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

Name:	
Consultancy Referral Number:	

Associated risk factors	poor diet with high sodium intake \Box , fast food \Box , lack of physical activity \Box ,	
	smoking \Box , n^o cigarrets /day, n^o packs /day, stop smoking at	
	years, ethanolism □, stress □, anxiety □	
Associated diseases	metabolic syndrome \Box , diabetes mellitus \Box , dyslipidemia \Box , renal artery disease \Box ,	
	aortic diseases □	
T	ischemic stroke \square $^{(A)}$, hemorrhagic stroke \square $^{(A)}$; AMI \square $^{(A)}$, APE \square $^{(A)}$,	
Target organs (age in years)	angina \square $^{(A)}$, CHF \square $^{(A)}$, renal disease \square $^{(A)}$, , PAD \square $^{(A)}$, AHTN crisis \square $^{(A)}$	
AH pregnancy	preeclampsia □, eclampsia □, fetal losses □	
Chronic diseases		
Long life therapeutics		
Diagnostic Exams		
HgB, MCV, glycemia, urea, creatinine, uric acid, Na, K, Cl, Ca, P, Mg, CHOL, TRIG, HDL, LDL, APOB, VLDL, protein /albumin, vit.D, ACTH, TSH, T3, T4, PTH, renin, angiotensin, aldoesterone, cortisol, autoantibodies, autoantibodies, autoantibodies, autoantibodies, autoantibodies, creatinin, uric acid, urine II, Na, K, Cl, Ca, P (urinary), protein /albumin, urine metanephrines 24h		



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

	Name:
	Consultancy Referral Number:
ANNEX	
☐ Sample tubes labeled with index	case / patient / familiar information
$\hfill \square$ Whole blood (preferable) (Date	obtained: /), Conditions: 4mL or 2 X 3mL in K_2EDTA or K_3ED^{-1}
collection tube	
☐ DNA (Date obtained: /	/); VolumeµL; Concentration µg/mL; Purification Metho
; Conditions: minimum	
Saliva, Conditions: Ex: Oragene DNA	
Sanva, Conditions. Ex. oragene DNA	Collection at Genotes
or the genetic test specified in this r	ny/ my child's [name] biological sample request. I declare that I have been informed about genetic testing features and that I s of the cardiovascular genetic test regarding genetic analysis of molecular risk markers m giving permission.
give permission for the processing of	f the obtained digital data: yes \square no \square
give permission for the biological spe	ecimen and clinical information to be used in genetic research studies: yes $\ \square$ no $\ \square$
Place and Date	_;// 20 Signature
Place and Date	;// 20 Signature

Physician signature _____



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

INDEX PATIENT/ FAMILIAR INFORMATION (obligatory field, delete as applicable)


Name:		; Date of birth	очно чество пество пест	Identification Label / Barcode
_	☐ F Ethnicity and geographical c			Place here the identification label
father	Consultancy Refer	ral Number:		
	ARAKA BERBARAN BARBARAN BERBARAR BERBARAR BERBARAR BERBARAR BERBARARA BERBARAR BARBARARAR BARBARARAR BARBARARA	ER LEGGEGGEGGEGGER ER EGGEGGER ER EGGEGGEGGER ER EGGEGGGGGER ER EGGEGGEGGER ER EGGEGGEGGER ER EGGEGGGGGER ER E		
SPECIMEN	SOURCE (obligatory field)			
	☐ Whole blood ☐ DNA	∆ ☐ Saliva		URGENT
PHYSICIAN	I INFORMATION (obligatory field)			
Physician		t est enten en en en transcolent en ten ten ten ten ten ten ten ten t		
Institution:		Departament:		
Telephone:	Fax: _	E	-mail:	
A CONTRACTOR OF THE PARTY OF TH	R TEST REQUESTED (obligatory f			
in particular system, 2) v	genetic variants that are related	with the regulation and pule, 4) signal transduct	/ or dysfunction ion system, 5) s	ers predisposing for arterial hypertension, n of the 1) renin-angiotensin-aldosterone sodium channels, 6) autonomous nervous
- Full pane	: evaluation of 56 genes assoc	ciated with all the syste	ems	
- Phase 1 p	anel: evaluation of 35 genes a	associated with the sys	tems 1, 2, 3,	4, 5, 6 🛚
- Phase 2 բ	anel: evaluation of 33 genes a	associated with the sys	tems 1, 2, 3,	4, 7
PREVIOUS	GENETIC CONSULTANCY: D	ate/;	AGE OF DIA	GNOSTIC:

FAMILIAR INFORMATION



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

Name:	
Consultancy Referral Number: _	



Position in the tree	Name / Consultancy Referral Number	Clinical information and data of diagnostic

age (A) arterial hypertension (AHTN), AHTN in pregnancy, acute myocardial infarction (AMI), congestive heart failure (CHF), stroke (S), acute pulmonary edema (APE), peripheral artery disease (PAD), retinopathy (R), sudden death (SD)

Clinical information	Data
AHTN diagnostic date	(day) /(month) /(year),years
Age of AHTN diagnostic	
AP (previous to therapeutics)	(systolic) (diastolic) mmHg
Cardiac frequency (bpm)	
Physical activity (hours / week)	
AP (subsequent to therapeutics)	(systolic) (diastolic) mmHg
Antihypertensive therapeutics	
(dose frequency)	
Secondary AHTN - disease	renal \Box , endocrinology \Box , conjunctive tissue \Box , arterial vessels \Box
associated	



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

Name:	`
Consultancy Referral Number:	_

Associated risk factors	poor diet with high sodium intake \Box , fast food \Box , lack of physical activity \Box ,
	smoking \Box , no cigarrets /day, no packs /day, stop smoking at
	years, ethanolism \Box , stress \Box , anxiety \Box
Associated diseases	metabolic syndrome \Box , diabetes mellitus \Box , dyslipidemia \Box , renal artery disease \Box ,
	aortic diseases \square
	ischemic stroke \square $^{(A)}$, hemorrhagic stroke \square $^{(A)}$; AMI \square $^{(A)}$, APE \square $^{(A)}$,
Target organs (age in years)	angina \square $^{(A)}$, CHF \square $^{(A)}$, renal disease \square $^{(A)}$, , PAD \square $^{(A)}$, AHTN crisis \square
	^(A)
AH pregnancy	preeclampsia \Box , eclampsia \Box , fetal losses \Box
Chronic diseases	
Long life therapeutics	
Diagnostic Exams	
, Mg CHOL, TRIG ACTH, TSH, autoan - urea, creatinin, uric acid - protein /albumin - ECG (alterations) - Echocardiography (alterations) - Radiography of chest (alterations)	, urea, creatinine, uric acid, Na, K, Cl, Ca, P , HDL, LDL, APOB, VLDL, protein /albumin, vit.D,, T3, T4, PTH, renin, angiotensin, aldoesterone thecolamines, blood glomerular flitration rate tibodies, urine II, Na, K, Cl, Ca, P
Boppier dicresseria or carotia	
- Doppler ultrasound of lower limb arte	
- Doppler ultrasound of lower limb arte - Ambulatory blood pressure (alterations)	ries ^(alterations)
 Doppler ultrasound of lower limb arte Ambulatory blood pressure (alterations) Cardiac exercise stress test (alterations) 	ries (alterations)
- Doppler ultrasound of lower limb arte - Ambulatory blood pressure (alterations) Cardiac exercise stress test (alterations) TAC/Angio-TAC	ries (alterations)



MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

	F .
	Name:
	Consultancy Referral Number:
ANNEX	
Sample tubes labeled with index	x case / patient / familiar information
☐ Whole blood (preferable) (Date	e obtained: / /), Conditions: 4mL or 2 X 3mL in $K_2 EDTA$ or $K_3 EDTA$
collection tube	
☐ DNA (Date obtained: /	/); VolumeμL; Concentration μg/mL; Purification Meth
; Conditions: minimul	111 30011g 01 3311g/pt,
Saliva, Conditions: Ex: Oragene DN	
Saliva, Conditions: Ex: Oragene DN INFORMED CONSENT INFOR hereby authorize the collection of the genetic test specified in this understand the benefits and limitation	MATION (IT IS MANDATORY TO BE SIGNED) my/ my child's
Saliva, Conditions: Ex: Oragene DN INFORMED CONSENT INFOR Thereby authorize the collection of the genetic test specified in this understand the benefits and limitation for arterial hypertension for which I are	MATION (IT IS MANDATORY TO BE SIGNED) my/ my child's
Saliva, Conditions: Ex: Oragene DN INFORMED CONSENT INFOR Thereby authorize the collection of the genetic test specified in this understand the benefits and limitation for arterial hypertension for which I are give permission for the processing of the processing	MATION (IT IS MANDATORY TO BE SIGNED) my/ my child's
INFORMED CONSENT INFOR I hereby authorize the collection of of the genetic test specified in this understand the benefits and limitation for arterial hypertension for which I are I give permission for the processing of I give permission for the biological specified in the processing of the processing of I give permission for the biological specified in the processing of I give permission for the biological specified in the processing of the processing of I give permission for the biological specified in the processing of I give permission for the biological specified in the processing of I give permission for the biological specified in the processing of I give permission for the biological specified in the processing of I give permission for the biological specified in the processing of I give permission for the biological specified in the processing of I give permission for the biological specified in the processing of I give permission for the biological specified in this processing of I give permission for the biological specified in this processing of I give permission for the biological specified in the processing of I give permission for the biological specified in the processing of I give permission for the biological specified in the processing of I give permission for the biological specified in the processing of I give permission for the biological specified in the processing of I give permission for the proces	MATION (IT IS MANDATORY TO BE SIGNED) my/ my child's