

DIPLOMATIC WORKING DOCUMENT

Stability First

14-Day Implementation Directive

A Treaty-Ready Legal Implementation Manual

Calibrated for the 14-Point MoU and 30-Day Deferred Window

Version 1.0 | May 2026

FOR AUTHORIZED NEGOTIATORS ONLY

Table of Contents

Right-click and select "Update Field" to refresh page numbers

Executive Summary..... 3

Section 1: Governing Principles and Legal Framework..... 3

1.1 Waltz Philosophy Codified..... 3

1.2 Synchronized Reciprocal Motion Legal Text..... 4

1.3 Modular Architecture and Independent Tracks..... 4

1.4 Sovereignty Preservation Principles..... 4

Section 2: MHS-005 Multinational Maritime Shield Integration..... 4

2.1 Legal Integration Framework..... 4

2.2 Command and Control Protocols..... 5

2.3 Trigger Thresholds and Compliance Definitions..... 5

2.4 Technical SOPs..... 6

Section 3: MHS-013 Omani-Hosted De-Confliction Hotline..... 6

3.1 Three-Tier Hotline Architecture..... 6

3.2 Operational Protocols and Response Times..... 7

3.3 Escalation Matrix..... 7

Section 4: MHS-011 Synchronized Day-7 Dual Blockade Lift..... 8

4.1 Minute-by-Minute Choreography..... 8

4.2 Verification Checkpoints..... 9

4.3 Failure Contingencies..... 9

Section 5: MHS-016 IRGC-Navy Force Posture Adjustment..... 10

5.1 Withdrawal Protocols and Geofencing..... 10

5.2 Reciprocal US Force Distancing..... 10

5.3 Monitoring and Verification..... 11

Section 6: MHS-012 Electronic Warfare Shield Protocol..... 11

6.1 Non-Kinetic Response Framework..... 11

6.2 Graduated Response Ladder..... 12

Section 7: Compliance Definitions and Trigger Thresholds..... 12

7.1 Material Breach Definitions..... 12

7.2 Tiered Risk Appetite Framework..... 13

Section 8: Dispute Jurisdiction and Arbitration..... 13

Section 9: Escrow Mechanics and Financial Verification.....	14
Section 10: Inspection Forms and Verification Protocols.....	14
Appendix A: Day-by-Day Implementation Calendar.....	16
Appendix B: Emergency Contact Directory.....	16
Appendix C: Standard Operating Procedure Templates.....	17

Executive Summary

This document is the treaty-ready legal implementation manual for the Stability First Enhanced Accord 14-Day Opening (Stage One, Days 1-14). It converts the sophisticated policy engineering of the Modular Hormuz Solutions Annex v1.0 into executable, legally-binding provisions that can be signed, verified, and enforced by the Parties, the Pakistani Guarantor, the Omani Technical Channel, and the Swiss Financial Channel.

As of May 10, 2026, the United States and the Islamic Republic of Iran stand at the closest point to a durable agreement since hostilities began on February 28, 2026. The 14-point Memorandum of Understanding, mediated by Pakistan and negotiated by Presidential envoys, adopts a deferred sequencing model: ending the active war and reopening the Strait of Hormuz immediately, while moving complex nuclear technicalities into a 30-day negotiation period.

This Directive operationalizes five critical Hormuz governance modules identified as the bridging combination most likely to resolve the current impasse:

- MHS-005: Multinational Maritime Shield Integration - folds the UK/French-led 40-nation European coalition into the Joint Hormuz Authority structure, preventing unilateral blockade runs while institutionalizing European naval presence as a peacekeeping force.
- MHS-013: Omani-Hosted 24/7 De-Confliction Hotline Network - establishes a three-tier, trilingual hotline system in Muscat preventing accidental escalation between the IRGC-Navy and Western fleets.
- MHS-011: Synchronized Day-7 Dual Blockade Lift Protocol - the single most critical mechanical element: both governments lift their respective blockades simultaneously at 0000 GMT on Day 7, satisfying the Waltz Philosophy of synchronized reciprocal motion.
- MHS-016: IRGC-Navy Force Posture Adjustment Protocol - withdraws IRGC small craft to 5 nautical miles from the transit corridor in exchange for guaranteed US force distancing from Iranian territorial waters.
- MHS-012: Electronic Warfare (Non-Kinetic) Shield Protocol - neutralizes drone and small-boat threats through jamming and spoofing rather than explosive engagement, reducing escalation risk.

This document provides: (a) full draft legal text for each module, (b) trigger thresholds and compliance definitions, (c) dispute jurisdiction mechanisms, (d) escrow mechanics, (e) standardized inspection forms, and (f) technical SOP-style appendices. It represents the transition from policy engineering to treaty-ready legal implementation.

Section 1: Governing Principles and Legal Framework

Every provision in this Directive is governed by the following foundational legal principles. These are

not aspirational statements; they are structural rules that ensure the agreement survives implementation and creates irreversible facts on the ground.

1.1 Waltz Philosophy Codified

The Waltz Philosophy of synchronized reciprocal motion is hereby codified as a binding legal obligation upon both Parties. The principle is structurally defined as follows:

Article 1.1 - Principle of Synchronized Reciprocal Motion (a) **NEITHER PARTY MOVES ALONE.** Every commitment by the Islamic Republic of Iran shall be matched by a corresponding commitment by the United States of America on the same day or the next sequential day, and vice versa. (b) **VERIFICATION IS SHARED.** No single verification channel shall trigger or block compliance determinations on its own. Every material finding requires convergent evidence from at least two independent verification channels. (c) **STRUCTURAL SIMULTANEITY.** Both governments shall issue identical written declarations to the Pakistani Guarantor, the Omani Technical Channel, and the Swiss Financial Channel committing to synchronized action. Either Party failure to issue its declaration within the specified timeframe shall constitute a Technical Delay (Tier 3) under the Risk Appetite Framework, not a Material Breach. (d) **NO UNILATERAL FIRST-MOVER DISADVANTAGE.** No Party shall be required to perform any obligation under this Directive until the corresponding obligation of the other Party has been certified as ready for performance by the Joint Implementation Group (JIG) or its designee.

1.2 Synchronized Reciprocal Motion - Legal Text

The following provisions establish the legal mechanics of synchronized motion for each module:

Article 1.2 - Mechanics of Synchronized Reciprocal Motion (a) **IDENTICAL WRITTEN DECLARATIONS.** On the day of activation for any module under this Directive, both Parties shall issue identical written declarations to: (i) The Office of the Prime Minister of the Islamic Republic of Pakistan (Pakistani Guarantor); (ii) The Ministry of Foreign Affairs of the Sultanate of Oman (Omani Technical Channel); (iii) The Federal Department of Foreign Affairs of the Swiss Confederation (Swiss Financial Channel). (b) **DECLARATION CONTENT.** Each declaration shall specify: (1) the module being activated; (2) the exact GMT timestamp of activation; (3) the specific actions to be taken by the declaring Party; (4) the corresponding actions expected from the other Party; and (5) the verification method. (c) **CERTIFICATION PROTOCOL.** Within 6 hours of receiving both declarations, the Pakistani Guarantor shall issue a Certification of Synchronized Intent confirming that both declarations are materially congruent. In the event of material incongruence, the Pakistani Guarantor shall convene an emergency JIG session within 12 hours. (d) **DEFAULT SAFEGUARD.** If either Party fails to issue its declaration within 24 hours of the scheduled activation time, the Joint Implementation Group shall activate a Trigger Dampening Window (48 hours) during which neither Party shall take unilateral action and all module activations shall be suspended pending resolution.

1.3 Modular Architecture and Independent Tracks

This Directive operates through independent modules. Failure in one module does not collapse the others. If nuclear verification encounters a dispute, Hormuz transit continues. If sanctions relief faces a delay, the ceasefire holds.

Article 1.3 - Modular Independence and Graceful Degradation (a) **INDEPENDENT MODULE STATUS.**

Each module (MHS-005, MHS-013, MHS-011, MHS-016, MHS-012) operates as an independent legal instrument. Progress or failure in one module does not affect the legal validity of any other module. (b) GRACEFUL DEGRADATION. In the event of a module failure, the remaining modules shall continue in force. The Joint Implementation Group shall convene within 24 hours to determine whether the failed module can be replaced by an alternative pathway from the Modular Hormuz Solutions Annex v1.0. (c) HUMANITARIAN FIREWALL. The Humanitarian Track (MHS-023, Zero-Toll Fast Track) operates at full capacity at all times and cannot be paused regardless of disputes in other modules. Any attempt to impede humanitarian transit shall constitute a Tier 1 (Zero Tolerance) event.

1.4 Sovereignty Preservation Principles

Article 1.4 - Sovereignty Preservation (a) CONSTITUTIONAL SUPREMACY. This Directive does not supersede any constitution. It does not create supranational authority. It does not impair sovereign defense rights. (b) NPT RIGHTS. Iran rights under Article IV of the Treaty on the Non-Proliferation of Nuclear Weapons are preserved. The United States treaty commitments to Gulf Cooperation Council partners are preserved. (c) DOMESTIC CHARACTERIZATION. Neither recognition nor surrender. Each government may characterize the outcome in terms that serve its domestic political requirements, provided that objective benchmarks and verification metrics are met. (d) IRGC STATUS. Nothing in this Directive shall be construed as requiring the designation, de-designation, or reclassification of the Islamic Revolutionary Guard Corps by any Party or third state.

Section 2: MHS-005 - Multinational Maritime Shield Integration

Module MHS-005 formally folds the United Kingdom/French-led 40-nation European coalition - including the Charles de Gaulle carrier group and HMS Dragon - into the Joint Hormuz Authority (JHA) governing structure as an Integrated Maritime Force under Council political direction. This module transforms a potential spark for wider war into an institutionalized peacekeeping and convoy-protection force.

2.1 Legal Integration Framework

Article 2.1 - Integration of the European Coalition (a) DEFINITIONS. For the purposes of this Article: 'European Coalition' means the naval and maritime forces deployed by the United Kingdom, the French Republic, and associated partner nations to the Persian Gulf and Strait of Hormuz region as of May 10, 2026, under the operational command structure led by the Charles de Gaulle carrier group. 'Integrated Maritime Force (IMF)' means the European Coalition naval forces after formal integration into the JHA command structure as set forth herein. (b) POLITICAL DIRECTION. The Integrated Maritime Force shall operate under the political direction of the Joint Hormuz Authority Council. Operational command shall remain with the respective national commanders of the European Coalition, but political objectives, rules of engagement, and area of operations shall be determined by JHA Council resolution. (c) COUNCIL COMPOSITION. The JHA Provisional Council shall comprise: (i) The United States of America - Permanent Voting Member; (ii) The Islamic Republic of Iran - Permanent Voting Member; (iii) The GCC Rotating Chair (Oman, Qatar, or UAE, annually) - Permanent Voting Member with tie-breaking authority; (iv) The European Union - Observer with speaking rights, no vote; (v) The United Kingdom and French Republic - Joint Observer status with speaking rights on matters concerning the Integrated Maritime Force; (vi) The People Republic of

China - Technical Observer; (vii) The UN Secretary-General Special Envoy - Neutral Chair, non-voting, tie-breaking on procedural matters. (d) INTEGRATION TIMELINE. Day 1: Force integration agreement negotiation commences at the MCC in Muscat. Day 3: Command and control protocols finalized. Day 7: First joint patrol operations under JHA flag. Day 14: Full integration under JHA Council operational.

2.2 Command and Control Protocols

Article 2.2 - Command, Control, and Communications (C3) (a) CHAIN OF COMMAND. All Integrated Maritime Force operations shall follow this chain: (1) JHA Council (political direction) -> (2) MCC Muscat (operational coordination) -> (3) National Force Commanders (tactical execution). (b) RULES OF ENGAGEMENT (ROE). The following ROE shall govern all IMF operations: ROE-1: DEFENSIVE POSTURE ONLY. IMF vessels shall not initiate offensive operations against Iranian military assets except in response to an imminent threat to life. ROE-2: PROPORTIONAL RESPONSE. Any defensive action shall be strictly proportionate to the threat. ROE-3: JHA CLEARANCE REQUIRED. Beyond defensive measures, all kinetic operations require express clearance from the MCC Muscat and notification to both US and Iranian Council representatives. ROE-4: IRGC-NAVY DISTANCING. IMF vessels shall maintain a minimum distance of 3 nautical miles from IRGC-Navy small craft unless expressly authorized by the De-Confliction Hotline (MHS-013). (c) AREA OF OPERATIONS. The IMF shall operate within the Hormuz Maritime Security Zone (HMSZ), defined as a 12-nautical-mile transit corridor through the Strait. All IMF vessels must register with MCC, maintain AIS broadcast, and follow designated transit lanes. (d) CONVOY PROTECTION MANDATE. The IMF primary mission is convoy protection and mine clearance coordination. The IMF shall escort commercial vessel convoys on fixed schedules through the HMSZ in coordination with Iranian Navy and Omani Coast Guard vessels.

2.3 Trigger Thresholds and Compliance Definitions

Trigger ID	Trigger Condition	Tier Classification	Response Protocol
T-2.3-1	IMF vessel enters Iranian territorial waters (<12nm) without JHA clearance	Tier 2 - Minimal Tolerance	Immediate withdrawal order from MCC; 30-day Panel review; incident report to JIG
T-2.3-2	IMF vessel initiates kinetic engagement against IRGC-Navy without clearance	Tier 1 - Zero Tolerance	Immediate ceasefire order; IMF commander recall; full JIG investigation
T-2.3-3	European Coalition vessel fails to register with MCC within 48 hours of deployment	Tier 3 - Managed Tolerance	Technical assistance period of 72 hours; extended timeline; guarantor mediation
T-2.3-4	IMF vessel maintains AIS silence for >4 hours in HMSZ	Tier 2 - Minimal Tolerance	MCC query within 1 hour; if unresolved after 4 hours, presumed Tier 2 event
T-2.3-5	Iranian naval vessel interferes with IMF convoy protection operations	Tier 2 - Minimal Tolerance	Hotline activation (MHS-013); MCC emergency session within 2 hours
T-2.3-6	Failure to achieve full IMF integration by Day 14	Tier 3 - Managed Tolerance	30-day remediation window; Stage 1 closing contingent on provisional integration verified

2.4 Technical SOPs

SOP-MHS-005-01: Joint Patrol Coordination. Daily patrol schedules shall be published by MCC Muscat at 1800 GMT for the following 24-hour period. Patrol composition shall include at minimum one Iranian Navy vessel, one European Coalition vessel, and one Omani-flagged vessel. Patrol routes shall be pre-approved by all three permanent Council members.

SOP-MHS-005-02: Incident Reporting. Any incident involving an IMF vessel and an Iranian military vessel shall be reported to MCC within 15 minutes via the Tier 1 operational hotline. A written incident report shall be filed within 2 hours. The JIG Discrepancy Panel shall review all incidents within 48 hours.

SOP-MHS-005-03: Force Rotation. European Coalition forces shall rotate on a 90-day cycle to prevent force fatigue. Rotation schedules require 14-day advance notice to MCC and approval by the JHA Council.

Section 3: MHS-013 - Omani-Hosted 24/7 De-Confliction Hotline Network

Module MHS-013 establishes a three-tier, 24/7 hotline system hosted in Muscat, operating in Arabic, English, and Farsi with certified military interpreters. This is a pure, zero-regret safety mechanism requiring no political concessions from either side while guaranteeing that if a drone misfires or a vessel strays, the fleets can communicate before they shoot.

3.1 Three-Tier Hotline Architecture

Article 3.1 - Omani-Hosted De-Confliction Hotline Network (a) ESTABLISHMENT. The Sultanate of Oman shall host and operate a 24/7 De-Confliction Hotline Network (the 'Hotline') from a secure facility in Muscat, under the authority of the JHA Maritime Coordination Cell. (b) THREE-TIER STRUCTURE. The Hotline shall operate through three distinct tiers: TIER 1 - OPERATIONAL CHANNEL (Naval Officers). Open 24/7. Staffed by naval liaison officers from all Parties. Languages: English (primary), Farsi, Arabic. Response time: <2 minutes. Purpose: real-time operational coordination, transit scheduling, proximity warnings, identification of unknown contacts. TIER 2 - DIPLOMATIC CHANNEL (Senior Military Liaisons). Open 24/7. Staffed by senior military attache and diplomatic liaisons from all Parties. Languages: English, Farsi, Arabic. Response time: <15 minutes. Purpose: de-escalation of Tier 1 incidents, clarification of intent, authorization for deviation from standard protocols. TIER 3 - HEADS OF GOVERNMENT CHANNEL (Omani Foreign Ministry). Available 24/7 with 30-minute activation. Access restricted to designated senior representatives of the US Department of State, the Iranian Supreme National Security Council, and the Omani Foreign Ministry. Languages: English, Farsi, Arabic. Purpose: resolution of incidents that threaten the ceasefire; authorization for emergency measures. (c) INTERPRETER CERTIFICATION. All Hotline interpreters shall be certified by the Omani Foreign Ministry for military/diplomatic terminology in at least two of the three operating languages. Interpreters shall sign confidentiality agreements and undergo security clearance. (d) RECORDING AND TRANSCRIPTION. All Tier 1 and Tier 2 communications shall be recorded and transcribed within 4 hours. Recordings shall be stored for 90 days and made available to the JIG Discrepancy Panel upon request. Tier 3 communications shall be summarized (not verbatim recorded) and distributed to JIG permanent members within 6 hours.

3.2 Operational Protocols and Response Times

Trigger ID	Trigger Condition	Tier Classification	Response Protocol
R-3.2-1	Tier 1 hotline call answered	<2 minutes	Continuous monitoring; penalty: MCC review if >5 minutes
R-3.2-2	Tier 2 escalation from Tier 1	<15 minutes	Automatic escalation if Tier 1 unresolved after 10 minutes
R-3.2-3	Tier 3 activation from Tier 2	<30 minutes	Omani Foreign Ministry duty officer notified within 5 minutes
R-3.2-4	Incident transcription completed	<4 hours	Distributed to all JIG permanent members
R-3.2-5	Daily hotline activity report	0600 GMT	Published to MCC and JIG Secretariat
R-3.2-6	Monthly hotline effectiveness review	First working day of month	JIG technical working group convenes

3.3 Escalation Matrix

Article 3.3 - Escalation Matrix LEVEL 1 - ROUTINE COORDINATION. Standard transit scheduling, convoy coordination, weather advisories. Handled at Tier 1. No escalation required. LEVEL 2 - PROXIMITY WARNING. Vessels from opposing forces within 2 nautical miles of each other. Tier 1 hotline activated automatically by MCC tracking systems. Both vessel commanders contacted within 2 minutes with course correction recommendations. LEVEL 3 - UNIDENTIFIED CONTACT. Vessel or drone detected in HMSZ without AIS broadcast or JHA clearance. Tier 1 hotline issues challenge. If no response within 10 minutes, escalated to Tier 2 with authorization for defensive Electronic Warfare measures (MHS-012). LEVEL 4 - POTENTIAL HOSTILE ACT. Vessel or drone exhibiting hostile behavior pattern (high-speed approach, radar lock, weapon system deployment). Tier 2 immediately activated. Non-kinetic countermeasures authorized (MHS-012). Kinetic response requires Tier 3 authorization unless imminent threat to life. LEVEL 5 - CEASEFIRE THREAT. Any incident involving actual weapons discharge, vessel damage, or personnel injury. Automatic Tier 3 activation. All offensive operations suspended by both Parties pending JIG emergency session within 4 hours.

Section 4: MHS-011 - Synchronized Day-7 Dual Blockade Lift Protocol

Module MHS-011 is the single most critical mechanical element of Stage One. It forces synchronized reciprocity: both governments issue identical written declarations to lift their respective blockades simultaneously at 0000 GMT on Day 7. Neither side 'surrenders' or goes first. It is the ultimate face-saving mechanism for two governments that cannot afford to appear weak domestically.

4.1 Minute-by-Minute Choreography

Article 4.1 - Synchronized Dual Blockade Lift Protocol (a) DEFINITIONS. 'US Naval Blockade' means the closure of Iranian commercial ports and the interdiction of Iranian shipping by United States naval forces as established under Operation Epic Fury and successor operations. 'Iranian Hormuz

Restrictions' means the limitations on transit through the Strait of Hormuz imposed by Iranian military and maritime authorities, including the tolling regime and corridor restrictions established by the Persian Gulf Strait Authority. 'Synchronized Lift' means the simultaneous, GMT-timed cessation of both the US Naval Blockade and the Iranian Hormuz Restrictions as set forth herein. (b) STEP 1 - DAY 1: WRITTEN DECLARATIONS (T-7 Days). Within 6 hours of the signing of the 14-Point MoU, both Parties shall issue identical written declarations to the Pakistani Guarantor, the Omani Technical Channel, and the Swiss Financial Channel committing to the synchronized lift on Day 7 at 0000 GMT. Each declaration shall include: (i) Exact GMT timestamp of the planned lift (Day 7, 0000 GMT); (ii) Specific actions to be taken by the declaring Party; (iii) Verification method for each action; (iv) Point of contact for real-time coordination; (v) Contingency contact for failure scenarios. (c) STEP 2 - DAYS 1-6: OPERATIONAL PREPARATION. The MCC in Muscat shall finalize Day 7 operational protocols. Iran transit-permit system shall transition to JHA-coordinated electronic clearance. The US Fifth Fleet shall establish coordination links with the Iranian Navy through the Omani-hosted hotline (MHS-013). Daily status reports shall be submitted to the Pakistani Guarantor. (d) STEP 3 - DAY 7, 0000 GMT: SIMULTANEOUS LIFT. At exactly 0000 GMT on Day 7, both lifts shall be declared operative simultaneously. The following actions occur in parallel: (i) The United States issues a CENTCOM operational order suspending all blockade enforcement activities at Iranian commercial ports; (ii) Iran issues a naval operations directive permitting full commercial transit through the Strait of Hormuz under JHA coordination; (iii) JHA observation vessels (US, Iranian, Omani flagged, with international observers) take station at Khasab and Bandar Abbas; (iv) The MCC activates 24/7 convoy coordination operations; (v) Lloyd List and UN OCHA begin independent transit monitoring. (e) STEP 4 - DAY 7, +24 HOURS: FIRST COMMERCIAL TRANSITS. The first commercial vessel transits in each direction under JHA observation. Lloyd List and UN OCHA confirm. JHA issues its first daily transit report. (f) STEP 5 - DAY 7, +72 HOURS: VERIFICATION CHECKPOINT. If either lift has not been independently verified by this point, the unlifted side lift commitment is suspended. The matter is referred to a JHA emergency session and the Pakistani Guarantor. Default: both blockades remain suspended until synchronization is achieved.

4.2 Verification Checkpoints

Trigger ID	Trigger Condition	Tier Classification	Response Protocol
V-4.2-1	US CENTCOM operational order issued	Day 7, 0000 GMT	CENTCOM operational order number communicated to MCC
V-4.2-2	Iranian naval directive issued	Day 7, 0000 GMT	Directive reference number communicated to MCC; Farsi text provided with English translation
V-4.2-3	JHA observation vessels on station	Day 7, 0000 +2h	Visual confirmation by MCC; AIS tracking active
V-4.2-4	First commercial transit - inbound	Day 7, +24h	Lloyd List confirmation; JHA escort log
V-4.2-5	First commercial transit - outbound	Day 7, +24h	Lloyd List confirmation; JHA escort log
V-4.2-6	72-hour synchronization verification	Day 7, +72h	Pakistani Guarantor + Omani Channel + Swiss Channel concurrent certification required
V-4.2-7	Cumulative 200 vessel transits achieved	Day 14	Lloyd List data + UN OCHA independent verification

4.3 Failure Contingencies

Article 4.2 - Failure Contingencies (a) US LIFT DELAYED. If the US Naval Blockade has not been verified as lifted by Day 7, +72 hours, the Iranian Hormuz Restrictions shall remain in place. The JHA emergency session shall convene within 12 hours. The Pakistani Guarantor shall have 48 hours to facilitate resolution. If unresolved, the matter is referred to the UN Security Council. (b) IRANIAN LIFT DELAYED. If the Iranian Hormuz Restrictions have not been verified as lifted by Day 7, +72 hours, the US Naval Blockade shall remain in place. Same JHA emergency session and Pakistani Guarantor timeline applies. (c) PARTIAL LIFT. If either Party lifts only a portion of its blockade (e.g., permits transit for certain vessel classes but not others), this shall be classified as a Tier 2 event. The partial lift shall be provisionally accepted, with a 7-day remediation window to achieve full lift. (d) SPOILER ATTACK. If a third-party actor (non-Party) attacks a transiting vessel during the lift period, the following protocol applies: (i) Both Parties immediately confirm the attack was not conducted by their forces; (ii) JHA emergency session convenes within 2 hours; (iii) IMF (MHS-005) authorized to provide enhanced convoy protection; (iv) Lift continues unless both Parties agree to temporary suspension.

Section 5: MHS-016 - IRGC-Navy Force Posture Adjustment Protocol

Module MHS-016 addresses the United States demand that IRGC small craft cease harassment of commercial vessels, while preserving Iran sovereign maritime rights. It achieves this through a reciprocal trade: Iran withdraws IRGC small craft to 5 nautical miles from the central transit corridor and ceases vessel boardings (except in JHA-coordinated scenarios), in exchange for a guaranteed US force minimum safe distance from Iranian territorial waters.

5.1 Withdrawal Protocols and Geofencing

Article 5.1 - IRGC-Navy Force Posture Adjustment (a) IRGC SMALL CRAFT WITHDRAWAL. Effective Day 1 of Stage One, the Islamic Revolutionary Guard Corps Navy (IRGC-Navy) shall withdraw all small craft (vessels under 25 meters length) from positions within 5 nautical miles of the central transit corridor of the Strait of Hormuz. (b) GEOGRAPHIC DEFINITION. The 'central transit corridor' is defined as the navigable channel between: Northern boundary: 26 degrees 34 minutes N, 056 degrees 15 minutes E to 26 degrees 34 minutes N, 056 degrees 25 minutes E Southern boundary: 26 degrees 28 minutes N, 056 degrees 15 minutes E to 26 degrees 28 minutes N, 056 degrees 25 minutes E This corridor shall be marked on all JHA navigation charts and published to Lloyd List within 48 hours of MoU signature. (c) IRGC POSITIONING AFTER WITHDRAWAL. Following withdrawal, IRGC-Navy small craft shall maintain positions: (i) No closer than 5 nautical miles from the central transit corridor centerline; (ii) Within Iranian territorial waters (12-nautical-mile limit); (iii) At designated anchorage points pre-approved by the JHA Council and published to all Parties. (d) BOARDING RESTRICTIONS. IRGC-Navy shall cease all vessel boarding operations within the Hormuz Maritime Security Zone except where: (i) Authorized by a JHA Council resolution; (ii) Conducted as part of a joint JHA-Iranian interdiction operation against confirmed sanctions violators; (iii) In response to a confirmed maritime security threat (piracy, terrorism, weapons smuggling) with MCC authorization. (e) EXCEPTION - IRGC-NAVY BASE OPERATIONS. Nothing in this Article shall restrict routine IRGC-Navy operations departing from or returning to established Iranian naval bases at Bandar Abbas, Qeshm Island, or Abu Musa, provided such transits are conducted along published

routes and registered with MCC.

5.2 Reciprocal US Force Distancing

Article 5.2 - United States Force Posture Reciprocity (a) **MINIMUM SAFE DISTANCE.** In reciprocal exchange for the IRGC-Navy withdrawal under Article 5.1, United States naval forces shall maintain a minimum distance of 8 nautical miles from Iranian territorial waters (12-nautical-mile baseline), except in the following circumstances: (i) JHA-authorized convoy escort operations within the HMSZ; (ii) Emergency search and rescue operations; (iii) Response to a confirmed maritime distress signal. (b) **PROJECT FREEDOM SUSPENSION.** Operation Project Freedom (the US Navy Hormuz escort operation) shall be suspended effective Day 1. US escort assets shall transition to JHA convoy support operations under MHS-005 no later than Day 7. (c) **RECONNAISSANCE NOTIFICATION.** US intelligence, surveillance, and reconnaissance (ISR) flights and naval patrols within 20 nautical miles of Iranian territorial waters shall be notified to the MCC 4 hours in advance through the Tier 1 hotline. Flight/patrol tracks shall be filed with MCC and shared with Iranian Navy liaison officers. (d) **COAST GUARD EXCEPTION.** Routine US Coast Guard maritime law enforcement operations (counter-piracy, search and rescue) beyond 15 nautical miles from Iranian territorial waters are exempt from notification requirements but must maintain AIS broadcast.

5.3 Monitoring and Verification

Trigger ID	Trigger Condition	Tier Classification	Response Protocol
T-5.3-1	IRGC small craft within 5nm of corridor centerline	Tier 2 - Minimal Tolerance	MCC proximity warning; IRGC command notification via Hotline; 2-hour compliance window
T-5.3-2	IRGC vessel conducts unapproved boarding in HMSZ	Tier 2 - Minimal Tolerance	Immediate MCC emergency session; vessel command identification required
T-5.3-3	US naval vessel within 8nm of Iranian territorial waters without authorization	Tier 2 - Minimal Tolerance	MCC proximity warning; US Fifth Fleet notification; 2-hour compliance window
T-5.3-4	ISR flight within 20nm without 4-hour advance notice	Tier 3 - Managed Tolerance	MCC log entry; US ISR coordination cell reminder; pattern review at JIG monthly
T-5.3-5	Pattern of >3 proximity violations by same unit within 72 hours	Escalation to Tier 2	Unit commander summoned to MCC for clarification; JIG notified
T-5.3-6	Verified IRGC withdrawal complete by Day 3	Stage 1 Milestone	Satellite imagery + JHA patrol confirmation required for Stage 1 closing

Section 6: MHS-012 - Electronic Warfare (Non-Kinetic) Shield Protocol

Module MHS-012 deploys electronic warfare (EW) and jamming systems to neutralize drone and small-boat threats non-kinetically, avoiding the diplomatic fallout and escalation risk of 'hard kill' missile interceptions. RF jamming, GPS spoofing, and directed-energy systems disable hostile

unmanned aerial systems without explosive engagement. This is a defensive technology layer that reduces escalation risk for both sides.

6.1 Non-Kinetic Response Framework

Article 6.1 - Electronic Warfare Shield Protocol (a) **PURPOSE.** The EW Shield Protocol provides a graduated, non-kinetic defensive capability to protect commercial shipping and naval forces within the Hormuz Maritime Security Zone from unmanned aerial systems (UAS), unmanned surface vessels (USV), and remotely-operated small craft threats. (b) **AUTHORIZED SYSTEMS.** The following Electronic Warfare capabilities are authorized under this Protocol: (i) **RF JAMMING** - Radio frequency jamming of UAS command-and-control links in the 2.4 GHz, 5.8 GHz, and L-band frequencies. Jamming shall be directional and limited to the minimum power necessary to neutralize the threat. (ii) **GPS SPOOFING** - Controlled GPS signal manipulation to cause incoming UAS to land or return to launch point. Spoofing shall be geographically contained and shall not affect civilian maritime GPS systems. (iii) **AIS MANIPULATION** - Authorized alteration of Automatic Identification System broadcasts to deceive hostile USVs regarding vessel position. Only JHA-authorized vessels may employ AIS manipulation. (iv) **DIRECTED ENERGY** - Low-power directed infrared countermeasures (DIRCM) against UAS electro-optical sensors. High-energy laser systems require Tier 3 authorization. (c) **DEPLOYMENT AUTHORITY.** EW systems shall be deployed by: (i) IMF vessels (MHS-005) - under JHA Council authorization; (ii) US Navy vessels - under CENTCOM authority, with 4-hour advance notification to MCC; (iii) Iranian Navy vessels - under Iranian naval authority, with 4-hour advance notification to MCC; (iv) JHA observation vessels - for protective purposes only. (d) **PROHIBITED SYSTEMS.** The following are EXPRESSLY PROHIBITED under this Protocol: (i) High-energy lasers capable of destroying manned vessels or aircraft; (ii) Electromagnetic pulse (EMP) weapons; (iii) Cyber weapons targeting Iranian critical infrastructure beyond maritime navigation systems; (iv) Any EW system that degrades civilian air traffic control, emergency services, or hospital communications.

6.2 Graduated Response Ladder

Article 6.2 - Graduated EW Response Ladder The response to any detected UAS/USV threat shall follow this graduated ladder, with each level requiring a higher authorization tier: **LEVEL 1 - MONITOR.** Detected UAS/USV at >5nm distance. Action: Track via radar and optical systems. Log contact with MCC. No jamming authorized. Hotline notification if contact closes to 3nm. **LEVEL 2 - JAM.** Detected UAS/USV at 2-5nm with hostile trajectory. Action: RF jamming of C2 link authorized by vessel commander. MCC notification within 5 minutes. GPS spoofing may be employed if jamming ineffective after 3 minutes. **LEVEL 3 - DISABLE.** Detected UAS/USV at <2nm with confirmed hostile intent (weapons visible, radar lock, swarm pattern). Action: Combined RF jamming + GPS spoofing + DIRCM. Kinetic point-defense weapons authorized only if non-kinetic measures fail and imminent threat to life exists. Tier 2 hotline activation mandatory. **LEVEL 4 - DESTROY.** Confirmed weaponized UAS/USV in terminal attack phase (<500m). Action: All defensive measures including kinetic point-defense authorized. Automatic Tier 3 hotline activation. Full incident report within 1 hour. JIG investigation within 24 hours.

Trigger ID	Trigger Condition	Tier Classification	Response Protocol
T-6.2-1	EW system affects civilian GPS/AIS beyond HMSZ	Tier 2 - Minimal Tolerance	Immediate system shutdown; JIG technical review; system recertification required
T-6.2-2	Use of prohibited EW system (EMP,	Tier 1 - Zero Tolerance	Immediate ceasefire review; system

Trigger ID	Trigger Condition	Tier Classification	Response Protocol
	high-energy laser, cyber weapon)		operator recall; JIG full investigation
T-6.2-3	Kinetic destruction of UAS before exhausting non-kinetic options	Tier 2 - Minimal Tolerance	Commander review; if unjustified, reassignment; JIG determination
T-6.2-4	Failure to notify MCC of EW deployment within 5 minutes	Tier 3 - Managed Tolerance	Log entry; command reminder; pattern review
T-6.2-5	EW system accidentally affects Iranian military communications	Tier 2 - Minimal Tolerance	Immediate Hotline notification; system adjustment; Iranian liaison consultation

Section 7: Compliance Definitions and Trigger Thresholds

This Section establishes the legally precise definitions of compliance, non-compliance, material breach, and the tiered risk appetite framework that governs responses to violations across all modules.

7.1 Material Breach Definitions

Article 7.1 - Definitions of Breach (a) **TECHNICAL DISCREPANCY**. A minor, unintentional deviation from a procedural requirement that does not materially affect the security, economic, or political objectives of the Directive. Examples include: reporting delays of <12 hours; minor positioning variances (<10% outside defined zones); transcription errors in documentation. (b) **MANAGED NON-COMPLIANCE**. A deviation that has limited impact on one module but does not cascade to others. Requires graduated response: technical assistance, extended timeline, guarantor mediation. Examples include: positioning violations that are corrected within 4 hours; hotline response delays <15 minutes beyond threshold; partial rather than full blockade lift. (c) **MATERIAL BREACH**. A significant violation that threatens the integrity of the Directive, undermines the ceasefire, or creates imminent risk of military escalation. Material breach triggers the full dispute resolution and potential snapback procedures. **MATERIAL BREACH SHALL BE DEFINED AS ANY OF THE FOLLOWING:** (i) Initiation of offensive military operations by either Party against the other; (ii) Resumption of uranium enrichment above 3.67% after Day 1 commitment; (iii) Diversion of HEU stockpile from IAEA custody after transfer; (iv) Complete failure to lift blockade by Day 7, +72 hours without JIG-approved justification; (v) Attack on IAEA inspectors or JHA observation vessels; (vi) Use of weapons of mass destruction or chemical/biological weapons; (vii) Commission of an act of terrorism against the other Party civilian population.

7.2 Tiered Risk Appetite Framework

The following table establishes the legally binding tiered response framework. Every module in this Directive maps its trigger thresholds to one of these five tiers:

Tier	Level	Example Triggers	Response
1	Zero Tolerance	Nuclear weapons-related activity; diversion of fissile material; attack on	Immediate snapback; highest escalation; UNSC notification within 2 hours

Tier	Level	Example Triggers	Response
		IAEA inspectors	
2	Minimal Tolerance	Enrichment above agreed limits by >20%; obstruction of IAEA access >72 hours; EW system misuse	Snapback presumed but rebuttable; 30-day Panel review
3	Managed Tolerance	Technical reporting delays; minor centrifuge discrepancies; disbursement timing issues	Graduated response: technical assistance, extended timeline, guarantor mediation
4	Strategic Flexibility	Political disagreements; domestic legislative delays; protocol interpretation disputes	Snapback PROHIBITED; diplomatic and guarantor-led resolution required
5	Absorbed Risk	Force majeure; natural disasters affecting compliance; neutral guarantor incapacity	No penalties; automatic 30-day Trigger Dampening Window

Article 7.2 - Tiered Response Protocol TIER 1 - ZERO TOLERANCE. Nuclear weapons-related activity; diversion of fissile material from IAEA custody; attack on IAEA inspectors or JHA vessels. RESPONSE: Immediate snapback of all sanctions and military measures; highest escalation pathway activated; UN Security Council notification within 2 hours. TIER 2 - MINIMAL TOLERANCE. Enrichment above agreed limits by >20%; obstruction of IAEA access >72 hours; EW system misuse affecting civilian infrastructure; naval proximity violations not corrected within 2 hours. RESPONSE: Snapback presumed but rebuttable; 30-day Discrepancy Panel review; graduated confidence-building measures suspended pending review. TIER 3 - MANAGED TOLERANCE. Technical reporting delays; minor centrifuge discrepancies; disbursement timing issues; hotline response delays; ISR notification failures. RESPONSE: Graduated response - technical assistance, extended timeline, guarantor mediation. No snapback. Other modules continue unaffected. TIER 4 - STRATEGIC FLEXIBILITY. Political disagreements; domestic legislative delays; protocol interpretation disputes. RESPONSE: Snapback PROHIBITED. Diplomatic and guarantor-led resolution required. JIG facilitation within 14 days. TIER 5 - ABSORBED RISK. Force majeure; natural disasters affecting compliance; neutral guarantor incapacity. RESPONSE: No penalties. Automatic Trigger Dampening Window of 30 days activated.

Section 8: Dispute Jurisdiction and Arbitration Framework

This Section establishes the legally binding mechanisms for resolving disputes arising from the interpretation, implementation, or enforcement of this Directive.

8.1 Joint Implementation Group

Article 8.1 - Joint Implementation Group (JIG) (a) ESTABLISHMENT. The JIG is the central coordination body for Stages 2 and 3, hosted in Geneva, Switzerland. (b) MEMBERSHIP. Permanent Members: United States, Iran, Pakistan, Oman, Switzerland. EU Observer with speaking rights. UN Special Envoy as neutral facilitator. PRC and GCC rotating chair join as observers in Stage 3. (c) VOTING. Material-breach determinations require majority of permanent members (US, Iran, Pakistan,

Oman, Switzerland). Pakistan serves as facilitating chair and casts a tie-breaking vote only in the event of a 2-2 deadlock among the other four permanent members. (d) MEETINGS. Plenary sessions every 30 days. Technical working groups in continuous session. Emergency sessions convened within 4 hours of a Tier 1 or Tier 2 event. (e) DECISIONS. JIG decisions on material breach, snapback activation, and module suspension are binding on both Parties. Decisions on protocol interpretation, timeline adjustment, and technical modifications are advisory unless both Parties expressly accept binding status.

8.2 Technical Discrepancy Panel

Article 8.2 - Technical Discrepancy Panel (a) COMPOSITION. Five technical experts: one nominated by each Party; one by the IAEA; one by the Pakistani Guarantor. The IAEA-nominated expert serves as chair. (b) MANDATE. Review all Tier 2 and Tier 3 events. Issue technical findings within 30 days. Recommendations are advisory to the JIG but carry significant procedural weight. (c) STANDARD OF PROOF. Technical findings based on preponderance of evidence. Material breach findings require clear and convincing evidence. Tier 1 (Zero Tolerance) findings require proof beyond reasonable doubt. (d) PROCEDURE. Either Party, the IAEA Director-General, or any JIG permanent member may refer a matter to the Panel. Both Parties shall cooperate with Panel requests for information, site access, and witness interviews.

8.3 Arbitration and Final Dispute Resolution

Article 8.3 - Binding Arbitration (a) ARBITRATION TRIBUNAL. Disputes not resolved by the JIG within 60 days shall be referred to a three-member arbitration tribunal constituted under the Permanent Court of Arbitration (PCA) Optional Rules for Arbitrating Disputes Between Two States. (b) TRIBUNAL COMPOSITION. Each Party appoints one arbitrator. The two party-appointed arbitrators jointly appoint the presiding arbitrator. If they fail to agree within 30 days, the PCA Secretary-General shall appoint the presiding arbitrator. (c) APPLICABLE LAW. The Tribunal shall apply: (1) this Directive and its Annexes; (2) the 14-Point MoU; (3) the UN Charter; (4) applicable rules of international law; (5) general principles of equity and good faith. (d) AWARDS. The Tribunal may issue interim measures to preserve the status quo during proceedings. Final awards are binding and not subject to appeal. Both Parties undertake to implement awards in good faith within the timeframe specified. (e) CONFIDENTIALITY. All arbitration proceedings shall be confidential unless both Parties agree to public disclosure. The Tribunal may publish redacted awards for the benefit of international jurisprudence.

Section 9: Escrow Mechanics and Financial Verification

This Section establishes the legally precise mechanics for the \$250 million pilot asset transfer, the sanctions relief tranche architecture, and the petroleum revenue escrow system.

9.1 Swiss Escrow Architecture

Article 9.1 - Swiss Escrow and Financial Verification (a) ESCROW AGENT. The Swiss Confederation, acting through its designated financial institution (the 'Escrow Agent'), shall establish and maintain escrow accounts for all asset transfers under this Directive. (b) ESCROW ACCOUNT STRUCTURE.

Three separate accounts shall be maintained: (i) PILOT ACCOUNT - for the \$250 million unconditional transfer (Day 1); (ii) TRANCHE ACCOUNT - for staged asset releases (Days 30, 44, 120, 180); (iii) PETROLEUM REVENUE ACCOUNT - for Iranian oil export revenue escrow. (c) PILOT TRANSFER - DAY 1. The \$250 million pilot transfer is unconditional and non-reversible. It is not a payment or reparations - it is the return of Iranian sovereign property. Transfer mechanism: (1) US Treasury OFAC issues General License authorizing the release; (2) Federal Reserve Bank of New York transfers funds to Swiss Escrow Agent; (3) Swiss Escrow Agent confirms receipt within 4 hours; (4) Swiss Escrow Agent transfers funds to Central Bank of Iran account within 24 hours; (5) Central Bank of Iran confirms receipt; (6) Pakistani Guarantor + Swiss Financial Channel issue concurrent certification. (d) NON-REVERSIBILITY. Once funds have been transferred to the Central Bank of Iran and confirmed, the transfer cannot be clawed back. This creates an irreversible fact on the ground generating domestic political space for Iranian negotiators and creating US interest in completion.

9.2 Tranche Release Architecture

Tranche	Timing	Amount	Trigger	Reversibility	Cumulative
Pilot	Day 1	\$250M	MoU signature	Non-reversible	\$250M
Tranche 1	Day 30	25% minus pilot	Stage 1 closed; IAEA custody verified	Non-reversible	~25%
Tranche 2	Day 44	25%	30-day compliance; moratorium ratified; HEU export plan confirmed	Non-reversible	50%
Tranche 3	Day 120	20%	IHTA operational; 30-day remediation opened	Subject to JIG review	70%
Tranche 4	Day 180	15%	180-day compliance; nuclear exchange maintained	Subject to material-breach review	85%
Reserve	Day 365	10%	12 months sustained compliance	Held pending material-breach determination	95%
RCSA Release	Year 2-3	Remainder	Full RCSA Phase 2-3 compliance	RCSA risk appetite framework	100%

9.3 Petroleum Revenue Escrow

Article 9.2 - Petroleum Revenue Escrow (a) ESCROW MECHANISM. All Iranian petroleum export revenue passing through Hormuz shall be deposited in the Petroleum Revenue Escrow Account with Swiss financial channel oversight. Revenue shall be released in micro-tranches linked to verified compliance milestones. (b) MICRO-TRANCHE SCHEDULE. Petroleum revenue shall be released in weekly tranches not exceeding \$500 million per tranche. Each tranche release requires: (i) IAEA certification of no enrichment above 3.67% for the preceding 7 days; (ii) JHA certification of uninterrupted Hormuz transit; (iii) MCC confirmation of no naval incidents in the preceding 7 days; (iv) Swiss Escrow Agent verification of deposit amount. (c) TRANSPARENCY PORTAL. A publicly accessible digital portal shall display real-time escrow balances, tranche release amounts, compliance milestone status, and audit results. The portal shall be hosted by the Swiss Escrow Agent and updated daily. (d) AUDIT RIGHTS. Both Parties, the IAEA, and the JIG shall have the right to audit all escrow accounts with 14 days notice. Annual audits shall be conducted by an internationally recognized accounting firm selected by mutual agreement.

Section 10: Inspection Forms and Verification Protocols

This Section provides standardized inspection forms, verification protocols, and certification templates used across all modules. These forms are designed for immediate operational use by inspectors, monitors, and liaison officers.

10.1 Form JHA-001: Daily Transit Verification Log

Form JHA-001: Daily Transit Verification Log

Field	Format/Entry	Notes
Date	[DD/MM/YYYY]	GMT timestamp of log entry
Log Entry Number	[JHA-001-YYYY-NNNN]	Sequential numbering
MCC Duty Officer	[Name/Rank/Service]	Signature required
Total Transits (Inbound)	[Number]	Lloyd List cross-reference
Total Transits (Outbound)	[Number]	Lloyd List cross-reference
Humanitarian Vessels	[Number]	UN OCHA verification
Iranian Export Convoys	[Number]	Reverse convoy log reference
Incidents Reported	[Number/Description]	Hotline log cross-reference
IRGC Proximity Alerts	[Number]	MHS-016 monitoring data
US Force Proximity Alerts	[Number]	MHS-016 monitoring data
Weather/Visibility	[Conditions]	Affecting transit safety
Certification	[Checkbox]	Verified by Omani observer + international observer

10.2 Form JHA-002: Force Posture Verification Report

Form JHA-002: Force Posture Verification Report

Field	Format/Entry	Notes
Inspection Date/Time	[DD/MM/YYYY HH:MM GMT]	
Inspecting Officer	[Name/Rank/Nationality]	JHA-certified inspector
Unit Inspected	[IRGC-Navy / US Navy / Other]	
Vessel Class/Name	[Identifier]	
Position (Lat/Lon)	[Coordinates]	GPS verified
Distance from Corridor Centerline	[Nautical miles]	MHS-016 threshold: 5nm
Distance from Iranian Territorial Waters	[Nautical miles]	MHS-016 threshold: 8nm
AIS Status	[Active/Inactive]	If inactive, reason required
Weapons Status	[Visible/Concealed/None]	
Hotline Registration	[Current/Expired/None]	MHS-013 verification

Field	Format/Entry	Notes
Compliance Determination	[Compliant / Non-Compliant / Under Review]	
Photographic Evidence	[Reference number]	If available
Inspector Signature	[Signature/Date]	

10.3 Form JHA-003: Hotline Incident Report

Form JHA-003: Hotline Incident Report

Field	Format/Entry	Notes
Incident Reference	[MHS-013-YYYY-NNNN]	Auto-generated
Date/Time of Incident	[DD/MM/YYYY HH:MM GMT]	
Tier Level	[1 / 2 / 3]	As defined in MHS-013 Article 3.1
Reporting Officer	[Name/Rank/Service]	
Incident Type	[Proximity/ID Contact/Hostile Act/Equipment Failure/Other]	
Parties Involved	[US/IRN/OMN/UK/FRA/Other]	All parties
Vessels/Aircraft Involved	[Identifiers]	
Location (Lat/Lon)	[Coordinates]	
Narrative Description	[Free text]	Factual account
Actions Taken	[Free text]	Response measures
Tier Escalation Required	[Yes/No]	If yes, timestamp
Follow-up Required	[Yes/No]	If yes, specify
Classification	[Routine/Sensitive/Ceasefire Threat]	

10.4 Form JHA-004: Synchronized Lift Verification Certificate

Form JHA-004: Synchronized Lift Verification Certificate

Field	Format/Entry	Notes
Certificate Number	[MHS-011-YYYY-NNNN]	
Verification Date/Time	[Day 7, HH:MM GMT]	
US Declaration Reference	[US-DECL-YYYY-NNNN]	
Iranian Declaration Reference	[IRN-DECL-YYYY-NNNN]	
Pakistani Guarantor Certification	[Confirmed/Not Confirmed]	Required for validity
Omani Channel Certification	[Confirmed/Not Confirmed]	Required for validity
Swiss Channel Certification	[Confirmed/Not Confirmed]	Required for validity
US Blockade Status	[Lifted/Partially Lifted/Not Lifted]	CENTCOM verification
Iranian Restriction Status	[Lifted/Partially Lifted/Not Lifted]	Iranian Navy verification

Field	Format/Entry	Notes
JHA Observation Vessels On Station	[Yes/No - count]	
First Commercial Transit Inbound	[Time/Vessel Name/Flag]	
First Commercial Transit Outbound	[Time/Vessel Name/Flag]	
72-Hour Checkpoint Status	[Pass/Fail/Pending]	If fail, refer to Article 4.2

Appendix A: Day-by-Day Implementation Calendar

The following calendar maps each module activation and verification event across the 14-Day Stage One opening. Every event includes the specific module reference, the responsible Party or institution, and the verification method.

Day	Module(s)	Responsible	Action and Verification
1	MHS-011, MHS-013, MHS-016, All	Both Parties	MoU signed. Written declarations issued. Ceasefire effective. \$250M pilot transfer initiated. IRGC withdrawal begins. Hotline activated. MCC operational.
2	MHS-005, MHS-016	JHA Council, Iran	European Coalition integration negotiations commence. IRGC withdrawal verification (satellite). First MCC patrol schedule published.
3	MHS-023, MHS-016, MHS-011	Iran, JHA	Humanitarian corridor opens. IRGC withdrawal Day 3 checkpoint. Daily coordination call #2 (blockade lift prep).
4	MHS-005, MHS-012	All navies	IMF command protocols finalized. EW systems deployed and tested. First joint patrol rehearsal.
5	MHS-011, MHS-013	MCC, Both Parties	Final blockade lift confirmation call. Hotline full staffing activated. JHA observation vessels on standby.
6	MHS-011	MCC, Both Parties	1200 GMT: Final confirmation call. 2200 GMT: Observation vessels deploy. 2330 GMT: Final readiness check - GREEN.
7	MHS-011 (CRITICAL), MHS-005, MHS-013	ALL	0000 GMT: SYNCHRONIZED LIFT. Both blockades lifted. JHA observation on station. First commercial transits (+24h).
8	MHS-011, MHS-005	MCC, Lloyd List	First commercial transit verification. Daily transit log initiated (Form JHA-001). IMF first joint patrol.
9	MHS-016, MHS-012	JHA inspectors	Force Posture Verification (Form JHA-002). EW shield operational check. Proximity alert review.
10	MHS-011	Pakistani Guarantor	72-HOUR CHECKPOINT. Certification of Synchronized Lift (Form JHA-004) or failure contingency protocol.
11	MHS-013, MHS-005	MCC	Hotline effectiveness review. IMF integration progress report. Weekly JIG technical report.
12	MHS-016, MHS-012	All navies	Force posture compliance review. EW incident log review (if any). Patrol effectiveness assessment.
13	All modules	JIG Secretariat	Comprehensive Stage 1 readiness review. All verification forms compiled. Pre-closing certification.
14	ALL (CLOSING)	Pakistan, Oman, Swiss, IAEA	STAGE ONE CLOSING. 200+ transits verified. IAEA custody confirmed. Ceasefire intact. Stage 2 (30-day window) begins.

Appendix B: Emergency Contact Directory

This directory contains the primary and secondary contact points for all institutions referenced in this Directive. All contact information is classified **CONFIDENTIAL - AUTHORIZED NEGOTIATORS ONLY**.

Institution	Role	Contact Details
Pakistani Guarantor	Primary Mediator / JIG Chair	Prime Minister Office, Islamabad. 24-hour hotline: [REDACTED]. Secure line: [REDACTED]
Omani Technical Channel	Maritime Coordination / Hotline Host	Ministry of Foreign Affairs, Muscat. MCC 24/7: [REDACTED]. Tier 3 hotline: [REDACTED]
Swiss Financial Channel	Escrow Agent / Asset Verification	Federal Dept. of Foreign Affairs, Bern. Escrow desk: [REDACTED]. Emergency: [REDACTED]
MCC Muscat	Operational Hub / 24/7 Coordination	Maritime Coordination Cell, Muscat. Primary: [REDACTED]. Secondary: [REDACTED]
US Fifth Fleet	Naval Coordination	Naval Support Activity Bahrain. JHA liaison: [REDACTED]. Emergency: [REDACTED]
Iranian Navy (IRIN)	Naval Coordination	Bandar Abbas Naval Base. JHA liaison: [REDACTED]. Hotline: [REDACTED]
IRGC-Navy	Force Posture Coordination	Qeshm Island Command. MHS-016 liaison: [REDACTED]. Emergency: [REDACTED]
IAEA Director-General	Nuclear Verification	Vienna International Centre. JIG nuclear cell: [REDACTED]. Emergency: [REDACTED]
UN OCHA	Humanitarian Coordination	UN OCHA Geneva. Hormuz desk: [REDACTED]. 24-hour: [REDACTED]
Lloyd List Intelligence	Independent Transit Verification	London. JHA data sharing: [REDACTED]. Verification desk: [REDACTED]

Appendix C: Standard Operating Procedure Templates

SOP Template 1: Joint Patrol Briefing

PURPOSE: Standardize pre-patrol briefings for all JHA-coordinated naval patrols.

FREQUENCY: Before every patrol sortie.

PARTICIPANTS: Patrol commander (rotating between US, Iranian, and Omani officers); MCC duty officer; hotline operator.

REQUIRED ITEMS:

(1) Patrol route map with waypoints and timing

- (2) Convoy schedule for patrol period
- (3) Current threat assessment (from JHA intelligence cell)
- (4) Hotline test (Tier 1 check-in)
- (5) Rules of Engagement card (laminated, one per vessel)
- (6) Emergency extraction procedures

BRIEFING SEQUENCE:

- Step 1: MCC duty officer reads patrol order
- Step 2: Patrol commander confirms vessel readiness and crew status
- Step 3: Hotline operator confirms connectivity with all patrol vessels
- Step 4: Threat assessment reviewed; known UAS/USV contacts highlighted
- Step 5: ROE card distributed; all officers sign acknowledgment
- Step 6: Emergency extraction procedures reviewed
- Step 7: MCC duty officer authorizes patrol commencement

DURATION: Maximum 20 minutes.

SOP Template 2: EW Shield Activation

PURPOSE: Standardize the authorization and execution of Electronic Warfare defensive measures.

AUTHORIZATION: Vessel commander (Level 1-2); MCC duty officer (Level 3); Tier 3 hotline (Level 4).

ACTIVATION SEQUENCE:

- Step 1: Threat detected - UAS/USV contact logged
- Step 2: Threat assessment - hostile/neutral/unknown (MHS-012 Article 6.2)
- Step 3: Authorization level determined
- Step 4: MCC notification (within 5 minutes of activation)
- Step 5: EW system activated per graduated ladder
- Step 6: Effectiveness assessment (within 3 minutes of activation)
- Step 7: If non-kinetic effective - log and continue
- Step 8: If non-kinetic ineffective - escalate authorization level
- Step 9: Post-event report filed within 1 hour (Form JHA-003)

DEACTIVATION: EW systems shall be deactivated immediately upon threat neutralization or MCC stand-down order.

CIVILIAN IMPACT CHECK: Before activating GPS spoofing, the operator shall verify no civilian vessels within 2nm are dependent on GPS navigation.

SOP Template 3: Hotline Tier Escalation

PURPOSE: Standardize the escalation process between hotline tiers.

TIER 1 to TIER 2 ESCALATION (Automatic):

Trigger: Tier 1 call unresolved after 10 minutes; incident involves potential weapons; caller requests

escalation.

Action: Tier 1 operator presses escalation button. Tier 2 duty officer paged automatically. Tier 2 must respond within 15 minutes.

Notification: MCC duty officer informed within 2 minutes. JIG log entry created.

TIER 2 to TIER 3 ESCALATION (Authorized):

Trigger: Incident threatens ceasefire; weapons discharge confirmed; personnel injury; both Party representatives request escalation.

Action: Tier 2 duty officer requests Tier 3 activation through Omani Foreign Ministry duty officer.

Notification: All JIG permanent members notified within 30 minutes. JHA emergency session convened within 4 hours.

DE-ESCALATION: Any tier may de-escalate upon mutual agreement of both Party representatives at the current tier. De-escalation does not remove the incident from JIG review.

SOP Template 4: Blockade Lift Coordination

PURPOSE: Ensure the synchronized Day-7 lift proceeds without timing discrepancies.

T-7 DAYS (Day 0): Both Parties issue written declarations.

T-6 to T-1 (Days 1-6): Daily coordination calls at 1000 GMT between US Fifth Fleet, Iranian Navy, and MCC. Each call confirms: (a) declaration still valid; (b) no changes to lift plan; (c) contingency contacts current.

T-12 HOURS (Day 6, 1200 GMT): Final confirmation call. Both Parties confirm lift will proceed as scheduled. MCC publishes final transit schedule for Day 7.

T-2 HOURS (Day 6, 2200 GMT): All JHA observation vessels depart station. All hotline operators go to full staffing. MCC activates 24-hour continuous operations.

T-30 MINUTES (Day 6, 2330 GMT): Final readiness check. Both Parties confirm 'GREEN' status to MCC. MCC issues 'STANDBY LIFT' order.

T-0 (Day 7, 0000 GMT): MCC issues 'LIFT ACTIVE' order. Both Parties execute simultaneously. MCC begins continuous monitoring.

T+2 HOURS (Day 7, 0200 GMT): First status report. Both Parties confirm lift executed. JHA observation vessels report on station.

T+24 HOURS (Day 8, 0000 GMT): First commercial transit verification. Lloyd List data cross-checked.

T+72 HOURS (Day 10, 0000 GMT): 72-hour checkpoint. Pakistani Guarantor issues Certification of Synchronized Lift or refers to failure contingency protocol.

Stability First

14-Day Implementation Directive

Version 1.0 | May 2026

FOR AUTHORIZED NEGOTIATORS ONLY

This document contains sensitive diplomatic materials.

Unauthorized distribution is prohibited.