

```
#!/usr/bin/env bash

# -----
# WealthFlow - setup & deploy script
# Usage:
#   chmod +x deploy.sh
#   ./deploy.sh          → interactive menu
#   ./deploy.sh setup    → install & run dev server
#   ./deploy.sh build    → production build only
#   ./deploy.sh vercel   → build + deploy to Vercel
#   ./deploy.sh netlify  → build + deploy to Netlify
# -----

set -euo pipefail

# --- Colours -----
GOLD="\033[38;5;178m"
GREEN="\033[0;32m"
RED="\033[0;31m"
BLUE="\033[0;34m"
MUTED="\033[0;90m"
BOLD="\033[1m"
RESET="\033[0m"

# --- Helpers -----
log() { echo -e "${GOLD}►${RESET} $*"; }
success() { echo -e "${GREEN}✓${RESET} $*"; }
error() { echo -e "${RED}✗ ERROR:${RESET} $*" >&2; exit 1; }
info() { echo -e "${MUTED} $*${RESET}"; }
heading() { echo -e "\n${BOLD}${GOLD}— $* —${RESET}\n"; }

# --- Banner -----
print_banner() {
  echo -e "${GOLD}"
  echo "  ███  ███ ████████ ████████ ██████████ ██████████ ██████████"
  echo "  ████ ██████████ ██████████ ██████████ ██████████ ██████████ ██████████"
  echo "  ████ ██████████ ██████████ ██████████ ██████████ ██████████ ██████████"
  echo "  ██████████ ██████████ ██████████ ██████████ ██████████ ██████████ ██████████"
  echo "  ██████████ ██████████ ██████████ ██████████ ██████████ ██████████ ██████████"
  echo "  ██████████ ██████████ ██████████ ██████████ ██████████ ██████████ ██████████"
  echo -e "${MUTED} Prosperity Academy - Deploy Script v1.0${RESET}\n"
}

# --- Check dependencies -----
check_deps() {
```

```

heading "Checking dependencies"

# Node.js
if ! command -v node &>/dev/null; then
    error "Node.js not found. Install from https://nodejs.org (v18+)"
fi
NODE_VER=$(node -v | sed 's/v//')
NODE_MAJOR=$(echo "$NODE_VER" | cut -d. -f1)
if [ "$NODE_MAJOR" -lt 18 ]; then
    error "Node.js v18+ required (found v$NODE_VER)"
fi
success "Node.js v$NODE_VER"

# npm
if ! command -v npm &>/dev/null; then
    error "npm not found"
fi
success "npm $(npm -v)"
}

# — Check / create .env —————
check_env() {
    heading "Environment variables"

    if [ ! -f ".env" ]; then
        log ".env not found – creating from template..."
        cat > .env <<'EOF'
# WealthFlow environment variables
# Replace these values before deploying to production

VITE_ADMIN_EMAIL=admin@wealthflow.io
VITE_ADMIN_PASS=admin1234
EOF
        echo -e "${RED}  ▲ Default credentials written to .env${RESET}"
        echo -e "${RED}      Change them before going live!${RESET}"
    else
        success ".env found"

        # Warn if default credentials are still in use
        if grep -q "admin1234" .env 2>/dev/null; then
            echo -e "${RED}  ▲ WARNING: Default password detected in .env${RESET}"
            echo -e "${RED}      Update VITE_ADMIN_PASS before deploying!${RESET}"
        fi
    fi

    # Ensure .env is gitignored
    if [ -f ".gitignore" ] && ! grep -q "^\.env$" .gitignore 2>/dev/null; then

```

```

    echo ".env" >> .gitignore
    success ".env added to .gitignore"
  fi
}

# — Install dependencies —————
install_deps() {
  heading "Installing packages"

  if [ ! -d "node_modules" ]; then
    log "Running npm install..."
    npm install
    success "Packages installed"
  else
    log "node_modules exists — running npm ci for clean install..."
    npm ci
    success "Packages up to date"
  fi
}

# — Dev server —————
run_dev() {
  heading "Starting dev server"
  success "Opening at http://localhost:5173"
  info "Press Ctrl+C to stop"
  echo ""
  npm run dev
}

# — Production build —————
run_build() {
  heading "Production build"

  log "Cleaning previous build..."
  rm -rf dist

  log "Building..."
  npm run build

  # Print bundle summary
  echo ""
  success "Build complete → dist/"
  echo ""
  du -sh dist/ 2>/dev/null && \
  echo -e "${MUTED} Files:$(find dist -type f | wc -l | tr -d ' '){RESET}"
}

```

```

# — Deploy to Vercel —————
deploy_vercel() {
    heading "Deploying to Vercel"

    if ! command -v vercel &>/dev/null; then
        log "Installing Vercel CLI..."
        npm install -g vercel
    fi
    success "Vercel CLI ready"

    run_build

    log "Deploying..."
    vercel --prod

    success "Deployed to Vercel!"
}

# — Deploy to Netlify —————
deploy_netlify() {
    heading "Deploying to Netlify"

    if ! command -v netlify &>/dev/null; then
        log "Installing Netlify CLI..."
        npm install -g netlify-cli
    fi
    success "Netlify CLI ready"

    run_build

    log "Deploying..."
    netlify deploy --prod --dir=dist

    success "Deployed to Netlify!"
}

# — Interactive menu —————
show_menu() {
    echo -e "${BOLD}What would you like to do?${RESET}\n"
    echo -e "  ${GOLD}1${RESET} Setup & run dev server"
    echo -e "  ${GOLD}2${RESET} Production build only"
    echo -e "  ${GOLD}3${RESET} Deploy to Vercel"
    echo -e "  ${GOLD}4${RESET} Deploy to Netlify"
    echo -e "  ${GOLD}5${RESET} Exit"
    echo ""
    read -rp "$(echo -e "${GOLD}►${RESET} Choice [1-5]: )" choice

```

```

case "$choice" in
    1) check_deps; check_env; install_deps; run_dev ;;
    2) check_deps; check_env; install_deps; run_build ;;
    3) check_deps; check_env; install_deps; deploy_vercel ;;
    4) check_deps; check_env; install_deps; deploy_netlify ;;
    5) echo -e "\n${MUTED}Goodbye.${RESET}\n"; exit 0 ;;
    *) error "Invalid choice: $choice" ;;
esac
}

# — Entry point —————
print_banner

case "${1:-menu}" in
    setup)  check_deps; check_env; install_deps; run_dev ;;
    build)  check_deps; check_env; install_deps; run_build ;;
    vercel) check_deps; check_env; install_deps; deploy_vercel ;;
    netlify) check_deps; check_env; install_deps; deploy_netlify ;;
    menu)   show_menu ;;
    *)      error "Unknown command: $1\nUsage: ./deploy.sh [setup|build|vercel|net
esac

```