

● TWIGLIT DESIGN SYSTEM V0.2 · MAY 2026

Twigl what matters between the AIs and people in your life.


A shared tree for people and the AIs they work with. Twigl what matters in from anywhere, share branches with the people who need them, and the AIs each of you use can read the tree and pick up where the last one left off.

This is the design system. Tokens, components, and rules shared across iOS, web, and marketing.

THE SPINE

Four bars stack the desktop chrome

Every screen on the desktop reads the same way, top down: who, where, what you can do, what's selected.
Stack the bars in this order, every time.



 **The bars are a vocabulary, not decoration.** Don't introduce a new grey, don't reorder them, and don't merge two into one. Each bar has one job — the body is white because everything else is grey.

PALETTE

White body, four greys, two greens, one berry, one ink. That's the whole brand.

Collapsed to what matters

Body #ffffff · --bg	Bar 1 #f2f2f2 · --bar-search	Bar 2 #e9e9e9 · --bar-location	Bar 3 #d7d7d7 · --bar-action	Ink #40404a · --ink	Green #417505 · --green
Green deep #2d5103 · --green-deep	Green soft #e8f0da · --green-soft	Berry #b86b6a · --berry	Berry soft #f1dcd7 · --berry-soft	Foreground #333 · --fg	Subtle #999 · --fg-subtle

The Twigit lexicon

A proposed naming set rooted in the botanical metaphor. **Nothing here is approved yet.** Until each term gets a green tick, use neutral words in copy: row, view, parent, archive.

⚠ Heath approves each term explicitly. Words like “twig”, “leaf”, and “twigl” are reserved — don't use them as everyday vocabulary in product copy or docs until they're marked **approved** .

twig NOUN await A single node — a task, an idea, a thread.	twigl VERB / FEATURE NAME approved The AI assistant. Also “New twigl” as the add-row affordance.	twigit PRODUCT NAME approved The product itself.	berry NOUN approved The bullet on a row. The signature visual.	leaf NOUN await A view over your data — calendar, board, doc, chat-bot.
grain NOUN await A self-improving AI skill.	trunk NOUN await The workspace root.	prune VERB await Archive or collapse rows you don't need surfacing.	graft VERB await Move a row under a different parent.	bloom NOUN await An AI-suggested batch of new rows awaiting your accept.

PRINCIPLES

How Twiglit feels

Four principles for when the rules don't decide for you.

01

Calm, never quiet

Twiglit is patient with you, but it isn't passive. Movement is gentle; copy is direct. No spinners that just spin — every wait teaches you something.

02

Tree before time

Information is organized by relationship first, schedule second. Lists nest. Views on the same data share state, never duplicate it.

03

The berry knows

One bullet, one status, one source of truth. Completion, ownership, and progress live on the row itself — never in a separate column you forget to update.

04

Grow into the AI

The grain (skill) and the propose-tray are first-class. Surfaces always make it obvious where the human ends and the assistant begins, and reversal is one tap.

THE REST OF THE SYSTEM

Browse

01 · FOUNDATIONS

Color, type, spacing, motion

Tokens that govern everything else. The collapsed palette, the type scale tuned for high-density rows, spacing rhythm.

Open foundations →

02 · COMPONENTS

Buttons, inputs, berries, bars

The atoms: buttons, fields, search, the berry bullet, outline rows, the four-bar header, the ink rail, the dark mobile pill.

Open components →

03 · PATTERNS

Home, DMs, Tree, Leaves

Full screens assembled — the AI chat home, the WhatsApp-shaped DMs, the Workflowy-shaped tree, customisable leaves stacked on top.

Open patterns →

FOUNDATIONS COLOR · TYPE · SPACE · MOTION

The tokens that hold everything together.

Tokens are the smallest, shareable unit of design. Use these — not raw hex values, not magic px numbers — and the rest of the system rebuilds itself when something changes.

ON THIS PAGE

Color

Typography

Spacing

Radii

Motion

01 · COLOR

Color roles, not raw colors

Every color in Twiglit has a job. Don't reach for the hex — reach for the role. The token moves; the hex doesn't.

Surface layers

The desktop chrome is four stacked greys, each darker than the last. Read them top-down:

.....

Iconography

who, where, what, selected. The body is pure white because everything else is grey.

	Body the content surface — the tree, modal bodies	<code>--bg · #ffffff</code>
	Bar 1 — Search top bar: avatar, global search, inbox	<code>--bar-search · #f2f2f2</code>
	Bar 2 — Location breadcrumb / where you are	<code>--bar-location · #e9e9e9</code>
	Bar 3 — Action verbs on the selected twig (focus, details, complete...)	<code>--bar-action · #d7d7d7</code>
	Bar 4 — Selected the focused twig row in the tree	<code>--bar-selected · #f0f0f0</code>

Foreground

	Foreground body text, breadcrumbs, default content	<code>--fg · #333</code>
	Muted secondary text, supportive labels	<code>--fg-muted · #666</code>
	Subtle meta, timestamps, mono labels	<code>--fg-subtle · #999</code>

	Faint placeholder text, disabled	<code>--fg-faint · #c0c0c0</code>
	Border default hairline	<code>--border · #e0e0e0</code>

Brand

One bright green for actions and logo, one deep green for text on grey, one soft tint for selected/hover states. Everything else that used to be green has been retired.

		
Green #417505 · --green	Green deep #2d5103 · --green-deep	Green soft #e8f0da · --green-soft

Roles. --green = brand bg (logo, primary buttons, FAB, leaf-soft bar). --green-deep = green text on grey (action-bar verbs, "+ New twigl" link, focused folder). --green-soft = green tint behind selected items, callouts.

Berry & Ink

		
---	---	---

Berry #b86b6a · --berry	Berry soft #f1dcd b · --berry-soft	Ink #40404a · --ink
---	--	---

Berry is the bullet color and the avatar fallback. **Ink** is the right-side rail and the mobile pill — never use either for body backgrounds.

The palette is closed. No new greens. No new greys. If you need a new role, propose adding it as a token rather than reaching for a fresh hex — that's how a system stays a system.

02 · TYPOGRAPHY

System stack, two weights

We rely on the system stack — `--apple-system` first.
No webfonts. Two weights: regular (400) for everything, bold (600) for titles and emphasis.

HERO

56 · 600 · -0.022em

Grow softly.

DISPLAY

40 · 600

Trees, not folders.

▲▲

■

■

■

●

PAGE TITLE

28 · 600

Weekly planning

SECTION

20 · 600

Today's twigs

HEADING

17 · 600

A node is the atom

LEAD

17 · 400 · 1.6

A twig is a node. The berry is the bullet. Leaves are how you view it.

PARAGRAPH

15 · 400 · 1.5

The reading size for prose — design system docs, modal copy, settings. Stops growing at 17.

BODY / ROW

14 · 400 · 1.5

The default size in the tree, in lists, in nav. Tight enough to fit information, loose enough to read at glance.

SMALL

12 · 400

Secondary labels, supportive text, breadcrumb crumbs at small sizes.

MICRO

11 · 400

Timestamps. Badge text. The smallest you ever go.

MONO

⌘ K · ⌘ ⌘ · ⌘ ⌘ T — keyboard shortcuts only

```
font-family: -apple-system, BlinkMacSystemFont,
              system-ui, "Segoe UI",
              "Noto Sans", sans-serif,
              "Apple Color Emoji",
              "Segoe UI Emoji";
```

Type stack

```
-apple-system,
BlinkMacSystemFont,
system-ui,
"Segoe UI",
"Noto Sans",
sans-serif,
"Apple Color Emoji",
"Segoe UI Emoji"
```

Two weights, that's it

Regular 400 Body, paragraphs, captions, rows

Bold 600 Headings, titles, emphasis

500 (medium) and 700 (extra-bold) are out. Two is enough — anything more is rhythm we can't keep.

03 · SPACING

A 4-point rhythm

Spacing scales linearly off 4px. The tree is dense — most internal gaps live in --space-2 to --space-4. Larger values are for layout chrome, not row content.

TOKEN	PIXELS	USE FOR
--space-1	4	Icon-to-label gap
--space-2	8	Inside small components (chip padding, etc.)

--space-3	12	Between related items in a card
--space-4	16	Card padding, small section gutter
--space-5	20	Default card padding
--space-6	24	Page gutter, bar inner padding
--space-7	32	Between subsections
--space-8	40	Page top breathing room
--space-9	56	Between major sections
--space-10	72	Hero breathing room

Visual scale

--space-1	4
--space-2	8
--space-3	12
--space-4	16
--space-5	20

--space-6	24
--space-7	32
--space-8	40
--space-9	56
--space-10	72

Bar heights

The desktop chrome adds up to 120px of fixed header. Scroll padding is 128px to clear it.

--h-bar-search	44px	Bar 1 — top
--h-bar-location	36px	Bar 2 — breadcrumbs
--h-bar-action	40px	Bar 3 — verbs

04 · RADII

Square. Always.

Twigit doesn't soften its corners. The product reads as ink on paper — a notebook, not an interface. Two exceptions exist for one reason each.



default · 0px

--berry · 50%

The bullet is the brand. It stays round.

pill · 999px

Filter chips only. Earned, not default.

○ If you find yourself wanting to round something: ask whether it's actually the berry or a filter chip. If not, square it.

05 · MOTION

Sub-100ms or refactor

Twigit targets <100ms on everything. If a transition takes longer than that, something is wrong with the code, not the design.

--d-fast	80ms	Hover, focus, taps, color swaps — default for everything
--d-base	100ms	Ceiling — panel slide, accordion open
--ease	cubic-bezier(0.2, 0.7, 0.2, 1)	The only easing


🕒 **Patience is calm; slowness is rude.** If you find yourself wanting a longer easing, the answer is almost always to remove the animation entirely.

06 · ICONOGRAPHY

Traditional, simple, hairline

Cleanly drawn, traditional metaphors — a house is a house, a magnifier is a magnifier. 1.5–1.75px stroke, rounded line caps and joins. Square optical bounds.

⚠ **This set is a placeholder.** The target is a custom set drawn for Twigit. Until then we use a single traditional style (Phosphor regular, or hand-redrawn equivalents).



✓ **Rules.** Stroked, never filled. 24×24 viewBox, square optical bounds. Centered visually, not mathematically. Inherit `currentColor`. Always paired with a text label when used as an action.

Foundations · Twigit Design System

← overview · next: components

COMPONENTS THE PRODUCT, ATOMIZED

The atoms of Twiglit, on the page.

Every screen in Twiglit is built from this list. If you find yourself needing something not here, propose adding it — don't invent it inline.

ON THIS PAGE

Buttons

- + New twigl
- Inputs & search
- Chips & badges
- The berry
- Outlines
- The four bars
- The ink rail
- Mobile nav pill
- Callouts

01 · ACTION

Buttons

Four intent levels — primary, secondary, ghost, danger. No pill rounding. One primary per surface.

Variants

.BTN-PRIMARY · .BTN-SECONDARY · .BTN-GHOST · .BTN-DANGER

Save

Cancel

Skip

Delete

Sizes

.BTN-SM · DEFAULT · .BTN-LG

Small

Default

Large

With icons

ALWAYS LABEL — NEVER ICON-ONLY WHEN ACTIONABLE

Add

⦿ Focus

→ Indent

...

ANATOMY
height 30 (default) · 38 (large) · 22 (small)
padding 14×7 · gap 8 · radius 0
font-size --t-small · weight 600 · letter-spacing -0.015em

✓ DO

One primary per surface. Action-first verbs: "Save", "Add", "Move". Use the icon to clarify the verb, never to replace it.

✗ DON'T

Stack primaries side-by-side. "Save" and "Submit" should never both be green — secondary the less-common path.

01A · ACTION

The "+ New twigl" affordance

The product's most-used action. A green-deep circle with a plus, paired with green-deep label text. Renders inline; reads as both a button and a link.

Default

.BTN-NEWTWIGL

New twigl

Where it lives

ACTION BAR (BAR 3) · SIDEBAR ROOT · MOBILE FAB

New twigl

Add twiglit

Add note

ANATOMY

dot 22×22 · background --green-deep · stroke 2.4 (icon)
label color --green-deep · size --t-body · weight 400
gap 8 · padding 4×8 · hover: opacity 0.7

02 · CAPTURE

Inputs & search

Sharp. Hairline border. The search field is the most-used input — it gets its own treatment.

Global search

.SEARCH — USED IN BAR 1

🔍 Search twigs, threads, leaves...

⌵ /

🔍 design

⌵

Text fields

.INPUT · .FIELD

TWIG TITLE

What's growing?

PARENT

Twiglit · Outline

NOTES

Optional

Checkboxes

☐ Show in inbox

☒ Sync to calendar

☐ Re-prompt on edit

.CHECK

03 · FILTERING & STATE

Chips & badges

Pill chips for filters (one of the few places we round).
Badges for status — kept small, lowercase, mono-typed.

Filter chips

All

Unread

Favorites

Groups

Mentions

Bookmarks

.CHIP · SCROLL HORIZONTALLY ON OVERFLOW

Badges

draft

shipped

blocked

archived

on track

.BADGE · .BADGE-GREEN · .BADGE-BERRY

WHEN TO USE WHICH
chip — for **filters** the user toggles on/off (active state shows green-soft)
badge — for **state of a thing** the user is looking at (read-only, lowercase mono)

The berry

The bullet at the tip of every row. Drawn as a stroked SVG ring at 11x11 with a 1.1px effective stroke. Recolors with `currentColor`; replaceable with a folder when the row contains children.



```
source components/icons.tsx · UncheckedRadio / CheckedRadio
viewBox 20x20 · ring path: outer r10 / inner r8 (2-unit stroke ≈ 1.1px at 11px)
checked: same ring + inner dot r4 (≈ 4.4px center disc)
```

color via background-color + CSS mask — inherits or overrides per state
shared #27AA66 · multiplied #9B59B6 · focused row recolors to --green-deep

- Completion is text, not a berry state. A completed row gets text-decoration: line-through and 60% opacity on its label — the berry itself stays as it was. One bullet, one truth.

05 · THE TREE

Outlines

Outline rows nest by indent only — no expand chevrons by default. Hover surfaces actions; the selected row paints in --bar-selected across the full bleed.

Tree with folders

Twiglitworkspace

○ Outline

○ Nodes

Node Metadata

○ Views

○ iOS chat-first view surfacing

○ Saving and persisting views

○ Chat Threads

○ Shadow System


○ MCP + REST-APIshipped

.OUTLINE · .OUTLINE-ROW · .OUTLINE-INDENT

06 · THE SPINE

The four-bar header

This is the desktop's vocabulary. Each bar has one job and one grey. You stack them in this order, top to bottom — search, location, action, selected.




HEIGHTS 44 + 36 + 40 = 120px of fixed header.
BORDERS 1px between bars. Bar 3 gets a soft drop-shadow because verbs feel like buttons.
BAR 4 bleeds left and right past the gutter (negative inset) so the row reads as a full stripe across the tree.

07 · RIGHT RAIL

The ink rail


A 64px dark column pinned to the right edge. Logo at top, primary destinations below, settings at bottom. The active destination gets a green tick mark.



08 · MOBILE

The dark mobile nav pill

A floating dark pill at the bottom of the iOS screen.
Active tab uses berry red (not green) on the dark surface — green is too low-contrast there. The "+" sits outside the pill as a separate FAB.



Callouts & empty states

- Press  to ask the AI. Select any text in any view, then call up the assistant to turn the selection into a row or summary.
- ⓘ Couldn't move. The target row is read-only. Try a different parent or duplicate it first.

Nothing here yet

Add a row by hand, or ask the AI to turn a brief into one.

New twigl

Ask the AI

PATTERNS REAL SCREENS, ASSEMBLED

What the system feels like in **real screens**.

Three top-level surfaces, each modeled on a well-loved interface so users land on familiar ground: **Home** is an AI conversation, **DMs** is a familiar two-pane chat, **Tree** is an infinite outline. Everything else is a **leaf** — a view a user composes on top of their tree.

ON THIS PAGE

Home · start route


Chats · one leaf, always

Tree · the outline

Leaves · five examples

01 · HOME

The start route — a single prompt




Home is a quiet welcome. One input. A handful of suggested verbs. The user types what they want; Twigl decides where it goes in the tree.

One prompt, one tree

No history sidebar, no model picker, no proposal

Details · the leaf within a leaf



no history sidebar, no model picker, no proposal tray on the home route. The point is to start — anywhere the user goes from here, the tree is what they're working in.

The mark sets the tone

The Twiglit leaf on the green disc is the only piece of brand on the page. It anchors the screen the way a logotype anchors a marketing page.

Suggested verbs, not features

The pill prompts read as things a user might already be thinking — *what's on my plate, plan my week, capture an idea*. They route to the right leaf; users never have to learn which feature to open.


Voice-first ready


The waveform glyph on the composer is the second affordance — tap to talk. On mobile this becomes the dominant input.

02 · CHATS

One leaf, always — single-pane chat

Chats follow the WhatsApp shape. The list of people is one leaf; tapping a row replaces the leaf with the conversation. Never two panes at once — that's the rule.





📄 **One leaf, always.** The list and the conversation are the same leaf in two states. Tapping a row replaces the leaf; the back arrow brings the list back. No split view, no master/detail — that's a desktop habit Twiglit doesn't inherit.

People, groups, AI tools — one directory

Humans and AI agents live in the same list. Tools are marked with a **AI tool** tag in berry, so they're scannable but not loud. A group chat shows N+ in its avatar; AI tools take the berry circle.

Bubbles, the rules

- **Me** — green-soft fill, right aligned. Soft enough not to fight the transcript.
- **Them** — white with hairline border, left aligned.
- **System** — mono caption only; never a coloured bubble.


Twiglit links are first-class

Any bubble can deep-link to a row in the tree with green-underlined text. Clicking jumps to that row. Chats are how people *talk about* rows; the rows themselves live in the tree.

03 · TREE

An infinite outline

The full four-bar header sits above an outline that nests by indent. Hover a row to surface controls; the selected row paints in --bar-selected bleed-to-edge.



An outline, infinite

Any twig is the root of its own subtree. Click a twig to focus it; the breadcrumb grows. Hit Esc to climb back up.

Indent & relationship

- Indent is the only nesting affordance. No chevrons by default.
- Vertical hairline appears under any twig with children — that's the ancestry guide.
- Folder icon (green) marks twigs that contain a curated view, not just descendants.

The action bar reacts

Bar 3 is contextual: the verbs change depending on what's selected. When nothing is selected the bar is dimmed but still present, so the chrome stays predictable.

- ☐ iOS and chat client rendering via WebView
 - ☐ Saving and persisting views
 - ☐ Chat Threads
 - ☐ Shadow System
 - ☐ Agents
- 

04 · LEAVES

Five leaves we've shipped

A leaf is the lens over a slice of the tree. Each one solves a different question — *what's this week look like, who do I need to talk to, where are the open issues, what's the state of the project*. The tree underneath is unchanged; the leaf is just shape.

Weekly Planning							
GOALS · ADD MORE TWIGS					<	May 11 – May 17, 2026	>
	MON MAY 11	TUE MAY 12	WED MAY 13	THU MAY 14	FRI MAY 15	SAT MAY 16	SUN MAY 17
09:00							
10:00							
11:00							
12:00							

13:00

14:00

15:00

16:00

Week plan

CALENDAR LEAF

Drag twigs from the tree onto days and times. Goals on the left pin the rows worth doing this week; everything else stays calm.

Twiglit Development

Overview

List

Board

Calendar

Group by:

Section ▾

NAME ▲

STATUS

DUE

PRIORITY

Roadmap

12

App/Plugins — build connection

Backup the database

done

Browser plugin (hook to existing)

done

Copy Paste Items

done

CREATE permissions in agent

https://019e1d9b-f1fa-7336-b76b-310e96e63f45.claudeusercontent.com/v1/design/projects/019e1d9b-f1fa-7336-b76b-310e96e63f45/serve/patterns.html

Page 7 of 13

Load-aware dream-pass scheduling

todo

Fixes94

Agents need to return links to twigs

AI e2e flows: wire ai-journeys.html

P3

Alt+Enter does not work for blocks

Workstation

LIST LEAF

An Asana-shaped list view of a tree branch grouped by section. Switch tabs to see the same rows as board, calendar, or overview.

Twiglit Development · Issues

Q Search issues

Labels

Milestones

GitHub

New issue

Open0Closed0

Author ▾Labels ▾Milestones ▾Assignees ▾Sort ▾

No issues yet. Create one with the New issue button.

Issue tracker

LIST LEAF

GitHub-shaped issue list for a tree branch. Mirrors to a real GitHub repo when one is connected, so engineering work has a familiar home.

 Twiglit

render_leaf

</>

Overdue Twigs

As of May 13, 2026

2026-04-08	1
☐ Do my Think and Grow Rich exercise Balance Sheet Wealthy todo Due 2026-04-08	
2026-04-12	1
☐ Create content for Remote Executive on LinkedIn across profiles Test 202604122107 in_review Due 2026-04-12	
2026-04-22	2
☐ CREATE copy Post – Nicolas: Your ClickUp setup is organized. It is not designed. todo Due 2026-04-22 ☐ Post – Fabrice: free operational capacity audits for agency founders this month LinkedIn Content Calendar todo Due 2026-04-22	

Render leaf

EMBED LEAF

Generated by the AI inside a chat — Claude.ai, the in-app assistant, anywhere else. Same leaf grammar (header, grouped cards, status pills) ships on hosts that aren't Twiglit, so a teammate can act on the rows without leaving their thread.

Same grammar, every leaf

Every leaf opens with a dark header bar — an icon, a title, an optional close. That's the contract that tells you which leaf you're in, and means leaves stack predictably whether they're inside Twiglit or rendered inside someone else's chat.

The tree underneath never moves

Leaves only reshape what you see. A row checked off in the workstation is checked everywhere; a twig moved on the calendar updates everywhere; the issue tracker, the chat, and the render-leaf are all the same rows, lensed.

Render leaves cross the boundary

The last card is rendered inside Claude.ai. Twiglit emits a leaf as a small embed; the host renders it. Users act on their own rows without ever leaving the assistant.

Eventually: user-styled

Leaf bodies can be styled freely (typography,

density, color). The header bar, action verbs, and row identity stay system-owned — that's the contract a host can rely on.

05 · DETAILS

The details panel — quiet by default

The hardest surface in the app. It opens whenever you focus a row, so it must support 20 different concerns without feeling like a settings page. Tabs make most of them disappear until asked for.

What's hard about it today

- 14+ sections stacked at equal weight — no hierarchy.
- Most fields are empty placeholders eating vertical space.
- Comments & activity sit *below* the metadata fold — the thing users come for is the thing they have to scroll for.
- Section headings ("Multiplied In", "Dependencies", "Twiglits", "Attachments") compete with each other; no visual triage.
- Tabs at the bottom feel like an afterthought.

What the redesign does

- **Tabs move to the top** and default to *Comments* — the most-touched surface.
- **Metadata collapses to one inline strip** — assignee · due · type · repeat. Click any chip to edit.
- **Empty sections vanish.** Add affordances become small "+" chips, not stacked headings.
- **Title is large, editable, with the bullet inline.** Tap the berry to complete.
- **Body scrolls under a fixed header.** Footer keeps ID/created and a kebab — out of the way but reachable.

< Twiglit > Outline



Layout, top down

Persist the user's chosen view per branch

...

Maxine

Today

Type · Twig

Daily

+

Comments 3

Description

Properties

Activity

M

Maxine

10:18

Pushed the saving logic — works on chrome/safari, not yet on the iOS WebView. Looking into it tomorrow.

H

Heath

10:42

Nice. Once iOS is sorted, we can ship behind the feature flag and dogfood.

T

Twigl

11:04

Found 2 similar items in your archive that might inform the iOS approach — want me to surface them?

Show them

Not now

Add a comment or @-mention

- **Top bar (32px).** Breadcrumb to remind where you are; close on the right. Nothing else.
- **Title row.** The berry bullet doubles as the complete-toggle. Title is editable in place at large size — this is the row's identity.
- **Property strip.** A single horizontal line of inline-editable chips. Only properties with values render; the trailing "+" lets the user surface more. Replaces 4–6 stacked form rows.
- **Tabs.** Comments default, because that's what users open the panel for 80% of the time. Description for the body, Properties for the long-form metadata (assignee modal, dependencies, multiplied-in, attachments), Activity for the audit log.
- **Body.** Scrolls. AI replies (Twigl) get the same bubble register as people — left-aligned, with their identity marked by avatar color and a softer tint. They never look like a form alert.
- **Footer (24px).** ID + created timestamp in micro grey. Always visible. Never the focus.

Properties tab — what it holds

Everything that was stacked on the front page lives behind this tab: full assignee picker, dependencies, multiplied-in locations, attachments, repeat rules, custom fields, AI

ID 7c9fc27c	Created 4/17/26

actions ("Start working / Cancel"), extensions. Each gets a dedicated section so they have room to breathe — the front page no longer pays the cost for fields that aren't set.

Empty handling

An empty property doesn't render. Empty Description tab shows a single 80%-faded "Write..." prompt. Empty Activity shows nothing. The user only sees what's there.

AI Actions and Extensions

"Start working" becomes a verb in the kebab — same place as Share, Duplicate, Delete. Extensions (kanban, doc, status, etc.) become small icons on a dedicated row in the Properties tab — not chrome the user has to ignore every time.

