





Appendix L

Line editor commands

When you trigger the line editor by using   in the RPN stack or in ALG mode, the following soft menu functions are provided (press  to see the remaining functions):



The functions are briefly described as follows:

- ←SKIP: Skips characters to beginning of word.
- SKIP→: Skips characters to end of word.
- ←DEL: Delete characters to beginning of word.
- DEL→: Delete characters to end of word.
- DEL L: Delete characters in line.
- INS: When selected inserts characters at cursor location. If not selected, the cursor replaces characters (overwrites) instead of inserting characters.
- EDIT: Edits selection.
- BEG: Move to beginning of word.
- END: Mark end of selection.
- INFO: Provides information on Command Line editor, e.g.,



The items show in this screen are self-explanatory. For example, *X* and *Y positions* mean the position on a line (*X*) and the line number (*Y*). *Stk Size* means the number of objects in the ALG mode history or in the RPN stack. *Mem(KB)* means the amount of free memory. *Clip Size* is the number of characters in the clipboard. *Sel Size* is the number of characters in the current selection.

EXEC: Execute command selected.

HALT: Stop command execution.

The line editor also provide the following sub-menus:


SEARCH: Search characters or words in the command line. It includes the following functions:



GOTO: Move to a desired location in the command line. It includes the following functions:



Style: Text styles that can be used in the command line:



The SEARCH sub-menu

The functions of the SEARCH sub-menu are:

Find : Use this function to find a string in the command line. The input form provided with this command is shown next:

A screenshot of a dialog box titled "FIND". It contains a "Search For:" label followed by a text input field. Below this is a checkbox labeled "Case Sensitive" which is checked. At the bottom, there is a label "Enter search pattern" and a row of buttons: "EDIT", "CANCEL", and "OK".

Replace: Use this command to find and replace a string. The input form provided for this command is:

A screenshot of a dialog box titled "FIND REPLACE". It contains a "Search For:" label followed by a text input field. Below this is a "Replace by:" label followed by a text input field. There is also a checkbox labeled "Case Sensitive" which is checked. At the bottom, there is a label "Enter search pattern" and a row of buttons: "EDIT", "CANCEL", and "OK".

Find next..: Finds the next search pattern as defined in Find

Replace Selection: Replace selection with replacement pattern defined with Replace command.

Replace/Find Next: Replace a pattern and search for another occurrence. The pattern is defined in Replace.

Replace All: Replace all occurrence of a certain pattern. This command asks for confirmation from the user before replacing pattern.

Fast Replace All: Replace all occurrences of a certain pattern without checking with the user.

The GOTO sub-menu

The functions in the GOTO sub-menu are the following:

Goto Line: to move to a specified line. The input form provided with this command is:



A screenshot of a terminal window titled "GOTO LINE". It contains the text "Goto Line:" followed by a text input field containing the number "1". Below the input field is the prompt "Specify a line to go to". At the bottom, there are four buttons: "EDIT", a small empty box, "CANCEL", and "OK".

Goto Position: move to a specified position in the command line. The input form provided for this command is:



A screenshot of a terminal window titled "GOTO POSITION". It contains the text "Goto Position:" followed by a text input field containing the number "1". Below the input field is the prompt "Specify a position to go to". At the bottom, there are four buttons: "EDIT", a small empty box, "CANCEL", and "OK".

Labels: move to a specified label in the command line.

The Style sub-menu

The Style sub-menu includes the following styles:

BOL: Bold

ITALI: Italics

UNDE: Underline

INV : Inverse

The command FONT allow the user to select the font for the command editor.

Examples of the different styles are shown below:

```

: "BOLD"
: "BOLD"
: "ITALICS" "BOLD"
: "UNDERLINE" "ITALICS"
: "UNDERLINE" "UNDERLINE"
BOL W&W UNDE INV FOOT EDIT

```

```

: "BOLD"
: "INVERSE"
: "INVERSE" "INVERSE"
: "INVERSE" "INVERSE"
BOL W&W UNDE INV FOOT EDIT

```