



All Students By Department Name				
First Name	Last Name	Address	Birthday	Department Name
Mohmed	EL-Said	Damitta	6/26/2005 12:00:00 AM	SD
Ali	Ali	Cairo	6/8/2002 12:00:00 AM	Wireless
Heba	EL-Said	Damitta	12/3/2000 12:00:00 AM	SD
Noha	abdo	Damitta	12/3/2000 12:00:00 AM	Wireless
Hellana	Asaad	portsaid	11/9/2000 12:00:00 AM	SD
Hellana	Asaad	portsaid	11/9/2000 12:00:00 AM	UI
Yasmeen	Alaa	portsaid	8/15/2000 12:00:00 AM	SD
Mona	Mouhmod	Cairo	6/9/2000 12:00:00 AM	SD
Alyaa	Ali	Cairo	5/8/2000 12:00:00 AM	Wireless
Heba	ahmed	Damitta	3/12/2000 12:00:00 AM	SD
Dina	Omran	Ismalia	3/5/2000 12:00:00 AM	SD
Sara	Samir	Cairo	8/12/1999 12:00:00 AM	SD
Mohammed	Ali	Alex	8/4/1999 12:00:00 AM	SD
Amira	Fawzy	Cairo	3/8/1999 12:00:00 AM	IOS
Hala	Samir	Alex	3/3/1999 12:00:00 AM	SD
Ahmed	Ali	Cairo	1/8/1999 12:00:00 AM	IOS
Soad	ahmed	Damitta	1/5/1999 12:00:00 AM	Mobile
Alaa	ahmed	Ismalia	5/8/1998 12:00:00 AM	Mobile
Mhmoud	Hesham	portsaid	5/5/1998 12:00:00 AM	Mobile
Hala	Shreif	Ismalia	1/8/1998 12:00:00 AM	UI
Mohamed	Ali	Cairo	7/7/1996 12:00:00 AM	IOS
Ahmed	ahmed	Cairo	12/5/1995 12:00:00 AM	UI
Ali	Ali	Alex	11/4/1995 12:00:00 AM	Mobile

All Students By Grade





Number of Students Per Each Instructor




Instructor Name

- yasmeen
- Mohammed Tharwat
- Heba EL-Said
- Nahed Mohmed
- Rami
- Alaa
- Gamal

Courses & Their Topics

Course Name	Topic
.Net	ADO NET
.Net	EXCEPTION HANDLING
.Net	OOPS
.Net	WIN FORMS
API	REST
C#	Arrays
C#	Call By Value
C#	Interfaces
C#	Out Parameter
C#	Overloading
C&C++	Abstraction
C&C++	Classes & Objects
C&C++	Interfaces
C&C++	Poniter
Data Structure	Queues
Data Structure	Arrays
Data Structure	Hash tables
Data Structure	Stacks
Data Structure	Trees
Database	Basic Concepts
Database	ERD
Database	Indexing
Database	SQL and NoSQL
Database	SQL Queries
Java Script	Dev Tool Debugging
Java Script	Dom creation and modification
Java Script	Asynchronous Communication
Java Script	Conditional statements
Java Script	Fvents

Number of Topics in each Course



Exam Questions				
Question	Answer A	Answer B	Answer C	Answer D
What is virtual inheritance in C++?	C++ technique to enhance multiple inheritance	C++ technique to ensure that a private member of the base class can be accessed somehow	C++ technique to avoid multiple inheritances of classes	C++ technique to avoid multiple copies of the base class into children/derived class
Which of the following type is provided by C++ but not C?	double	float	int	bool
Who invented C++?	Dennis Ritchie	Ken Thompson	Brian Kernighan	Bjarne Stroustrup
By default, all the files in C++ are opened in _____ mode	aa Binary	VTC	Text	ISCII
A C++ statement cannot extend over more than one line.	true	false		
76.45e-2 is a valid value for a float data type.	true	false		
A program must have a main function.	true	false		
All data types take up the same amount of storage.	true	false		
An identifier must start with a letter or an underscore.	false	true		
An identifier must start with a letter or an underscore.	true	false		
In the statement below: "Hello!" is called a string literal. cout << "Hello!"	false	true		
It is best to use very short identifiers.	true	false		
It is good program style to put spaces between words and symbols.	true	false		
The computer will carry out the instructions that follow the symbol //	true	false		
The following is an example of a declaration statement: cout << "Enter a number: ";	true	false		
There are only two possible values for the bool data type.	true	false		

Student Answers

Student Name ▲	Question	Student Answer
Ahmed Ali	What is the difference between delete and delete[] in C++?	c
Ahmed Ali	By default, all the files in C++ are opened in _____ mode	b
Ahmed Ali	what is html stand for ?	a
Ahmed Ali	Which of the following type is provided by C++ but not C?	d
Alaa ahmed	What is the difference between delete and delete[] in C++?	c
Alaa ahmed	By default, all the files in C++ are opened in _____ mode	d
Alaa ahmed	what is html stand for ?	a
Alaa ahmed	Which of the following type is provided by C++ but not C?	b
Heba EL-Said	What is the difference between delete and delete[] in C++?	b
Heba EL-Said	By default, all the files in C++ are opened in _____ mode	a
Heba EL-Said	what is html stand for ?	a
Heba EL-Said	Which of the following type is provided by C++ but not C?	b
Hellana Asaad	What is the difference between delete and delete[] in C++?	a
Hellana Asaad	By default, all the files in C++ are opened in _____ mode	c
Hellana Asaad	what is html stand for ?	d
Hellana Asaad	Which of the following type is provided by C++ but not C?	b
Mohamed ali	What is the difference between delete and delete[] in C++?	c
Mohamed ali	By default, all the files in C++ are opened in _____ mode	a
Mohamed ali	what is html stand for ?	b
Mohamed ali	Which of the following type is provided by C++ but not C?	d