

**Table 304.06 (2): Case Study for Hardscape**

Description	Area (m <sup>2</sup> )
Total non-roof hardscape area	1,000
Shaded Area	300
Areas of hardscape with minimum SRI of 29	350
Total area complying with Hardscape requirements	650
Percentage compliance (minimum 50%)	65%

The minimum requirement for complying with this regulation is 50%. As in the above case study (Table 304.06 (2)), percentage compliance is > 50%, the project complies with this regulation.

## COMPLIANCE DOCUMENTATION

**Table 304.06(3): Documents Required**

Project Stages	Submittal Documents
Design Permit Application	1. Site plan(s) showing project boundary, building footprint and hardscape area and SRI values for paving / shading materials. 2. Hardscape area calculations.
Construction Completion Application	1. Final approved site plan(s) with elements and measurements, including project boundary, building footprint and hardscape area. 2. DCL certificate (SRI Value) of hardscape finishing material. 3. Proof of purchase - Purchase receipts/delivery notes.
After Completion	Not applicable.

## REFERENCES AND ADDITIONAL INFORMATION

Dubai Municipality (2019). Al Sa'fat Regulation No. 302.01: Local Species.

Dubai Municipality (2019). Al Sa'fat Regulation No. 304.01: Urban Heat Island Effect.