

SM-R1: Hazardous Materials Elimination

Intent	To minimise toxic effects of asbestos, chromated copper arsenate (CCA) treated timber and lead based paints on people and the environment.
Credit Requirements	<p>GENERAL</p> <p>Demonstrate that no Asbestos Containing Materials (ACMs) are used within the project.</p> <p>This Credit Requirement builds on <i>Cabinet Resolution No. 39 of 2006 Concerning Prohibiting Import, Production and Utilisation of Asbestos Boards</i> and extends the prohibition to all ACMs.</p> <p>Demonstrate that where treated timber is specified for external structures where there is frequent and human contact, including but not limited to, shading devices, public realm furniture, playground equipment and handrails that no chromated copper arsenate (CCA)-treated timber is used.</p> <p>Demonstrate that no lead based paints are used within the project.</p> <p>ADDITIONAL REQUIREMENT/CLARIFICATIONS</p> <p>None</p>
Credit Submission: Design Rating	<p><input type="checkbox"/> Extracts from specifications indicating that none of the following are to be used in the project as per the Credit Requirements:</p> <ul style="list-style-type: none"> ▫ ACMs; ▫ CCA-treated timber; and ▫ Lead based paints.
Credit Submission: Construction Rating	<p><input type="checkbox"/> Evidence of products purchased, indicating that no ACMs, CCA-treated timber or lead based paints were used in the project as per the Credit Requirements.</p>
Calculations and Methodology	None
References	<ul style="list-style-type: none"> ▪ Cabinet Resolution No. 39 of 2006 Concerning Prohibiting Import, Production and Utilisation of Asbestos Boards.