

3. Consulting and working with the list of thermal insulation approved by the competent administration concerning everything that is related to the details of thermal insulation works.
- q. The buildings whose height is more than a ground floor and one floor which include large areas of glass in the frontages should be supplied with the necessary equipments and devices to clean the glass from the outside according to what the committee of building license has decided.

**Article (27): The special stipulations for the people of peculiar needs:**

- a. In public buildings such as markets, malls , mosques, cinemas, theatres, sport stadiums ,public parks and governmental buildings which people visit often, The following stipulations should be provided as a limit inferior:
  1. Ramps with a slope rate that is not more than (1) to (12) at sidewalks, outer stairs and the points of different levels inside and outside the buildings.
  2. Parking lots for the people of peculiar needs with a percentage(1.3)% of the total number for parking lots where a part from a parking lot is considered a complete parking lot with a limit superior (10) parking lots with putting all the necessary instructions.
  3. These parking lots should be as close as possible to elevators or to the main entrances on a distance which is not more than (60) meters and their measurements should be according to the designed standards which are approved by the competent administration.
  4. Providing suitable spaces for loading and unloading according to the designed standards for the people of peculiar needs at the main entrances.
  5. Providing direct lanes without any obstacles from the parking lots to the elevators or to the main entrances of the buildings or the establishments.
  6. Providing a special lavatory for the people of peculiar needs according to article (44) from this list and it should be equipped according to the designed standards which are approved by the competent administration. The instructions, which lead to it, should be fixed wherever it is needed.
  7. One of the elevators should be with a capacity, specifications, dimensions and equipments that correspond to the international standards for the people of peculiar needs according to what the committee of building license decides.
  8. Passages should have enough dimensions for the people of peculiar needs according to the approved standards and providing the accessibility to go in or out from all doors and get to all the inner and outer elements without any obstacles that may restrict the movement.
  9. In malls which consist of more than one floor, there should be at least one elevator that corresponds to the standards that are used by the people of peculiar needs .Electric stairs are not considered a replacement for this