

batch shipped shall have accompanying documentation verifying this and any batch without such documentation will be rejected.

- d. All wood shall be FCS certified pure hardwood.
- e. Acceptable hardwood species: Ipé, Yellow Balau, Borneo Ironwood, Burmese Teak

1.2.8.2 Fasteners:

- a. 304 Electro-polished stainless steel or 316L stainless steel.
- 2. Anchors:
 - a. 304 Electro-polished stainless steel or 316L stainless steel.

1.2.8.3 Finish:

- 1. Wood:
 - a. Penetrating oil finish. Finish colour: Penofin® Hardwood Formula "Transparent Natural". The coating shall be mar resistant and waterproofed.

1.2.9 Flush Wood Panelling

- A. Grade: Premium.
- B. Wood Veneer: As indicated on drawing.
 - 1. Lumber Trim and Edges: Trim and edges shall be solid wood with grain and color of veneered panels.
- C. Matching of Adjacent Veneer Leaves: Random.
- D. Veneer Matching within Panel Face: As indicated on drawings.
- E. Panel-Matching Method: As indicated on drawings.

1.2.10 Wood Cabinets for Transparent Finish

- A. Grade: Premium.
- B. AWI type of cabinet construction – flush overlay.
- C. AWI Door and Drawer Front Style: Flush overlay.
- D. Wood Species and Cut for Exposed Surfaces: Veneer Grade AA as per drawings.
 - 1. Grain Direction: Vertically for drawer fronts, doors, and fixed panels.
 - 2. Matching of Veneer Leaves: Random.
 - 3. Vertical Matching of Veneer Leaves: End match.