

- ISO 9001
 - ISO 14000
 - OHSAS 18001
- B. Manufacturers shall have long experience in the design and manufacture of the articles supplied by them and the products shall have a proven and reliable service in similar installations and under similar conditions. Irrespective of any conditions specified herein the Contractor shall be solely responsible for supplying and installing the Plant as specified and implied in the Contract Documents.
- C. Competent manufacturers for the supply of his proposed equipment and machineries for the plant for approval. The Department and/ or the Engineer shall not be bound to accept any specific offer and need not to assign any reasons for the non-acceptance of any such alternative offer.
- D. All materials, equipment and machinery (including electrical motors) shall be manufactured in the original country of the manufacturer and similar items of plant like pumps, motors, etc. shall be obtained from one manufacturer only.
- E. Together with the submittals the Contractor shall provide comprehensive information, compliance statement and detailed schedules for each type of material / equipment proposed showing type, manufacturer, country of origin, local agent and all other data and information required for a technical appraisal. The submittals shall be accompanied by detailed technical descriptions, catalogues, lists of references, showing that the material / equipment is suitable for the climatic and environmental conditions prevailing at the Site. When evaluating the offers, emphasis will be paid to durability, ease of operation and maintenance, access to major items of the plants. Submittals shall, in addition to requirements listed elsewhere, include schematics and flow diagrams showing the built-up of the Plant.
- F. The Contractor shall include in his contract(s) with manufacturers / suppliers the condition that the manufacturer's technical expert shall inspect in regular intervals (not less than once a month) all sites where installation works are under progress and where materials are stored or used or installed. The expert shall report his findings in writing directly to the Engineer and shall comment on handling, storing and installation of said material.