

- B. Convene one week prior to commencing work of this section.

5.1.7 Delivery, Storage, and Protection

- A. Section 01600 - Materials and Equipment.
- B. Provide all product information in manufacturer's packaging, including use instructions to the Engineer or as directed.

5.2 Part 2 Products

5.2.1 Concrete Materials

- A. Cement, Water, Admixtures: as Specified in Section 03300.

5.2.2 Accessory Materials

- A. Surface Retarder as approved by the Engineer.
- B. Acid Etch Solution as approved by the Engineer.

5.2.3 Concrete Mix

- A. Utilize concrete mix design specified in Section 03300.

5.2.4 Source Quality Control

- A. Provide testing and analysis of concrete mix design.
- B. Test samples in accordance with Section 03300 requirements.

5.3 Part 3 Execution

5.3.1 Examination

- A. Section 01039 - Coordination and Meetings: Verification of existing conditions and readiness of formwork and reinforcement prior to beginning work.
- B. Verify that items to be cast into concrete are placed securely and will not impede placing concrete.
- C. Notify the Engineer minimum 24 hours prior to commencement of concreting operations.

5.3.2 Preparation

- A. Clean formwork surfaces.
- B. Apply surface retarder to formwork in accordance with manufacturer's instructions.
- C. Clean previously placed concrete with steel brush and apply bonding agent in accordance with manufacturer's instructions.