

1.1.6 Regulatory Requirements

- A. The Contractor should get approval from the local authorities for the locations of the outdoor signs.
- B. Advertising material other than the information related to the project are not permitted.

1.2 Part 2 Products

1.2.1 Signboards Material

- A. Plywood.
- B. Frame and supports: The frames and supports of the sign-boards shall be wood.

1.2.2 Marker Plates Material

- A. Bronze casting: ASTM B584, Copper Alloy Sand Casting from General Applications and shall be copper alloy to UNS No. 90300.

1.2.3 Fabrication - Project Notice-Boards

- A. Face Sheet: Plywood panel board, 19mm thick.
- B. The size of the Project Notice-board is 3000mm wide x 4000mm high
- C. Project Notice-boards shall be lettered in both Arabic and English by a skilled signwriter to include the project information as approved by the Engineer

1.2.4 Fabrication - Safety Notice-Boards

- A. Safety Notice-boards shall be set up and maintained throughout the course of the Contract in prominent places on the Site for observation by the Contractor labour force. The Contractors' staff and labour force shall be made fully aware of the illustrated Notice-boards prior to commencing duties on site.
- B. The Safety Notice-boards shall be located in positions approved by the Engineer such that they are clearly visible to the Contractors' employees.
- C. Safety Notice-boards shall be fully illustrated in Arabic, English and in all other languages which are the mother tongue of five or more of the Contractor' employee. They shall provide details of key safety procedures to be followed by the Contractors' labour force with definitive instruction from the Contractor for them to be implemented.