

- D. Where mock-up has been accepted, and is specified in product specification, the sections shall be removed; the Contractor shall remove facilities and clear area when directed to do so.

14.1.5 Manufacturers' Field Services

- A. When specified in individual specification sections, the Contractor shall require material or Product suppliers or manufacturers to provide qualified staff personnel to observe site conditions, conditions of surfaces and installation, quality of workmanship, start-up of equipment, test, adjust and balance of equipment as applicable, and to initiate instructions when necessary.
- B. The Contractor shall submit the qualifications of the observer to the Engineer two weeks in advance of required observations. Nomination of the observer is subject to approval of the Engineer.
- C. The Contractor shall report observations and site decisions or instructions given to applicators or installers that are supplemental or contrary to manufacturers' written instructions.
- D. Refer to Section 01300.

14.2 Part 2 Products

14.2.1 Identification Mark-up

- A. Manufacturers product identification marks and the conforming applicable standards, third party product testing and certification marks shall be embossed in each manufactured item arriving at site.

14.3 Part 3 Execution

14.3.1 Examination

- A. The Contractor shall verify that existing site conditions are acceptable for subsequent Work. The starting of new Work means acceptance of existing conditions.
- B. The Contractor shall verify that existing substrate is capable of structural support or attachment of new Work being applied or attached.
- C. The Contractor shall examine and verify specific conditions described in individual specification sections.