

7.15. Mosques and prayer rooms

Mosques and prayer room shall fulfil the following requirements:

1. An accessible path shall connect the public space with the building and the different rooms among them. An accessible entrance shall be provided.
2. A clear area shall be provided at the entrance to prevent shoes from blocking the accessible path. This shall be complemented with a KEEP CLEAR mat if the clear entrance is not guaranteed.
3. Seats shall be provided at entrances and at other locations where people are required to remove their shoes.
4. Seating should also be provided within the prayer hall to accommodate people who cannot bend to pray.
5. The route to the designated area crossing the prayer hall's carpeting shall have low pile carpeting.

7.16. Other temples and praying rooms

These buildings and rooms shall guarantee the same accessibility requirements that shall be observed in all public use buildings regarding circulation, lighting and wayfinding in this Code.

7.17. Accessible hotel rooms

Hotels shall comply with all elements in this Code. Hotel rooms shall fulfil the following requirements:

1. At least 10% of hotel rooms shall be accessible as well as all common spaces in the hotel premises.
2. An accessible toilet with grab bars, an accessible shower and vanity shall be provided in compliance with this Code.
3. Half of the accessible hotel rooms shall provide roll-in showers while the other half shall provide bathtubs following the requirements of the drawings below. In both cases an alarm string shall be provided.
4. The accessible rooms shall be provided with acoustic and visual fire alarms.