

MINIMUM LEVELS OF ACCESSIBILITY FOR EXISTING BUILDINGS

		Main entrance	Paths	Stairs	Sanitary provisions	Changing room	Furniture	Parking & Drop-off point	Accessible rooms	Tactile map	Reserved seating spaces	Induction loops
Public offices and professional offices	≤ 500 m ²	UA/P	UA/P		UA/P			UA				UA
	> 500 m ²	UA/P	UA	UA/P	UA		UA	UA				UA
Education												
Educational buildings	100 to 500 m ²	UA/P	UA/P		UA/P						UA	UA
	> 500 m ²	UA*	UA/P	UA/P	UA	UA	UA	UA	UA		UA	UA
Religious facilities												
Mosques & other Religious buildings	≤ 50 seats	UA/P	UA/P		UA/P	UA		UA				UA
	> 50 seats	UA/P	UA/P	UA/P	UA	UA	UA	UA	UA			UA
Parking												
Garage and parking	10 to 70 spots	UA/P	UA/P	UA/P	UA/P			UA				
	> 70 spots	UA/P	UA	UA/P	UA		UA	UA				
Transport												
Rail transport station	All	UA/P	UA	UA	UA	UA	UA	UA				UA
Airports	All	UA/P	UA	UA	FT/F	UA	UA	UA		TA/FT		UA