



- NOTES:
1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS INDICATED OTHERWISE.
 2. IF THERE IS DISCREPANCY BETWEEN THE REQUIREMENTS IN THE SPECIFICATIONS AND THOSE SHOWN ON THIS DRAWING, THE SPECIFICATIONS SHALL BE FOLLOWED.
 3. ALL MATERIALS, FABRICATION AND CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS AND VERIFIED BY THE ENGINEER.
 4. EMPTYING TIME OF POND WILL VARY BASED ON EVAPORATION RATE AND SOIL PERMEABILITY.
 5. AERATORS MIGHT BE REQUIRED TO ENSURE WATER QUALITY AND REDUCE STAGNATION.
 6. FOR EVAPORATION PONDS GROUTED RIPRAP SHALL BE USED FOR POND BOTTOM.

REFERENCE DRAWINGS AND DOCUMENTS			
No.	REVISIONS	APP'D	DATE
CLIENT			
TITLE			
STANDARD DRAWINGS MAIN ROADS			
DRAWING TITLE			
SURFACE DRAINAGE TYPICAL DETAILS OF STORM WATER PERCOLATION POND PLAN & SECTIONS			
DRAWN	-	SCALE	N.T.S
CHECKED	-	DATE	-
APPROVED	-	SIZE	A1
PROJECT No.	-	DWG. No.	N-260