

Table 1.1

| Type of Premises & consumption categories | Description | Estimates of daily rate of consumption (imperial gallons) | Rounded estimates of daily rate of consumption (litres) |
|-------------------------------------------|------------------------------|-----------------------------------------------------------|---------------------------------------------------------|
| Hotel ¹ | per one bed | 100-150 | 450-675 |
| Car wash station (CWS) | per manual channel | 800 | 3600 |
| Car wash station (CWS) | per automatic channel | 2400 | 10800 |
| Hospital | per one bed | 150 | 675 |
| Day clinic | per medical practitioner | 100 | 450 |
| Day clinic (with dental) | per medical practitioner | 150 | 675 |
| Common market | per square metre | 1.1 | 5 |
| Mosques <300m ² | per square metre | 5.5 | 25 |
| Mosques >300m ² | per square metre | 3.5 | 16 |
| Female praying rooms | per square metre | 2 | 9 |
| Workers' Housing | per capita | 44 | 200 |
| Public toilets | per sanitary piece | 35-50 | 160-225 |
| Schools / universities | per student | 5/10 | 25/45 |
| Hostel | per student | 44 | 200 |
| Villa and shabiat | per capita | 77 | 350 |
| Villa / shabiat | per small service block | 250 | 1100 |
| Villa / shabiat | per large service block | 450 | 2000 |
| Villa / shabiat | per external majlis | 150 | 675 |
| Villa / shabiat | per maid's room | 50 | 225 |
| Villa / shabiat | per guard room | 100 | 450 |
| Villa and shabiat ² | per bedroom | 110 | 500 |
| Villa and shabiat | swimming pool/m ² | 4-5 | 18-22 |
| General services ³ | per plot square metre | 0.2 | 0.9 |
| Services in a building | up to 5 floors | 165 | 750 |
| Services in a building | from 6 to 10 floors | 330 | 1500 |
| Services in a building ⁴ | above 10 floors | 660 | 3000 |
| Offices & shops ⁵ | per sanitary piece | 35-50 | 160-225 |
| Offices & shops | per square metre | 1 | 4.5 |
| Restaurants | per meal | 2 | 9 |
| Offices & shops | (per person) | 10 | 45 |
| Residential flat | Studio | 100 | 450 |
| Residential flat | 1 bedroom | 120 | 550 |
| Residential flat | 2 bedrooms | 180 | 820 |
| Residential flat | 3 bedrooms | 220 | 1000 |
| Residential flat | 4 bedrooms | 280 | 1250 |
| Residential flat | 5 bedrooms | 350 | 1600 |
| Residential flat | per maid's room | 50 | 225 |
| Residential flat | per capita | 50 | 225 |

Table 1.1 Notes

1. Hotel category up to 5 stars. Hotels/resorts above 5 stars will be subject to assessment.
2. For the shabiat and villa category, a reduction factor may be applied for every additional bedroom according to the Distribution Company's own criteria.
3. 'General services' means water used for internal gardening and general cleaning purposes for a standard-size shabiat and villa.
4. Rates of consumption for buildings higher than 20 floors shall be adjusted proportionally.
5. All consumption rates for sanitary pieces shall be calculated based on water-efficient plumbing fittings, as required by ESTIDAMA.

Note (a): Water consumption rates for other uses, e.g. swimming pools, cooling services, shall be determined following consultation with the Distribution Company.

Note (b): For some of the categories, the Responsible Person has a choice of consumption rate which is subject to the Distribution Company approval

Guide to Water Supply Regulations 2017

| | | | | |
|--------|------------|---------|--------------|-------------|
| Author | Document | Version | Issue date | Approved by |
| KR/MSH | ER/P04/100 | Issue 3 | 15 Dec. 2016 | SSQ |