

5. In children's schools and nurseries toilets and furniture with the appropriate height shall be provided.
6. Students using assistive devices such as computers or optical character recognition systems, among others, need electrical plugs near their seats. These electrical plugs should be provided as close as possible to the person's seat and the cables between the device and the plug shall not obstruct the corridors.
7. The classrooms shall be well illuminated.

7.26. Garage and parking buildings

Garage and parking buildings shall fulfil the following requirements:

1. Wayfinding signs shall indicate the accessible parking places.
2. Wayfinding signs shall be provided at any directional change option inside the parking, and should use the symbols and colours of each area and floor to help people find their cars, toilets and exits.
3. Wayfinding and signage shall follow the communication accessibility criteria of section D.
4. Floor painting contrasted 30 points of LRV with the vehicles path shall be provided to identify the pedestrian paths.
5. In large parking areas with several pedestrian exits, accessible parking places should be distributed near each exit. The distribution of accessible parking has to ensure that all accessible parking spaces are not located in the same area and has to guarantee short distances from the parking spaces to the pedestrian exits.
6. Wayfinding signs shall indicate the accessible parking places.
7. Accessible parking places shall follow the criteria of section 6.13.

7.27. Industries and laboratories

All industries and laboratory facilities where people with disabilities may work shall be accessible and the working places adapted individually to each employee with a functional limitation.

Work places must ensure that there are no disadvantages for people with disabilities in the course of performing their daily duties.