

- 4. Veneer Matching within Panel Face: Running.
- E. Semi exposed surfaces – same veneer grade custom.

### **1.2.11 Wood Cabinets for Opaque Finish**

- A. AWI Type of Cabinet Construction Flush overlay.
- B. WI Door and Drawer Front Style: Flush overlay.
- C. Panel Product for Exposed Surfaces: Medium-Density.
- D. Semi exposed Surfaces: Provide surface materials indicated below:
  - 1. Surfaces Other than Drawer Bodies: Match materials indicated for exposed surfaces.
  - 2. Drawer Sides and Backs: Solid hardwood lumber.
  - 3. Drawer Bottoms: Hardwood plywood.

### **1.2.12 Plastic-Laminate Cabinets**

- A. Grade: Premium.
- B. AWI Type of Cabinet Construction: Flush overlay.
- C. WI Door and Drawer Front Style: Flush overlay.
- D. Laminate Cladding for Exposed Surfaces: High pressure decorative laminate complying with the following requirements:
  - 1. Horizontal Surfaces Other Than Tops: Grade HGS.
  - 2. Post formed Surfaces: Grade VGS.
  - 3. Edges: PVC tape, 0.5 mm minimum thickness, matching laminate in color, pattern, and finish.
- E. Materials for Semi exposed Surfaces:
  - 1. Surfaces Other than Drawer Bodies: High pressure decorative laminate, Grade VGS.
    - a. Edges of Plastic-Laminate Shelves: PVC tape, 0.5 mm minimum thickness, matching laminate in color, pattern, and finish.
    - b. For semi exposed backs of panels with exposed plasticlaminate surfaces, provide surface of high pressure decorative laminate, Grade VGS.
  - 2. Drawer Sides and Backs: Thermo set decorative panels.