

3. Technical service staff suitably qualified and knowledgeable of applications and expected performances required by the specification.

Prior approval of the manufacturer supplying to the works shall be obtained from the Engineer.

B. Coating applicators shall have the following:

1. Purpose built facilities for the proper application of coatings
2. Equipment and facilities stated in Section 09900 clauses 2.1 and 2.2
3. If applying in in-situ conditions or at site.
 - i) The ability to provide and erect dust-free and sheltered booths at the place of application
 - ii) The ability to set-up proper equipment and facilities at the place of application in accordance with Section 09900 clauses 2.1 and 2.2.

1.1.8 Regulatory Requirements

- A. UAE regulations on Health & Safety Requirements shall be confirmed.

1.1.9 Mock-Up

- A. Not Used.

1.1.10 Delivery, Storage and Handling

- A. Provision under Section 01600 - Materials and equipment: Transport, handle, store and protection of products shall be followed.
- B. Products shall be delivered to place of application in sealed and labelled containers.
- C. Container labelling shall include manufacturer's name, type of paint, brand name, lot number, brand code, coverage, application instructions, surface preparation, drying time, cleanup requirements, colour designation and instructions for mixing and reducing.
- D. Paint materials shall be stored at minimum ambient temperature of 150C and maximum of 250C in a ventilated area, or as required by manufacturer's instructions and Health and Safety requirements.