

- 3 Architectural items
 - 4 Mechanical, Electrical, Instrumentation and Contract work
 - 5 Other submittals required by the Specification
- C. The Contractor shall manufacture, ship and deliver to site only items with shop drawings approved.
- D. Unless otherwise specified, the Contractor shall include six prints of each shop drawing with each submittal. Three sets of copies will be returned to the Contractor marked to show the required corrections or approval.

11.1.12 Record Drawings

- A. In addition to the requirements under "Shop Drawings" given above, full details of the following shall be presented to the Engineer:
- 1 Position and extent of all support construction left in any excavation
 - 2 Precise location of all services encountered
 - 3 Soils encountered during all excavation work
 - 4 Amendments to approved working drawings as a consequence of construction
 - 5 Measured depths of construction
 - 6 Measured horizontal and vertical locations of underground utilities and appurtenances, referenced to permanent surface improvements
 - 7 Measured locations of internal utilities and appurtenances concealed in construction, referenced to visible and accessible features of the Work
 - 8 Field changes of dimension and detail
 - 9 Details not on original Contract drawings.

11.1.13 Samples

- A. Unless otherwise specified, each submittal shall include two sets of samples. One set of approved samples and all disapproved samples will be returned. Samples of value retained by the Engineer will be returned after completion of the Work if the first transmittal for the sample requests its return. Approved samples of manufactured items returned may be installed in the Work if the locations are recorded and the samples bear temporary identification as such.