

- H. The Contractor shall submit a written report that equipment or system has been properly installed and is functioning correctly, in accordance with Section 01300.

### **26.1.3 Demonstration and Instructions**

- A. The Contractor shall, demonstrate operation and maintenance of Products to the Engineer and DMAT's personnel one week prior to date of Substantial Completion.
- B. The Contractor shall demonstrate Project equipment by a qualified manufacturers' representative who is knowledgeable about the Project.
- C. For equipment or systems requiring seasonal operation, the Contractor shall perform demonstration for any other season to suit.
- D. The Contractor shall utilize operation and maintenance manuals as basis for instruction. He shall review in detail the contents of the manuals with the Engineer and DMAT's personnel to explain all aspects of operation and maintenance.
- E. The Contractor shall demonstrate start-up, operation, control, adjustment, trouble-shooting, servicing, maintenance, and shutdown of each item of equipment at scheduled and agreed time, at equipment location.
- F. The Contractor shall prepare and insert additional data in operations and maintenance manuals when need for additional data becomes apparent during instruction.
- G. The amount of time required for instruction on each item of equipment and system is that specified in individual sections.

### **26.1.4 Testing, Adjusting, and Balancing**

- A. DMAT reserves the right to appoint and employ services of an independent firm to perform testing, adjusting, and balancing. Contractor shall be paid for services from contingency allowance specified in Section 01019.
- B. The independent firm will perform services as specified.
- C. Reports will be submitted by the independent firm to the Engineer indicating observations and results of tests and indicating compliance or non-compliance with the requirements of the Contract Documents.