department of building safety, the *building official* shall issue a certificate of occupancy that contains the following:

- 1. The building *permit* number.
- 2. The location of the structure.
- 3
- 4. 5. A statement that the structure or portion thereof under the building permit, has been inspected for compliance with the requirements of this code..
- 6. The name of the building official.
- 7. The edition of the code under which the *permit* was issued.
- 8. The use and occupancy of each floor, in accordance with the provisions of Chapter 3.
- 9. The type of construction as defined in Chapter 6.
- 10. The design *occupant load* and live loads.
- 11.An indication If the building contains an *automatic sprinkler system, standpipe system or fire alarm* system, whether these systems are required or not.
- 12. Any special stipulations and conditions of the building *permit*.
- **111.3 Temporary occupancy.** The *building official* is authorized to issue a temporary certificate of occupancy before the completion of the entire work covered by the *permit*, provided that such portion or portions shall be occupied safely. The *building official* shall set a time period during which the temporary certificate of occupancy is valid.
- **111.4 Revocation.** The *building official* is authorized to, in writing, suspend or revoke a certificate of occupancy or completion issued under the provisions of this code wherever the certificate is issued in error, or on the basis of incorrect information supplied, or where it is determined that the building or structure or portion thereof is substantially in violation of the provisions of this code.

SECTION 112 SERVICE UTILITIES

Refer to the Abu Dhabi Executive Regulations as amended.

- **112.1 Connection of service utilities.** No person shall make connections from a utility, source of energy, fuel or power to any building or system that is regulated by this code for which a *permit* is required, until released by the *building official*.
- **112.2 Temporary connection.** The *building official* shall have the authority to authorize the temporary connection of the building or system to the utility source of energy, fuel or power.
- **112.3 Authority to disconnect service utilities.** The *building official* shall have the authority to authorize disconnection of utility service to the building, structure or system regulated by this code and the referenced codes and standards set forth in Section 101.4 in case of emergency where necessary to eliminate an immediate hazard to life or property or when such utility connection has been made without the approval required by Section 112.1 or 112.2. The *building official* shall notify the serving utility, and wherever possible the owner and occupant of the building, structure or service system of the decision to disconnect prior to taking such action. If not notified prior to disconnecting, the owner or occupant of the building, structure or service system shall be notified in writing, as soon as practical thereafter.