

5. Providing lavatories where one lavatory is for every two rooms from the children's room.
6. Providing a large shaded yard covered with sand and plants which goes with the number of the children.
7. The area between the beds in the nursery rooms should not be less than one meter.
8. Providing parking lots according to article (25) from this list with observing a complete separation between the movement of the cars and the movement of the pedestrians, the yards and the fields.
9. The nursery should be in the ground floor or in the first floor and it should have empty spaces that can be used for the motion activity for children. This can be exceeded if there are technical reasons to which the competent administration approves.
10. Dedicating a room in the building for a clinic where it should be equipped with the most important medical equipments and the first aids that are necessary for children.

Article (35): Sanitary Buildings:

The following conditions should be observed as a limit inferior in order to get the construction license for every kind of the following sanitary buildings:

a) Hospitals:

1. It is stated to build hospitals in the areas stated for this usage according to the map which is supplement with the system of classifying and economizing land usages in the emirate.
2. Getting the approval of the department of health and medical services as a major condition to get the construction license.
3. The hospital should be designed and executed according to the international standard bases which are approved for hospitals.
4. Studying 1)the area of the elements and its relation with each other, 2)the width of the doors , the passages and the necessary electric, sanitary and mechanical fittings and 3) the used material in a way that goes with the kinds, the specifications and the measurements of the medical devices and equipments used in it.
5. Arranging the designs for the inner furniture. On it there should be the kinds and the measurements of the devices and the equipments used in the different departments.
6. Providing natural ventilation and lighting for the patients' rooms, waiting rooms, offices and halls as well as mechanical ventilation according to the approved standard specifications for the other parts that do not have natural ventilation.